

Department of Land Management  
Architectural Review Board  
116 HAMPTON ROAD  
SOUTHAMPTON, NY 11968  
Phone: (631) 702-1844  
Fax: (631) 287-5754

## TOWN OF SOUTHAMPTON



CATHERINE SHAMOUN  
RECORDING SECRETARY

CHAIRMAN:  
MICHAEL CHARRIER

MEMBERS:  
TIMOTHY RUMPH  
TED JANKOWSKI  
JOSEPH BURKE  
JULIE KEYES

JAY SCHNEIDERMAN  
TOWN SUPERVISOR

---

### SOUTHAMPTON TOWN ARCHITECTURAL REVIEW BOARD

### MEETING AGENDA

MAY 1, 2018

MEETING TIME 10 A.M. CALL MEETING TO ORDER

**SIGN APPLICATION: HOLDOVER**  
**HARDY – FREESTANDING AND WALL SIGNS**  
**1654 COUNTY ROAD 39, UNIT #100, SHINNECOCK HILLS**  
**SCTM# 177-3-1.2**

**SIGN APPLICATION: HOLDOVER**  
**CHURCHILL WINES AND SPIRITS**  
**2489 MONTUAK HIGHWAY, BRIDGEHAMPTON**  
**SCTM 86-2-17**

**SIGN APPLICATION:**  
**SOTHEBY'S INTERNATIONAL REALTY**  
**2444 MONTAUK HIGHWAY, BRIDGEHAMPTON**  
**SCTM 69-5-18.1**

**SIGN APPLICATION:**  
**LIFE STORAGE**  
**99 MARINER DR, SOUTHAMPTON**  
**SCTM 132-2-49.15**

**SIGN APPLICATION:**  
**LIFE STORAGE**  
**59 MARINER DR, SOUTHAMPTON**  
**SCTM 132-2-49.16**

Department of Land Management  
Architectural Review Board  
116 HAMPTON ROAD  
SOUTHAMPTON, NY 11968  
Phone: (631) 702-1844  
Fax: (631) 287-5754

## TOWN OF SOUTHAMPTON



CATHERINE SHAMOUN  
RECORDING SECRETARY

CHAIRMAN:  
MICHAEL CHARRIER

MEMBERS:  
TIMOTHY RUMPH  
TED JANKOWSKI  
JOSEPH BURKE  
JULIE KEYES

JAY SCHNEIDERMAN  
TOWN SUPERVISOR

May 1, 2018

**SIGN APPLICATION:**  
**LIFE STORAGE**  
**59 MARINER DR, SOUTHAMPTON**  
**SCTM 132-2-49.15**

**SIGN APPLICATION**  
**BNB BANK**  
**2200 MONTUAK HIGHWAY, BRIDGEHAMPTON**  
**SCTM 85-1-27.1**

**SITE PLAN REVIEW: HOLD OVER**  
**JASON KLINGE (AKA BUTLER ANTIQUES)**  
**720 MONTAUK HIGHWAY, WATER MILL**  
**SCTM 114-1-40**

**SITE PLAN REVIEW:**  
**MENZER FENCHEL**  
**424 NORTH SEA RD, N SEA**  
**SCTM 159-1-3**

**SITE PLAN REVIEW:**  
**20 RIVERLEIGH LLC**  
**20 RIVERLEIGH AVE, RIVERSIDE**  
**SCTM 138-2-30**

**SITE PLAN REVIEW:**  
**HAMPTON COFFEE**  
**869 MONTAUK HIGHWAY, WATER MILL**  
**SCTM 114-3-17**