



# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

**Sample Information:**

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7080831001**  
**Client Sample ID.: S-15687**

Federal ID : 5103704  
 Collected : 02/27/2019 08:40 AM Point S-15687  
 Received : 02/27/2019 03:30 PM Location Well #1-1  
 Collected By CLIENT

**Sample Comments:**  
 RUN TO WASTE

<u>Analytical Method:</u> EPA 200.7							
<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Iron	0.16		1	mg/L	0.3	02/28/2019 11:52	001 BP4N1/1
Manganese	0.018		1	mg/L	0.3	02/28/2019 11:52	001 BP4N1/1

<u>Analytical Method:</u> SM22 9223B Colilert		<u>Prep Method:</u> SM22 9223B Colilert		<u>Prep Date:</u> 02/27/2019 6:45 PM			
<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
E.coli	Absent		1		Absent	02/28/2019 12:45	001 SP5T1/1
Total Coliforms	Absent		1		Absent	02/28/2019 12:45	001 SP5T1/1

**Qualifiers:**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7080831002**  
**Client Sample ID.: S-24848**

Federal ID : 5103704  
 Collected : 02/27/2019 08:25 AM Point S-24848  
 Received : 02/27/2019 03:30 PM Location Well #1-2  
 Collected By CLIENT

**Sample Comments:**  
 RUN TO WASTE

Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.27		1	mg/L	0.3	02/28/2019 11:56	002 BP4N1/1
Manganese	<b>0.38*</b>		1	mg/L	0.3	02/28/2019 11:56	002 BP4N1/1

Analytical Method:SM22 9223B Colilert Prep Method: SM22 9223B Colilert Prep Date: 02/27/2019 6:45 PM

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
E.coli	Absent		1		Absent	02/28/2019 12:45	002 SP5T1/1
Total Coliforms	Absent		1		Absent	02/28/2019 12:45	002 SP5T1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7080831003**  
**Client Sample ID.: S-31636**

Federal ID : 5103704  
 Collected : 02/27/2019 07:57 AM Point S-31636  
 Received : 02/27/2019 03:30 PM Location Well #1-3  
 Collected By CLIENT

**Sample Comments:**  
 RUN TO WASTE

Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.10		1	mg/L	0.3	02/28/2019 11:59	003 BP4N1/1
Manganese	0.019		1	mg/L	0.3	02/28/2019 11:59	003 BP4N1/1

Analytical Method:SM22 9223B Colilert Prep Method: SM22 9223B Colilert Prep Date: 02/27/2019 6:45 PM

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
E.coli	Absent		1		Absent	02/28/2019 12:45	003 SP5T1/1
Total Coliforms	Absent		1		Absent	02/28/2019 12:45	003 SP5T1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7080831004**  
**Client Sample ID.: S-50970**

Federal ID : 5103704  
 Collected : 02/27/2019 08:55 AM Point S-50970  
 Received : 02/27/2019 03:30 PM Location Well #2-1  
 Collected By CLIENT

Analytical Method:EPA 200.7

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Iron	0.033		1	mg/L	0.3	02/28/2019 12:03	004 BP4N1/1
Manganese	<0.010		1	mg/L	0.3	02/28/2019 12:03	004 BP4N1/1

Analytical Method:SM22 9223B Colilert Prep Method: SM22 9223B Colilert Prep Date: 02/27/2019 6:45 PM

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
E.coli	Absent		1		Absent	02/28/2019 12:45	004 SP5T1/1
Total Coliforms	Absent		1		Absent	02/28/2019 12:45	004 SP5T1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7080831005**  
**Client Sample ID.: S-74071**

Federal ID : 5103704  
 Collected : 02/27/2019 09:05 AM Point S-74071  
 Received : 02/27/2019 03:30 PM Location Well #2-2  
 Collected By CLIENT

Analytical Method:EPA 200.7

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Iron	<0.020		1	mg/L	0.3	02/28/2019 12:04	005 BP4N1/1
Manganese	<0.010		1	mg/L	0.3	02/28/2019 12:04	005 BP4N1/1

Analytical Method:SM22 9223B Colilert Prep Method: SM22 9223B Colilert Prep Date: 02/27/2019 6:45 PM

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
E.coli	Absent		1		Absent	02/28/2019 12:45	005 SP5T1/1
Total Coliforms	Absent		1		Absent	02/28/2019 12:45	005 SP5T1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7080831006**  
**Client Sample ID.: S-58350**

Federal ID : 5103704  
 Collected : 02/27/2019 09:50 AM Point S-58350  
 Received : 02/27/2019 03:30 PM Location Well #3-1  
 Collected By CLIENT

Analytical Method:EPA 200.7

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Iron	<0.020		1	mg/L	0.3	02/28/2019 12:05	006 BP4N1/1
Manganese	<0.010		1	mg/L	0.3	02/28/2019 12:05	006 BP4N1/1

Analytical Method:SM22 9223B Colilert Prep Method: SM22 9223B Colilert Prep Date: 02/27/2019 6:45 PM

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
E.coli	Absent		1		Absent	02/28/2019 12:45	006 SP5T1/1
Total Coliforms	Absent		1		Absent	02/28/2019 12:45	006 SP5T1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7080831007**  
**Client Sample ID.: S-58351**

Federal ID : 5103704  
 Collected : 02/27/2019 09:30 AM Point S-58351  
 Received : 02/27/2019 03:30 PM Location Well #3-2  
 Collected By CLIENT

**Sample Comments:**  
 RUN TO WASTE

Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.24		1	mg/L	0.3	02/28/2019 12:06	007 BP4N1/1
Manganese	0.036		1	mg/L	0.3	02/28/2019 12:06	007 BP4N1/1

Analytical Method:SM22 9223B Colilert Prep Method: SM22 9223B Colilert Prep Date: 02/27/2019 6:45 PM

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
E.coli	Absent		1		Absent	02/28/2019 12:45	007 SP5T1/1
Total Coliforms	Absent		1		Absent	02/28/2019 12:45	007 SP5T1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7080831008**  
**Client Sample ID.: S-58352**

Federal ID : 5103704  
 Collected : 02/27/2019 09:40 AM Point S-58352  
 Received : 02/27/2019 03:30 PM Location Well #3-3  
 Collected By CLIENT

**Sample Comments:**  
 RUN TO WASTE

Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.098		1	mg/L	0.3	02/28/2019 12:07	008 BP4N1/1
Manganese	<0.010		1	mg/L	0.3	02/28/2019 12:07	008 BP4N1/1

Analytical Method:SM22 9223B Colilert Prep Method: SM22 9223B Colilert Prep Date: 02/27/2019 6:45 PM

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
E.coli	Absent		1		Absent	02/28/2019 12:45	008 SP5T1/1
Total Coliforms	Absent		1		Absent	02/28/2019 12:45	008 SP5T1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

Hampton Bays Water District  
 P.O. Box 1013  
 Hampton Bays, NY 11946

Lab No. : 7080831009  
 Client Sample ID.: S-108065

Attn To : Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:05 AM Point S-108065  
 Received : 02/27/2019 03:30 PM Location Well #4-1  
 Collected By CLIENT

Sample Comments:  
 RUN TO WASTE

Analytical Method: SM22 9223B Colilert		Prep Method: SM22 9223B Colilert			Prep Date: 02/27/2019 6:45 PM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
E.coli	Absent		1		Absent	02/28/2019 12:45	009 SP5T1/1
Total Coliforms	Absent		1		Absent	02/28/2019 12:45	009 SP5T1/1

### Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

Hampton Bays Water District  
 P.O. Box 1013  
 Hampton Bays, NY 11946

Lab No. : 7080831010  
 Client Sample ID.: S-108065

Attn To : Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:05 AM Point S-108065  
 Received : 02/27/2019 03:30 PM Location Well #4-1  
 Collected By CLIENT

**Sample Comments:**  
 0-MIN.  
 RUN TO WASTE

Analytical Method: EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.97*		1	mg/L	0.3	02/28/2019 12:08	010 BP4N1/1
Manganese	0.13		1	mg/L	0.3	02/28/2019 12:08	010 BP4N1/1

**Qualifiers:**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

Hampton Bays Water District  
 P.O. Box 1013  
 Hampton Bays, NY 11946

Lab No. : 7080831011  
 Client Sample ID.: S-108065

Attn To : Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:06 AM Point S-108065  
 Received : 02/27/2019 03:30 PM Location Well #4-1  
 Collected By CLIENT

**Sample Comments:**  
 1-MIN.  
 RUN TO WASTE

Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.48*		1	mg/L	0.3	02/28/2019 12:10	011 BP4N1/1
Manganese	0.099		1	mg/L	0.3	02/28/2019 12:10	011 BP4N1/1

**Qualifiers:**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

Hampton Bays Water District  
 P.O. Box 1013  
 Hampton Bays, NY 11946

Lab No. : 7080831012  
 Client Sample ID.: S-108065

Attn To : Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:10 AM Point S-108065  
 Received : 02/27/2019 03:30 PM Location Well #4-1  
 Collected By CLIENT

**Sample Comments:**  
 5-MIN.  
 RUN TO WASTE

Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.59*		1	mg/L	0.3	02/28/2019 12:11	012 BP4N1/1
Manganese	0.12		1	mg/L	0.3	02/28/2019 12:11	012 BP4N1/1

**Qualifiers:**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

**Sample Information:**

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**

**Lab No. : 7080831013**  
**Client Sample ID.: S-108065**

**Attn To :** Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:25 AM Point S-108065  
 Received : 02/27/2019 03:30 PM Location Well #4-1  
 Collected By CLIENT

**Sample Comments:**  
 15-MIN.  
 RUN TO WASTE

Analytical Method:EPA 200.7

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Iron	0.65*		1	mg/L	0.3	02/28/2019 12:12	013 BP4N1/1
Manganese	0.12		1	mg/L	0.3	02/28/2019 12:12	013 BP4N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

**Sample Information:**

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**

**Lab No. : 7080831014**  
**Client Sample ID.: S-108065**

**Attn To :** Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:40 AM Point S-108065  
 Received : 02/27/2019 03:30 PM Location Well #4-1  
 Collected By CLIENT

**Sample Comments:**  
 30-MIN.  
 RUN TO WASTE

Analytical Method:EPA 200.7

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Iron	<b>0.68*</b>		1	mg/L	0.3	02/28/2019 12:13	014 BP4N1/1
Manganese	0.12		1	mg/L	0.3	02/28/2019 12:13	014 BP4N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

Hampton Bays Water District  
 P.O. Box 1013  
 Hampton Bays, NY 11946

Lab No. : 7080831015  
 Client Sample ID.: S-108065

Attn To : Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 11:10 AM Point S-108065  
 Received : 02/27/2019 03:30 PM Location Well #4-1  
 Collected By CLIENT

**Sample Comments:**  
 60-MIN.  
 RUN TO WASTE

Analytical Method: EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.69*		1	mg/L	0.3	02/28/2019 12:16	015 BP4N1/1
Manganese	0.12		1	mg/L	0.3	02/28/2019 12:16	015 BP4N1/1

### Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

Hampton Bays Water District  
 P.O. Box 1013  
 Hampton Bays, NY 11946

Lab No. : 7080831016  
 Client Sample ID.: S-108066

Attn To : Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:05 AM Point S-108066  
 Received : 02/27/2019 03:30 PM Location Well #4-2  
 Collected By CLIENT

Sample Comments:  
 RUN TO WASTE

Analytical Method: SM22 9223B Colilert		Prep Method: SM22 9223B Colilert			Prep Date: 02/27/2019 6:45 PM		
Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
E.coli	Absent		1		Absent	02/28/2019 12:45	016 SP5T1/1
Total Coliforms	Absent		1		Absent	02/28/2019 12:45	016 SP5T1/1

### Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

Hampton Bays Water District  
 P.O. Box 1013  
 Hampton Bays, NY 11946

Lab No. : 7080831017  
 Client Sample ID.: S-108066

Attn To : Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:05 AM Point S-108066  
 Received : 02/27/2019 03:30 PM Location Well #4-2  
 Collected By CLIENT

**Sample Comments:**  
 0-MIN.  
 RUN TO WASTE

Analytical Method: EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.85*		1	mg/L	0.3	02/28/2019 12:17	017 BP4N1/1
Manganese	0.16		1	mg/L	0.3	02/28/2019 12:17	017 BP4N1/1

**Qualifiers:**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

Hampton Bays Water District  
 P.O. Box 1013  
 Hampton Bays, NY 11946

Lab No. : 7080831018  
 Client Sample ID.: S-108066

Attn To : Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:06 AM Point S-108066  
 Received : 02/27/2019 03:30 PM Location Well #4-2  
 Collected By CLIENT

**Sample Comments:**  
 1-MIN.  
 RUN TO WASTE

Analytical Method: EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	2.3*		1	mg/L	0.3	02/28/2019 12:18	018 BP4N1/1
Manganese	0.15		1	mg/L	0.3	02/28/2019 12:18	018 BP4N1/1

**Qualifiers:**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

**Sample Information:**

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**

**Lab No. : 7080831019**  
**Client Sample ID.: S-108066**

**Attn To :** Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:10 AM Point S-108066  
 Received : 02/27/2019 03:30 PM Location Well #4-2  
 Collected By CLIENT

**Sample Comments:**  
 5-MIN.  
 RUN TO WASTE

Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.73*		1	mg/L	0.3	02/28/2019 12:20	019 BP4N1/1
Manganese	0.11		1	mg/L	0.3	02/28/2019 12:20	019 BP4N1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

Hampton Bays Water District  
 P.O. Box 1013  
 Hampton Bays, NY 11946

Lab No. : 7080831020  
 Client Sample ID.: S-108066

Attn To : Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:25 AM Point S-108066  
 Received : 02/27/2019 03:30 PM Location Well #4-2  
 Collected By CLIENT

**Sample Comments:**  
 15-MIN.  
 RUN TO WASTE

Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.59*		1	mg/L	0.3	02/28/2019 12:21	020 BP4N1/1
Manganese	0.11		1	mg/L	0.3	02/28/2019 12:21	020 BP4N1/1

**Qualifiers:**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**

**Lab No. : 7080831021**  
**Client Sample ID.: S-108066**

**Attn To :** Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 10:40 AM Point S-108066  
 Received : 02/27/2019 03:30 PM Location Well #4-2  
 Collected By CLIENT

**Sample Comments:**  
 30-MIN.  
 RUN TO WASTE

Analytical Method: EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.63*		1	mg/L	0.3	02/28/2019 12:22	021 BP4N1/1
Manganese	0.12		1	mg/L	0.3	02/28/2019 12:22	021 BP4N1/1

**Qualifiers:**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**

**Lab No. : 7080831022**  
**Client Sample ID.: S-108066**

**Attn To :** Rob King  
 Federal ID : 5103704  
 Collected : 02/27/2019 11:10 AM Point S-108066  
 Received : 02/27/2019 03:30 PM Location Well #4-2  
 Collected By CLIENT

**Sample Comments:**  
 60-MIN.  
 RUN TO WASTE

Analytical Method: EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Iron	0.66*		1	mg/L	0.3	02/28/2019 12:23	022 BP4N1/1
Manganese	0.12		1	mg/L	0.3	02/28/2019 12:23	022 BP4N1/1

**Qualifiers:**

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7080831023**  
**Client Sample ID.: S-127163**

Federal ID : 5103704  
 Collected : 02/27/2019 09:15 AM Point S-127163  
 Received : 02/27/2019 03:30 PM Location Well #5-1  
 Collected By CLIENT

Analytical Method:EPA 200.7

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Iron	0.10		1	mg/L	0.3	02/28/2019 12:26	023 BP4N1/1
Manganese	0.053		1	mg/L	0.3	02/28/2019 12:26	023 BP4N1/1

Analytical Method:SM22 9223B Colilert Prep Method: SM22 9223B Colilert Prep Date: 02/27/2019 6:45 PM

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
E.coli	Absent		1		Absent	02/28/2019 12:45	023 SP5T1/1
Total Coliforms	Absent		1		Absent	02/28/2019 12:45	023 SP5T1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 02/28/2019



575 Broad Hollow Road, Melville, NY 11747  
TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

**WorkOrder :**  
7080831

## Laboratory Certifications

---

### Long Island Certification IDs

575 Broad Hollow Rd, Melville, NY 11747  
New York Certification #: 10478 Primary Accrediting Body  
New Jersey Certification #: NY158  
Pennsylvania Certification #: 68-00350  
Connecticut Certification #: PH-0435  
Maryland Certification #: 208  
Rhode Island Certification #: LAO00340  
Massachusetts Certification #: M-NY026  
New Hampshire Certification #: 2987

RCU W  
15:30

# Sample Request Form PUBLIC WATER SUPPLIER

Date: 2-29-19

Collected By: W Booth, RANMAYANO

Accepted By: W Booth 2/27/19

Cooler Temp: 2.9 °C

WELL OFF LINE 1-1, 1-2, 1-3, 3-2, 3-3, 4-1, 4-2

WELL RUN TO SYSTEM 2-1, 2-2, 3-1, 5-1

YES  NO VOC'S PRESERVED WITH HCl

WO#: 7080831



Name or Code: HAMPTON BAYS WATER DISTRICT  
 Address: P.O. BOX 1013  
HAMPTON BAYS, NEW YORK 11946  
(631) 726-0179  
 Phone #: \_\_\_\_\_  
 Attn: \_\_\_\_\_  
 Proj. # or (Name): \_\_\_\_\_  
 Bill To: \_\_\_\_\_  
 Copies To: \_\_\_\_\_

Sample Info: **\*RUSH\***

Sample Types	Purpose	Origin	Treatment Types
PW - Potable Water	RO - Routine	D - Distribution	AST - Air Stripper
GW - Groundwater	RE - Resample	RW - Raw Well	GAC - Granular Activated Charcoal
SW - Surface Water	S - Special	TW - Treated Well	N - Nitrate Removal Plant
WW - Waste Water		T - Tank	FE - Iron Removal Plant
AQ - Aqueous		MW - Monitoring Well	O - Other
S - Soil		I - Influent	
		E - Effluent	

Date/Time Collected:	Sample Type	Location	Origin	Treatment Type	Purpose	Field Readings Cl <sub>2</sub>	pH/Temp	Analysis	Lab No.
8:40 2-29-19	GW	WELL 1-1	RW	-	RO			BACT, PFC's, IRON + MANG.	001
8:25 2-29-19	GW	WELL 1-2	RW	-	RO			BACT, PFC's, IRON + MANG.	002
7:57 2-29-19	GW	WELL 1-3	RW	-	RO			BACT, PFC's, IRON + MANG.	003
8:53 2-29-19	GW	WELL 2-1	RW	-	RO			BACT, PFC's, IRON + MANG.	004
9:05 2-29-19	GW	WELL 2-2	RW	-	RO			BACT, PFC's, IRON + MANG.	005
9:50 2-29-19	GW	WELL 3-1	RW	-	RO			BACT, PFC's, IRON + MANG.	006
9:30 2-29-19	GW	WELL 3-2	RW	-	RO			BACT, PFC's, IRON + MANG.	007
9:40 2-29-19	GW	WELL 3-3	RW	-	RO			BACT, PFC's, IRON + MANG.	008
10:20 2-29-19	GW	WELL 4-1	RW	-	RO			BACT, IRON + MANG. (TIMED SEQUENCE)	009
10:26 2-29-19	GW	WELL 4-2	RW	-	RO			BACT, IRON + MANG. (TIMED SEQUENCE)	010
9:15 2-29-19	GW	WELL 5-1	RW	-	RO			BACT, PFC's, IRON + MANG.	021, 022
Remarks: Well 4-1 S/U 10:05 1 min 10:06 5 min 10:10 15 min 10:25 30 min 10:40 60 min 11:10									
Well 4-2 S/U 10:05 1 min 10:06 5 min 10:10 15 min 10:25 30 min 10:40 60 min 11:10									



# Sample Condition Upon Receipt

Client Name: HBW

Project **WO#: 7080831**  
 PM: SWM Due Date: 03/29/19  
 CLIENT: HBW

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace  Other

Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  Yes  No Seals intact:  Yes  No

Temperature Blank Present:  Yes  No

Packing Material:  Bubble Wrap  Bubble Bags  Ziploc  None  Other

Type of Ice: Wet Blue None

Thermometer Used: TH091 Correction Factor: 0.0

Samples on ice, cooling process has begun

Cooler Temperature (°C): 2.9 Cooler Temperature Corrected (°C): 2.9

Date/Time 5035A kits placed in freezer \_\_\_\_\_

Temp should be above freezing to 6.0°C

USDA Regulated Soil (  N/A, water sample)

Date and Initials of person examining contents: W. A. Harris

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)?  YES  NO

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)?  Yes  No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix SL <u>(W)</u> OIL	
All containers needing preservation have been checked <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>H1C857466</u>	Sample #
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, NaOH>12 Cyanide) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____ Date/Time preservative added: _____
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis	
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot # _____	
Residual chlorine strips Lot # _____	
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable): _____	

Client Notification/ Resolution: \_\_\_\_\_

Field Data Required? Y / N

Person Contacted: \_\_\_\_\_

Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_