



# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7084402001**  
**Client Sample ID.: S-50970**

Federal ID : 5103704  
 Collected : 04/03/2019 08:07 AM Point S-50970  
 Received : 04/03/2019 04:30 PM Location Well #2-1  
 Collected By CLIENT

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrate as N	3.3		10	mg/L	10	04/04/2019 12:43	001 BP4U1/1
Nitrate-Nitrite (as N)	3.3		10	mg/L		04/04/2019 12:43	001 BP4U1/1

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrite as N	<0.050		1	mg/L	1	04/03/2019 9:21 PM	001 BP4U1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 04/07/2019



# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

**Sample Information:**

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7084402002**  
**Client Sample ID.: S-74071**

Federal ID : 5103704  
 Collected : 04/03/2019 08:20 AM Point S-74071  
 Received : 04/03/2019 04:30 PM Location Well #2-2  
 Collected By CLIENT

Analytical Method:EPA 353.2

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Nitrate as N	4.4		10	mg/L	10	04/04/2019 12:47	002 BP4U1/1
Nitrate-Nitrite (as N)	4.4		10	mg/L		04/04/2019 12:47	002 BP4U1/1

Analytical Method:EPA 353.2

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Nitrite as N	<0.050		1	mg/L	1	04/03/2019 9:22 PM	002 BP4U1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 04/07/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

## Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7084402003**  
**Client Sample ID.: S-58350**

Federal ID : 5103704  
 Collected : 04/03/2019 08:50 AM Point S-58350  
 Received : 04/03/2019 04:30 PM Location Well #3-1  
 Collected By CLIENT

**Sample Comments:**  
 RUN TO WASTE

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrate as N	0.13		1	mg/L	10	04/04/2019 12:48	003 BP4U1/1
Nitrate-Nitrite (as N)	0.13		1	mg/L		04/04/2019 12:48	003 BP4U1/1

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrite as N	<0.050		1	mg/L	1	04/03/2019 9:23 PM	003 BP4U1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 04/07/2019



# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

**Sample Information:**

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7084402004**  
**Client Sample ID.: S-58351**

Federal ID : 5103704  
 Collected : 04/03/2019 08:42 AM Point S-58351  
 Received : 04/03/2019 04:30 PM Location Well #3-2  
 Collected By CLIENT

**Sample Comments:**  
 RUN TO WASTE

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrate as N	0.36		1	mg/L	10	04/04/2019 12:49	004 BP4U1/1
Nitrate-Nitrite (as N)	0.36		1	mg/L		04/04/2019 12:49	004 BP4U1/1

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrite as N	<0.050		1	mg/L	1	04/03/2019 9:25 PM	004 BP4U1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 04/07/2019



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7084402005**  
**Client Sample ID.: S-58352**

Federal ID : 5103704  
 Collected : 04/03/2019 09:00 AM Point S-58352  
 Received : 04/03/2019 04:30 PM Location Well #3-3  
 Collected By CLIENT

**Sample Comments:**  
 RUN TO WASTE

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrate as N	0.48		1	mg/L	10	04/04/2019 12:50	005 BP4U1/1
Nitrate-Nitrite (as N)	0.48		1	mg/L		04/04/2019 12:50	005 BP4U1/1

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrite as N	<0.050		1	mg/L	1	04/03/2019 9:26 PM	005 BP4U1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 04/07/2019



# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

### Sample Information:

Type: Drinking Water  
 Origin: Raw Well  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**  
**Attn To : Rob King**

**Lab No. : 7084402006**  
**Client Sample ID.: S-127163**

Federal ID : 5103704  
 Collected : 04/03/2019 09:15 AM Point S-127163  
 Received : 04/03/2019 04:30 PM Location Well #5-1  
 Collected By CLIENT

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrate as N	2.0		10	mg/L	10	04/04/2019 12:51	006 BP4U1/1
Nitrate-Nitrite (as N)	2.0		10	mg/L		04/04/2019 12:51	006 BP4U1/1

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrite as N	<0.050		1	mg/L	1	04/03/2019 9:27 PM	006 BP4U1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected

Stu Murrell

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.

Date Reported: 04/07/2019



575 Broad Hollow Road, Melville, NY 11747  
TEL: (631) 694-3040 FAX: (631) 420-8436  
[www.pacelabs.com](http://www.pacelabs.com)

**WorkOrder :**  
7084402

## Laboratory Certifications

---

### Long Island Certification IDs

575 Broad Hollow Rd, Melville, NY 11747  
New York Certification #: 10478 Primary Accrediting Body  
New Jersey Certification #: NY158  
Pennsylvania Certification #: 68-00350  
Connecticut Certification #: PH-0435  
Maryland Certification #: 208  
Rhode Island Certification #: LAO00340  
Massachusetts Certification #: M-NY026  
New Hampshire Certification #: 2987







Sample Condition Upon Receipt

WO#: 7084402

Client Name: HBW

PM: SWM Due Date: 04/09/19
CLIENT: HBW

Courier: Fed Ex UPS USPS Client Commercial Pace Other

Tracking #:
Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No

Packing Material: Bubble Wrap Bubble Bags Ziploc None Other

Thermometer Used: TH091 Correction Factor: 0.0

Cooler Temperature (C): 3.4 Cooler Temperature Corrected (C): 3.4

Temp should be above freezing to 6.0C

USDA Regulated Soil (N/A, water sample)

Date and Initials of person examining contents: [Signature] 4/3/19

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? YES NO

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

Table with 16 rows and 3 columns. Columns: Question, Yes/No/N/A checkboxes, and Comments. Rows include Chain of Custody Present, Short Hold Time Analysis, Containers Intact, etc.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: Date/Time:

Comments/ Resolution: