

TABLE 2

**GROUNDWATER REMEDIAL ACTION  
ROWE INDUSTRIES SUPERFUND SITE  
SAG HARBOR, NEW YORK**

**Effluent Water Quality Results**

| Date Sampled <sup>2/</sup> | pH <sup>1/</sup> | TDS (mg/l) | PCE (ug/l) | 1,1,1-TCA (ug/l) | TCE (ug/l) | 1,1-DCA (ug/l) | 1,1-DCE (ug/l) | cis-1,2-DCE (ug/l) | trans-1,2-DCE (ug/l) | Xylene (ug/l) | Toluene (ug/l) | Ethylbenzene (ug/l) | Methylene Chloride (ug/l) | Freon 113 (ug/l) | Naphthalene (ug/l) | Chloroform (ug/l) | Total Iron (mg/l) | Dissolved Iron (mg/l) |
|----------------------------|------------------|------------|------------|------------------|------------|----------------|----------------|--------------------|----------------------|---------------|----------------|---------------------|---------------------------|------------------|--------------------|-------------------|-------------------|-----------------------|
| SPDES Limits               | 5.0 to 8.5       | ---        | 5          | 5                | 5          | 5              | 5              | 5                  | 5                    | 5             | 5              | 5                   | 5                         | ---              | 10                 | 7                 | ---               | ---                   |
| 2-Jan-13                   | 7.5              | 185        | ND<0.5     | ND<0.5           | ND<0.5     | ND<0.5         | ND<0.5         | ND<0.5             | ND<0.5               | ND<1.5        | ND<0.5         | ND<0.5              | ND<2                      | ND<0.5           | ND<2               | ND<0.5            | 14.10             | ND<0.02               |
| 7-Jan-13                   | 7.1              | 119        | ND<0.5     | ND<0.5           | ND<0.5     | ND<0.5         | ND<0.5         | ND<0.5             | ND<0.5               | ND<1.5        | ND<0.5         | ND<0.5              | 1.2 J,B                   | ND<0.5           | ND<2               | ND<0.5            | 0.76              | 0.066                 |
| 14-Jan-13                  | 7.3              | 142        | ND<0.5     | ND<0.5           | ND<0.5     | ND<0.5         | ND<0.5         | ND<0.5             | ND<0.5               | ND<1.5        | ND<0.5         | ND<0.5              | ND<2                      | ND<0.5           | 0.14 J,B           | ND<0.5            | 12.70             | ND<0.02               |

SPDES: State Pollutant Discharge Elimination System

NM: Not Measured

TCE: Trichloroethene

trans-1,2-DCE: trans-1,2-Dichloroethene

mg/l: Milligrams per liter

TDS: Total dissolved solids

1,1-DCA: 1,1-Dichloroethane

ug/l: Micrograms per liter

PCE: Tetrachloroethylene

1,1-DCE: 1,1-Dichloroethene

---: Not established

1,1,1-TCA: 1,1,1-Trichloroethane

cis-1,2-DCE: cis-1,2-Dichloroethene

J: Analyte detected below quantitation limits, value shown is a laboratory estimate.

B: Analyte was found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants.


ND: Not detected

Notes:

1. Based on the SPDES criteria from an NYSDEC letter dated on October 21, 2011, the new allowable pH range for the Rowe Site is between 5.0 and 8.5.
2. "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.

**GRAPH 1  
GROUNDWATER REMEDIAL ACTION  
ROWE INDUSTRIES SUPERFUND SITE  
SAG HARBOR, NEW YORK**

**Effluent Flow Data  
(January 1, 2013 to January 31, 2013)**



**APPENDIX I**  
**JANUARY 2013 LABORATORY ANALYTICAL REPORTS**  
**FOR FSP&T SYSTEM**

# YORK

ANALYTICAL LABORATORIES, INC.

## Technical Report

prepared for:

**Leggette Brashears & Graham Shelton Office**

4 Research Drive, Suite 301

Shelton CT, 06484

**Attention: Tunde Komuves-Sandor**

Report Date: 01/10/2013

**Client Project ID: Rowe Industries**

York Project (SDG) No.: 13A0110

CT License No. PH-0723

New Jersey License No. CT-005



New York License No. 10854

PA License No. 68-04440

Report Date: 01/10/2013  
Client Project ID: Rowe Industries  
York Project (SDG) No.: 13A0110

**Leggette Brashears & Graham Shelton Office**  
4 Research Drive, Suite 301  
Shelton CT, 06484  
Attention: Tunde Komuves-Sandor

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on January 04, 2013 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

| <u>York Sample ID</u> | <u>Client Sample ID</u> | <u>Matrix</u> | <u>Date Collected</u> | <u>Date Received</u> |
|-----------------------|-------------------------|---------------|-----------------------|----------------------|
| 13A0110-01            | WQ010213:1030NP2-6      | Water         | 01/02/2013            | 01/04/2013           |
| 13A0110-02            | WQ010213:1035NP2-7      | Water         | 01/02/2013            | 01/04/2013           |
| 13A0112-01            | WQ010213:1040NP2-10     | Water         | 01/02/2013            | 01/04/2013           |

## General Notes for York Project (SDG) No.: 13A0110

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley  
Laboratory Director

Date: 01/10/2013

**YORK**

## Sample Information

**Client Sample ID:** WQ010213:1030NP2-6

**York Sample ID:** 13A0110-01

York Project (SDG) No.  
13A0110

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 2, 2013 10:30 am

Date Received  
01/04/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter                                       | Result      | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|-------------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                       | ND          |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                           | <b>0.39</b> | J    | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                       | ND          |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 76-13-1  | 1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND          |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 79-00-5  | 1,1,2-Trichloroethane                           | ND          |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 75-34-3  | 1,1-Dichloroethane                              | <b>0.17</b> | J    | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 75-35-4  | 1,1-Dichloroethylene                            | ND          |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 563-58-6 | 1,1-Dichloropropylene                           | ND          |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene                          | ND          |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane                          | ND          |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene                          | ND          |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene                          | ND          |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane                     | ND          |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 106-93-4 | 1,2-Dibromoethane                               | ND          |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene                             | ND          |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 107-06-2 | 1,2-Dichloroethane                              | ND          |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 78-87-5  | 1,2-Dichloropropane                             | ND          |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene                          | ND          |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene                             | ND          |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 142-28-9 | 1,3-Dichloropropane                             | ND          |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 106-46-7 | 1,4-Dichlorobenzene                             | ND          |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 594-20-7 | 2,2-Dichloropropane                             | ND          |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 95-49-8  | 2-Chlorotoluene                                 | ND          |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 591-78-6 | 2-Hexanone                                      | ND          |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 106-43-4 | 4-Chlorotoluene                                 | ND          |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 67-64-1  | Acetone   | <b>0.98</b> | J, B | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 71-43-2  | Benzene   | ND          |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 108-86-1 | Bromobenzene                                    | ND          |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 74-97-5  | Bromochloromethane                              | ND          |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 75-27-4  | Bromodichloromethane                            | ND          |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 75-25-2  | Bromoform                                       | ND          |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 74-83-9  | Bromomethane                                    | ND          |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 56-23-5  | Carbon tetrachloride                            | ND          |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 108-90-7 | Chlorobenzene                                   | ND          |      | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |

## Sample Information

**Client Sample ID:** WQ010213:1030NP2-6

**York Sample ID:** 13A0110-01

York Project (SDG) No.  
13A0110

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 2, 2013 10:30 am

Date Received  
01/04/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.                     | Parameter                        | Result        | Flag                    | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|----------------------------------|---------------|-------------------------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 75-00-3                     | Chloroethane                     | ND            |                         | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 67-66-3                     | Chloroform                       | 0.11          | J                       | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 74-87-3                     | Chloromethane                    | ND            |                         | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 156-59-2                    | cis-1,2-Dichloroethylene         | ND            |                         | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 10061-01-5                  | cis-1,3-Dichloropropylene        | ND            |                         | ug/L  | 0.067 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 124-48-1                    | Dibromochloromethane             | ND            |                         | ug/L  | 0.053 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 74-95-3                     | Dibromomethane                   | ND            |                         | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 75-71-8                     | Dichlorodifluoromethane          | ND            |                         | ug/L  | 0.092 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 100-41-4                    | Ethyl Benzene                    | ND            |                         | ug/L  | 0.057 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 87-68-3                     | Hexachlorobutadiene              | ND            |                         | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 98-82-8                     | Isopropylbenzene                 | ND            |                         | ug/L  | 0.056 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 1634-04-4                   | Methyl tert-butyl ether (MTBE)   | ND            |                         | ug/L  | 0.48  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 75-09-2                     | Methylene chloride               | ND            |                         | ug/L  | 0.26  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 91-20-3                     | Naphthalene                      | ND            |                         | ug/L  | 0.090 | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 104-51-8                    | n-Butylbenzene                   | ND            |                         | ug/L  | 0.083 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 103-65-1                    | n-Propylbenzene                  | ND            |                         | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 95-47-6                     | o-Xylene                         | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 1330-20-7P/M                | p- & m- Xylenes                  | ND            |                         | ug/L  | 0.090 | 1.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 99-87-6                     | p-Isopropyltoluene               | ND            |                         | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 135-98-8                    | sec-Butylbenzene                 | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 100-42-5                    | Styrene                          | ND            |                         | ug/L  | 0.043 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 98-06-6                     | tert-Butylbenzene                | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 127-18-4                    | Tetrachloroethylene              | 1.2           |                         | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 108-88-3                    | Toluene                          | ND            |                         | ug/L  | 0.042 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 156-60-5                    | trans-1,2-Dichloroethylene       | ND            |                         | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 10061-02-6                  | trans-1,3-Dichloropropylene      | ND            |                         | ug/L  | 0.060 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 79-01-6                     | Trichloroethylene                | 0.15          | J                       | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 75-69-4                     | Trichlorofluoromethane           | ND            |                         | ug/L  | 0.094 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 75-01-4                     | Vinyl Chloride                   | ND            |                         | ug/L  | 0.062 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| 1330-20-7                   | Xylenes, Total                   | ND            |                         | ug/L  | 0.12  | 1.5  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 19:38   | SS      |
| <b>Surrogate Recoveries</b> |                                  | <b>Result</b> | <b>Acceptance Range</b> |       |       |      |          |                  |                    |                    |         |
| 17060-07-0                  | Surrogate: 1,2-Dichloroethane-d4 | 100 %         | 72.6-129                |       |       |      |          |                  |                    |                    |         |
| 460-00-4                    | Surrogate: p-Bromofluorobenzene  | 103 %         | 63.5-145                |       |       |      |          |                  |                    |                    |         |
| 2037-26-5                   | Surrogate: Toluene-d8            | 101 %         | 81.2-127                |       |       |      |          |                  |                    |                    |         |

## Sample Information

**Client Sample ID:** WQ010213:1030NP2-6

**York Sample ID:** 13A0110-01

York Project (SDG) No.  
13A0110

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 2, 2013 10:30 am

Date Received  
01/04/2013

**Iron, Dissolved by EPA 6010**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 0.123  |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA SW846-6010B  | 01/07/2013 15:16   | 01/07/2013 18:00   | MW      |

**Iron by EPA 200.7**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 2.00   |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA 200.7        | 01/07/2013 15:16   | 01/07/2013 18:05   | MW      |

## Sample Information

**Client Sample ID:** WQ010213:1035NP2-7

**York Sample ID:** 13A0110-02

York Project (SDG) No.  
13A0110

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 2, 2013 10:35 am

Date Received  
01/04/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter                                       | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                       | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                           | ND     |      | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                       | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 76-13-1  | 1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND     |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 79-00-5  | 1,1,2-Trichloroethane                           | ND     |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 75-34-3  | 1,1-Dichloroethane                              | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 75-35-4  | 1,1-Dichloroethylene                            | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 563-58-6 | 1,1-Dichloropropylene                           | ND     |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene                          | ND     |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane                          | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene                          | ND     |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene                          | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane                     | ND     |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 106-93-4 | 1,2-Dibromoethane                               | ND     |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene                             | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 107-06-2 | 1,2-Dichloroethane                              | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 78-87-5  | 1,2-Dichloropropane                             | ND     |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene                          | ND     |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene                             | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 142-28-9 | 1,3-Dichloropropane                             | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |

## Sample Information

**Client Sample ID:** WQ010213:1035NP2-7

**York Sample ID:** 13A0110-02

York Project (SDG) No.  
13A0110

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 2, 2013 10:35 am

Date Received  
01/04/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.      | Parameter                      | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|--------------|--------------------------------|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 106-46-7     | 1,4-Dichlorobenzene            | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 594-20-7     | 2,2-Dichloropropane            | ND     |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 95-49-8      | 2-Chlorotoluene                | ND     |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 591-78-6     | 2-Hexanone                     | ND     |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 106-43-4     | 4-Chlorotoluene                | ND     |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 67-64-1      | Acetone                        | ND     |      | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 71-43-2      | Benzene                        | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 108-86-1     | Bromobenzene                   | ND     |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 74-97-5      | Bromochloromethane             | ND     |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 75-27-4      | Bromodichloromethane           | ND     |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 75-25-2      | Bromoform                      | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 74-83-9      | Bromomethane                   | ND     |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 56-23-5      | Carbon tetrachloride           | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 108-90-7     | Chlorobenzene                  | ND     |      | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 75-00-3      | Chloroethane                   | ND     |      | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 67-66-3      | Chloroform                     | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 74-87-3      | Chloromethane                  | ND     |      | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 156-59-2     | cis-1,2-Dichloroethylene       | ND     |      | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 10061-01-5   | cis-1,3-Dichloropropylene      | ND     |      | ug/L  | 0.067 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 124-48-1     | Dibromochloromethane           | ND     |      | ug/L  | 0.053 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 74-95-3      | Dibromomethane                 | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 75-71-8      | Dichlorodifluoromethane        | ND     |      | ug/L  | 0.092 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 100-41-4     | Ethyl Benzene                  | ND     |      | ug/L  | 0.057 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 87-68-3      | Hexachlorobutadiene            | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 98-82-8      | Isopropylbenzene               | ND     |      | ug/L  | 0.056 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 1634-04-4    | Methyl tert-butyl ether (MTBE) | ND     |      | ug/L  | 0.48  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 75-09-2      | Methylene chloride             | ND     |      | ug/L  | 0.26  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 91-20-3      | Naphthalene                    | ND     |      | ug/L  | 0.090 | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 104-51-8     | n-Butylbenzene                 | ND     |      | ug/L  | 0.083 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 103-65-1     | n-Propylbenzene                | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 95-47-6      | o-Xylene                       | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 1330-20-7P/M | p- & m- Xylenes                | ND     |      | ug/L  | 0.090 | 1.0  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 99-87-6      | p-Isopropyltoluene             | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 135-98-8     | sec-Butylbenzene               | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |

## Sample Information

**Client Sample ID:** WQ010213:1035NP2-7

**York Sample ID:** 13A0110-02

York Project (SDG) No.  
13A0110

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 2, 2013 10:35 am

Date Received  
01/04/2013

**Volatile Organics, 8260 List - Low Level**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

| CAS No.    | Parameter                   | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|------------|-----------------------------|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 100-42-5   | Styrene                     | ND     |      | ug/L  | 0.043 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 98-06-6    | tert-Butylbenzene           | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 127-18-4   | Tetrachloroethylene         | ND     |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 108-88-3   | Toluene                     | ND     |      | ug/L  | 0.042 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 156-60-5   | trans-1,2-Dichloroethylene  | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 10061-02-6 | trans-1,3-Dichloropropylene | ND     |      | ug/L  | 0.060 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 79-01-6    | Trichloroethylene           | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 75-69-4    | Trichlorofluoromethane      | ND     |      | ug/L  | 0.094 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 75-01-4    | Vinyl Chloride              | ND     |      | ug/L  | 0.062 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |
| 1330-20-7  | Xylenes, Total              | ND     |      | ug/L  | 0.12  | 1.5  | 1        | EPA SW846-8260B  | 01/09/2013 08:20   | 01/09/2013 20:15   | SS      |

**Surrogate Recoveries**

**Result**

**Acceptance Range**

|            |                                  |        |          |
|------------|----------------------------------|--------|----------|
| 17060-07-0 | Surrogate: 1,2-Dichloroethane-d4 | 101 %  | 72.6-129 |
| 460-00-4   | Surrogate: p-Bromofluorobenzene  | 98.8 % | 63.5-145 |
| 2037-26-5  | Surrogate: Toluene-d8            | 99.9 % | 81.2-127 |

**Iron, Dissolved by EPA 6010**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 0.118  |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA SW846-6010B  | 01/07/2013 15:16   | 01/07/2013 18:10   | MW      |

**Iron by EPA 200.7**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 2.04   |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA 200.7        | 01/07/2013 15:16   | 01/07/2013 18:15   | MW      |

## Sample Information

**Client Sample ID:** WQ010213:1040NP2-10

**York Sample ID:** 13A0112-01

York Project (SDG) No.  
13A0112

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 2, 2013 10:40 am

Date Received  
01/04/2013

**Volatile Organics, 8260 List - Low Level**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter   | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                         | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                             | ND     |      | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                         | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 76-13-1  | 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND     |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |

## Sample Information

**Client Sample ID:** WQ010213:1040NP2-10

**York Sample ID:** 13A0112-01

York Project (SDG) No.  
13A0112

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 2, 2013 10:40 am

Date Received  
01/04/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter                   | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|-----------------------------|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 79-00-5  | 1,1,2-Trichloroethane       | ND     |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 75-34-3  | 1,1-Dichloroethane          | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 75-35-4  | 1,1-Dichloroethylene        | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 563-58-6 | 1,1-Dichloropropylene       | ND     |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene      | ND     |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane      | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene      | ND     |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene      | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane | ND     |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 106-93-4 | 1,2-Dibromoethane           | ND     |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene         | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 107-06-2 | 1,2-Dichloroethane          | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 78-87-5  | 1,2-Dichloropropane         | ND     |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene      | ND     |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene         | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 142-28-9 | 1,3-Dichloropropane         | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 106-46-7 | 1,4-Dichlorobenzene         | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 594-20-7 | 2,2-Dichloropropane         | ND     |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 95-49-8  | 2-Chlorotoluene             | ND     |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 591-78-6 | 2-Hexanone                  | ND     |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 106-43-4 | 4-Chlorotoluene             | ND     |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 67-64-1  | Acetone                     | 1.1    | J    | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 71-43-2  | Benzene                     | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 108-86-1 | Bromobenzene                | ND     |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 74-97-5  | Bromochloromethane          | ND     |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 75-27-4  | Bromodichloromethane        | ND     |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 75-25-2  | Bromoform                   | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 74-83-9  | Bromomethane                | ND     |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 56-23-5  | Carbon tetrachloride        | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 108-90-7 | Chlorobenzene               | ND     |      | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 75-00-3  | Chloroethane                | ND     |      | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 67-66-3  | Chloroform                  | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 74-87-3  | Chloromethane               | ND     |      | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 156-59-2 | cis-1,2-Dichloroethylene    | ND     |      | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |

## Sample Information

**Client Sample ID:** WQ010213:1040NP2-10

**York Sample ID:** 13A0112-01

York Project (SDG) No.  
13A0112

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 2, 2013 10:40 am

Date Received  
01/04/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.      | Parameter                        | Result        | Flag | Units | MDL                     | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|--------------|----------------------------------|---------------|------|-------|-------------------------|------|----------|------------------|--------------------|--------------------|---------|
| 10061-01-5   | cis-1,3-Dichloropropylene        | ND            |      | ug/L  | 0.067                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 124-48-1     | Dibromochloromethane             | ND            |      | ug/L  | 0.053                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 74-95-3      | Dibromomethane                   | ND            |      | ug/L  | 0.12                    | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 75-71-8      | Dichlorodifluoromethane          | ND            |      | ug/L  | 0.092                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 100-41-4     | Ethyl Benzene                    | ND            |      | ug/L  | 0.057                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 87-68-3      | Hexachlorobutadiene              | ND            |      | ug/L  | 0.12                    | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 98-82-8      | Isopropylbenzene                 | ND            |      | ug/L  | 0.056                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 1634-04-4    | Methyl tert-butyl ether (MTBE)   | ND            |      | ug/L  | 0.48                    | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 75-09-2      | Methylene chloride               | ND            |      | ug/L  | 0.26                    | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 91-20-3      | Naphthalene                      | ND            |      | ug/L  | 0.090                   | 2.0  | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 104-51-8     | n-Butylbenzene                   | ND            |      | ug/L  | 0.083                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 103-65-1     | n-Propylbenzene                  | ND            |      | ug/L  | 0.068                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 95-47-6      | o-Xylene                         | ND            |      | ug/L  | 0.050                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 1330-20-7P/M | p- & m- Xylenes                  | ND            |      | ug/L  | 0.090                   | 1.0  | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 99-87-6      | p-Isopropyltoluene               | ND            |      | ug/L  | 0.044                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 135-98-8     | sec-Butylbenzene                 | ND            |      | ug/L  | 0.050                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 100-42-5     | Styrene                          | ND            |      | ug/L  | 0.043                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 98-06-6      | tert-Butylbenzene                | ND            |      | ug/L  | 0.050                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 127-18-4     | Tetrachloroethylene              | ND            |      | ug/L  | 0.070                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 108-88-3     | Toluene                          | ND            |      | ug/L  | 0.042                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 156-60-5     | trans-1,2-Dichloroethylene       | ND            |      | ug/L  | 0.085                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 10061-02-6   | trans-1,3-Dichloropropylene      | ND            |      | ug/L  | 0.060                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 79-01-6      | Trichloroethylene                | ND            |      | ug/L  | 0.071                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 75-69-4      | Trichlorofluoromethane           | ND            |      | ug/L  | 0.094                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 75-01-4      | Vinyl Chloride                   | ND            |      | ug/L  | 0.062                   | 0.50 | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
| 1330-20-7    | Xylenes, Total                   | ND            |      | ug/L  | 0.12                    | 1.5  | 1        | EPA SW846-8260B  | 01/09/2013 12:52   | 01/10/2013 03:00   | SS      |
|              | <b>Surrogate Recoveries</b>      | <b>Result</b> |      |       | <b>Acceptance Range</b> |      |          |                  |                    |                    |         |
| 17060-07-0   | Surrogate: 1,2-Dichloroethane-d4 | 99.9 %        |      |       | 72.6-129                |      |          |                  |                    |                    |         |
| 460-00-4     | Surrogate: p-Bromofluorobenzene  | 101 %         |      |       | 63.5-145                |      |          |                  |                    |                    |         |
| 2037-26-5    | Surrogate: Toluene-d8            | 100 %         |      |       | 81.2-127                |      |          |                  |                    |                    |         |

## Sample Information

**Client Sample ID:** WQ010213:1040NP2-10

**York Sample ID:** 13A0112-01

York Project (SDG) No.  
13A0112

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 2, 2013 10:40 am

Date Received  
01/04/2013

**Iron, Dissolved by EPA 6010**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | ND     |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA SW846-6010B  | 01/07/2013 15:16   | 01/07/2013 18:20   | MW      |

**Iron by EPA 200.7**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 14.1   |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA 200.7        | 01/07/2013 15:16   | 01/07/2013 18:49   | MW      |

**Total Dissolved Solids**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

| CAS No. | Parameter              | Result | Flag | Units | MDL  | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|---------|------------------------|--------|------|-------|------|------|----------|------------------|--------------------|--------------------|---------|
|         | Total Dissolved Solids | 185    |      | mg/L  | 1.00 | 1.00 | 1        | SM 2540C         | 01/08/2013 11:47   | 01/08/2013 11:47   | ALD     |

## Analytical Batch Summary

**Batch ID:** BA30170                      **Preparation Method:** % Solids Prep                      **Prepared By:** ALD

| YORK Sample ID | Client Sample ID    | Preparation Date |
|----------------|---------------------|------------------|
| 13A0112-01     | WQ010213:1040NP2-10 | 01/08/13         |
| BA30170-BLK1   | Blank               | 01/08/13         |
| BA30170-DUP1   | Duplicate           | 01/08/13         |

**Batch ID:** BA30173                      **Preparation Method:** EPA 3010A                      **Prepared By:** MW

| YORK Sample ID | Client Sample ID    | Preparation Date |
|----------------|---------------------|------------------|
| 13A0110-01     | WQ010213:1030NP2-6  | 01/07/13         |
| 13A0110-01     | WQ010213:1030NP2-6  | 01/07/13         |
| 13A0110-02     | WQ010213:1035NP2-7  | 01/07/13         |
| 13A0110-02     | WQ010213:1035NP2-7  | 01/07/13         |
| 13A0112-01     | WQ010213:1040NP2-10 | 01/07/13         |
| 13A0112-01     | WQ010213:1040NP2-10 | 01/07/13         |
| BA30173-BLK1   | Blank               | 01/07/13         |
| BA30173-BLK1   | Blank               | 01/07/13         |
| BA30173-DUP1   | Duplicate           | 01/07/13         |
| BA30173-DUP1   | Duplicate           | 01/07/13         |
| BA30173-MS1    | Matrix Spike        | 01/07/13         |
| BA30173-MS1    | Matrix Spike        | 01/07/13         |
| BA30173-SRM1   | Reference           | 01/07/13         |
| BA30173-SRM1   | Reference           | 01/07/13         |

**Batch ID:** BA30264                      **Preparation Method:** EPA 5030B                      **Prepared By:** EKM

| YORK Sample ID | Client Sample ID   | Preparation Date |
|----------------|--------------------|------------------|
| 13A0110-01     | WQ010213:1030NP2-6 | 01/09/13         |
| 13A0110-02     | WQ010213:1035NP2-7 | 01/09/13         |
| BA30264-BLK1   | Blank              | 01/09/13         |
| BA30264-BS1    | LCS                | 01/09/13         |
| BA30264-BSD1   | LCS Dup            | 01/09/13         |

**Batch ID:** BA30266                      **Preparation Method:** EPA 5030B                      **Prepared By:** EKM

| YORK Sample ID | Client Sample ID    | Preparation Date |
|----------------|---------------------|------------------|
| 13A0112-01     | WQ010213:1040NP2-10 | 01/09/13         |
| BA30266-BLK1   | Blank               | 01/09/13         |
| BA30266-BS1    | LCS                 | 01/09/13         |
| BA30266-BSD1   | LCS Dup             | 01/09/13         |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC | %REC<br>Limits | Flag | RPD | RPD<br>Limit | Flag |
|---------|--------|--------------------|-------|----------------|-------------------|------|----------------|------|-----|--------------|------|
|---------|--------|--------------------|-------|----------------|-------------------|------|----------------|------|-----|--------------|------|

**Batch BA30264 - EPA 5030B**

**Blank (BA30264-BLK1)**

Prepared & Analyzed: 01/09/2013

|   |     |      |      |  |  |  |  |  |  |  |  |
|---|-----|------|------|--|--|--|--|--|--|--|--|
| 1,1,1,2-Tetrachloroethane                         | ND  | 0.50 | ug/L |  |  |  |  |  |  |  |  |
| 1,1,1-Trichloroethane                             | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1,2,2-Tetrachloroethane                         | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1,2-Trichloroethane                             | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1-Dichloroethane                                | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1-Dichloroethylene                              | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1-Dichloropropylene                             | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2,3-Trichlorobenzene                            | ND  | 2.0  | "    |  |  |  |  |  |  |  |  |
| 1,2,3-Trichloropropane                            | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2,4-Trichlorobenzene                            | ND  | 2.0  | "    |  |  |  |  |  |  |  |  |
| 1,2,4-Trimethylbenzene                            | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dibromo-3-chloropropane                       | ND  | 2.0  | "    |  |  |  |  |  |  |  |  |
| 1,2-Dibromoethane                                 | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dichlorobenzene                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dichloroethane                                | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dichloropropane                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,3,5-Trimethylbenzene                            | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,3-Dichlorobenzene                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,3-Dichloropropane                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,4-Dichlorobenzene                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 2,2-Dichloropropane                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 2-Chlorotoluene                                   | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 2-Hexanone  | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 4-Chlorotoluene                                   | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Acetone   | 1.0 | 2.0  | "    |  |  |  |  |  |  |  |  |
| Benzene   | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromobenzene                                      | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromochloromethane                                | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromodichloromethane                              | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromoform   | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromomethane                                      | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Carbon tetrachloride                              | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chlorobenzene                                     | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chloroethane                                      | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chloroform  | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chloromethane                                     | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| cis-1,2-Dichloroethylene                          | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| cis-1,3-Dichloropropylene                         | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Dibromochloromethane                              | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Dibromomethane                                    | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Dichlorodifluoromethane                           | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Ethyl Benzene                                     | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Hexachlorobutadiene                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Isopropylbenzene                                  | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Methyl tert-butyl ether (MTBE)                    | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Methylene chloride                                | ND  | 2.0  | "    |  |  |  |  |  |  |  |  |
| Naphthalene                                       | ND  | 2.0  | "    |  |  |  |  |  |  |  |  |
| n-Butylbenzene                                    | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| n-Propylbenzene                                   | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| o-Xylene  | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| p- & m- Xylenes                                   | ND  | 1.0  | "    |  |  |  |  |  |  |  |  |
| p-Isopropyltoluene                                | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| sec-Butylbenzene                                  | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC<br>Limits | %REC<br>Limits | Flag | RPD | RPD<br>Limit | Flag                            |
|---|--------|--------------------|-------|----------------|-------------------|----------------|----------------|------|-----|--------------|---------------------------------|
| <b>Batch BA30264 - EPA 5030B</b>                  |        |                    |       |                |                   |                |                |      |     |              |                                 |
| <b>Blank (BA30264-BLK1)</b>                       |        |                    |       |                |                   |                |                |      |     |              |                                 |
|   |        |                    |       |                |                   |                |                |      |     |              | Prepared & Analyzed: 01/09/2013 |
| Styrene   | ND     | 0.50               | ug/L  |                |                   |                |                |      |     |              |                                 |
| tert-Butylbenzene                                 | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Tetrachloroethylene                               | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Toluene   | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| trans-1,2-Dichloroethylene                        | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| trans-1,3-Dichloropropylene                       | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Trichloroethylene                                 | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Trichlorofluoromethane                            | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Vinyl Chloride                                    | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Xylenes, Total                                    | ND     | 1.5                | "     |                |                   |                |                |      |     |              |                                 |
| <i>Surrogate: 1,2-Dichloroethane-d4</i>           | 9.92   |                    | "     | 10.0           |                   | 99.2           | 72.6-129       |      |     |              |                                 |
| <i>Surrogate: p-Bromofluorobenzene</i>            | 10.2   |                    | "     | 10.0           |                   | 102            | 63.5-145       |      |     |              |                                 |
| <i>Surrogate: Toluene-d8</i>                      | 10.2   |                    | "     | 10.0           |                   | 102            | 81.2-127       |      |     |              |                                 |
| <b>LCS (BA30264-BS1)</b>                          |        |                    |       |                |                   |                |                |      |     |              |                                 |
|   |        |                    |       |                |                   |                |                |      |     |              | Prepared & Analyzed: 01/09/2013 |
| 1,1,1,2-Tetrachloroethane                         | 10.6   |                    | ug/L  | 10.0           |                   | 106            | 82.3-130       |      |     |              |                                 |
| 1,1,1-Trichloroethane                             | 10.5   |                    | "     | 10.0           |                   | 105            | 75.6-137       |      |     |              |                                 |
| 1,1,2,2-Tetrachloroethane                         | 9.84   |                    | "     | 10.0           |                   | 98.4           | 71.3-131       |      |     |              |                                 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 11.7   |                    | "     | 10.0           |                   | 117            | 71.1-129       |      |     |              |                                 |
| 1,1,2-Trichloroethane                             | 10.1   |                    | "     | 10.0           |                   | 101            | 74.5-129       |      |     |              |                                 |
| 1,1-Dichloroethane                                | 10.4   |                    | "     | 10.0           |                   | 104            | 79.6-132       |      |     |              |                                 |
| 1,1-Dichloroethylene                              | 10.3   |                    | "     | 10.0           |                   | 103            | 80.2-146       |      |     |              |                                 |
| 1,1-Dichloropropylene                             | 10.1   |                    | "     | 10.0           |                   | 101            | 75-136         |      |     |              |                                 |
| 1,2,3-Trichlorobenzene                            | 12.1   |                    | "     | 10.0           |                   | 121            | 66.1-136       |      |     |              |                                 |
| 1,2,3-Trichloropropane                            | 8.76   |                    | "     | 10.0           |                   | 87.6           | 63-131         |      |     |              |                                 |
| 1,2,4-Trichlorobenzene                            | 12.3   |                    | "     | 10.0           |                   | 123            | 70.6-136       |      |     |              |                                 |
| 1,2,4-Trimethylbenzene                            | 11.5   |                    | "     | 10.0           |                   | 115            | 75.3-135       |      |     |              |                                 |
| 1,2-Dibromo-3-chloropropane                       | 9.28   |                    | "     | 10.0           |                   | 92.8           | 58.9-140       |      |     |              |                                 |
| 1,2-Dibromoethane                                 | 10.3   |                    | "     | 10.0           |                   | 103            | 79-130         |      |     |              |                                 |
| 1,2-Dichlorobenzene                               | 9.91   |                    | "     | 10.0           |                   | 99.1           | 76.1-122       |      |     |              |                                 |
| 1,2-Dichloroethane                                | 9.95   |                    | "     | 10.0           |                   | 99.5           | 74.6-132       |      |     |              |                                 |
| 1,2-Dichloropropane                               | 10.5   |                    | "     | 10.0           |                   | 105            | 76.9-129       |      |     |              |                                 |
| 1,3,5-Trimethylbenzene                            | 10.6   |                    | "     | 10.0           |                   | 106            | 70.6-127       |      |     |              |                                 |
| 1,3-Dichlorobenzene                               | 9.58   |                    | "     | 10.0           |                   | 95.8           | 77-124         |      |     |              |                                 |
| 1,3-Dichloropropane                               | 10.4   |                    | "     | 10.0           |                   | 104            | 75.8-126       |      |     |              |                                 |
| 1,4-Dichlorobenzene                               | 10.3   |                    | "     | 10.0           |                   | 103            | 76.6-125       |      |     |              |                                 |
| 2,2-Dichloropropane                               | 11.3   |                    | "     | 10.0           |                   | 113            | 69-133         |      |     |              |                                 |
| 2-Chlorotoluene                                   | 9.93   |                    | "     | 10.0           |                   | 99.3           | 66.3-119       |      |     |              |                                 |
| 2-Hexanone  | 10.9   |                    | "     | 10.0           |                   | 109            | 70-130         |      |     |              |                                 |
| 4-Chlorotoluene                                   | 10.2   |                    | "     | 10.0           |                   | 102            | 69.2-127       |      |     |              |                                 |
| Acetone   | 8.62   |                    | "     | 10.0           |                   | 86.2           | 70-130         |      |     |              |                                 |
| Benzene   | 10.4   |                    | "     | 10.0           |                   | 104            | 76.2-129       |      |     |              |                                 |
| Bromobenzene                                      | 10.0   |                    | "     | 10.0           |                   | 100            | 71.3-123       |      |     |              |                                 |
| Bromochloromethane                                | 10.2   |                    | "     | 10.0           |                   | 102            | 70.8-137       |      |     |              |                                 |
| Bromodichloromethane                              | 10.6   |                    | "     | 10.0           |                   | 106            | 79.7-134       |      |     |              |                                 |
| Bromoform   | 10.2   |                    | "     | 10.0           |                   | 102            | 70.5-141       |      |     |              |                                 |
| Bromomethane                                      | 9.57   |                    | "     | 10.0           |                   | 95.7           | 43.9-147       |      |     |              |                                 |
| Carbon tetrachloride                              | 10.8   |                    | "     | 10.0           |                   | 108            | 78.1-138       |      |     |              |                                 |
| Chlorobenzene                                     | 10.5   |                    | "     | 10.0           |                   | 105            | 80.4-125       |      |     |              |                                 |
| Chloroethane                                      | 10.0   |                    | "     | 10.0           |                   | 100            | 55.8-140       |      |     |              |                                 |
| Chloroform  | 10.3   |                    | "     | 10.0           |                   | 103            | 76.6-133       |      |     |              |                                 |
| Chloromethane                                     | 10.7   |                    | "     | 10.0           |                   | 107            | 48.8-115       |      |     |              |                                 |
| cis-1,2-Dichloroethylene                          | 10.0   |                    | "     | 10.0           |                   | 100            | 75.1-128       |      |     |              |                                 |
| cis-1,3-Dichloropropylene                         | 11.1   |                    | "     | 10.0           |                   | 111            | 74.5-128       |      |     |              |                                 |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                                 | Result      | Reporting<br>Limit | Units    | Spike<br>Level | Source*<br>Result | %REC<br>Limits | Flag            | RPD       | RPD<br>Limit | Flag |
|---|-------------|--------------------|----------|----------------|-------------------|----------------|-----------------|-----------|--------------|------|
| <b>Batch BA30264 - EPA 5030B</b>        |             |                    |          |                |                   |                |                 |           |              |      |
| <b>LCS (BA30264-BS1)</b>                |             |                    |          |                |                   |                |                 |           |              |      |
| Prepared & Analyzed: 01/09/2013         |             |                    |          |                |                   |                |                 |           |              |      |
| Dibromochloromethane                    | 10.8        |                    | ug/L     | 10.0           |                   | 108            | 79.8-134        |           |              |      |
| Dibromomethane                          | 10.2        |                    | "        | 10.0           |                   | 102            | 79-130          |           |              |      |
| Dichlorodifluoromethane                 | 10.1        |                    | "        | 10.0           |                   | 101            | 47.1-101        |           |              |      |
| Ethyl Benzene                           | 10.9        |                    | "        | 10.0           |                   | 109            | 80.8-128        |           |              |      |
| Hexachlorobutadiene                     | 10.8        |                    | "        | 10.0           |                   | 108            | 64.8-128        |           |              |      |
| Isopropylbenzene                        | 10.2        |                    | "        | 10.0           |                   | 102            | 75.5-135        |           |              |      |
| Methyl tert-butyl ether (MTBE)          | 9.77        |                    | "        | 10.0           |                   | 97.7           | 65.1-140        |           |              |      |
| Methylene chloride                      | 10.1        |                    | "        | 10.0           |                   | 101            | 61.3-120        |           |              |      |
| Naphthalene                             | 11.8        |                    | "        | 10.0           |                   | 118            | 62.3-148        |           |              |      |
| n-Butylbenzene                          | 10.8        |                    | "        | 10.0           |                   | 108            | 67.2-123        |           |              |      |
| n-Propylbenzene                         | 10.3        |                    | "        | 10.0           |                   | 103            | 70.5-127        |           |              |      |
| o-Xylene                                | 10.4        |                    | "        | 10.0           |                   | 104            | 75.9-122        |           |              |      |
| p- & m- Xylenes                         | 21.9        |                    | "        | 20.0           |                   | 109            | 77.7-127        |           |              |      |
| p-Isopropyltoluene                      | 10.8        |                    | "        | 10.0           |                   | 108            | 75.6-129        |           |              |      |
| sec-Butylbenzene                        | 10.5        |                    | "        | 10.0           |                   | 105            | 71.5-125        |           |              |      |
| Styrene                                 | 13.4        |                    | "        | 10.0           |                   | 134            | 77.8-123        | High Bias |              |      |
| tert-Butylbenzene                       | 10.4        |                    | "        | 10.0           |                   | 104            | 75.9-151        |           |              |      |
| Tetrachloroethylene                     | 10.8        |                    | "        | 10.0           |                   | 108            | 63.6-167        |           |              |      |
| Toluene                                 | 10.6        |                    | "        | 10.0           |                   | 106            | 77-123          |           |              |      |
| trans-1,2-Dichloroethylene              | 10.1        |                    | "        | 10.0           |                   | 101            | 76.3-139        |           |              |      |
| trans-1,3-Dichloropropylene             | 10.9        |                    | "        | 10.0           |                   | 109            | 72.5-137        |           |              |      |
| Trichloroethylene                       | 10.9        |                    | "        | 10.0           |                   | 109            | 77.9-130        |           |              |      |
| Trichlorofluoromethane                  | 10.7        |                    | "        | 10.0           |                   | 107            | 57.4-133        |           |              |      |
| Vinyl Chloride                          | 10.2        |                    | "        | 10.0           |                   | 102            | 54.9-124        |           |              |      |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>9.56</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>95.6</i>    | <i>72.6-129</i> |           |              |      |
| <i>Surrogate: p-Bromofluorobenzene</i>  | <i>9.84</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>98.4</i>    | <i>63.5-145</i> |           |              |      |
| <i>Surrogate: Toluene-d8</i>            | <i>10.2</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>102</i>     | <i>81.2-127</i> |           |              |      |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result | Reporting | Spike | Source* | %REC | %REC     | Flag | RPD    |       |        |
|---|--------|-----------|-------|---------|------|----------|------|--------|-------|--------|
|   |        | Limit     |       |         |      |          |      | Units  | Level | Result |
| <b>Batch BA30264 - EPA 5030B</b>                  |        |           |       |         |      |          |      |        |       |        |
| <b>LCS Dup (BA30264-BSD1)</b>                     |        |           |       |         |      |          |      |        |       |        |
| Prepared & Analyzed: 01/09/2013                   |        |           |       |         |      |          |      |        |       |        |
| 1,1,1,2-Tetrachloroethane                         | 9.95   |           | ug/L  | 10.0    | 99.5 | 82.3-130 |      | 5.85   | 21.1  |        |
| 1,1,1-Trichloroethane                             | 10.1   |           | "     | 10.0    | 101  | 75.6-137 |      | 3.98   | 19.7  |        |
| 1,1,2,2-Tetrachloroethane                         | 9.62   |           | "     | 10.0    | 96.2 | 71.3-131 |      | 2.26   | 20.8  |        |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 11.8   |           | "     | 10.0    | 118  | 71.1-129 |      | 0.426  | 21.7  |        |
| 1,1,2-Trichloroethane                             | 9.71   |           | "     | 10.0    | 97.1 | 74.5-129 |      | 3.74   | 20.3  |        |
| 1,1-Dichloroethane                                | 10.2   |           | "     | 10.0    | 102  | 79.6-132 |      | 2.62   | 20.6  |        |
| 1,1-Dichloroethylene                              | 10.2   |           | "     | 10.0    | 102  | 80.2-146 |      | 0.584  | 20    |        |
| 1,1-Dichloropropylene                             | 9.78   |           | "     | 10.0    | 97.8 | 75-136   |      | 3.61   | 19.3  |        |
| 1,2,3-Trichlorobenzene                            | 11.8   |           | "     | 10.0    | 118  | 66.1-136 |      | 3.18   | 21.6  |        |
| 1,2,3-Trichloropropane                            | 9.07   |           | "     | 10.0    | 90.7 | 63-131   |      | 3.48   | 23.9  |        |
| 1,2,4-Trichlorobenzene                            | 11.6   |           | "     | 10.0    | 116  | 70.6-136 |      | 5.86   | 21.7  |        |
| 1,2,4-Trimethylbenzene                            | 10.6   |           | "     | 10.0    | 106  | 75.3-135 |      | 7.86   | 18.8  |        |
| 1,2-Dibromo-3-chloropropane                       | 9.20   |           | "     | 10.0    | 92.0 | 58.9-140 |      | 0.866  | 27.7  |        |
| 1,2-Dibromoethane                                 | 9.64   |           | "     | 10.0    | 96.4 | 79-130   |      | 7.01   | 23    |        |
| 1,2-Dichlorobenzene                               | 9.57   |           | "     | 10.0    | 95.7 | 76.1-122 |      | 3.49   | 19.8  |        |
| 1,2-Dichloroethane                                | 9.47   |           | "     | 10.0    | 94.7 | 74.6-132 |      | 4.94   | 20.2  |        |
| 1,2-Dichloropropane                               | 10.2   |           | "     | 10.0    | 102  | 76.9-129 |      | 2.32   | 20.7  |        |
| 1,3,5-Trimethylbenzene                            | 9.88   |           | "     | 10.0    | 98.8 | 70.6-127 |      | 7.22   | 18.9  |        |
| 1,3-Dichlorobenzene                               | 9.19   |           | "     | 10.0    | 91.9 | 77-124   |      | 4.16   | 19.2  |        |
| 1,3-Dichloropropane                               | 9.74   |           | "     | 10.0    | 97.4 | 75.8-126 |      | 6.17   | 22.1  |        |
| 1,4-Dichlorobenzene                               | 9.90   |           | "     | 10.0    | 99.0 | 76.6-125 |      | 3.77   | 18.6  |        |
| 2,2-Dichloropropane                               | 10.8   |           | "     | 10.0    | 108  | 69-133   |      | 4.34   | 19.8  |        |
| 2-Chlorotoluene                                   | 9.28   |           | "     | 10.0    | 92.8 | 66.3-119 |      | 6.77   | 21.6  |        |
| 2-Hexanone  | 10.4   |           | "     | 10.0    | 104  | 70-130   |      | 4.51   | 30    |        |
| 4-Chlorotoluene                                   | 9.65   |           | "     | 10.0    | 96.5 | 69.2-127 |      | 5.74   | 19    |        |
| Acetone   | 8.87   |           | "     | 10.0    | 88.7 | 70-130   |      | 2.86   | 30    |        |
| Benzene   | 9.96   |           | "     | 10.0    | 99.6 | 76.2-129 |      | 4.03   | 19    |        |
| Bromobenzene                                      | 9.51   |           | "     | 10.0    | 95.1 | 71.3-123 |      | 5.42   | 20.3  |        |
| Bromochloromethane                                | 9.74   |           | "     | 10.0    | 97.4 | 70.8-137 |      | 4.71   | 23.9  |        |
| Bromodichloromethane                              | 10.1   |           | "     | 10.0    | 101  | 79.7-134 |      | 4.46   | 21    |        |
| Bromoform   | 10.1   |           | "     | 10.0    | 101  | 70.5-141 |      | 1.57   | 21.8  |        |
| Bromomethane                                      | 9.81   |           | "     | 10.0    | 98.1 | 43.9-147 |      | 2.48   | 28.4  |        |
| Carbon tetrachloride                              | 10.2   |           | "     | 10.0    | 102  | 78.1-138 |      | 5.04   | 20.1  |        |
| Chlorobenzene                                     | 9.69   |           | "     | 10.0    | 96.9 | 80.4-125 |      | 8.12   | 19.9  |        |
| Chloroethane                                      | 10.0   |           | "     | 10.0    | 100  | 55.8-140 |      | 0.0998 | 23.3  |        |
| Chloroform  | 10.1   |           | "     | 10.0    | 101  | 76.6-133 |      | 2.36   | 20.3  |        |
| Chloromethane                                     | 9.88   |           | "     | 10.0    | 98.8 | 48.8-115 |      | 7.69   | 24.5  |        |
| cis-1,2-Dichloroethylene                          | 9.95   |           | "     | 10.0    | 99.5 | 75.1-128 |      | 0.701  | 20.5  |        |
| cis-1,3-Dichloropropylene                         | 10.6   |           | "     | 10.0    | 106  | 74.5-128 |      | 4.69   | 19.9  |        |
| Dibromochloromethane                              | 10.5   |           | "     | 10.0    | 105  | 79.8-134 |      | 3.29   | 21.3  |        |
| Dibromomethane                                    | 9.88   |           | "     | 10.0    | 98.8 | 79-130   |      | 3.68   | 22.4  |        |
| Dichlorodifluoromethane                           | 9.18   |           | "     | 10.0    | 91.8 | 47.1-101 |      | 9.44   | 23.9  |        |
| Ethyl Benzene                                     | 10.1   |           | "     | 10.0    | 101  | 80.8-128 |      | 8.10   | 19.2  |        |
| Hexachlorobutadiene                               | 9.96   |           | "     | 10.0    | 99.6 | 64.8-128 |      | 7.72   | 20.6  |        |
| Isopropylbenzene                                  | 9.65   |           | "     | 10.0    | 96.5 | 75.5-135 |      | 5.84   | 20    |        |
| Methyl tert-butyl ether (MTBE)                    | 10.0   |           | "     | 10.0    | 100  | 65.1-140 |      | 2.63   | 23.6  |        |
| Methylene chloride                                | 10.1   |           | "     | 10.0    | 101  | 61.3-120 |      | 0.693  | 20.4  |        |
| Naphthalene                                       | 11.1   |           | "     | 10.0    | 111  | 62.3-148 |      | 6.72   | 27.1  |        |
| n-Butylbenzene                                    | 9.87   |           | "     | 10.0    | 98.7 | 67.2-123 |      | 8.91   | 19.1  |        |
| n-Propylbenzene                                   | 9.69   |           | "     | 10.0    | 96.9 | 70.5-127 |      | 5.91   | 23.4  |        |
| o-Xylene  | 9.68   |           | "     | 10.0    | 96.8 | 75.9-122 |      | 7.46   | 19.3  |        |
| p- & m- Xylenes                                   | 20.1   |           | "     | 20.0    | 101  | 77.7-127 |      | 8.24   | 18.6  |        |
| p-Isopropyltoluene                                | 9.99   |           | "     | 10.0    | 99.9 | 75.6-129 |      | 7.98   | 19.1  |        |
| sec-Butylbenzene                                  | 9.74   |           | "     | 10.0    | 97.4 | 71.5-125 |      | 7.41   | 18.9  |        |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting | Units | Spike | Source* | %REC | %REC | Flag | RPD    |     |
|---------|--------|-----------|-------|-------|---------|------|------|------|--------|-----|
|         |        | Limit     |       |       | Result  |      |      |      | Limits | RPD |

**Batch BA30264 - EPA 5030B**

**LCS Dup (BA30264-BSD1)**

Prepared & Analyzed: 01/09/2013

|   |             |  |          |             |  |             |                 |           |      |      |
|---|-------------|--|----------|-------------|--|-------------|-----------------|-----------|------|------|
| Styrene                                 | 12.4        |  | ug/L     | 10.0        |  | 124         | 77.8-123        | High Bias | 7.53 | 20.9 |
| tert-Butylbenzene                       | 9.77        |  | "        | 10.0        |  | 97.7        | 75.9-151        |           | 5.96 | 20.9 |
| Tetrachloroethylene                     | 9.98        |  | "        | 10.0        |  | 99.8        | 63.6-167        |           | 7.52 | 27.7 |
| Toluene                                 | 9.98        |  | "        | 10.0        |  | 99.8        | 77-123          |           | 5.74 | 18.7 |
| trans-1,2-Dichloroethylene              | 9.97        |  | "        | 10.0        |  | 99.7        | 76.3-139        |           | 1.10 | 19.5 |
| trans-1,3-Dichloropropylene             | 10.4        |  | "        | 10.0        |  | 104         | 72.5-137        |           | 4.90 | 19.3 |
| Trichloroethylene                       | 10.3        |  | "        | 10.0        |  | 103         | 77.9-130        |           | 5.28 | 20.5 |
| Trichlorofluoromethane                  | 10.6        |  | "        | 10.0        |  | 106         | 57.4-133        |           | 1.13 | 21.4 |
| Vinyl Chloride                          | 10.1        |  | "        | 10.0        |  | 101         | 54.9-124        |           | 1.28 | 22.3 |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>9.86</i> |  | <i>"</i> | <i>10.0</i> |  | <i>98.6</i> | <i>72.6-129</i> |           |      |      |
| <i>Surrogate: p-Bromofluorobenzene</i>  | <i>9.85</i> |  | <i>"</i> | <i>10.0</i> |  | <i>98.5</i> | <i>63.5-145</i> |           |      |      |
| <i>Surrogate: Toluene-d8</i>            | <i>10.2</i> |  | <i>"</i> | <i>10.0</i> |  | <i>102</i>  | <i>81.2-127</i> |           |      |      |

**Batch BA30266 - EPA 5030B**

**Blank (BA30266-BLK1)**

Prepared: 01/09/2013 Analyzed: 01/10/2013

|   |    |      |      |  |  |  |  |  |  |  |
|---|----|------|------|--|--|--|--|--|--|--|
| 1,1,1,2-Tetrachloroethane                         | ND | 0.50 | ug/L |  |  |  |  |  |  |  |
| 1,1,1-Trichloroethane                             | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1,2,2-Tetrachloroethane                         | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1,2-Trichloroethane                             | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1-Dichloroethane                                | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1-Dichloroethylene                              | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1-Dichloropropylene                             | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2,3-Trichlorobenzene                            | ND | 2.0  | "    |  |  |  |  |  |  |  |
| 1,2,3-Trichloropropane                            | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2,4-Trichlorobenzene                            | ND | 2.0  | "    |  |  |  |  |  |  |  |
| 1,2,4-Trimethylbenzene                            | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dibromo-3-chloropropane                       | ND | 2.0  | "    |  |  |  |  |  |  |  |
| 1,2-Dibromoethane                                 | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dichlorobenzene                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dichloroethane                                | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dichloropropane                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,3,5-Trimethylbenzene                            | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,3-Dichlorobenzene                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,3-Dichloropropane                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,4-Dichlorobenzene                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 2,2-Dichloropropane                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 2-Chlorotoluene                                   | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 2-Hexanone  | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 4-Chlorotoluene                                   | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Acetone   | ND | 2.0  | "    |  |  |  |  |  |  |  |
| Benzene   | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Bromobenzene                                      | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Bromochloromethane                                | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Bromodichloromethane                              | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Bromoform   | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Bromomethane                                      | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Carbon tetrachloride                              | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Chlorobenzene                                     | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Chloroethane                                      | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Chloroform  | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Chloromethane                                     | ND | 0.50 | "    |  |  |  |  |  |  |  |
| cis-1,2-Dichloroethylene                          | ND | 0.50 | "    |  |  |  |  |  |  |  |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC | %REC<br>Limits | Flag | RPD | RPD<br>Limit | Flag |
|---------|--------|--------------------|-------|----------------|-------------------|------|----------------|------|-----|--------------|------|
|---------|--------|--------------------|-------|----------------|-------------------|------|----------------|------|-----|--------------|------|

**Batch BA30266 - EPA 5030B**

**Blank (BA30266-BLK1)**

Prepared: 01/09/2013 Analyzed: 01/10/2013

|                                  |      |      |      |      |  |      |          |  |  |  |  |
|----------------------------------|------|------|------|------|--|------|----------|--|--|--|--|
| cis-1,3-Dichloropropylene        | ND   | 0.50 | ug/L |      |  |      |          |  |  |  |  |
| Dibromochloromethane             | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Dibromomethane                   | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Dichlorodifluoromethane          | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Ethyl Benzene                    | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Hexachlorobutadiene              | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Isopropylbenzene                 | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Methyl tert-butyl ether (MTBE)   | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Methylene chloride               | ND   | 2.0  | "    |      |  |      |          |  |  |  |  |
| Naphthalene                      | ND   | 2.0  | "    |      |  |      |          |  |  |  |  |
| n-Butylbenzene                   | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| n-Propylbenzene                  | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| o-Xylene                         | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| p- & m- Xylenes                  | ND   | 1.0  | "    |      |  |      |          |  |  |  |  |
| p-Isopropyltoluene               | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| sec-Butylbenzene                 | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Styrene                          | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| tert-Butylbenzene                | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Tetrachloroethylene              | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Toluene                          | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| trans-1,2-Dichloroethylene       | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| trans-1,3-Dichloropropylene      | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Trichloroethylene                | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Trichlorofluoromethane           | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Vinyl Chloride                   | ND   | 0.50 | "    |      |  |      |          |  |  |  |  |
| Xylenes, Total                   | ND   | 1.5  | "    |      |  |      |          |  |  |  |  |
| <hr/>                            |      |      |      |      |  |      |          |  |  |  |  |
| Surrogate: 1,2-Dichloroethane-d4 | 9.93 |      | "    | 10.0 |  | 99.3 | 72.6-129 |  |  |  |  |
| Surrogate: p-Bromofluorobenzene  | 10.1 |      | "    | 10.0 |  | 101  | 63.5-145 |  |  |  |  |
| Surrogate: Toluene-d8            | 10.0 |      | "    | 10.0 |  | 100  | 81.2-127 |  |  |  |  |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC<br>Limits | %REC<br>Limits | Flag | RPD | Limit                           | Flag |
|---|--------|--------------------|-------|----------------|-------------------|----------------|----------------|------|-----|---------------------------------|------|
| <b>Batch BA30266 - EPA 5030B</b>                  |        |                    |       |                |                   |                |                |      |     |                                 |      |
| <b>LCS (BA30266-BS1)</b>                          |        |                    |       |                |                   |                |                |      |     | Prepared & Analyzed: 01/09/2013 |      |
| 1,1,1,2-Tetrachloroethane                         | 9.72   |                    | ug/L  | 10.0           |                   | 97.2           | 82.3-130       |      |     |                                 |      |
| 1,1,1-Trichloroethane                             | 9.51   |                    | "     | 10.0           |                   | 95.1           | 75.6-137       |      |     |                                 |      |
| 1,1,2,2-Tetrachloroethane                         | 8.97   |                    | "     | 10.0           |                   | 89.7           | 71.3-131       |      |     |                                 |      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 10.7   |                    | "     | 10.0           |                   | 107            | 71.1-129       |      |     |                                 |      |
| 1,1,2-Trichloroethane                             | 9.56   |                    | "     | 10.0           |                   | 95.6           | 74.5-129       |      |     |                                 |      |
| 1,1-Dichloroethane                                | 9.79   |                    | "     | 10.0           |                   | 97.9           | 79.6-132       |      |     |                                 |      |
| 1,1-Dichloroethylene                              | 9.17   |                    | "     | 10.0           |                   | 91.7           | 80.2-146       |      |     |                                 |      |
| 1,1-Dichloropropylene                             | 9.14   |                    | "     | 10.0           |                   | 91.4           | 75-136         |      |     |                                 |      |
| 1,2,3-Trichlorobenzene                            | 11.4   |                    | "     | 10.0           |                   | 114            | 66.1-136       |      |     |                                 |      |
| 1,2,3-Trichloropropane                            | 8.41   |                    | "     | 10.0           |                   | 84.1           | 63-131         |      |     |                                 |      |
| 1,2,4-Trichlorobenzene                            | 11.2   |                    | "     | 10.0           |                   | 112            | 70.6-136       |      |     |                                 |      |
| 1,2,4-Trimethylbenzene                            | 9.04   |                    | "     | 10.0           |                   | 90.4           | 75.3-135       |      |     |                                 |      |
| 1,2-Dibromo-3-chloropropane                       | 8.85   |                    | "     | 10.0           |                   | 88.5           | 58.9-140       |      |     |                                 |      |
| 1,2-Dibromoethane                                 | 9.51   |                    | "     | 10.0           |                   | 95.1           | 79-130         |      |     |                                 |      |
| 1,2-Dichlorobenzene                               | 9.18   |                    | "     | 10.0           |                   | 91.8           | 76.1-122       |      |     |                                 |      |
| 1,2-Dichloroethane                                | 9.24   |                    | "     | 10.0           |                   | 92.4           | 74.6-132       |      |     |                                 |      |
| 1,2-Dichloropropane                               | 9.72   |                    | "     | 10.0           |                   | 97.2           | 76.9-129       |      |     |                                 |      |
| 1,3,5-Trimethylbenzene                            | 9.02   |                    | "     | 10.0           |                   | 90.2           | 70.6-127       |      |     |                                 |      |
| 1,3-Dichlorobenzene                               | 8.65   |                    | "     | 10.0           |                   | 86.5           | 77-124         |      |     |                                 |      |
| 1,3-Dichloropropane                               | 9.48   |                    | "     | 10.0           |                   | 94.8           | 75.8-126       |      |     |                                 |      |
| 1,4-Dichlorobenzene                               | 9.31   |                    | "     | 10.0           |                   | 93.1           | 76.6-125       |      |     |                                 |      |
| 2,2-Dichloropropane                               | 8.09   |                    | "     | 10.0           |                   | 80.9           | 69-133         |      |     |                                 |      |
| 2-Chlorotoluene                                   | 8.76   |                    | "     | 10.0           |                   | 87.6           | 66.3-119       |      |     |                                 |      |
| 2-Hexanone  | 10.4   |                    | "     | 10.0           |                   | 104            | 70-130         |      |     |                                 |      |
| 4-Chlorotoluene                                   | 9.07   |                    | "     | 10.0           |                   | 90.7           | 69.2-127       |      |     |                                 |      |
| Acetone   | 9.72   |                    | "     | 10.0           |                   | 97.2           | 70-130         |      |     |                                 |      |
| Benzene   | 9.60   |                    | "     | 10.0           |                   | 96.0           | 76.2-129       |      |     |                                 |      |
| Bromobenzene                                      | 8.93   |                    | "     | 10.0           |                   | 89.3           | 71.3-123       |      |     |                                 |      |
| Bromochloromethane                                | 9.33   |                    | "     | 10.0           |                   | 93.3           | 70.8-137       |      |     |                                 |      |
| Bromodichloromethane                              | 9.69   |                    | "     | 10.0           |                   | 96.9           | 79.7-134       |      |     |                                 |      |
| Bromoform   | 9.23   |                    | "     | 10.0           |                   | 92.3           | 70.5-141       |      |     |                                 |      |
| Bromomethane                                      | 8.39   |                    | "     | 10.0           |                   | 83.9           | 43.9-147       |      |     |                                 |      |
| Carbon tetrachloride                              | 9.64   |                    | "     | 10.0           |                   | 96.4           | 78.1-138       |      |     |                                 |      |
| Chlorobenzene                                     | 9.57   |                    | "     | 10.0           |                   | 95.7           | 80.4-125       |      |     |                                 |      |
| Chloroethane                                      | 9.43   |                    | "     | 10.0           |                   | 94.3           | 55.8-140       |      |     |                                 |      |
| Chloroform  | 9.71   |                    | "     | 10.0           |                   | 97.1           | 76.6-133       |      |     |                                 |      |
| Chloromethane                                     | 9.16   |                    | "     | 10.0           |                   | 91.6           | 48.8-115       |      |     |                                 |      |
| cis-1,2-Dichloroethylene                          | 9.67   |                    | "     | 10.0           |                   | 96.7           | 75.1-128       |      |     |                                 |      |
| cis-1,3-Dichloropropylene                         | 9.98   |                    | "     | 10.0           |                   | 99.8           | 74.5-128       |      |     |                                 |      |
| Dibromochloromethane                              | 9.91   |                    | "     | 10.0           |                   | 99.1           | 79.8-134       |      |     |                                 |      |
| Dibromomethane                                    | 9.61   |                    | "     | 10.0           |                   | 96.1           | 79-130         |      |     |                                 |      |
| Dichlorodifluoromethane                           | 8.00   |                    | "     | 10.0           |                   | 80.0           | 47.1-101       |      |     |                                 |      |
| Ethyl Benzene                                     | 9.92   |                    | "     | 10.0           |                   | 99.2           | 80.8-128       |      |     |                                 |      |
| Hexachlorobutadiene                               | 9.56   |                    | "     | 10.0           |                   | 95.6           | 64.8-128       |      |     |                                 |      |
| Isopropylbenzene                                  | 9.01   |                    | "     | 10.0           |                   | 90.1           | 75.5-135       |      |     |                                 |      |
| Methyl tert-butyl ether (MTBE)                    | 9.32   |                    | "     | 10.0           |                   | 93.2           | 65.1-140       |      |     |                                 |      |
| Methylene chloride                                | 9.95   |                    | "     | 10.0           |                   | 99.5           | 61.3-120       |      |     |                                 |      |
| Naphthalene                                       | 10.5   |                    | "     | 10.0           |                   | 105            | 62.3-148       |      |     |                                 |      |
| n-Butylbenzene                                    | 9.21   |                    | "     | 10.0           |                   | 92.1           | 67.2-123       |      |     |                                 |      |
| n-Propylbenzene                                   | 9.01   |                    | "     | 10.0           |                   | 90.1           | 70.5-127       |      |     |                                 |      |
| o-Xylene  | 9.50   |                    | "     | 10.0           |                   | 95.0           | 75.9-122       |      |     |                                 |      |
| p- & m- Xylenes                                   | 19.6   |                    | "     | 20.0           |                   | 97.8           | 77.7-127       |      |     |                                 |      |
| p-Isopropyltoluene                                | 9.38   |                    | "     | 10.0           |                   | 93.8           | 75.6-129       |      |     |                                 |      |
| sec-Butylbenzene                                  | 9.27   |                    | "     | 10.0           |                   | 92.7           | 71.5-125       |      |     |                                 |      |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC<br>Limits | Flag | RPD   | RPD<br>Limit | Flag |
|---|--------|--------------------|-------|----------------|-------------------|----------------|------|-------|--------------|------|
| <b>Batch BA30266 - EPA 5030B</b>                  |        |                    |       |                |                   |                |      |       |              |      |
| <b>LCS (BA30266-BS1)</b>                          |        |                    |       |                |                   |                |      |       |              |      |
| Prepared & Analyzed: 01/09/2013                   |        |                    |       |                |                   |                |      |       |              |      |
| Styrene   | 9.94   |                    | ug/L  | 10.0           |                   | 99.4           |      |       |              |      |
| tert-Butylbenzene                                 | 9.23   |                    | "     | 10.0           |                   | 92.3           |      |       |              |      |
| Tetrachloroethylene                               | 9.75   |                    | "     | 10.0           |                   | 97.5           |      |       |              |      |
| Toluene   | 9.73   |                    | "     | 10.0           |                   | 97.3           |      |       |              |      |
| trans-1,2-Dichloroethylene                        | 9.17   |                    | "     | 10.0           |                   | 91.7           |      |       |              |      |
| trans-1,3-Dichloropropylene                       | 9.60   |                    | "     | 10.0           |                   | 96.0           |      |       |              |      |
| Trichloroethylene                                 | 9.93   |                    | "     | 10.0           |                   | 99.3           |      |       |              |      |
| Trichlorofluoromethane                            | 9.66   |                    | "     | 10.0           |                   | 96.6           |      |       |              |      |
| Vinyl Chloride                                    | 9.17   |                    | "     | 10.0           |                   | 91.7           |      |       |              |      |
| <i>Surrogate: 1,2-Dichloroethane-d4</i>           | 9.36   |                    | "     | 10.0           |                   | 93.6           |      |       |              |      |
| <i>Surrogate: p-Bromofluorobenzene</i>            | 9.57   |                    | "     | 10.0           |                   | 95.7           |      |       |              |      |
| <i>Surrogate: Toluene-d8</i>                      | 10.1   |                    | "     | 10.0           |                   | 101            |      |       |              |      |
| <b>LCS Dup (BA30266-BSD1)</b>                     |        |                    |       |                |                   |                |      |       |              |      |
| Prepared & Analyzed: 01/09/2013                   |        |                    |       |                |                   |                |      |       |              |      |
| 1,1,1,2-Tetrachloroethane                         | 9.71   |                    | ug/L  | 10.0           |                   | 97.1           |      | 0.103 | 21.1         |      |
| 1,1,1-Trichloroethane                             | 9.92   |                    | "     | 10.0           |                   | 99.2           |      | 4.22  | 19.7         |      |
| 1,1,2,2-Tetrachloroethane                         | 9.58   |                    | "     | 10.0           |                   | 95.8           |      | 6.58  | 20.8         |      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 11.3   |                    | "     | 10.0           |                   | 113            |      | 5.47  | 21.7         |      |
| 1,1,2-Trichloroethane                             | 9.25   |                    | "     | 10.0           |                   | 92.5           |      | 3.30  | 20.3         |      |
| 1,1-Dichloroethane                                | 10.1   |                    | "     | 10.0           |                   | 101            |      | 2.82  | 20.6         |      |
| 1,1-Dichloroethylene                              | 9.75   |                    | "     | 10.0           |                   | 97.5           |      | 6.13  | 20           |      |
| 1,1-Dichloropropylene                             | 9.41   |                    | "     | 10.0           |                   | 94.1           |      | 2.91  | 19.3         |      |
| 1,2,3-Trichlorobenzene                            | 12.6   |                    | "     | 10.0           |                   | 126            |      | 10.5  | 21.6         |      |
| 1,2,3-Trichloropropane                            | 8.63   |                    | "     | 10.0           |                   | 86.3           |      | 2.58  | 23.9         |      |
| 1,2,4-Trichlorobenzene                            | 12.1   |                    | "     | 10.0           |                   | 121            |      | 7.62  | 21.7         |      |
| 1,2,4-Trimethylbenzene                            | 9.24   |                    | "     | 10.0           |                   | 92.4           |      | 2.19  | 18.8         |      |
| 1,2-Dibromo-3-chloropropane                       | 9.66   |                    | "     | 10.0           |                   | 96.6           |      | 8.75  | 27.7         |      |
| 1,2-Dibromoethane                                 | 9.50   |                    | "     | 10.0           |                   | 95.0           |      | 0.105 | 23           |      |
| 1,2-Dichlorobenzene                               | 9.56   |                    | "     | 10.0           |                   | 95.6           |      | 4.06  | 19.8         |      |
| 1,2-Dichloroethane                                | 9.54   |                    | "     | 10.0           |                   | 95.4           |      | 3.19  | 20.2         |      |
| 1,2-Dichloropropane                               | 9.79   |                    | "     | 10.0           |                   | 97.9           |      | 0.718 | 20.7         |      |
| 1,3,5-Trimethylbenzene                            | 9.19   |                    | "     | 10.0           |                   | 91.9           |      | 1.87  | 18.9         |      |
| 1,3-Dichlorobenzene                               | 9.43   |                    | "     | 10.0           |                   | 94.3           |      | 8.63  | 19.2         |      |
| 1,3-Dichloropropane                               | 9.50   |                    | "     | 10.0           |                   | 95.0           |      | 0.211 | 22.1         |      |
| 1,4-Dichlorobenzene                               | 9.53   |                    | "     | 10.0           |                   | 95.3           |      | 2.34  | 18.6         |      |
| 2,2-Dichloropropane                               | 8.30   |                    | "     | 10.0           |                   | 83.0           |      | 2.56  | 19.8         |      |
| 2-Chlorotoluene                                   | 9.00   |                    | "     | 10.0           |                   | 90.0           |      | 2.70  | 21.6         |      |
| 2-Hexanone  | 10.7   |                    | "     | 10.0           |                   | 107            |      | 2.46  | 30           |      |
| 4-Chlorotoluene                                   | 9.25   |                    | "     | 10.0           |                   | 92.5           |      | 1.97  | 19           |      |
| Acetone   | 11.3   |                    | "     | 10.0           |                   | 113            |      | 14.9  | 30           |      |
| Benzene   | 9.97   |                    | "     | 10.0           |                   | 99.7           |      | 3.78  | 19           |      |
| Bromobenzene                                      | 9.14   |                    | "     | 10.0           |                   | 91.4           |      | 2.32  | 20.3         |      |
| Bromochloromethane                                | 9.52   |                    | "     | 10.0           |                   | 95.2           |      | 2.02  | 23.9         |      |
| Bromodichloromethane                              | 9.69   |                    | "     | 10.0           |                   | 96.9           |      | 0.00  | 21           |      |
| Bromoform   | 9.58   |                    | "     | 10.0           |                   | 95.8           |      | 3.72  | 21.8         |      |
| Bromomethane                                      | 8.83   |                    | "     | 10.0           |                   | 88.3           |      | 5.11  | 28.4         |      |
| Carbon tetrachloride                              | 10.1   |                    | "     | 10.0           |                   | 101            |      | 4.26  | 20.1         |      |
| Chlorobenzene                                     | 9.65   |                    | "     | 10.0           |                   | 96.5           |      | 0.832 | 19.9         |      |
| Chloroethane                                      | 9.50   |                    | "     | 10.0           |                   | 95.0           |      | 0.740 | 23.3         |      |
| Chloroform  | 9.93   |                    | "     | 10.0           |                   | 99.3           |      | 2.24  | 20.3         |      |
| Chloromethane                                     | 9.49   |                    | "     | 10.0           |                   | 94.9           |      | 3.54  | 24.5         |      |
| cis-1,2-Dichloroethylene                          | 9.84   |                    | "     | 10.0           |                   | 98.4           |      | 1.74  | 20.5         |      |
| cis-1,3-Dichloropropylene                         | 9.80   |                    | "     | 10.0           |                   | 98.0           |      | 1.82  | 19.9         |      |
| Dibromochloromethane                              | 9.81   |                    | "     | 10.0           |                   | 98.1           |      | 1.01  | 21.3         |      |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                                 | Result      | Reporting<br>Limit | Units    | Spike<br>Level | Source*<br>Result | %REC<br>Limits       | Flag | RPD   | RPD<br>Limit | Flag                            |
|---|-------------|--------------------|----------|----------------|-------------------|----------------------|------|-------|--------------|---------------------------------|
| <b>Batch BA30266 - EPA 5030B</b>        |             |                    |          |                |                   |                      |      |       |              |                                 |
| <b>LCS Dup (BA30266-BSD1)</b>           |             |                    |          |                |                   |                      |      |       |              |                                 |
|   |             |                    |          |                |                   |                      |      |       |              | Prepared & Analyzed: 01/09/2013 |
| Dibromomethane                          | 9.55        |                    | ug/L     | 10.0           |                   | 95.5 79-130          |      | 0.626 | 22.4         |                                 |
| Dichlorodifluoromethane                 | 8.25        |                    | "        | 10.0           |                   | 82.5 47.1-101        |      | 3.08  | 23.9         |                                 |
| Ethyl Benzene                           | 10.0        |                    | "        | 10.0           |                   | 100 80.8-128         |      | 1.00  | 19.2         |                                 |
| Hexachlorobutadiene                     | 9.96        |                    | "        | 10.0           |                   | 99.6 64.8-128        |      | 4.10  | 20.6         |                                 |
| Isopropylbenzene                        | 9.33        |                    | "        | 10.0           |                   | 93.3 75.5-135        |      | 3.49  | 20           |                                 |
| Methyl tert-butyl ether (MTBE)          | 10.2        |                    | "        | 10.0           |                   | 102 65.1-140         |      | 8.53  | 23.6         |                                 |
| Methylene chloride                      | 9.62        |                    | "        | 10.0           |                   | 96.2 61.3-120        |      | 3.37  | 20.4         |                                 |
| Naphthalene                             | 11.8        |                    | "        | 10.0           |                   | 118 62.3-148         |      | 11.1  | 27.1         |                                 |
| n-Butylbenzene                          | 9.62        |                    | "        | 10.0           |                   | 96.2 67.2-123        |      | 4.35  | 19.1         |                                 |
| n-Propylbenzene                         | 9.31        |                    | "        | 10.0           |                   | 93.1 70.5-127        |      | 3.28  | 23.4         |                                 |
| o-Xylene                                | 9.58        |                    | "        | 10.0           |                   | 95.8 75.9-122        |      | 0.839 | 19.3         |                                 |
| p- & m- Xylenes                         | 19.7        |                    | "        | 20.0           |                   | 98.4 77.7-127        |      | 0.612 | 18.6         |                                 |
| p-Isopropyltoluene                      | 9.59        |                    | "        | 10.0           |                   | 95.9 75.6-129        |      | 2.21  | 19.1         |                                 |
| sec-Butylbenzene                        | 9.41        |                    | "        | 10.0           |                   | 94.1 71.5-125        |      | 1.50  | 18.9         |                                 |
| Styrene                                 | 10.1        |                    | "        | 10.0           |                   | 101 77.8-123         |      | 1.30  | 20.9         |                                 |
| tert-Butylbenzene                       | 9.28        |                    | "        | 10.0           |                   | 92.8 75.9-151        |      | 0.540 | 20.9         |                                 |
| Tetrachloroethylene                     | 9.74        |                    | "        | 10.0           |                   | 97.4 63.6-167        |      | 0.103 | 27.7         |                                 |
| Toluene                                 | 9.81        |                    | "        | 10.0           |                   | 98.1 77-123          |      | 0.819 | 18.7         |                                 |
| trans-1,2-Dichloroethylene              | 10.1        |                    | "        | 10.0           |                   | 101 76.3-139         |      | 9.36  | 19.5         |                                 |
| trans-1,3-Dichloropropylene             | 9.54        |                    | "        | 10.0           |                   | 95.4 72.5-137        |      | 0.627 | 19.3         |                                 |
| Trichloroethylene                       | 9.87        |                    | "        | 10.0           |                   | 98.7 77.9-130        |      | 0.606 | 20.5         |                                 |
| Trichlorofluoromethane                  | 10.1        |                    | "        | 10.0           |                   | 101 57.4-133         |      | 4.45  | 21.4         |                                 |
| Vinyl Chloride                          | 9.70        |                    | "        | 10.0           |                   | 97.0 54.9-124        |      | 5.62  | 22.3         |                                 |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>9.84</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>98.4 72.6-129</i> |      |       |              |                                 |
| <i>Surrogate: p-Bromofluorobenzene</i>  | <i>9.75</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>97.5 63.5-145</i> |      |       |              |                                 |
| <i>Surrogate: Toluene-d8</i>            | <i>9.92</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>99.2 81.2-127</i> |      |       |              |                                 |

## Metals by EPA 6000 Series Methods - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte  | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC | %REC<br>Limits                  | Flag | RPD  | RPD<br>Limit | Flag |
|--|--------|--------------------|-------|----------------|-------------------|------|---------------------------------|------|------|--------------|------|
| <b>Batch BA30173 - EPA 3010A</b>                 |        |                    |       |                |                   |      |                                 |      |      |              |      |
| <b>Blank (BA30173-BLK1)</b>                      |        |                    |       |                |                   |      | Prepared & Analyzed: 01/07/2013 |      |      |              |      |
| Iron - Dissolved                                 | ND     | 0.0200             | mg/L  |                |                   |      |                                 |      |      |              |      |
| <b>Duplicate (BA30173-DUP1)</b>                  |        |                    |       |                |                   |      | Prepared & Analyzed: 01/07/2013 |      |      |              |      |
| *Source sample: 13A0112-01 (WQ010213:1040NP2-10) |        |                    |       |                |                   |      |                                 |      |      |              |      |
| Iron - Dissolved                                 | 0.0121 | 0.0200             | mg/L  |                | 0.0118            |      |                                 |      | 2.51 | 20           |      |
| <b>Matrix Spike (BA30173-MS1)</b>                |        |                    |       |                |                   |      | Prepared & Analyzed: 01/07/2013 |      |      |              |      |
| *Source sample: 13A0112-01 (WQ010213:1040NP2-10) |        |                    |       |                |                   |      |                                 |      |      |              |      |
| Iron - Dissolved                                 | 1.05   | 0.0200             | mg/L  | 1.00           | 0.0118            | 104  | 75-125                          |      |      |              |      |
| <b>Reference (BA30173-SRM1)</b>                  |        |                    |       |                |                   |      | Prepared & Analyzed: 01/07/2013 |      |      |              |      |
| Iron - Dissolved                                 | 0.470  | 0.0200             | mg/L  | 0.462          |                   | 102  | 87.9-114                        |      |      |              |      |

## Metals by EPA 200 Series Methods - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                           | Result   | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC<br>Limits | Flag                            | RPD<br>Limit | Flag |
|-----------------------------------|--|--------------------|-------|----------------|-------------------|----------------|---------------------------------|--------------|------|
| <b>Batch BA30173 - EPA 3010A</b>  |  |                    |       |                |                   |                |                                 |              |      |
| <b>Blank (BA30173-BLK1)</b>       |  |                    |       |                |                   |                | Prepared & Analyzed: 01/07/2013 |              |      |
| Iron                              | ND   | 0.0200             | mg/L  |                |                   |                |                                 |              |      |
| <b>Duplicate (BA30173-DUP1)</b>   |  |                    |       |                |                   |                | Prepared & Analyzed: 01/07/2013 |              |      |
|                                   | *Source sample: 13A0112-01 (WQ010213:1040NP2-10) |                    |       |                |                   |                |                                 |              |      |
| Iron                              | 14.1   | 0.0200             | mg/L  |                | 14.1              |                |                                 | 0.142        | 20   |
| <b>Matrix Spike (BA30173-MS1)</b> |  |                    |       |                |                   |                | Prepared & Analyzed: 01/07/2013 |              |      |
|                                   | *Source sample: 13A0112-01 (WQ010213:1040NP2-10) |                    |       |                |                   |                |                                 |              |      |
| Iron                              | 14.9   | 0.0200             | mg/L  | 1.00           | 14.1              | 82.0           | 75-125                          |              |      |
| <b>Reference (BA30173-SRM1)</b>   |  |                    |       |                |                   |                | Prepared & Analyzed: 01/07/2013 |              |      |
| Iron                              | 0.470  | 0.0200             | mg/L  | 0.462          |                   | 102            | 87.9-114                        |              |      |

## Miscellaneous Physical/Conventional Chemistry Parameters - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte  | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC<br>Limits | Flag                            | RPD  | RPD<br>Limit | Flag |
|--|--------|--------------------|-------|----------------|-------------------|----------------|---------------------------------|------|--------------|------|
| <b>Batch BA30170 - % Solids Prep</b>             |        |                    |       |                |                   |                |                                 |      |              |      |
| <b>Blank (BA30170-BLK1)</b>                      |        |                    |       |                |                   |                | Prepared & Analyzed: 01/08/2013 |      |              |      |
| Total Dissolved Solids                           | ND     | 1.00               | mg/L  |                |                   |                |                                 |      |              |      |
| <b>Duplicate (BA30170-DUP1)</b>                  |        |                    |       |                |                   |                | Prepared & Analyzed: 01/08/2013 |      |              |      |
| *Source sample: 13A0112-01 (WQ010213:1040NP2-10) |        |                    |       |                |                   |                |                                 |      |              |      |
| Total Dissolved Solids                           | 187    | 1.00               | mg/L  |                | 185               |                |                                 | 1.08 | 15           |      |

## Volatile Analysis Sample Containers

| Lab ID     | Client Sample ID    | Volatile Sample Container                     |
|------------|---------------------|---|
| 13A0110-01 | WQ010213:1030NP2-6  | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |
| 13A0110-02 | WQ010213:1035NP2-7  | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |
| 13A0112-01 | WQ010213:1040NP2-10 | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |

### Notes and Definitions

- QL-02 This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
- J Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
- B Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants. Data users should consider anything <10x the blank value as artifact.

- ND Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
- RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
- MDL METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
- NR Not reported
- RPD Relative Percent Difference
- Wet The data has been reported on an as-received (wet weight) basis
- Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- Non-Dir. Non-dir. flag (Non-Directional Bias ) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the MDL, with values between the MDL and the RL being "J" flagged as estimated results.



# Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 13A0112

| YOUR INFORMATION  |                             | Report To:                  |                                 | Invoice To:  |             | YOUR PROJECT ID   |            | Turn-Around Time  |                                     | Report Type  |                           |                          |  |
|---|-----------------------------|-----------------------------|---------------------------------|--|-------------|---|------------|---|-------------------------------------|--|---------------------------|--------------------------|--|
| Company: <u>LBG</u>   | Company: <u>Same</u>        | Company: <u>Same</u>        | Company: <u>Rewe Industries</u> | 8270 or 625  | Volatiles   | Semivolatiles   | Misc. Org. | RUSH - Same Day   | <input type="checkbox"/>            | Summary Report   | <u>X</u> , pdf            |                          |  |
| Address: <u>4 Research Dr. Suite 301</u>  | Address: <u>Same</u>        | Address: <u>Same</u>        | Address: <u>Rewe Industries</u> | 624  | Site Spec   | 8082PCB   | TPH GRO    | RUSH - Next Day   | <input type="checkbox"/>            | Summary w/ QA Summary  | <u>X</u> , pdf            |                          |  |
| Phone No. <u>Shelton, CT 06484</u>  | Phone No. <u>Same</u>       | Phone No. <u>Same</u>       | Phone No. <u>Same</u>           | BTEX   | Nassau Co.  | 8151Herb  | TPH DRO    | RUSH - Two Day  | <input type="checkbox"/>            | CT RCP Package   |                           |                          |  |
| Phone No. <u>203-929-8555</u>   | Phone No. <u>Same</u>       | Phone No. <u>Same</u>       | Phone No. <u>Same</u>           | MTBE   | Suffolk Co. | CT RCP  | CT ETPH    | RUSH - Three Day  | <input type="checkbox"/>            | CTRCP DQA/DUE Pkg  |                           |                          |  |
| Contact Person: <u>Tunde Sandor</u>   | Attention: <u>Same</u>      | Attention: <u>Same</u>      | Attention: <u>Same</u>          | TCL list   | Ketones     | App. IX   | NY 310-13  | RUSH - Four Day   | <input type="checkbox"/>            | NY ASP A Package   |                           |                          |  |
| E-Mail Address: <u>TSandor@LBGCT.com</u>  | E-Mail Address: <u>Same</u> | E-Mail Address: <u>Same</u> | E-Mail Address: <u>Same</u>     | Oxygenates   | Acids Only  | App. IX   | TPH 1664   | Standard(5-7 Days)  | <input checked="" type="checkbox"/> | NY ASP B Package   | <u>NP2-10 only</u> , pdf. |                          |  |
| <p><b>Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.</b></p>                          |                             |                             |                                 | <p>Matrix Codes</p> <p>S - soil<br/>                     Other - specify (oil, etc.)<br/>                     WW - wastewater<br/>                     GW - groundwater<br/>                     DW - drinking water<br/>                     Air-A - ambient air<br/>                     Air-SV - soil vapor</p>       |             | <p>Misc. Org.</p> <p>TPH GRO<br/>                     TPH DRO<br/>                     CT ETPH<br/>                     NY 310-13<br/>                     TPH 1664<br/>                     Air TO15<br/>                     Air STARS<br/>                     Air VPH<br/>                     Air TICs<br/>                     Medicine<br/>                     Helium</p> |            | <p>Full Lists</p> <p>Pa. Poll.<br/>                     TCL Opats<br/>                     TAL MetCN<br/>                     Full TCLP<br/>                     Full App IX<br/>                     Par 360-Routine<br/>                     Heterotrophs<br/>                     TOX<br/>                     Par 360-Routine<br/>                     BTU/B<br/>                     Par 360-Routine<br/>                     NYCLP-Scrub<br/>                     TOC<br/>                     NYSDCE-Scrub<br/>                     Asbestos<br/>                     TAGM<br/>                     Silica</p> |                                     | <p>Report Type</p> <p>Summary Report <u>X</u>, pdf<br/>                     Summary w/ QA Summary <u>X</u>, pdf<br/>                     CT RCP Package<br/>                     CTRCP DQA/DUE Pkg<br/>                     NY ASP A Package<br/>                     NY ASP B Package <u>NP2-10 only</u>, pdf.<br/>                     NIJEP Red. Deliv.<br/>                     Electronic Data Deliverables (EDDL)<br/>                     Simple Excel <u>X</u><br/>                     NY SDEC EQuls<br/>                     EQuls (std)<br/>                     EZ-EDD (EQuls)<br/>                     NIJEP SRP HazSite EDD<br/>                     GIS/KEY (std)<br/>                     Other<br/>                     York Regulatory Comparison<br/>                     Excel Spreadsheets<br/>                     Compare to the following Regs. (press fill in):</p> |                           |                          |  |
| <p>Choose Analyses Needed from the Menu Above and Enter Below</p>   |                             |                             |                                 |  |             |   |            |   |                                     |  |                           |                          |  |
| Sample Identification   |                             | Date Sampled                | Sample Matrix                   | <p>Fe by EPA 800.7/Fe, Dissolved by EPA 8010 (SW 846-8108) / VOCs<br/>                     R260 List (EPA SW 845-8260b) plus Fe-on 113<br/>                     Fe by EPA 800.7/Fe, Dissolved by EPA 8010 (SW 846-8108) / VOCs<br/>                     R260 List (EPA SW 845-8260a) plus Fe-on 113 / TDS (SH 2540c)</p> |             |   |            |   |                                     |  |                           | Container Description(s) |  |
| <u>WQ0102131030NP2-6</u>  |                             | <u>1/2/13 1030</u>          | <u>GW</u>                       |  |             |   |            |   |                                     |  |                           | <u>2x 2P</u>             |  |
| <u>WQ0102131035NP2-7</u>  |                             | <u>1035</u>                 | <u>GW</u>                       |  |             |   |            |   |                                     |  |                           | <u>2x 2P</u>             |  |
| <u>WQ0102131040NP2-10</u>   |                             | <u>1040</u>                 | <u>GW</u>                       |  |             |   |            |   |                                     |  |                           | <u>2x 3P</u>             |  |
| <p>4°C _____ Frozen _____ HCl _____ MeOH _____ HNO<sub>3</sub> _____ NaOH _____<br/>                     Ascorbic Acid _____<br/>                     Other: _____</p>  |                             |                             |                                 |  |             |   |            |   |                                     |  |                           |                          |  |
| <p>MS/Refractometer 1/4/13<br/>                     Samples Relinquished by <u>MS/Refractometer 1/4/13</u> Date/Time <u>12:55</u></p>   |                             |                             |                                 | <p>Chronic 1-4-13<br/>                     Samples Received By <u>Chronic 1-4-13</u> Date/Time <u>12:55</u></p>  |             |   |            | <p>PPrace 1-4-13<br/>                     Samples Relinquished By <u>PPrace 1-4-13</u> Date/Time <u>15:30</u></p>   |                                     |  |                           |                          |  |
| <p>Preservation Check those Applicable<br/>                     Special Instructions<br/>                     Field Filtered <input type="checkbox"/><br/>                     Lab to Filter <input type="checkbox"/></p> |                             |                             |                                 |  |             |   |            |   |                                     |  |                           |                          |  |
| <p>Comments</p>   |                             |                             |                                 |  |             |   |            |   |                                     |  |                           |                          |  |
| <p>Temperature on Receipt <u>4.0c</u></p>   |                             |                             |                                 |  |             |   |            |   |                                     |  |                           |                          |  |

# YORK

ANALYTICAL LABORATORIES, INC.

## Technical Report

prepared for:

**Leggette Brashears & Graham Shelton Office**

4 Research Drive, Suite 301

Shelton CT, 06484

**Attention: Tunde Komuves-Sandor**

Report Date: 01/14/2013

**Client Project ID: Rowe Industries**

York Project (SDG) No.: 13A0260

CT License No. PH-0723

New Jersey License No. CT-005



New York License No. 10854

PA License No. 68-04440

Report Date: 01/14/2013  
Client Project ID: Rowe Industries  
York Project (SDG) No.: 13A0260

**Leggette Brashears & Graham Shelton Office**  
4 Research Drive, Suite 301  
Shelton CT, 06484  
Attention: Tunde Komuves-Sandor

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on January 09, 2013 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

| <u>York Sample ID</u> | <u>Client Sample ID</u> | <u>Matrix</u> | <u>Date Collected</u> | <u>Date Received</u> |
|-----------------------|-------------------------|---------------|-----------------------|----------------------|
| 13A0260-01            | WQ010713:1100NP2-6      | Water         | 01/07/2013            | 01/09/2013           |
| 13A0260-02            | WQ010713:1105NP2-7      | Water         | 01/07/2013            | 01/09/2013           |
| 13A0261-01            | WQ010713:1110NP2-10     | Water         | 01/07/2013            | 01/09/2013           |

## General Notes for York Project (SDG) No.: 13A0260

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley  
Laboratory Director

Date: 01/14/2013

**YORK**

## Sample Information

**Client Sample ID:** WQ010713:1100NP2-6

**York Sample ID:** 13A0260-01

York Project (SDG) No.  
13A0260

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 7, 2013 11:00 am

Date Received  
01/09/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter                                       | Result      | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|-------------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                       | ND          |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                           | <b>0.49</b> | J    | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                       | ND          |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 76-13-1  | 1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND          |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 79-00-5  | 1,1,2-Trichloroethane                           | ND          |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 75-34-3  | 1,1-Dichloroethane                              | <b>0.25</b> | J    | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 75-35-4  | 1,1-Dichloroethylene                            | ND          |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 563-58-6 | 1,1-Dichloropropylene                           | ND          |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene                          | ND          |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane                          | ND          |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene                          | ND          |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene                          | ND          |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane                     | ND          |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 106-93-4 | 1,2-Dibromoethane                               | ND          |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene                             | ND          |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 107-06-2 | 1,2-Dichloroethane                              | ND          |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 78-87-5  | 1,2-Dichloropropane                             | ND          |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene                          | ND          |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene                             | ND          |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 142-28-9 | 1,3-Dichloropropane                             | ND          |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 106-46-7 | 1,4-Dichlorobenzene                             | ND          |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 594-20-7 | 2,2-Dichloropropane                             | ND          |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 95-49-8  | 2-Chlorotoluene                                 | ND          |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 591-78-6 | 2-Hexanone                                      | ND          |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 106-43-4 | 4-Chlorotoluene                                 | ND          |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 67-64-1  | Acetone   | ND          |      | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 71-43-2  | Benzene   | ND          |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 108-86-1 | Bromobenzene                                    | ND          |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 74-97-5  | Bromochloromethane                              | ND          |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 75-27-4  | Bromodichloromethane                            | ND          |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 75-25-2  | Bromoform                                       | ND          |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 74-83-9  | Bromomethane                                    | ND          |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 56-23-5  | Carbon tetrachloride                            | ND          |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |

## Sample Information

**Client Sample ID:** WQ010713:1100NP2-6

**York Sample ID:** 13A0260-01

York Project (SDG) No.  
13A0260

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 7, 2013 11:00 am

Date Received  
01/09/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.                     | Parameter                        | Result        | Flag                    | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|----------------------------------|---------------|-------------------------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 108-90-7                    | Chlorobenzene                    | ND            |                         | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 75-00-3                     | Chloroethane                     | ND            |                         | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 67-66-3                     | Chloroform                       | <b>0.18</b>   | J                       | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 74-87-3                     | Chloromethane                    | ND            |                         | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 156-59-2                    | cis-1,2-Dichloroethylene         | <b>0.19</b>   | J                       | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 10061-01-5                  | cis-1,3-Dichloropropylene        | ND            |                         | ug/L  | 0.067 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 124-48-1                    | Dibromochloromethane             | ND            |                         | ug/L  | 0.053 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 74-95-3                     | Dibromomethane                   | ND            |                         | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 75-71-8                     | Dichlorodifluoromethane          | ND            |                         | ug/L  | 0.092 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 100-41-4                    | Ethyl Benzene                    | ND            |                         | ug/L  | 0.057 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 87-68-3                     | Hexachlorobutadiene              | ND            |                         | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 98-82-8                     | Isopropylbenzene                 | ND            |                         | ug/L  | 0.056 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 1634-04-4                   | Methyl tert-butyl ether (MTBE)   | ND            |                         | ug/L  | 0.48  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 75-09-2                     | Methylene chloride               | <b>1.6</b>    | J, B                    | ug/L  | 0.26  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 91-20-3                     | Naphthalene                      | ND            |                         | ug/L  | 0.090 | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 104-51-8                    | n-Butylbenzene                   | ND            |                         | ug/L  | 0.083 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 103-65-1                    | n-Propylbenzene                  | ND            |                         | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 95-47-6                     | o-Xylene                         | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 1330-20-7P/M                | p- & m- Xylenes                  | ND            |                         | ug/L  | 0.090 | 1.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 99-87-6                     | p-Isopropyltoluene               | ND            |                         | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 135-98-8                    | sec-Butylbenzene                 | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 100-42-5                    | Styrene                          | ND            |                         | ug/L  | 0.043 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 98-06-6                     | tert-Butylbenzene                | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 127-18-4                    | Tetrachloroethylene              | <b>0.80</b>   |                         | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 108-88-3                    | Toluene                          | ND            |                         | ug/L  | 0.042 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 156-60-5                    | trans-1,2-Dichloroethylene       | ND            |                         | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 10061-02-6                  | trans-1,3-Dichloropropylene      | ND            |                         | ug/L  | 0.060 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 79-01-6                     | Trichloroethylene                | <b>0.18</b>   | J                       | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 75-69-4                     | Trichlorofluoromethane           | ND            |                         | ug/L  | 0.094 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 75-01-4                     | Vinyl Chloride                   | ND            |                         | ug/L  | 0.062 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| 1330-20-7                   | Xylenes, Total                   | ND            |                         | ug/L  | 0.12  | 1.5  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:08   | SS      |
| <b>Surrogate Recoveries</b> |                                  | <b>Result</b> | <b>Acceptance Range</b> |       |       |      |          |                  |                    |                    |         |
| 17060-07-0                  | Surrogate: 1,2-Dichloroethane-d4 | 95.7 %        | 72.6-129                |       |       |      |          |                  |                    |                    |         |
| 460-00-4                    | Surrogate: p-Bromofluorobenzene  | 101 %         | 63.5-145                |       |       |      |          |                  |                    |                    |         |
| 2037-26-5                   | Surrogate: Toluene-d8            | 99.7 %        | 81.2-127                |       |       |      |          |                  |                    |                    |         |

## Sample Information

**Client Sample ID:** WQ010713:1100NP2-6

**York Sample ID:** 13A0260-01

York Project (SDG) No.  
13A0260

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 7, 2013 11:00 am

Date Received  
01/09/2013

**Iron, Dissolved by EPA 6010**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | ND     |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA SW846-6010B  | 01/10/2013 15:37   | 01/10/2013 18:06   | MW      |

**Iron by EPA 200.7**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result       | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | <b>0.708</b> |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA 200.7        | 01/10/2013 15:37   | 01/10/2013 18:23   | MW      |

## Sample Information

**Client Sample ID:** WQ010713:1105NP2-7

**York Sample ID:** 13A0260-02

York Project (SDG) No.  
13A0260

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 7, 2013 11:05 am

Date Received  
01/09/2013

**Volatile Organics, 8260 List - Low Level**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter                                       | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                       | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                           | ND     |      | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                       | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 76-13-1  | 1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND     |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 79-00-5  | 1,1,2-Trichloroethane                           | ND     |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 75-34-3  | 1,1-Dichloroethane                              | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 75-35-4  | 1,1-Dichloroethylene                            | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 563-58-6 | 1,1-Dichloropropylene                           | ND     |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene                          | ND     |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane                          | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene                          | ND     |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene                          | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane                     | ND     |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 106-93-4 | 1,2-Dibromoethane                               | ND     |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene                             | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 107-06-2 | 1,2-Dichloroethane                              | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 78-87-5  | 1,2-Dichloropropane                             | ND     |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene                          | ND     |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene                             | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 142-28-9 | 1,3-Dichloropropane                             | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |

## Sample Information

**Client Sample ID:** WQ010713:1105NP2-7

**York Sample ID:** 13A0260-02

York Project (SDG) No.  
13A0260

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 7, 2013 11:05 am

Date Received  
01/09/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.      | Parameter                      | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|--------------|--------------------------------|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 106-46-7     | 1,4-Dichlorobenzene            | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 594-20-7     | 2,2-Dichloropropane            | ND     |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 95-49-8      | 2-Chlorotoluene                | ND     |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 591-78-6     | 2-Hexanone                     | ND     |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 106-43-4     | 4-Chlorotoluene                | ND     |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 67-64-1      | Acetone                        | ND     |      | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 71-43-2      | Benzene                        | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 108-86-1     | Bromobenzene                   | ND     |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 74-97-5      | Bromochloromethane             | ND     |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 75-27-4      | Bromodichloromethane           | ND     |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 75-25-2      | Bromoform                      | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 74-83-9      | Bromomethane                   | ND     |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 56-23-5      | Carbon tetrachloride           | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 108-90-7     | Chlorobenzene                  | ND     |      | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 75-00-3      | Chloroethane                   | ND     |      | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 67-66-3      | Chloroform                     | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 74-87-3      | Chloromethane                  | ND     |      | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 156-59-2     | cis-1,2-Dichloroethylene       | ND     |      | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 10061-01-5   | cis-1,3-Dichloropropylene      | ND     |      | ug/L  | 0.067 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 124-48-1     | Dibromochloromethane           | ND     |      | ug/L  | 0.053 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 74-95-3      | Dibromomethane                 | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 75-71-8      | Dichlorodifluoromethane        | ND     |      | ug/L  | 0.092 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 100-41-4     | Ethyl Benzene                  | ND     |      | ug/L  | 0.057 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 87-68-3      | Hexachlorobutadiene            | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 98-82-8      | Isopropylbenzene               | ND     |      | ug/L  | 0.056 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 1634-04-4    | Methyl tert-butyl ether (MTBE) | ND     |      | ug/L  | 0.48  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 75-09-2      | Methylene chloride             | 1.5    | J, B | ug/L  | 0.26  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 91-20-3      | Naphthalene                    | ND     |      | ug/L  | 0.090 | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 104-51-8     | n-Butylbenzene                 | ND     |      | ug/L  | 0.083 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 103-65-1     | n-Propylbenzene                | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 95-47-6      | o-Xylene                       | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 1330-20-7P/M | p- & m- Xylenes                | ND     |      | ug/L  | 0.090 | 1.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 99-87-6      | p-Isopropyltoluene             | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 135-98-8     | sec-Butylbenzene               | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |

## Sample Information

**Client Sample ID:** WQ010713:1105NP2-7

**York Sample ID:** 13A0260-02

York Project (SDG) No.  
13A0260

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 7, 2013 11:05 am

Date Received  
01/09/2013

**Volatile Organics, 8260 List - Low Level**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

| CAS No.    | Parameter                   | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|------------|-----------------------------|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 100-42-5   | Styrene                     | ND     |      | ug/L  | 0.043 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 98-06-6    | tert-Butylbenzene           | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 127-18-4   | Tetrachloroethylene         | ND     |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 108-88-3   | Toluene                     | ND     |      | ug/L  | 0.042 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 156-60-5   | trans-1,2-Dichloroethylene  | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 10061-02-6 | trans-1,3-Dichloropropylene | ND     |      | ug/L  | 0.060 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 79-01-6    | Trichloroethylene           | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 75-69-4    | Trichlorofluoromethane      | ND     |      | ug/L  | 0.094 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 75-01-4    | Vinyl Chloride              | ND     |      | ug/L  | 0.062 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |
| 1330-20-7  | Xylenes, Total              | ND     |      | ug/L  | 0.12  | 1.5  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 14:44   | SS      |

**Surrogate Recoveries**

**Result**

**Acceptance Range**

|            |                                  |       |          |
|------------|----------------------------------|-------|----------|
| 17060-07-0 | Surrogate: 1,2-Dichloroethane-d4 | 105 % | 72.6-129 |
| 460-00-4   | Surrogate: p-Bromofluorobenzene  | 103 % | 63.5-145 |
| 2037-26-5  | Surrogate: Toluene-d8            | 104 % | 81.2-127 |

**Iron, Dissolved by EPA 6010**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 0.0521 |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA SW846-6010B  | 01/10/2013 15:37   | 01/10/2013 18:28   | MW      |

**Iron by EPA 200.7**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 0.149  |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA 200.7        | 01/10/2013 15:37   | 01/10/2013 18:32   | MW      |

## Sample Information

**Client Sample ID:** WQ010713:1110NP2-10

**York Sample ID:** 13A0261-01

York Project (SDG) No.  
13A0261

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 7, 2013 11:10 am

Date Received  
01/09/2013

**Volatile Organics, 8260 List - Low Level**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter   | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                         | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                             | ND     |      | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                         | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 76-13-1  | 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND     |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |

## Sample Information

**Client Sample ID:** WQ010713:1110NP2-10

**York Sample ID:** 13A0261-01

York Project (SDG) No.  
13A0261

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 7, 2013 11:10 am

Date Received  
01/09/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter                   | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|-----------------------------|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 79-00-5  | 1,1,2-Trichloroethane       | ND     |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 75-34-3  | 1,1-Dichloroethane          | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 75-35-4  | 1,1-Dichloroethylene        | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 563-58-6 | 1,1-Dichloropropylene       | ND     |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene      | ND     |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane      | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene      | ND     |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene      | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane | ND     |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 106-93-4 | 1,2-Dibromoethane           | ND     |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene         | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 107-06-2 | 1,2-Dichloroethane          | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 78-87-5  | 1,2-Dichloropropane         | ND     |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene      | ND     |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene         | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 142-28-9 | 1,3-Dichloropropane         | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 106-46-7 | 1,4-Dichlorobenzene         | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 594-20-7 | 2,2-Dichloropropane         | ND     |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 95-49-8  | 2-Chlorotoluene             | ND     |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 591-78-6 | 2-Hexanone                  | ND     |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 106-43-4 | 4-Chlorotoluene             | ND     |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 67-64-1  | Acetone                     | ND     |      | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 71-43-2  | Benzene                     | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 108-86-1 | Bromobenzene                | ND     |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 74-97-5  | Bromochloromethane          | ND     |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 75-27-4  | Bromodichloromethane        | ND     |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 75-25-2  | Bromoform                   | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 74-83-9  | Bromomethane                | ND     |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 56-23-5  | Carbon tetrachloride        | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 108-90-7 | Chlorobenzene               | ND     |      | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 75-00-3  | Chloroethane                | ND     |      | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 67-66-3  | Chloroform                  | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 74-87-3  | Chloromethane               | ND     |      | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 156-59-2 | cis-1,2-Dichloroethylene    | ND     |      | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |

## Sample Information

**Client Sample ID:** WQ010713:1110NP2-10

**York Sample ID:** 13A0261-01

York Project (SDG) No.  
13A0261

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 7, 2013 11:10 am

Date Received  
01/09/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.                     | Parameter                        | Result        | Flag                    | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|----------------------------------|---------------|-------------------------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 10061-01-5                  | cis-1,3-Dichloropropylene        | ND            |                         | ug/L  | 0.067 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 124-48-1                    | Dibromochloromethane             | ND            |                         | ug/L  | 0.053 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 74-95-3                     | Dibromomethane                   | ND            |                         | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 75-71-8                     | Dichlorodifluoromethane          | ND            |                         | ug/L  | 0.092 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 100-41-4                    | Ethyl Benzene                    | ND            |                         | ug/L  | 0.057 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 87-68-3                     | Hexachlorobutadiene              | ND            |                         | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 98-82-8                     | Isopropylbenzene                 | ND            |                         | ug/L  | 0.056 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 1634-04-4                   | Methyl tert-butyl ether (MTBE)   | ND            |                         | ug/L  | 0.48  | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 75-09-2                     | Methylene chloride               | 1.4           | J, B                    | ug/L  | 0.26  | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 91-20-3                     | Naphthalene                      | ND            |                         | ug/L  | 0.090 | 2.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 104-51-8                    | n-Butylbenzene                   | ND            |                         | ug/L  | 0.083 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 103-65-1                    | n-Propylbenzene                  | ND            |                         | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 95-47-6                     | o-Xylene                         | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 1330-20-7P/M                | p- & m- Xylenes                  | ND            |                         | ug/L  | 0.090 | 1.0  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 99-87-6                     | p-Isopropyltoluene               | ND            |                         | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 135-98-8                    | sec-Butylbenzene                 | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 100-42-5                    | Styrene                          | ND            |                         | ug/L  | 0.043 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 98-06-6                     | tert-Butylbenzene                | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 127-18-4                    | Tetrachloroethylene              | ND            |                         | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 108-88-3                    | Toluene                          | ND            |                         | ug/L  | 0.042 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 156-60-5                    | trans-1,2-Dichloroethylene       | ND            |                         | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 10061-02-6                  | trans-1,3-Dichloropropylene      | ND            |                         | ug/L  | 0.060 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 79-01-6                     | Trichloroethylene                | ND            |                         | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 75-69-4                     | Trichlorofluoromethane           | ND            |                         | ug/L  | 0.094 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 75-01-4                     | Vinyl Chloride                   | ND            |                         | ug/L  | 0.062 | 0.50 | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| 1330-20-7                   | Xylenes, Total                   | ND            |                         | ug/L  | 0.12  | 1.5  | 1        | EPA SW846-8260B  | 01/11/2013 08:22   | 01/11/2013 15:21   | SS      |
| <b>Surrogate Recoveries</b> |                                  | <b>Result</b> | <b>Acceptance Range</b> |       |       |      |          |                  |                    |                    |         |
| 17060-07-0                  | Surrogate: 1,2-Dichloroethane-d4 | 101 %         | 72.6-129                |       |       |      |          |                  |                    |                    |         |
| 460-00-4                    | Surrogate: p-Bromofluorobenzene  | 104 %         | 63.5-145                |       |       |      |          |                  |                    |                    |         |
| 2037-26-5                   | Surrogate: Toluene-d8            | 99.1 %        | 81.2-127                |       |       |      |          |                  |                    |                    |         |

## Sample Information

**Client Sample ID:** WQ010713:1110NP2-10

**York Sample ID:** 13A0261-01

York Project (SDG) No.  
13A0261

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 7, 2013 11:10 am

Date Received  
01/09/2013

**Iron, Dissolved by EPA 6010**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 0.0657 |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA SW846-6010B  | 01/10/2013 15:37   | 01/10/2013 18:37   | MW      |

**Iron by EPA 200.7**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 0.763  |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA 200.7        | 01/10/2013 15:37   | 01/10/2013 18:42   | MW      |

**Total Dissolved Solids**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

| CAS No. | Parameter              | Result | Flag | Units | MDL  | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|---------|------------------------|--------|------|-------|------|------|----------|------------------|--------------------|--------------------|---------|
|         | Total Dissolved Solids | 119    |      | mg/L  | 1.00 | 1.00 | 1        | SM 2540C         | 01/14/2013 09:31   | 01/14/2013 09:31   | ALD     |

## Analytical Batch Summary

**Batch ID:** BA30336

**Preparation Method:** EPA 3010A

**Prepared By:** MW

| YORK Sample ID | Client Sample ID    | Preparation Date |
|----------------|---------------------|------------------|
| 13A0260-01     | WQ010713:1100NP2-6  | 01/10/13         |
| 13A0260-01     | WQ010713:1100NP2-6  | 01/10/13         |
| 13A0260-02     | WQ010713:1105NP2-7  | 01/10/13         |
| 13A0260-02     | WQ010713:1105NP2-7  | 01/10/13         |
| 13A0261-01     | WQ010713:1110NP2-10 | 01/10/13         |
| 13A0261-01     | WQ010713:1110NP2-10 | 01/10/13         |
| BA30336-BLK1   | Blank               | 01/10/13         |
| BA30336-BLK1   | Blank               | 01/10/13         |
| BA30336-SRM1   | Reference           | 01/10/13         |
| BA30336-SRM1   | Reference           | 01/10/13         |

**Batch ID:** BA30356

**Preparation Method:** EPA 5030B

**Prepared By:** EKM

| YORK Sample ID | Client Sample ID    | Preparation Date |
|----------------|---------------------|------------------|
| 13A0260-01     | WQ010713:1100NP2-6  | 01/11/13         |
| 13A0260-02     | WQ010713:1105NP2-7  | 01/11/13         |
| 13A0261-01     | WQ010713:1110NP2-10 | 01/11/13         |
| BA30356-BLK1   | Blank               | 01/11/13         |
| BA30356-BS1    | LCS                 | 01/11/13         |
| BA30356-BSD1   | LCS Dup             | 01/11/13         |

**Batch ID:** BA30385

**Preparation Method:** % Solids Prep

**Prepared By:** ALD

| YORK Sample ID | Client Sample ID    | Preparation Date |
|----------------|---------------------|------------------|
| 13A0261-01     | WQ010713:1110NP2-10 | 01/14/13         |
| BA30385-BLK1   | Blank               | 01/14/13         |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC | %REC<br>Limits | Flag | RPD | RPD<br>Limit | Flag |
|---------|--------|--------------------|-------|----------------|-------------------|------|----------------|------|-----|--------------|------|
|---------|--------|--------------------|-------|----------------|-------------------|------|----------------|------|-----|--------------|------|

**Batch BA30356 - EPA 5030B**

**Blank (BA30356-BLK1)**

Prepared & Analyzed: 01/11/2013

|   |      |      |      |  |  |  |  |  |  |  |  |
|---|------|------|------|--|--|--|--|--|--|--|--|
| 1,1,1,2-Tetrachloroethane                         | ND   | 0.50 | ug/L |  |  |  |  |  |  |  |  |
| 1,1,1-Trichloroethane                             | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1,2,2-Tetrachloroethane                         | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1,2-Trichloroethane                             | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1-Dichloroethane                                | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1-Dichloroethylene                              | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1-Dichloropropylene                             | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2,3-Trichlorobenzene                            | ND   | 2.0  | "    |  |  |  |  |  |  |  |  |
| 1,2,3-Trichloropropane                            | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2,4-Trichlorobenzene                            | ND   | 2.0  | "    |  |  |  |  |  |  |  |  |
| 1,2,4-Trimethylbenzene                            | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dibromo-3-chloropropane                       | ND   | 2.0  | "    |  |  |  |  |  |  |  |  |
| 1,2-Dibromoethane                                 | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dichlorobenzene                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dichloroethane                                | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dichloropropane                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,3,5-Trimethylbenzene                            | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,3-Dichlorobenzene                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,3-Dichloropropane                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,4-Dichlorobenzene                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 2,2-Dichloropropane                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 2-Chlorotoluene                                   | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 2-Hexanone  | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| 4-Chlorotoluene                                   | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Acetone   | 0.94 | 2.0  | "    |  |  |  |  |  |  |  |  |
| Benzene   | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromobenzene                                      | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromochloromethane                                | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromodichloromethane                              | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromoform   | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromomethane                                      | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Carbon tetrachloride                              | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chlorobenzene                                     | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chloroethane                                      | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chloroform  | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chloromethane                                     | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| cis-1,2-Dichloroethylene                          | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| cis-1,3-Dichloropropylene                         | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Dibromochloromethane                              | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Dibromomethane                                    | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Dichlorodifluoromethane                           | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Ethyl Benzene                                     | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Hexachlorobutadiene                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Isopropylbenzene                                  | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Methyl tert-butyl ether (MTBE)                    | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| Methylene chloride                                | 4.3  | 2.0  | "    |  |  |  |  |  |  |  |  |
| Naphthalene                                       | ND   | 2.0  | "    |  |  |  |  |  |  |  |  |
| n-Butylbenzene                                    | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| n-Propylbenzene                                   | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| o-Xylene  | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| p- & m- Xylenes                                   | ND   | 1.0  | "    |  |  |  |  |  |  |  |  |
| p-Isopropyltoluene                                | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |
| sec-Butylbenzene                                  | ND   | 0.50 | "    |  |  |  |  |  |  |  |  |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source* Result | %REC | %REC Limits | Flag | RPD | RPD Limit | Flag |
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|

**Batch BA30356 - EPA 5030B**

**Blank (BA30356-BLK1)**

Prepared & Analyzed: 01/11/2013

|                             |    |      |      |  |  |  |  |  |  |  |  |
|-----------------------------|----|------|------|--|--|--|--|--|--|--|--|
| Styrene                     | ND | 0.50 | ug/L |  |  |  |  |  |  |  |  |
| tert-Butylbenzene           | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Tetrachloroethylene         | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Toluene                     | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| trans-1,2-Dichloroethylene  | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| trans-1,3-Dichloropropylene | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Trichloroethylene           | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Trichlorofluoromethane      | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Vinyl Chloride              | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Xylenes, Total              | ND | 1.5  | "    |  |  |  |  |  |  |  |  |

*Surrogate: 1,2-Dichloroethane-d4*

9.84

"

10.0

98.4

72.6-129

*Surrogate: p-Bromofluorobenzene*

10.5

"

10.0

105

63.5-145

*Surrogate: Toluene-d8*

9.83

"

10.0

98.3

81.2-127

**LCS (BA30356-BS1)**

Prepared & Analyzed: 01/11/2013

|   |      |  |      |      |  |      |          |  |  |  |  |
|---|------|--|------|------|--|------|----------|--|--|--|--|
| 1,1,1,2-Tetrachloroethane                         | 9.78 |  | ug/L | 10.0 |  | 97.8 | 82.3-130 |  |  |  |  |
| 1,1,1-Trichloroethane                             | 9.79 |  | "    | 10.0 |  | 97.9 | 75.6-137 |  |  |  |  |
| 1,1,2,2-Tetrachloroethane                         | 9.06 |  | "    | 10.0 |  | 90.6 | 71.3-131 |  |  |  |  |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 9.92 |  | "    | 10.0 |  | 99.2 | 71.1-129 |  |  |  |  |
| 1,1,2-Trichloroethane                             | 9.40 |  | "    | 10.0 |  | 94.0 | 74.5-129 |  |  |  |  |
| 1,1-Dichloroethane                                | 9.76 |  | "    | 10.0 |  | 97.6 | 79.6-132 |  |  |  |  |
| 1,1-Dichloroethylene                              | 9.90 |  | "    | 10.0 |  | 99.0 | 80.2-146 |  |  |  |  |
| 1,1-Dichloropropylene                             | 9.97 |  | "    | 10.0 |  | 99.7 | 75-136   |  |  |  |  |
| 1,2,3-Trichlorobenzene                            | 11.2 |  | "    | 10.0 |  | 112  | 66.1-136 |  |  |  |  |
| 1,2,3-Trichloropropane                            | 8.35 |  | "    | 10.0 |  | 83.5 | 63-131   |  |  |  |  |
| 1,2,4-Trichlorobenzene                            | 11.2 |  | "    | 10.0 |  | 112  | 70.6-136 |  |  |  |  |
| 1,2,4-Trimethylbenzene                            | 10.7 |  | "    | 10.0 |  | 107  | 75.3-135 |  |  |  |  |
| 1,2-Dibromo-3-chloropropane                       | 9.31 |  | "    | 10.0 |  | 93.1 | 58.9-140 |  |  |  |  |
| 1,2-Dibromoethane                                 | 9.69 |  | "    | 10.0 |  | 96.9 | 79-130   |  |  |  |  |
| 1,2-Dichlorobenzene                               | 9.30 |  | "    | 10.0 |  | 93.0 | 76.1-122 |  |  |  |  |
| 1,2-Dichloroethane                                | 9.59 |  | "    | 10.0 |  | 95.9 | 74.6-132 |  |  |  |  |
| 1,2-Dichloropropane                               | 9.45 |  | "    | 10.0 |  | 94.5 | 76.9-129 |  |  |  |  |
| 1,3,5-Trimethylbenzene                            | 9.91 |  | "    | 10.0 |  | 99.1 | 70.6-127 |  |  |  |  |
| 1,3-Dichlorobenzene                               | 9.41 |  | "    | 10.0 |  | 94.1 | 77-124   |  |  |  |  |
| 1,3-Dichloropropane                               | 9.55 |  | "    | 10.0 |  | 95.5 | 75.8-126 |  |  |  |  |
| 1,4-Dichlorobenzene                               | 9.58 |  | "    | 10.0 |  | 95.8 | 76.6-125 |  |  |  |  |
| 2,2-Dichloropropane                               | 10.6 |  | "    | 10.0 |  | 106  | 69-133   |  |  |  |  |
| 2-Chlorotoluene                                   | 9.46 |  | "    | 10.0 |  | 94.6 | 66.3-119 |  |  |  |  |
| 2-Hexanone  | 9.65 |  | "    | 10.0 |  | 96.5 | 70-130   |  |  |  |  |
| 4-Chlorotoluene                                   | 9.44 |  | "    | 10.0 |  | 94.4 | 69.2-127 |  |  |  |  |
| Acetone   | 9.42 |  | "    | 10.0 |  | 94.2 | 70-130   |  |  |  |  |
| Benzene   | 9.80 |  | "    | 10.0 |  | 98.0 | 76.2-129 |  |  |  |  |
| Bromobenzene                                      | 9.33 |  | "    | 10.0 |  | 93.3 | 71.3-123 |  |  |  |  |
| Bromochloromethane                                | 9.62 |  | "    | 10.0 |  | 96.2 | 70.8-137 |  |  |  |  |
| Bromodichloromethane                              | 9.50 |  | "    | 10.0 |  | 95.0 | 79.7-134 |  |  |  |  |
| Bromoform   | 9.09 |  | "    | 10.0 |  | 90.9 | 70.5-141 |  |  |  |  |
| Bromomethane                                      | 9.55 |  | "    | 10.0 |  | 95.5 | 43.9-147 |  |  |  |  |
| Carbon tetrachloride                              | 9.90 |  | "    | 10.0 |  | 99.0 | 78.1-138 |  |  |  |  |
| Chlorobenzene                                     | 9.54 |  | "    | 10.0 |  | 95.4 | 80.4-125 |  |  |  |  |
| Chloroethane                                      | 8.87 |  | "    | 10.0 |  | 88.7 | 55.8-140 |  |  |  |  |
| Chloroform  | 9.90 |  | "    | 10.0 |  | 99.0 | 76.6-133 |  |  |  |  |
| Chloromethane                                     | 8.47 |  | "    | 10.0 |  | 84.7 | 48.8-115 |  |  |  |  |
| cis-1,2-Dichloroethylene                          | 9.91 |  | "    | 10.0 |  | 99.1 | 75.1-128 |  |  |  |  |
| cis-1,3-Dichloropropylene                         | 9.86 |  | "    | 10.0 |  | 98.6 | 74.5-128 |  |  |  |  |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                                 | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC<br>Limits | Flag     | RPD       | RPD<br>Limit | Flag                            |
|---|--------|--------------------|-------|----------------|-------------------|----------------|----------|-----------|--------------|---------------------------------|
| <b>Batch BA30356 - EPA 5030B</b>        |        |                    |       |                |                   |                |          |           |              |                                 |
| <b>LCS (BA30356-BS1)</b>                |        |                    |       |                |                   |                |          |           |              |                                 |
|   |        |                    |       |                |                   |                |          |           |              | Prepared & Analyzed: 01/11/2013 |
| Dibromochloromethane                    | 9.57   |                    | ug/L  | 10.0           |                   | 95.7           | 79.8-134 |           |              |                                 |
| Dibromomethane                          | 9.39   |                    | "     | 10.0           |                   | 93.9           | 79-130   |           |              |                                 |
| Dichlorodifluoromethane                 | 6.81   |                    | "     | 10.0           |                   | 68.1           | 47.1-101 |           |              |                                 |
| Ethyl Benzene                           | 9.79   |                    | "     | 10.0           |                   | 97.9           | 80.8-128 |           |              |                                 |
| Hexachlorobutadiene                     | 9.58   |                    | "     | 10.0           |                   | 95.8           | 64.8-128 |           |              |                                 |
| Isopropylbenzene                        | 9.60   |                    | "     | 10.0           |                   | 96.0           | 75.5-135 |           |              |                                 |
| Methyl tert-butyl ether (MTBE)          | 9.47   |                    | "     | 10.0           |                   | 94.7           | 65.1-140 |           |              |                                 |
| Methylene chloride                      | 14.0   |                    | "     | 10.0           |                   | 140            | 61.3-120 | High Bias |              |                                 |
| Naphthalene                             | 10.2   |                    | "     | 10.0           |                   | 102            | 62.3-148 |           |              |                                 |
| n-Butylbenzene                          | 10.3   |                    | "     | 10.0           |                   | 103            | 67.2-123 |           |              |                                 |
| n-Propylbenzene                         | 9.73   |                    | "     | 10.0           |                   | 97.3           | 70.5-127 |           |              |                                 |
| o-Xylene                                | 9.79   |                    | "     | 10.0           |                   | 97.9           | 75.9-122 |           |              |                                 |
| p- & m- Xylenes                         | 19.8   |                    | "     | 20.0           |                   | 99.2           | 77.7-127 |           |              |                                 |
| p-Isopropyltoluene                      | 9.85   |                    | "     | 10.0           |                   | 98.5           | 75.6-129 |           |              |                                 |
| sec-Butylbenzene                        | 9.60   |                    | "     | 10.0           |                   | 96.0           | 71.5-125 |           |              |                                 |
| Styrene                                 | 11.8   |                    | "     | 10.0           |                   | 118            | 77.8-123 |           |              |                                 |
| tert-Butylbenzene                       | 9.54   |                    | "     | 10.0           |                   | 95.4           | 75.9-151 |           |              |                                 |
| Tetrachloroethylene                     | 9.56   |                    | "     | 10.0           |                   | 95.6           | 63.6-167 |           |              |                                 |
| Toluene                                 | 9.65   |                    | "     | 10.0           |                   | 96.5           | 77-123   |           |              |                                 |
| trans-1,2-Dichloroethylene              | 9.74   |                    | "     | 10.0           |                   | 97.4           | 76.3-139 |           |              |                                 |
| trans-1,3-Dichloropropylene             | 9.75   |                    | "     | 10.0           |                   | 97.5           | 72.5-137 |           |              |                                 |
| Trichloroethylene                       | 9.64   |                    | "     | 10.0           |                   | 96.4           | 77.9-130 |           |              |                                 |
| Trichlorofluoromethane                  | 9.54   |                    | "     | 10.0           |                   | 95.4           | 57.4-133 |           |              |                                 |
| Vinyl Chloride                          | 8.89   |                    | "     | 10.0           |                   | 88.9           | 54.9-124 |           |              |                                 |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 9.87   |                    | "     | 10.0           |                   | 98.7           | 72.6-129 |           |              |                                 |
| <i>Surrogate: p-Bromofluorobenzene</i>  | 9.74   |                    | "     | 10.0           |                   | 97.4           | 63.5-145 |           |              |                                 |
| <i>Surrogate: Toluene-d8</i>            | 9.82   |                    | "     | 10.0           |                   | 98.2           | 81.2-127 |           |              |                                 |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result | Reporting | Spike | Source* | %REC | %REC     | Flag      | RPD   |       |        |
|---|--------|-----------|-------|---------|------|----------|-----------|-------|-------|--------|
|   |        | Limit     |       |         |      |          |           | Units | Level | Result |
| <b>Batch BA30356 - EPA 5030B</b>                  |        |           |       |         |      |          |           |       |       |        |
| <b>LCS Dup (BA30356-BSD1)</b>                     |        |           |       |         |      |          |           |       |       |        |
| Prepared & Analyzed: 01/11/2013                   |        |           |       |         |      |          |           |       |       |        |
| 1,1,1,2-Tetrachloroethane                         | 9.55   |           | ug/L  | 10.0    | 95.5 | 82.3-130 |           | 2.38  | 21.1  |        |
| 1,1,1-Trichloroethane                             | 9.75   |           | "     | 10.0    | 97.5 | 75.6-137 |           | 0.409 | 19.7  |        |
| 1,1,2,2-Tetrachloroethane                         | 8.90   |           | "     | 10.0    | 89.0 | 71.3-131 |           | 1.78  | 20.8  |        |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 9.89   |           | "     | 10.0    | 98.9 | 71.1-129 |           | 0.303 | 21.7  |        |
| 1,1,2-Trichloroethane                             | 9.39   |           | "     | 10.0    | 93.9 | 74.5-129 |           | 0.106 | 20.3  |        |
| 1,1-Dichloroethane                                | 9.55   |           | "     | 10.0    | 95.5 | 79.6-132 |           | 2.18  | 20.6  |        |
| 1,1-Dichloroethylene                              | 9.77   |           | "     | 10.0    | 97.7 | 80.2-146 |           | 1.32  | 20    |        |
| 1,1-Dichloropropylene                             | 9.71   |           | "     | 10.0    | 97.1 | 75-136   |           | 2.64  | 19.3  |        |
| 1,2,3-Trichlorobenzene                            | 10.6   |           | "     | 10.0    | 106  | 66.1-136 |           | 5.68  | 21.6  |        |
| 1,2,3-Trichloropropane                            | 8.32   |           | "     | 10.0    | 83.2 | 63-131   |           | 0.360 | 23.9  |        |
| 1,2,4-Trichlorobenzene                            | 10.6   |           | "     | 10.0    | 106  | 70.6-136 |           | 5.67  | 21.7  |        |
| 1,2,4-Trimethylbenzene                            | 10.9   |           | "     | 10.0    | 109  | 75.3-135 |           | 1.85  | 18.8  |        |
| 1,2-Dibromo-3-chloropropane                       | 8.34   |           | "     | 10.0    | 83.4 | 58.9-140 |           | 11.0  | 27.7  |        |
| 1,2-Dibromoethane                                 | 9.32   |           | "     | 10.0    | 93.2 | 79-130   |           | 3.89  | 23    |        |
| 1,2-Dichlorobenzene                               | 9.24   |           | "     | 10.0    | 92.4 | 76.1-122 |           | 0.647 | 19.8  |        |
| 1,2-Dichloroethane                                | 9.12   |           | "     | 10.0    | 91.2 | 74.6-132 |           | 5.02  | 20.2  |        |
| 1,2-Dichloropropane                               | 9.73   |           | "     | 10.0    | 97.3 | 76.9-129 |           | 2.92  | 20.7  |        |
| 1,3,5-Trimethylbenzene                            | 10.2   |           | "     | 10.0    | 102  | 70.6-127 |           | 3.08  | 18.9  |        |
| 1,3-Dichlorobenzene                               | 9.50   |           | "     | 10.0    | 95.0 | 77-124   |           | 0.952 | 19.2  |        |
| 1,3-Dichloropropane                               | 9.44   |           | "     | 10.0    | 94.4 | 75.8-126 |           | 1.16  | 22.1  |        |
| 1,4-Dichlorobenzene                               | 9.62   |           | "     | 10.0    | 96.2 | 76.6-125 |           | 0.417 | 18.6  |        |
| 2,2-Dichloropropane                               | 10.3   |           | "     | 10.0    | 103  | 69-133   |           | 2.67  | 19.8  |        |
| 2-Chlorotoluene                                   | 9.78   |           | "     | 10.0    | 97.8 | 66.3-119 |           | 3.33  | 21.6  |        |
| 2-Hexanone  | 8.89   |           | "     | 10.0    | 88.9 | 70-130   |           | 8.20  | 30    |        |
| 4-Chlorotoluene                                   | 9.70   |           | "     | 10.0    | 97.0 | 69.2-127 |           | 2.72  | 19    |        |
| Acetone   | 7.46   |           | "     | 10.0    | 74.6 | 70-130   |           | 23.2  | 30    |        |
| Benzene   | 9.70   |           | "     | 10.0    | 97.0 | 76.2-129 |           | 1.03  | 19    |        |
| Bromobenzene                                      | 9.42   |           | "     | 10.0    | 94.2 | 71.3-123 |           | 0.960 | 20.3  |        |
| Bromochloromethane                                | 9.09   |           | "     | 10.0    | 90.9 | 70.8-137 |           | 5.67  | 23.9  |        |
| Bromodichloromethane                              | 9.77   |           | "     | 10.0    | 97.7 | 79.7-134 |           | 2.80  | 21    |        |
| Bromoform   | 8.99   |           | "     | 10.0    | 89.9 | 70.5-141 |           | 1.11  | 21.8  |        |
| Bromomethane                                      | 9.52   |           | "     | 10.0    | 95.2 | 43.9-147 |           | 0.315 | 28.4  |        |
| Carbon tetrachloride                              | 9.69   |           | "     | 10.0    | 96.9 | 78.1-138 |           | 2.14  | 20.1  |        |
| Chlorobenzene                                     | 9.49   |           | "     | 10.0    | 94.9 | 80.4-125 |           | 0.525 | 19.9  |        |
| Chloroethane                                      | 9.13   |           | "     | 10.0    | 91.3 | 55.8-140 |           | 2.89  | 23.3  |        |
| Chloroform  | 9.70   |           | "     | 10.0    | 97.0 | 76.6-133 |           | 2.04  | 20.3  |        |
| Chloromethane                                     | 8.42   |           | "     | 10.0    | 84.2 | 48.8-115 |           | 0.592 | 24.5  |        |
| cis-1,2-Dichloroethylene                          | 9.67   |           | "     | 10.0    | 96.7 | 75.1-128 |           | 2.45  | 20.5  |        |
| cis-1,3-Dichloropropylene                         | 9.87   |           | "     | 10.0    | 98.7 | 74.5-128 |           | 0.101 | 19.9  |        |
| Dibromochloromethane                              | 9.51   |           | "     | 10.0    | 95.1 | 79.8-134 |           | 0.629 | 21.3  |        |
| Dibromomethane                                    | 9.26   |           | "     | 10.0    | 92.6 | 79-130   |           | 1.39  | 22.4  |        |
| Dichlorodifluoromethane                           | 6.57   |           | "     | 10.0    | 65.7 | 47.1-101 |           | 3.59  | 23.9  |        |
| Ethyl Benzene                                     | 9.78   |           | "     | 10.0    | 97.8 | 80.8-128 |           | 0.102 | 19.2  |        |
| Hexachlorobutadiene                               | 9.94   |           | "     | 10.0    | 99.4 | 64.8-128 |           | 3.69  | 20.6  |        |
| Isopropylbenzene                                  | 9.90   |           | "     | 10.0    | 99.0 | 75.5-135 |           | 3.08  | 20    |        |
| Methyl tert-butyl ether (MTBE)                    | 8.84   |           | "     | 10.0    | 88.4 | 65.1-140 |           | 6.88  | 23.6  |        |
| Methylene chloride                                | 13.2   |           | "     | 10.0    | 132  | 61.3-120 | High Bias | 6.32  | 20.4  |        |
| Naphthalene                                       | 9.70   |           | "     | 10.0    | 97.0 | 62.3-148 |           | 5.22  | 27.1  |        |
| n-Butylbenzene                                    | 10.5   |           | "     | 10.0    | 105  | 67.2-123 |           | 2.12  | 19.1  |        |
| n-Propylbenzene                                   | 10.1   |           | "     | 10.0    | 101  | 70.5-127 |           | 3.34  | 23.4  |        |
| o-Xylene  | 9.76   |           | "     | 10.0    | 97.6 | 75.9-122 |           | 0.307 | 19.3  |        |
| p- & m- Xylenes                                   | 19.9   |           | "     | 20.0    | 99.4 | 77.7-127 |           | 0.151 | 18.6  |        |
| p-Isopropyltoluene                                | 10.2   |           | "     | 10.0    | 102  | 75.6-129 |           | 3.39  | 19.1  |        |
| sec-Butylbenzene                                  | 9.92   |           | "     | 10.0    | 99.2 | 71.5-125 |           | 3.28  | 18.9  |        |

# YORK

ANALYTICAL LABORATORIES, INC.

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source* Result | %REC | %REC Limits | Flag | RPD | RPD Limit | Flag |
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|

#### Batch BA30356 - EPA 5030B

#### LCS Dup (BA30356-BSD1)

Prepared & Analyzed: 01/11/2013

|   |      |  |      |      |  |      |          |  |       |      |  |
|---|------|--|------|------|--|------|----------|--|-------|------|--|
| Styrene                                 | 11.5 |  | ug/L | 10.0 |  | 115  | 77.8-123 |  | 3.01  | 20.9 |  |
| tert-Butylbenzene                       | 9.93 |  | "    | 10.0 |  | 99.3 | 75.9-151 |  | 4.01  | 20.9 |  |
| Tetrachloroethylene                     | 9.95 |  | "    | 10.0 |  | 99.5 | 63.6-167 |  | 4.00  | 27.7 |  |
| Toluene                                 | 10.0 |  | "    | 10.0 |  | 100  | 77-123   |  | 4.06  | 18.7 |  |
| trans-1,2-Dichloroethylene              | 9.59 |  | "    | 10.0 |  | 95.9 | 76.3-139 |  | 1.55  | 19.5 |  |
| trans-1,3-Dichloropropylene             | 9.68 |  | "    | 10.0 |  | 96.8 | 72.5-137 |  | 0.721 | 19.3 |  |
| Trichloroethylene                       | 10.2 |  | "    | 10.0 |  | 102  | 77.9-130 |  | 5.25  | 20.5 |  |
| Trichlorofluoromethane                  | 9.17 |  | "    | 10.0 |  | 91.7 | 57.4-133 |  | 3.96  | 21.4 |  |
| Vinyl Chloride                          | 8.84 |  | "    | 10.0 |  | 88.4 | 54.9-124 |  | 0.564 | 22.3 |  |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 9.28 |  | "    | 10.0 |  | 92.8 | 72.6-129 |  |       |      |  |
| <i>Surrogate: p-Bromofluorobenzene</i>  | 9.97 |  | "    | 10.0 |  | 99.7 | 63.5-145 |  |       |      |  |
| <i>Surrogate: Toluene-d8</i>            | 10.2 |  | "    | 10.0 |  | 102  | 81.2-127 |  |       |      |  |

# YORK

ANALYTICAL LABORATORIES, INC.

## Metals by EPA 6000 Series Methods - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                          | Result | Reporting Limit | Units | Spike Level | Source* Result | %REC | %REC Limits | Flag                            | RPD | RPD Limit | Flag |
|----------------------------------|--------|-----------------|-------|-------------|----------------|------|-------------|---------------------------------|-----|-----------|------|
| <b>Batch BA30336 - EPA 3010A</b> |        |                 |       |             |                |      |             |                                 |     |           |      |
| <b>Blank (BA30336-BLK1)</b>      |        |                 |       |             |                |      |             |                                 |     |           |      |
|                                  |        |                 |       |             |                |      |             | Prepared & Analyzed: 01/10/2013 |     |           |      |
| Iron - Dissolved                 | ND     | 0.0200          | mg/L  |             |                |      |             |                                 |     |           |      |
| <b>Reference (BA30336-SRM1)</b>  |        |                 |       |             |                |      |             |                                 |     |           |      |
|                                  |        |                 |       |             |                |      |             | Prepared & Analyzed: 01/10/2013 |     |           |      |
| Iron - Dissolved                 | 0.434  | 0.0200          | mg/L  | 0.462       |                | 93.9 | 87.9-114    |                                 |     |           |      |

## Metals by EPA 200 Series Methods - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                          | Result | Reporting Limit | Units | Spike Level | Source* Result | %REC | %REC Limits | Flag                            | RPD | RPD Limit | Flag |
|----------------------------------|--------|-----------------|-------|-------------|----------------|------|-------------|---------------------------------|-----|-----------|------|
| <b>Batch BA30336 - EPA 3010A</b> |        |                 |       |             |                |      |             |                                 |     |           |      |
| <b>Blank (BA30336-BLK1)</b>      |        |                 |       |             |                |      |             | Prepared & Analyzed: 01/10/2013 |     |           |      |
| Iron                             | ND     | 0.0200          | mg/L  |             |                |      |             |                                 |     |           |      |
| <b>Reference (BA30336-SRM1)</b>  |        |                 |       |             |                |      |             | Prepared & Analyzed: 01/10/2013 |     |           |      |
| Iron                             | 0.434  | 0.0200          | mg/L  | 0.462       |                | 93.9 | 87.9-114    |                                 |     |           |      |

## Miscellaneous Physical/Conventional Chemistry Parameters - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source* Result | %REC | %REC Limits | Flag | RPD | RPD Limit | Flag |
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|

#### Batch BA30385 - % Solids Prep

#### Blank (BA30385-BLK1)

Prepared & Analyzed: 01/14/2013

|                        |    |      |      |  |  |  |  |  |  |  |  |
|------------------------|----|------|------|--|--|--|--|--|--|--|--|
| Total Dissolved Solids | ND | 1.00 | mg/L |  |  |  |  |  |  |  |  |
|------------------------|----|------|------|--|--|--|--|--|--|--|--|

## Volatile Analysis Sample Containers

| Lab ID     | Client Sample ID    | Volatile Sample Container                     |
|------------|---------------------|---|
| 13A0260-01 | WQ010713:1100NP2-6  | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |
| 13A0260-02 | WQ010713:1105NP2-7  | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |
| 13A0261-01 | WQ010713:1110NP2-10 | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |

### Notes and Definitions

- QL-02 This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
- J Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
- B Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants. Data users should consider anything <10x the blank value as artifact.

- ND Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
- RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
- MDL METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
- NR Not reported
- RPD Relative Percent Difference
- Wet The data has been reported on an as-received (wet weight) basis
- Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- Non-Dir. Non-dir. flag (Non-Directional Bias ) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the MDL, with values between the MDL and the RL being "J" flagged as estimated results.

# Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 13A0260

|  |  |   |  |  |  |  |  |  |  |   |  |
|--|--|---|--|--|--|--|--|--|--|---|--|
| <b>YOUR Information</b><br>Company: <u>LBG</u><br>Address: <u>4 Research Dr, Suite 301 Shelton CT 06484</u><br>Phone No. <u>203-929-8555</u><br>Contact Person: <u>Tunde Sandor</u><br>E-Mail Address: <u>TSandor@LBGI.com</u> |  | <b>Report To:</b><br>Company: <u>Same</u><br>Address: _____<br>Phone No. _____<br>Attention: _____<br>E-Mail Address: _____ |  | <b>Invoice To:</b><br>Company: <u>Same</u><br>Address: _____<br>Phone No. _____<br>Attention: _____<br>E-Mail Address: _____ |  | <b>YOUR Project ID</b><br><u>Rowe Industries</u><br>Purchase Order No. <u>NAB5A6</u><br>Samples from: CT ___ NY ___ X NJ ___ |  | <b>Turn-Around Time</b><br>RUSH - Same Day <input type="checkbox"/><br>RUSH - Next Day <input type="checkbox"/><br>RUSH - Two Day <input type="checkbox"/><br>RUSH - Three Day <input type="checkbox"/><br>RUSH - Four Day <input type="checkbox"/><br>Standard (5-7 Days) <input checked="" type="checkbox"/> |  | <b>Report Type</b><br>Summary Report <u>X</u> , pdf<br>Summary w/ QA Summary <u>X</u> , pdf<br>CT RCP Package<br>CTCRP DQA/DUE Pkg<br>NY ASP A Package<br>NY ASP B Package <u>NE2-TO ONLY</u> , pdf<br>NIDEP Red. Deliv.<br>Electronic Data Deliverables (EDDL) |  |
|--|--|---|--|--|--|--|--|--|--|---|--|

**Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.**

Samples Collected/Authorized By (Signature) \_\_\_\_\_  
 Name (printed) STEPHEN H NAT

| Matrix Codes   | Volatiles   | Semi-Volatiles   | Metals   | Misc. Org.   | Full Lists   | Misc.  |
|--|---|--|--|--|--|--|
| S - soil<br>Other - specify (oil, etc)<br>WW - wastewater<br>GW - groundwater<br>DW - drinking water<br>Air-A - ambient air<br>Air-SV - soil vapor | 8260 full TICs<br>Site Spec.<br>STARS list<br>BN Only<br>Acids Only<br>PAH list<br>TAGM list<br>TAGM list<br>TCLP list<br>CT RCP list<br>TCLP list<br>NIDEP list<br>Arom. only<br>Halog. only<br>App. IX list<br>8021B list | 8270 or 625<br>STARS list<br>BN Only<br>Acids Only<br>PAH list<br>TAGM list<br>TAGM list<br>TCLP list<br>CT RCP list<br>TCLP list<br>NIDEP list<br>App. IX<br>TCLP BNA<br>SFLP or TCLP | RCRA8<br>PP 13 list<br>TAL<br>CT 15 list<br>TAGM list<br>NIDEP list<br>Total<br>Dissolved<br>SFLP or TCLP<br>TCLP Herb<br>Chloroform<br>608 Pest<br>SFLP or TCLP | TPH GRO<br>TPH DRO<br>CT ETPH<br>NY 310-13<br>TPH 1664<br>Air TO 14A<br>Air TO 15<br>Air STARS<br>SFLP or TCLP<br>Air VPH<br>Air TICs<br>Methane<br>Helium | Corrosivity<br>Reactivity<br>Ignitability<br>Flash Point<br>Sieve Anal.<br>Hexamethyls<br>Par 360-Residue<br>TOX<br>Par 360-Residue<br>BTU/lt.<br>Par 360-Residue<br>Aqueous Tox.<br>NYDEP-Pest<br>TOC<br>NYSEDEC<br>Adhesives<br>TAGM<br>Silica | Simple Excel <u>X</u><br>NYSDEC EQULS<br>EQULS (std)<br>EZ-EDD (EQULS)<br>NIDEP SRP HazSite EDD<br>GIS/KEY (std)<br>Other _____<br>York Regulatory Comparison<br>Excel Spreadsheet<br>Compare to the following Regs. (please fill in): |

| Sample Identification   | Date Sampled | Sample Matrix | Choose Analyses Needed from the Menu Above and Enter Below   | Container Description(s) | Temperature on Receipt   |
|---|--------------|---------------|--|--------------------------|--|
| WQ010713-1106N/2-6  | 1/7/13 1100  | GW            | Fe by EPA 200.7 Fe, Dissolved by EPA 6010 (SW 846-6010B) VOCs, P260 list (EPA SW 845-8260B) plus from 113                  | 2x 2P                    |  |
| WQ010713-1105N/2-7  | 1/7/13 1105  | GW            |  | 2x 2P                    |  |
| WQ010713-1110N/2-10   | 1/7/13 1110  | GW            | Fe by EPA 200.7 Fe, Dissolved by EPA 6010 (SW 846-6010B) VOCs, P260 list (EPA SW 845-8260B) plus from 113 / TDS (9H 2540c) | 2x 3P                    |  |
| Comments: _____<br>Preservation: _____<br>Check those Applicable: _____<br>Special Instructions: _____<br>Field Filtered <input type="checkbox"/><br>Lab to Filter <input type="checkbox"/> |              |               |  |                          | 4°C _____ Frozen _____ HCl _____ MeOH _____ NaOH _____<br>HNO <sub>3</sub> _____ H <sub>2</sub> SO <sub>4</sub> _____ Other _____<br>Samples Relinquished By: <u>J. Schriber</u> Date/Time: <u>1/13/13 1200</u><br>Samples Relinquished By: _____ Date/Time: _____ |

# Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 13A0261

| YOUR INFORMATION  |                       | Report To:   |                                  | Invoice To:   |                              | YOUR PROJECT ID  |                          | Turn-Around Time  |   | Report Type  |  |   |  |
|---|-----------------------|--|----------------------------------|---|------------------------------|--|--------------------------|---|---|--|--|---|--|
| Company: <u>LB6</u>   | Company: <u>Same</u>  | Company: <u>Same</u>   | Company: <u>Rowe Industries.</u> | Semi-Vols: <u>RCRA8</u>   | Misc. Org: <u>TPH GRO</u>    | Full Lists: <u>Pril. Poll.</u>   | Misc: <u>Corrosivity</u> | <input type="checkbox"/> RUSH - Same Day  | <input type="checkbox"/> Summary Report <u>X, pdf</u> | <input type="checkbox"/> CT RCP Package  | <input type="checkbox"/> Summary w/ QA Summary <u>X, pdf</u> |   |  |
| Address: <u>4 Research Dr. Suite 391</u>  | Address: _____        | Address: _____   | Address: _____                   | 8270 or 625: <u>STARS list</u>  | TPH DRO: <u>TPH DRO</u>      | TCL Organics: <u>TAL</u>   | Reactivity: _____        | <input type="checkbox"/> RUSH - Next Day  | <input type="checkbox"/> CT RCP Package               | <input type="checkbox"/> CT RCP DQ/DUE Pkg   | <input type="checkbox"/> Summary w/ QA Summary <u>X, pdf</u> |   |  |
| Phone No. <u>203-929-8555</u>   | Phone No. _____       | Phone No. _____  | Phone No. _____                  | BN Only: <u>Acids Only</u>  | CT RCP: <u>App. IX</u>       | Full TCLP: <u>Full TCLP</u>  | Ignitability: _____      | <input type="checkbox"/> RUSH - Two Day   | <input type="checkbox"/> NY ASP A Package             | <input type="checkbox"/> NY ASP B Package <u>NEP TO ONLY</u>   | <input type="checkbox"/> Summary w/ QA Summary <u>X, pdf</u> |   |  |
| Attention: _____  | Attention: _____      | Attention: _____   | Attention: _____                 | PAH list: <u>TAAGM list</u>   | Site Spec: <u>NIDEP list</u> | Flash Point: <u>Flash Point</u>  | Sieve Anal: _____        | <input type="checkbox"/> RUSH - Three Day   | <input type="checkbox"/> NY ASP A Package             | <input type="checkbox"/> NY ASP B Package <u>NEP TO ONLY</u>   | <input type="checkbox"/> Summary w/ QA Summary <u>X, pdf</u> |   |  |
| E-Mail Address: _____   | E-Mail Address: _____ | E-Mail Address: _____  | E-Mail Address: _____            | Chloridane: <u>Chloridane</u>   | TCPL Pest: <u>TCPL Pest</u>  | Sieve Anal: <u>Sieve Anal</u>  | Other: _____             | <input type="checkbox"/> RUSH - Four Day  | <input type="checkbox"/> NIDEP Red. Deliv.            | <input type="checkbox"/> NIDEP Red. Deliv.   | <input type="checkbox"/> Summary w/ QA Summary <u>X, pdf</u> |   |  |
| <p><b>Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.</b></p> <p>Matrix Codes:<br/>S - soil<br/>Other - specify (oil, etc.)<br/>WW - wastewater<br/>GW - groundwater<br/>DW - drinking water<br/>Air-A - ambient air<br/>Air-SV - soil vapor</p> |                       | <p>Company: _____</p> <p>Address: _____</p> <p>Phone No. _____</p> <p>Attention: _____</p> <p>E-Mail Address: _____</p>  |                                  | <p>Company: _____</p> <p>Address: _____</p> <p>Phone No. _____</p> <p>Attention: _____</p> <p>E-Mail Address: _____</p>                 |                              | <p>Company: _____</p> <p>Address: _____</p> <p>Phone No. _____</p> <p>Attention: _____</p> <p>E-Mail Address: _____</p>  |                          | <p>Company: _____</p> <p>Address: _____</p> <p>Phone No. _____</p> <p>Attention: _____</p> <p>E-Mail Address: _____</p> |   | <p>Company: _____</p> <p>Address: _____</p> <p>Phone No. _____</p> <p>Attention: _____</p> <p>E-Mail Address: _____</p>  |  | <p>Company: _____</p> <p>Address: _____</p> <p>Phone No. _____</p> <p>Attention: _____</p> <p>E-Mail Address: _____</p> |  |
| <p>Samples Collected/Authorized By (Signature)</p> <p><u>STEPHEN HNAT</u></p> <p>Name (printed)</p>   |                       | <p>Sample Matrix</p> <p><u>GW</u></p> <p><u>GW</u></p> <p><u>GW</u></p>  |                                  | <p>Date Sampled</p> <p><u>1/7/13 1105</u></p> <p><u>1105</u></p> <p><u>1110</u></p>   |                              | <p>Choose Analyses Needed from the Menu Above and Enter Below</p> <p><u>Fe by EPA 200.7/Fe, Dissolved by EPA 6010 (SW 846-6010B) / VOLs, P-260 List (EPA SW 845-8260b) plus from 113</u></p> <p><u>Fe by EPA 200.7/Fe, Dissolved by EPA 6010 (SW 846-6010B) / VOLs, P-260 List (EPA SW 845-8260b) plus from 113 / TDS (SH 2540c)</u></p> |                          | <p>Container Description(s)</p> <p><u>2x 2P</u></p> <p><u>2x 2P</u></p> <p><u>2x 3P</u></p>                             |   | <p>Electronic Data Deliverables (EDD)</p> <p>Simple Excel <u>X</u></p> <p>NYSDEC EQUS</p> <p>EQUS (std)</p> <p>EZ-EDD (EQUS)</p> <p>NIDEP SRP HazSite EDD</p> <p>GIS/KEY (std)</p> <p>Other _____</p> <p>York Regulatory Comparison</p> <p>Excel Spreadsheet</p> <p>Compare to the following Regs. (please fill in):</p> |  |   |  |
| <p>Comments</p> <p><u>Chronic 19-15 9:55</u></p>  |                       | <p>Preservation</p> <p>Check those Applicable</p> <p>Special Instructions</p> <p>Field Filtered <input type="checkbox"/></p> <p>Lab to Filter <input type="checkbox"/></p> |                                  | <p>4°C _____</p> <p>Frozen _____</p> <p>ZnAc _____</p> <p>HCl _____</p> <p>MeOH _____</p> <p>Ascorbic Acid _____</p> <p>Other _____</p> |                              | <p>HNO<sub>3</sub> _____</p> <p>H<sub>2</sub>SO<sub>4</sub> _____</p> <p>NaOH _____</p>  |                          | <p>Temperature on Receipt</p> <p><u>3.8 °C</u></p>  |   |  |  |   |  |
| <p>Samples Relinquished By _____</p> <p>Date/Time _____</p>   |                       | <p>Samples Relinquished By _____</p> <p>Date/Time _____</p>  |                                  | <p>Samples Relinquished By _____</p> <p>Date/Time _____</p>   |                              | <p>Samples Relinquished By _____</p> <p>Date/Time _____</p>  |                          | <p>Samples Relinquished By _____</p> <p>Date/Time _____</p>   |   | <p>Samples Relinquished By _____</p> <p>Date/Time _____</p>  |  |   |  |

# YORK

ANALYTICAL LABORATORIES, INC.

## Technical Report

prepared for:

**Leggette Brashears & Graham Shelton Office**

4 Research Drive, Suite 301

Shelton CT, 06484

**Attention: Tunde Komuves-Sandor**

Report Date: 01/22/2013

**Client Project ID: Rowe Industries**

York Project (SDG) No.: 13A0416

CT License No. PH-0723

New Jersey License No. CT-005



New York License No. 10854

PA License No. 68-04440

Report Date: 01/22/2013  
Client Project ID: Rowe Industries  
York Project (SDG) No.: 13A0416

**Leggette Brashears & Graham Shelton Office**  
4 Research Drive, Suite 301  
Shelton CT, 06484  
Attention: Tunde Komuves-Sandor

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on January 15, 2013 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

| <u>York Sample ID</u> | <u>Client Sample ID</u> | <u>Matrix</u> | <u>Date Collected</u> | <u>Date Received</u> |
|-----------------------|-------------------------|---------------|-----------------------|----------------------|
| 13A0416-01            | WQ011413:1100NP2-6      | Water         | 01/14/2013            | 01/15/2013           |
| 13A0416-02            | WQ011413:1105NP2-7      | Water         | 01/14/2013            | 01/15/2013           |
| 13A0418-01            | WQ011413:1110NP2-10     | Water         | 01/14/2013            | 01/15/2013           |

## General Notes for York Project (SDG) No.: 13A0416

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley  
Laboratory Director

Date: 01/22/2013

**YORK**

## Sample Information

**Client Sample ID:** WQ011413:1100NP2-6

**York Sample ID:** 13A0416-01

York Project (SDG) No.  
13A0416

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 11:00 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter                                       | Result      | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|-------------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                       | ND          |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                           | <b>0.40</b> | J    | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                       | ND          |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 76-13-1  | 1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND          |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 79-00-5  | 1,1,2-Trichloroethane                           | ND          |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 75-34-3  | 1,1-Dichloroethane                              | <b>0.17</b> | J    | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 75-35-4  | 1,1-Dichloroethylene                            | ND          |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 563-58-6 | 1,1-Dichloropropylene                           | ND          |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene                          | ND          |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane                          | ND          |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene                          | ND          |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene                          | ND          |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane                     | ND          |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 106-93-4 | 1,2-Dibromoethane                               | ND          |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene                             | ND          |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 107-06-2 | 1,2-Dichloroethane                              | ND          |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 78-87-5  | 1,2-Dichloropropane                             | ND          |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene                          | ND          |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene                             | ND          |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 142-28-9 | 1,3-Dichloropropane                             | ND          |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 106-46-7 | 1,4-Dichlorobenzene                             | ND          |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 594-20-7 | 2,2-Dichloropropane                             | ND          |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 95-49-8  | 2-Chlorotoluene                                 | ND          |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 591-78-6 | 2-Hexanone                                      | ND          |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 106-43-4 | 4-Chlorotoluene                                 | ND          |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 67-64-1  | Acetone   | ND          |      | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 71-43-2  | Benzene   | ND          |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 108-86-1 | Bromobenzene                                    | ND          |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 74-97-5  | Bromochloromethane                              | ND          |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 75-27-4  | Bromodichloromethane                            | ND          |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 75-25-2  | Bromoform                                       | ND          |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 74-83-9  | Bromomethane                                    | ND          |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 56-23-5  | Carbon tetrachloride                            | ND          |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |

## Sample Information

**Client Sample ID:** WQ011413:1100NP2-6

**York Sample ID:** 13A0416-01

York Project (SDG) No.  
13A0416

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 11:00 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.                     | Parameter                        | Result        | Flag                    | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|----------------------------------|---------------|-------------------------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 108-90-7                    | Chlorobenzene                    | ND            |                         | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 75-00-3                     | Chloroethane                     | ND            |                         | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 67-66-3                     | Chloroform                       | 0.11          | J                       | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 74-87-3                     | Chloromethane                    | ND            |                         | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 156-59-2                    | cis-1,2-Dichloroethylene         | 0.15          | J                       | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 10061-01-5                  | cis-1,3-Dichloropropylene        | ND            |                         | ug/L  | 0.067 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 124-48-1                    | Dibromochloromethane             | ND            |                         | ug/L  | 0.053 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 74-95-3                     | Dibromomethane                   | ND            |                         | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 75-71-8                     | Dichlorodifluoromethane          | ND            |                         | ug/L  | 0.092 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 100-41-4                    | Ethyl Benzene                    | ND            |                         | ug/L  | 0.057 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 87-68-3                     | Hexachlorobutadiene              | ND            |                         | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 98-82-8                     | Isopropylbenzene                 | ND            |                         | ug/L  | 0.056 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 1634-04-4                   | Methyl tert-butyl ether (MTBE)   | ND            |                         | ug/L  | 0.48  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 75-09-2                     | Methylene chloride               | ND            |                         | ug/L  | 0.26  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 91-20-3                     | Naphthalene                      | 0.15          | J, B                    | ug/L  | 0.090 | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 104-51-8                    | n-Butylbenzene                   | ND            |                         | ug/L  | 0.083 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 103-65-1                    | n-Propylbenzene                  | ND            |                         | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 95-47-6                     | o-Xylene                         | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 1330-20-7P/M                | p- & m- Xylenes                  | ND            |                         | ug/L  | 0.090 | 1.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 99-87-6                     | p-Isopropyltoluene               | ND            |                         | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 135-98-8                    | sec-Butylbenzene                 | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 100-42-5                    | Styrene                          | ND            |                         | ug/L  | 0.043 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 98-06-6                     | tert-Butylbenzene                | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 127-18-4                    | Tetrachloroethylene              | 0.98          |                         | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 108-88-3                    | Toluene                          | ND            |                         | ug/L  | 0.042 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 156-60-5                    | trans-1,2-Dichloroethylene       | ND            |                         | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 10061-02-6                  | trans-1,3-Dichloropropylene      | ND            |                         | ug/L  | 0.060 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 79-01-6                     | Trichloroethylene                | 0.22          | J                       | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 75-69-4                     | Trichlorofluoromethane           | ND            |                         | ug/L  | 0.094 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 75-01-4                     | Vinyl Chloride                   | ND            |                         | ug/L  | 0.062 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| 1330-20-7                   | Xylenes, Total                   | ND            |                         | ug/L  | 0.12  | 1.5  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:21   | SS      |
| <b>Surrogate Recoveries</b> |                                  | <b>Result</b> | <b>Acceptance Range</b> |       |       |      |          |                  |                    |                    |         |
| 17060-07-0                  | Surrogate: 1,2-Dichloroethane-d4 | 102 %         | 72.6-129                |       |       |      |          |                  |                    |                    |         |
| 460-00-4                    | Surrogate: p-Bromofluorobenzene  | 95.3 %        | 63.5-145                |       |       |      |          |                  |                    |                    |         |
| 2037-26-5                   | Surrogate: Toluene-d8            | 105 %         | 81.2-127                |       |       |      |          |                  |                    |                    |         |

## Sample Information

**Client Sample ID:** WQ011413:1100NP2-6

**York Sample ID:** 13A0416-01

York Project (SDG) No.  
13A0416

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 11:00 am

Date Received  
01/15/2013

**Iron, Dissolved by EPA 6010**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 0.191  |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA SW846-6010B  | 01/16/2013 16:04   | 01/16/2013 19:55   | MW      |

**Iron by EPA 200.7**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 2.56   |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA 200.7        | 01/16/2013 16:04   | 01/16/2013 19:59   | MW      |

## Sample Information

**Client Sample ID:** WQ011413:1105NP2-7

**York Sample ID:** 13A0416-02

York Project (SDG) No.  
13A0416

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 11:05 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter                                       | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                       | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                           | ND     |      | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                       | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 76-13-1  | 1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND     |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 79-00-5  | 1,1,2-Trichloroethane                           | ND     |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 75-34-3  | 1,1-Dichloroethane                              | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 75-35-4  | 1,1-Dichloroethylene                            | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 563-58-6 | 1,1-Dichloropropylene                           | ND     |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene                          | ND     |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane                          | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene                          | ND     |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene                          | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane                     | ND     |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 106-93-4 | 1,2-Dibromoethane                               | ND     |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene                             | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 107-06-2 | 1,2-Dichloroethane                              | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 78-87-5  | 1,2-Dichloropropane                             | ND     |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene                          | ND     |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene                             | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 142-28-9 | 1,3-Dichloropropane                             | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |

## Sample Information

**Client Sample ID:** WQ011413:1105NP2-7

**York Sample ID:** 13A0416-02

York Project (SDG) No.  
13A0416

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 11:05 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.      | Parameter                      | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|--------------|--------------------------------|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 106-46-7     | 1,4-Dichlorobenzene            | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 594-20-7     | 2,2-Dichloropropane            | ND     |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 95-49-8      | 2-Chlorotoluene                | ND     |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 591-78-6     | 2-Hexanone                     | ND     |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 106-43-4     | 4-Chlorotoluene                | ND     |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 67-64-1      | Acetone                        | ND     |      | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 71-43-2      | Benzene                        | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 108-86-1     | Bromobenzene                   | ND     |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 74-97-5      | Bromochloromethane             | ND     |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 75-27-4      | Bromodichloromethane           | ND     |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 75-25-2      | Bromoform                      | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 74-83-9      | Bromomethane                   | ND     |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 56-23-5      | Carbon tetrachloride           | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 108-90-7     | Chlorobenzene                  | ND     |      | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 75-00-3      | Chloroethane                   | ND     |      | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 67-66-3      | Chloroform                     | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 74-87-3      | Chloromethane                  | ND     |      | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 156-59-2     | cis-1,2-Dichloroethylene       | ND     |      | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 10061-01-5   | cis-1,3-Dichloropropylene      | ND     |      | ug/L  | 0.067 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 124-48-1     | Dibromochloromethane           | ND     |      | ug/L  | 0.053 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 74-95-3      | Dibromomethane                 | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 75-71-8      | Dichlorodifluoromethane        | ND     |      | ug/L  | 0.092 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 100-41-4     | Ethyl Benzene                  | ND     |      | ug/L  | 0.057 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 87-68-3      | Hexachlorobutadiene            | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 98-82-8      | Isopropylbenzene               | ND     |      | ug/L  | 0.056 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 1634-04-4    | Methyl tert-butyl ether (MTBE) | ND     |      | ug/L  | 0.48  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 75-09-2      | Methylene chloride             | ND     |      | ug/L  | 0.26  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 91-20-3      | Naphthalene                    | ND     |      | ug/L  | 0.090 | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 104-51-8     | n-Butylbenzene                 | ND     |      | ug/L  | 0.083 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 103-65-1     | n-Propylbenzene                | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 95-47-6      | o-Xylene                       | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 1330-20-7P/M | p- & m- Xylenes                | ND     |      | ug/L  | 0.090 | 1.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 99-87-6      | p-Isopropyltoluene             | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 135-98-8     | sec-Butylbenzene               | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |

## Sample Information

**Client Sample ID:** WQ011413:1105NP2-7

**York Sample ID:** 13A0416-02

York Project (SDG) No.  
13A0416

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 11:05 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

| CAS No.                     | Parameter                        | Result        | Flag | Units | MDL                     | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|----------------------------------|---------------|------|-------|-------------------------|------|----------|------------------|--------------------|--------------------|---------|
| 100-42-5                    | Styrene                          | ND            |      | ug/L  | 0.043                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 98-06-6                     | tert-Butylbenzene                | ND            |      | ug/L  | 0.050                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 127-18-4                    | Tetrachloroethylene              | ND            |      | ug/L  | 0.070                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 108-88-3                    | Toluene                          | ND            |      | ug/L  | 0.042                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 156-60-5                    | trans-1,2-Dichloroethylene       | ND            |      | ug/L  | 0.085                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 10061-02-6                  | trans-1,3-Dichloropropylene      | ND            |      | ug/L  | 0.060                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 79-01-6                     | Trichloroethylene                | ND            |      | ug/L  | 0.071                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 75-69-4                     | Trichlorofluoromethane           | ND            |      | ug/L  | 0.094                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 75-01-4                     | Vinyl Chloride                   | ND            |      | ug/L  | 0.062                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| 1330-20-7                   | Xylenes, Total                   | ND            |      | ug/L  | 0.12                    | 1.5  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 21:57   | SS      |
| <b>Surrogate Recoveries</b> |                                  | <b>Result</b> |      |       | <b>Acceptance Range</b> |      |          |                  |                    |                    |         |
| 17060-07-0                  | Surrogate: 1,2-Dichloroethane-d4 | 95.4 %        |      |       | 72.6-129                |      |          |                  |                    |                    |         |
| 460-00-4                    | Surrogate: p-Bromofluorobenzene  | 93.4 %        |      |       | 63.5-145                |      |          |                  |                    |                    |         |
| 2037-26-5                   | Surrogate: Toluene-d8            | 104 %         |      |       | 81.2-127                |      |          |                  |                    |                    |         |

**Iron, Dissolved by EPA 6010**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 0.268  |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA SW846-6010B  | 01/16/2013 16:04   | 01/16/2013 20:04   | MW      |

**Iron by EPA 200.7**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 3.65   |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA 200.7        | 01/16/2013 16:04   | 01/16/2013 20:09   | MW      |

## Sample Information

**Client Sample ID:** WQ011413:1110NP2-10

**York Sample ID:** 13A0418-01

York Project (SDG) No.  
13A0418

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 11:10 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter   | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                         | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                             | ND     |      | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                         | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 76-13-1  | 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND     |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |

## Sample Information

**Client Sample ID:** WQ011413:1110NP2-10

**York Sample ID:** 13A0418-01

York Project (SDG) No.  
13A0418

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 11:10 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter                   | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|-----------------------------|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 79-00-5  | 1,1,2-Trichloroethane       | ND     |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 75-34-3  | 1,1-Dichloroethane          | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 75-35-4  | 1,1-Dichloroethylene        | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 563-58-6 | 1,1-Dichloropropylene       | ND     |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene      | ND     |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane      | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene      | ND     |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene      | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane | ND     |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 106-93-4 | 1,2-Dibromoethane           | ND     |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene         | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 107-06-2 | 1,2-Dichloroethane          | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 78-87-5  | 1,2-Dichloropropane         | ND     |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene      | ND     |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene         | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 142-28-9 | 1,3-Dichloropropane         | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 106-46-7 | 1,4-Dichlorobenzene         | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 594-20-7 | 2,2-Dichloropropane         | ND     |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 95-49-8  | 2-Chlorotoluene             | ND     |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 591-78-6 | 2-Hexanone                  | ND     |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 106-43-4 | 4-Chlorotoluene             | ND     |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 67-64-1  | Acetone                     | ND     |      | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 71-43-2  | Benzene                     | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 108-86-1 | Bromobenzene                | ND     |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 74-97-5  | Bromochloromethane          | ND     |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 75-27-4  | Bromodichloromethane        | ND     |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 75-25-2  | Bromoform                   | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 74-83-9  | Bromomethane                | ND     |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 56-23-5  | Carbon tetrachloride        | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 108-90-7 | Chlorobenzene               | ND     |      | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 75-00-3  | Chloroethane                | ND     |      | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 67-66-3  | Chloroform                  | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 74-87-3  | Chloromethane               | ND     |      | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 156-59-2 | cis-1,2-Dichloroethylene    | ND     |      | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |

## Sample Information

**Client Sample ID:** WQ011413:1110NP2-10

**York Sample ID:** 13A0418-01

York Project (SDG) No.  
13A0418

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 11:10 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.                     | Parameter                        | Result        | Flag | Units | MDL                     | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|----------------------------------|---------------|------|-------|-------------------------|------|----------|------------------|--------------------|--------------------|---------|
| 10061-01-5                  | cis-1,3-Dichloropropylene        | ND            |      | ug/L  | 0.067                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 124-48-1                    | Dibromochloromethane             | ND            |      | ug/L  | 0.053                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 74-95-3                     | Dibromomethane                   | ND            |      | ug/L  | 0.12                    | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 75-71-8                     | Dichlorodifluoromethane          | ND            |      | ug/L  | 0.092                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 100-41-4                    | Ethyl Benzene                    | ND            |      | ug/L  | 0.057                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 87-68-3                     | Hexachlorobutadiene              | ND            |      | ug/L  | 0.12                    | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 98-82-8                     | Isopropylbenzene                 | ND            |      | ug/L  | 0.056                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 1634-04-4                   | Methyl tert-butyl ether (MTBE)   | ND            |      | ug/L  | 0.48                    | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 75-09-2                     | Methylene chloride               | ND            |      | ug/L  | 0.26                    | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 91-20-3                     | Naphthalene                      | <b>0.14</b>   | J, B | ug/L  | 0.090                   | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 104-51-8                    | n-Butylbenzene                   | ND            |      | ug/L  | 0.083                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 103-65-1                    | n-Propylbenzene                  | ND            |      | ug/L  | 0.068                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 95-47-6                     | o-Xylene                         | ND            |      | ug/L  | 0.050                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 1330-20-7P/M                | p- & m- Xylenes                  | ND            |      | ug/L  | 0.090                   | 1.0  | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 99-87-6                     | p-Isopropyltoluene               | ND            |      | ug/L  | 0.044                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 135-98-8                    | sec-Butylbenzene                 | ND            |      | ug/L  | 0.050                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 100-42-5                    | Styrene                          | ND            |      | ug/L  | 0.043                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 98-06-6                     | tert-Butylbenzene                | ND            |      | ug/L  | 0.050                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 127-18-4                    | Tetrachloroethylene              | ND            |      | ug/L  | 0.070                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 108-88-3                    | Toluene                          | ND            |      | ug/L  | 0.042                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 156-60-5                    | trans-1,2-Dichloroethylene       | ND            |      | ug/L  | 0.085                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 10061-02-6                  | trans-1,3-Dichloropropylene      | ND            |      | ug/L  | 0.060                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 79-01-6                     | Trichloroethylene                | ND            |      | ug/L  | 0.071                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 75-69-4                     | Trichlorofluoromethane           | ND            |      | ug/L  | 0.094                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 75-01-4                     | Vinyl Chloride                   | ND            |      | ug/L  | 0.062                   | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| 1330-20-7                   | Xylenes, Total                   | ND            |      | ug/L  | 0.12                    | 1.5  | 1        | EPA SW846-8260B  | 01/17/2013 08:20   | 01/17/2013 17:10   | SS      |
| <b>Surrogate Recoveries</b> |                                  | <b>Result</b> |      |       | <b>Acceptance Range</b> |      |          |                  |                    |                    |         |
| 17060-07-0                  | Surrogate: 1,2-Dichloroethane-d4 | 94.2 %        |      |       | 72.6-129                |      |          |                  |                    |                    |         |
| 460-00-4                    | Surrogate: p-Bromofluorobenzene  | 97.5 %        |      |       | 63.5-145                |      |          |                  |                    |                    |         |
| 2037-26-5                   | Surrogate: Toluene-d8            | 104 %         |      |       | 81.2-127                |      |          |                  |                    |                    |         |

## Sample Information

**Client Sample ID:** WQ011413:1110NP2-10

**York Sample ID:** 13A0418-01

York Project (SDG) No.  
13A0418

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 11:10 am

Date Received  
01/15/2013

**Iron, Dissolved by EPA 6010**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | ND     |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA SW846-6010B  | 01/16/2013 16:04   | 01/16/2013 19:09   | MW      |

**Iron by EPA 200.7**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3010A

| CAS No.   | Parameter | Result | Flag | Units | MDL    | RL     | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------|-----------|--------|------|-------|--------|--------|----------|------------------|--------------------|--------------------|---------|
| 7439-89-6 | Iron      | 12.7   |      | mg/L  | 0.0100 | 0.0200 | 1        | EPA 200.7        | 01/16/2013 16:04   | 01/16/2013 19:38   | MW      |

**Total Dissolved Solids**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

| CAS No. | Parameter              | Result | Flag | Units | MDL  | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|---------|------------------------|--------|------|-------|------|------|----------|------------------|--------------------|--------------------|---------|
|         | Total Dissolved Solids | 142    |      | mg/L  | 1.00 | 1.00 | 1        | SM 2540C         | 01/21/2013 16:23   | 01/21/2013 16:23   | ALD     |

## Analytical Batch Summary

**Batch ID:** BA30582

**Preparation Method:** EPA 3010A

**Prepared By:** MW

| YORK Sample ID | Client Sample ID    | Preparation Date |
|----------------|---------------------|------------------|
| 13A0416-01     | WQ011413:1100NP2-6  | 01/16/13         |
| 13A0416-01     | WQ011413:1100NP2-6  | 01/16/13         |
| 13A0416-02     | WQ011413:1105NP2-7  | 01/16/13         |
| 13A0416-02     | WQ011413:1105NP2-7  | 01/16/13         |
| 13A0418-01     | WQ011413:1110NP2-10 | 01/16/13         |
| 13A0418-01     | WQ011413:1110NP2-10 | 01/16/13         |
| BA30582-BLK1   | Blank               | 01/16/13         |
| BA30582-BLK1   | Blank               | 01/16/13         |
| BA30582-DUP1   | Duplicate           | 01/16/13         |
| BA30582-DUP1   | Duplicate           | 01/16/13         |
| BA30582-MS1    | Matrix Spike        | 01/16/13         |
| BA30582-MS1    | Matrix Spike        | 01/16/13         |
| BA30582-SRM1   | Reference           | 01/16/13         |
| BA30582-SRM1   | Reference           | 01/16/13         |

**Batch ID:** BA30593

**Preparation Method:** EPA 5030B

**Prepared By:** EKM

| YORK Sample ID | Client Sample ID    | Preparation Date |
|----------------|---------------------|------------------|
| 13A0418-01     | WQ011413:1110NP2-10 | 01/17/13         |
| BA30593-BLK1   | Blank               | 01/17/13         |
| BA30593-BS1    | LCS                 | 01/17/13         |
| BA30593-BSD1   | LCS Dup             | 01/17/13         |

**Batch ID:** BA30619

**Preparation Method:** EPA 5030B

**Prepared By:** EKM

| YORK Sample ID | Client Sample ID   | Preparation Date |
|----------------|--------------------|------------------|
| 13A0416-01     | WQ011413:1100NP2-6 | 01/17/13         |
| 13A0416-02     | WQ011413:1105NP2-7 | 01/17/13         |
| BA30619-BLK1   | Blank              | 01/17/13         |
| BA30619-BS1    | LCS                | 01/17/13         |
| BA30619-BSD1   | LCS Dup            | 01/17/13         |

**Batch ID:** BA30662

**Preparation Method:** % Solids Prep

**Prepared By:** JCC

| YORK Sample ID | Client Sample ID    | Preparation Date |
|----------------|---------------------|------------------|
| 13A0418-01     | WQ011413:1110NP2-10 | 01/21/13         |
| BA30662-BLK1   | Blank               | 01/21/13         |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC | %REC<br>Limits | Flag | RPD | RPD<br>Limit | Flag |
|---------|--------|--------------------|-------|----------------|-------------------|------|----------------|------|-----|--------------|------|
|---------|--------|--------------------|-------|----------------|-------------------|------|----------------|------|-----|--------------|------|

**Batch BA30593 - EPA 5030B**

**Blank (BA30593-BLK1)**

Prepared & Analyzed: 01/17/2013

|   |     |      |      |  |  |  |  |  |  |  |  |
|---|-----|------|------|--|--|--|--|--|--|--|--|
| 1,1,1,2-Tetrachloroethane                         | ND  | 0.50 | ug/L |  |  |  |  |  |  |  |  |
| 1,1,1-Trichloroethane                             | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1,2,2-Tetrachloroethane                         | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1,2-Trichloroethane                             | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1-Dichloroethane                                | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1-Dichloroethylene                              | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,1-Dichloropropylene                             | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2,3-Trichlorobenzene                            | ND  | 2.0  | "    |  |  |  |  |  |  |  |  |
| 1,2,3-Trichloropropane                            | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2,4-Trichlorobenzene                            | ND  | 2.0  | "    |  |  |  |  |  |  |  |  |
| 1,2,4-Trimethylbenzene                            | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dibromo-3-chloropropane                       | ND  | 2.0  | "    |  |  |  |  |  |  |  |  |
| 1,2-Dibromoethane                                 | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dichlorobenzene                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dichloroethane                                | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,2-Dichloropropane                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,3,5-Trimethylbenzene                            | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,3-Dichlorobenzene                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,3-Dichloropropane                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 1,4-Dichlorobenzene                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 2,2-Dichloropropane                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 2-Chlorotoluene                                   | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 2-Hexanone  | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| 4-Chlorotoluene                                   | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Acetone   | ND  | 2.0  | "    |  |  |  |  |  |  |  |  |
| Benzene   | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromobenzene                                      | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromochloromethane                                | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromodichloromethane                              | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromoform   | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Bromomethane                                      | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Carbon tetrachloride                              | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chlorobenzene                                     | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chloroethane                                      | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chloroform  | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Chloromethane                                     | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| cis-1,2-Dichloroethylene                          | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| cis-1,3-Dichloropropylene                         | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Dibromochloromethane                              | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Dibromomethane                                    | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Dichlorodifluoromethane                           | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Ethyl Benzene                                     | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Hexachlorobutadiene                               | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Isopropylbenzene                                  | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Methyl tert-butyl ether (MTBE)                    | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| Methylene chloride                                | ND  | 2.0  | "    |  |  |  |  |  |  |  |  |
| Naphthalene                                       | 1.0 | 2.0  | "    |  |  |  |  |  |  |  |  |
| n-Butylbenzene                                    | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| n-Propylbenzene                                   | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| o-Xylene  | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| p- & m- Xylenes                                   | ND  | 1.0  | "    |  |  |  |  |  |  |  |  |
| p-Isopropyltoluene                                | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |
| sec-Butylbenzene                                  | ND  | 0.50 | "    |  |  |  |  |  |  |  |  |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC<br>Limits | %REC<br>Limits | Flag | RPD | RPD<br>Limit | Flag |
|---------|--------|--------------------|-------|----------------|-------------------|----------------|----------------|------|-----|--------------|------|
|---------|--------|--------------------|-------|----------------|-------------------|----------------|----------------|------|-----|--------------|------|

**Batch BA30593 - EPA 5030B**

**Blank (BA30593-BLK1)**

Prepared & Analyzed: 01/17/2013

|                             |    |      |      |  |  |  |  |  |  |  |  |
|-----------------------------|----|------|------|--|--|--|--|--|--|--|--|
| Styrene                     | ND | 0.50 | ug/L |  |  |  |  |  |  |  |  |
| tert-Butylbenzene           | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Tetrachloroethylene         | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Toluene                     | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| trans-1,2-Dichloroethylene  | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| trans-1,3-Dichloropropylene | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Trichloroethylene           | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Trichlorofluoromethane      | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Vinyl Chloride              | ND | 0.50 | "    |  |  |  |  |  |  |  |  |
| Xylenes, Total              | ND | 1.5  | "    |  |  |  |  |  |  |  |  |

*Surrogate: 1,2-Dichloroethane-d4*

9.57

"

10.0

95.7

72.6-129

*Surrogate: p-Bromofluorobenzene*

9.52

"

10.0

95.2

63.5-145

*Surrogate: Toluene-d8*

10.3

"

10.0

103

81.2-127

**LCS (BA30593-BS1)**

Prepared & Analyzed: 01/17/2013

|   |      |  |      |      |  |      |          |  |  |  |  |
|---|------|--|------|------|--|------|----------|--|--|--|--|
| 1,1,1,2-Tetrachloroethane                         | 9.98 |  | ug/L | 10.0 |  | 99.8 | 82.3-130 |  |  |  |  |
| 1,1,1-Trichloroethane                             | 10.3 |  | "    | 10.0 |  | 103  | 75.6-137 |  |  |  |  |
| 1,1,2,2-Tetrachloroethane                         | 9.21 |  | "    | 10.0 |  | 92.1 | 71.3-131 |  |  |  |  |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 11.3 |  | "    | 10.0 |  | 113  | 71.1-129 |  |  |  |  |
| 1,1,2-Trichloroethane                             | 9.92 |  | "    | 10.0 |  | 99.2 | 74.5-129 |  |  |  |  |
| 1,1-Dichloroethane                                | 10.0 |  | "    | 10.0 |  | 100  | 79.6-132 |  |  |  |  |
| 1,1-Dichloroethylene                              | 9.86 |  | "    | 10.0 |  | 98.6 | 80.2-146 |  |  |  |  |
| 1,1-Dichloropropylene                             | 9.60 |  | "    | 10.0 |  | 96.0 | 75-136   |  |  |  |  |
| 1,2,3-Trichlorobenzene                            | 8.89 |  | "    | 10.0 |  | 88.9 | 66.1-136 |  |  |  |  |
| 1,2,3-Trichloropropane                            | 9.09 |  | "    | 10.0 |  | 90.9 | 63-131   |  |  |  |  |
| 1,2,4-Trichlorobenzene                            | 9.06 |  | "    | 10.0 |  | 90.6 | 70.6-136 |  |  |  |  |
| 1,2,4-Trimethylbenzene                            | 9.96 |  | "    | 10.0 |  | 99.6 | 75.3-135 |  |  |  |  |
| 1,2-Dibromo-3-chloropropane                       | 11.1 |  | "    | 10.0 |  | 111  | 58.9-140 |  |  |  |  |
| 1,2-Dibromoethane                                 | 9.86 |  | "    | 10.0 |  | 98.6 | 79-130   |  |  |  |  |
| 1,2-Dichlorobenzene                               | 9.30 |  | "    | 10.0 |  | 93.0 | 76.1-122 |  |  |  |  |
| 1,2-Dichloroethane                                | 9.67 |  | "    | 10.0 |  | 96.7 | 74.6-132 |  |  |  |  |
| 1,2-Dichloropropane                               | 10.1 |  | "    | 10.0 |  | 101  | 76.9-129 |  |  |  |  |
| 1,3,5-Trimethylbenzene                            | 9.65 |  | "    | 10.0 |  | 96.5 | 70.6-127 |  |  |  |  |
| 1,3-Dichlorobenzene                               | 9.15 |  | "    | 10.0 |  | 91.5 | 77-124   |  |  |  |  |
| 1,3-Dichloropropane                               | 10.2 |  | "    | 10.0 |  | 102  | 75.8-126 |  |  |  |  |
| 1,4-Dichlorobenzene                               | 9.21 |  | "    | 10.0 |  | 92.1 | 76.6-125 |  |  |  |  |
| 2,2-Dichloropropane                               | 10.5 |  | "    | 10.0 |  | 105  | 69-133   |  |  |  |  |
| 2-Chlorotoluene                                   | 8.96 |  | "    | 10.0 |  | 89.6 | 66.3-119 |  |  |  |  |
| 2-Hexanone  | 10.1 |  | "    | 10.0 |  | 101  | 70-130   |  |  |  |  |
| 4-Chlorotoluene                                   | 9.16 |  | "    | 10.0 |  | 91.6 | 69.2-127 |  |  |  |  |
| Acetone   | 8.45 |  | "    | 10.0 |  | 84.5 | 70-130   |  |  |  |  |
| Benzene   | 10.0 |  | "    | 10.0 |  | 100  | 76.2-129 |  |  |  |  |
| Bromobenzene                                      | 8.93 |  | "    | 10.0 |  | 89.3 | 71.3-123 |  |  |  |  |
| Bromochloromethane                                | 10.4 |  | "    | 10.0 |  | 104  | 70.8-137 |  |  |  |  |
| Bromodichloromethane                              | 10.3 |  | "    | 10.0 |  | 103  | 79.7-134 |  |  |  |  |
| Bromoform   | 9.39 |  | "    | 10.0 |  | 93.9 | 70.5-141 |  |  |  |  |
| Bromomethane                                      | 11.3 |  | "    | 10.0 |  | 113  | 43.9-147 |  |  |  |  |
| Carbon tetrachloride                              | 9.84 |  | "    | 10.0 |  | 98.4 | 78.1-138 |  |  |  |  |
| Chlorobenzene                                     | 9.91 |  | "    | 10.0 |  | 99.1 | 80.4-125 |  |  |  |  |
| Chloroethane                                      | 8.95 |  | "    | 10.0 |  | 89.5 | 55.8-140 |  |  |  |  |
| Chloroform  | 10.1 |  | "    | 10.0 |  | 101  | 76.6-133 |  |  |  |  |
| Chloromethane                                     | 8.12 |  | "    | 10.0 |  | 81.2 | 48.8-115 |  |  |  |  |
| cis-1,2-Dichloroethylene                          | 10.3 |  | "    | 10.0 |  | 103  | 75.1-128 |  |  |  |  |
| cis-1,3-Dichloropropylene                         | 10.7 |  | "    | 10.0 |  | 107  | 74.5-128 |  |  |  |  |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                                 | Result      | Reporting<br>Limit | Units    | Spike<br>Level | Source*<br>Result | %REC<br>Limits | Flag | RPD | RPD<br>Limit    | Flag |
|---|-------------|--------------------|----------|----------------|-------------------|----------------|------|-----|-----------------|------|
| <b>Batch BA30593 - EPA 5030B</b>        |             |                    |          |                |                   |                |      |     |                 |      |
| <b>LCS (BA30593-BS1)</b>                |             |                    |          |                |                   |                |      |     |                 |      |
| Prepared & Analyzed: 01/17/2013         |             |                    |          |                |                   |                |      |     |                 |      |
| Dibromochloromethane                    | 10.2        |                    | ug/L     | 10.0           |                   | 102            |      |     | 79.8-134        |      |
| Dibromomethane                          | 10.4        |                    | "        | 10.0           |                   | 104            |      |     | 79-130          |      |
| Dichlorodifluoromethane                 | 7.20        |                    | "        | 10.0           |                   | 72.0           |      |     | 47.1-101        |      |
| Ethyl Benzene                           | 10.3        |                    | "        | 10.0           |                   | 103            |      |     | 80.8-128        |      |
| Hexachlorobutadiene                     | 9.23        |                    | "        | 10.0           |                   | 92.3           |      |     | 64.8-128        |      |
| Isopropylbenzene                        | 9.22        |                    | "        | 10.0           |                   | 92.2           |      |     | 75.5-135        |      |
| Methyl tert-butyl ether (MTBE)          | 9.99        |                    | "        | 10.0           |                   | 99.9           |      |     | 65.1-140        |      |
| Methylene chloride                      | 8.15        |                    | "        | 10.0           |                   | 81.5           |      |     | 61.3-120        |      |
| Naphthalene                             | 9.89        |                    | "        | 10.0           |                   | 98.9           |      |     | 62.3-148        |      |
| n-Butylbenzene                          | 8.99        |                    | "        | 10.0           |                   | 89.9           |      |     | 67.2-123        |      |
| n-Propylbenzene                         | 8.97        |                    | "        | 10.0           |                   | 89.7           |      |     | 70.5-127        |      |
| o-Xylene                                | 10.0        |                    | "        | 10.0           |                   | 100            |      |     | 75.9-122        |      |
| p- & m- Xylenes                         | 20.3        |                    | "        | 20.0           |                   | 102            |      |     | 77.7-127        |      |
| p-Isopropyltoluene                      | 9.02        |                    | "        | 10.0           |                   | 90.2           |      |     | 75.6-129        |      |
| sec-Butylbenzene                        | 9.47        |                    | "        | 10.0           |                   | 94.7           |      |     | 71.5-125        |      |
| Styrene                                 | 12.2        |                    | "        | 10.0           |                   | 122            |      |     | 77.8-123        |      |
| tert-Butylbenzene                       | 8.63        |                    | "        | 10.0           |                   | 86.3           |      |     | 75.9-151        |      |
| Tetrachloroethylene                     | 9.59        |                    | "        | 10.0           |                   | 95.9           |      |     | 63.6-167        |      |
| Toluene                                 | 9.92        |                    | "        | 10.0           |                   | 99.2           |      |     | 77-123          |      |
| trans-1,2-Dichloroethylene              | 9.98        |                    | "        | 10.0           |                   | 99.8           |      |     | 76.3-139        |      |
| trans-1,3-Dichloropropylene             | 10.9        |                    | "        | 10.0           |                   | 109            |      |     | 72.5-137        |      |
| Trichloroethylene                       | 10.0        |                    | "        | 10.0           |                   | 100            |      |     | 77.9-130        |      |
| Trichlorofluoromethane                  | 9.62        |                    | "        | 10.0           |                   | 96.2           |      |     | 57.4-133        |      |
| Vinyl Chloride                          | 8.69        |                    | "        | 10.0           |                   | 86.9           |      |     | 54.9-124        |      |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>9.53</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>95.3</i>    |      |     | <i>72.6-129</i> |      |
| <i>Surrogate: p-Bromofluorobenzene</i>  | <i>9.15</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>91.5</i>    |      |     | <i>63.5-145</i> |      |
| <i>Surrogate: Toluene-d8</i>            | <i>10.3</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>103</i>     |      |     | <i>81.2-127</i> |      |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result | Reporting | Spike | Source* | %REC  | Flag     | RPD    |      |        |     |
|---|--------|-----------|-------|---------|-------|----------|--------|------|--------|-----|
|   |        | Limit     |       | Units   | Level |          | Result | %REC | Limits | RPD |
| <b>Batch BA30593 - EPA 5030B</b>                  |        |           |       |         |       |          |        |      |        |     |
| <b>LCS Dup (BA30593-BSD1)</b>                     |        |           |       |         |       |          |        |      |        |     |
| Prepared & Analyzed: 01/17/2013                   |        |           |       |         |       |          |        |      |        |     |
| 1,1,1,2-Tetrachloroethane                         | 9.67   |           | ug/L  | 10.0    | 96.7  | 82.3-130 | 3.16   | 21.1 |        |     |
| 1,1,1-Trichloroethane                             | 10.2   |           | "     | 10.0    | 102   | 75.6-137 | 1.07   | 19.7 |        |     |
| 1,1,2,2-Tetrachloroethane                         | 8.81   |           | "     | 10.0    | 88.1  | 71.3-131 | 4.44   | 20.8 |        |     |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 11.7   |           | "     | 10.0    | 117   | 71.1-129 | 3.66   | 21.7 |        |     |
| 1,1,2-Trichloroethane                             | 9.63   |           | "     | 10.0    | 96.3  | 74.5-129 | 2.97   | 20.3 |        |     |
| 1,1-Dichloroethane                                | 10.1   |           | "     | 10.0    | 101   | 79.6-132 | 0.496  | 20.6 |        |     |
| 1,1-Dichloroethylene                              | 9.99   |           | "     | 10.0    | 99.9  | 80.2-146 | 1.31   | 20   |        |     |
| 1,1-Dichloropropylene                             | 9.95   |           | "     | 10.0    | 99.5  | 75-136   | 3.58   | 19.3 |        |     |
| 1,2,3-Trichlorobenzene                            | 8.78   |           | "     | 10.0    | 87.8  | 66.1-136 | 1.25   | 21.6 |        |     |
| 1,2,3-Trichloropropane                            | 8.90   |           | "     | 10.0    | 89.0  | 63-131   | 2.11   | 23.9 |        |     |
| 1,2,4-Trichlorobenzene                            | 9.21   |           | "     | 10.0    | 92.1  | 70.6-136 | 1.64   | 21.7 |        |     |
| 1,2,4-Trimethylbenzene                            | 10.1   |           | "     | 10.0    | 101   | 75.3-135 | 0.999  | 18.8 |        |     |
| 1,2-Dibromo-3-chloropropane                       | 10.1   |           | "     | 10.0    | 101   | 58.9-140 | 9.36   | 27.7 |        |     |
| 1,2-Dibromoethane                                 | 9.47   |           | "     | 10.0    | 94.7  | 79-130   | 4.04   | 23   |        |     |
| 1,2-Dichlorobenzene                               | 9.28   |           | "     | 10.0    | 92.8  | 76.1-122 | 0.215  | 19.8 |        |     |
| 1,2-Dichloroethane                                | 9.48   |           | "     | 10.0    | 94.8  | 74.6-132 | 1.98   | 20.2 |        |     |
| 1,2-Dichloropropane                               | 9.88   |           | "     | 10.0    | 98.8  | 76.9-129 | 2.40   | 20.7 |        |     |
| 1,3,5-Trimethylbenzene                            | 10.1   |           | "     | 10.0    | 101   | 70.6-127 | 4.66   | 18.9 |        |     |
| 1,3-Dichlorobenzene                               | 9.35   |           | "     | 10.0    | 93.5  | 77-124   | 2.16   | 19.2 |        |     |
| 1,3-Dichloropropane                               | 9.57   |           | "     | 10.0    | 95.7  | 75.8-126 | 5.88   | 22.1 |        |     |
| 1,4-Dichlorobenzene                               | 9.21   |           | "     | 10.0    | 92.1  | 76.6-125 | 0.00   | 18.6 |        |     |
| 2,2-Dichloropropane                               | 10.5   |           | "     | 10.0    | 105   | 69-133   | 0.0952 | 19.8 |        |     |
| 2-Chlorotoluene                                   | 8.94   |           | "     | 10.0    | 89.4  | 66.3-119 | 0.223  | 21.6 |        |     |
| 2-Hexanone  | 9.13   |           | "     | 10.0    | 91.3  | 70-130   | 9.79   | 30   |        |     |
| 4-Chlorotoluene                                   | 9.38   |           | "     | 10.0    | 93.8  | 69.2-127 | 2.37   | 19   |        |     |
| Acetone   | 8.52   |           | "     | 10.0    | 85.2  | 70-130   | 0.825  | 30   |        |     |
| Benzene   | 10.1   |           | "     | 10.0    | 101   | 76.2-129 | 1.19   | 19   |        |     |
| Bromobenzene                                      | 9.18   |           | "     | 10.0    | 91.8  | 71.3-123 | 2.76   | 20.3 |        |     |
| Bromochloromethane                                | 10.0   |           | "     | 10.0    | 100   | 70.8-137 | 3.44   | 23.9 |        |     |
| Bromodichloromethane                              | 10.0   |           | "     | 10.0    | 100   | 79.7-134 | 3.24   | 21   |        |     |
| Bromoform   | 9.01   |           | "     | 10.0    | 90.1  | 70.5-141 | 4.13   | 21.8 |        |     |
| Bromomethane                                      | 11.4   |           | "     | 10.0    | 114   | 43.9-147 | 1.50   | 28.4 |        |     |
| Carbon tetrachloride                              | 10.1   |           | "     | 10.0    | 101   | 78.1-138 | 2.90   | 20.1 |        |     |
| Chlorobenzene                                     | 9.79   |           | "     | 10.0    | 97.9  | 80.4-125 | 1.22   | 19.9 |        |     |
| Chloroethane                                      | 8.89   |           | "     | 10.0    | 88.9  | 55.8-140 | 0.673  | 23.3 |        |     |
| Chloroform  | 10.2   |           | "     | 10.0    | 102   | 76.6-133 | 0.791  | 20.3 |        |     |
| Chloromethane                                     | 8.57   |           | "     | 10.0    | 85.7  | 48.8-115 | 5.39   | 24.5 |        |     |
| cis-1,2-Dichloroethylene                          | 10.2   |           | "     | 10.0    | 102   | 75.1-128 | 0.389  | 20.5 |        |     |
| cis-1,3-Dichloropropylene                         | 10.4   |           | "     | 10.0    | 104   | 74.5-128 | 2.18   | 19.9 |        |     |
| Dibromochloromethane                              | 9.84   |           | "     | 10.0    | 98.4  | 79.8-134 | 3.69   | 21.3 |        |     |
| Dibromomethane                                    | 9.78   |           | "     | 10.0    | 97.8  | 79-130   | 6.14   | 22.4 |        |     |
| Dichlorodifluoromethane                           | 7.10   |           | "     | 10.0    | 71.0  | 47.1-101 | 1.40   | 23.9 |        |     |
| Ethyl Benzene                                     | 10.4   |           | "     | 10.0    | 104   | 80.8-128 | 1.16   | 19.2 |        |     |
| Hexachlorobutadiene                               | 9.24   |           | "     | 10.0    | 92.4  | 64.8-128 | 0.108  | 20.6 |        |     |
| Isopropylbenzene                                  | 9.64   |           | "     | 10.0    | 96.4  | 75.5-135 | 4.45   | 20   |        |     |
| Methyl tert-butyl ether (MTBE)                    | 9.42   |           | "     | 10.0    | 94.2  | 65.1-140 | 5.87   | 23.6 |        |     |
| Methylene chloride                                | 8.06   |           | "     | 10.0    | 80.6  | 61.3-120 | 1.11   | 20.4 |        |     |
| Naphthalene                                       | 9.39   |           | "     | 10.0    | 93.9  | 62.3-148 | 5.19   | 27.1 |        |     |
| n-Butylbenzene                                    | 9.50   |           | "     | 10.0    | 95.0  | 67.2-123 | 5.52   | 19.1 |        |     |
| n-Propylbenzene                                   | 9.43   |           | "     | 10.0    | 94.3  | 70.5-127 | 5.00   | 23.4 |        |     |
| o-Xylene  | 9.79   |           | "     | 10.0    | 97.9  | 75.9-122 | 2.42   | 19.3 |        |     |
| p- & m- Xylenes                                   | 20.5   |           | "     | 20.0    | 102   | 77.7-127 | 0.735  | 18.6 |        |     |
| p-Isopropyltoluene                                | 9.38   |           | "     | 10.0    | 93.8  | 75.6-129 | 3.91   | 19.1 |        |     |
| sec-Butylbenzene                                  | 9.96   |           | "     | 10.0    | 99.6  | 71.5-125 | 5.04   | 18.9 |        |     |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting | Units | Spike | Source* | %REC | %REC | Flag | RPD    |     |
|---------|--------|-----------|-------|-------|---------|------|------|------|--------|-----|
|         |        | Limit     |       |       | Result  |      |      |      | Limits | RPD |

**Batch BA30593 - EPA 5030B**

**LCS Dup (BA30593-BSD1)**

Prepared & Analyzed: 01/17/2013

|   |             |  |          |             |  |             |                 |  |       |      |
|---|-------------|--|----------|-------------|--|-------------|-----------------|--|-------|------|
| Styrene                                 | 11.6        |  | ug/L     | 10.0        |  | 116         | 77.8-123        |  | 4.80  | 20.9 |
| tert-Butylbenzene                       | 9.02        |  | "        | 10.0        |  | 90.2        | 75.9-151        |  | 4.42  | 20.9 |
| Tetrachloroethylene                     | 9.64        |  | "        | 10.0        |  | 96.4        | 63.6-167        |  | 0.520 | 27.7 |
| Toluene                                 | 10.0        |  | "        | 10.0        |  | 100         | 77-123          |  | 0.903 | 18.7 |
| trans-1,2-Dichloroethylene              | 9.88        |  | "        | 10.0        |  | 98.8        | 76.3-139        |  | 1.01  | 19.5 |
| trans-1,3-Dichloropropylene             | 10.1        |  | "        | 10.0        |  | 101         | 72.5-137        |  | 7.82  | 19.3 |
| Trichloroethylene                       | 10.2        |  | "        | 10.0        |  | 102         | 77.9-130        |  | 2.37  | 20.5 |
| Trichlorofluoromethane                  | 9.73        |  | "        | 10.0        |  | 97.3        | 57.4-133        |  | 1.14  | 21.4 |
| Vinyl Chloride                          | 8.69        |  | "        | 10.0        |  | 86.9        | 54.9-124        |  | 0.00  | 22.3 |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>9.24</i> |  | <i>"</i> | <i>10.0</i> |  | <i>92.4</i> | <i>72.6-129</i> |  |       |      |
| <i>Surrogate: p-Bromofluorobenzene</i>  | <i>9.23</i> |  | <i>"</i> | <i>10.0</i> |  | <i>92.3</i> | <i>63.5-145</i> |  |       |      |
| <i>Surrogate: Toluene-d8</i>            | <i>10.3</i> |  | <i>"</i> | <i>10.0</i> |  | <i>103</i>  | <i>81.2-127</i> |  |       |      |

**Batch BA30619 - EPA 5030B**

**Blank (BA30619-BLK1)**

Prepared & Analyzed: 01/17/2013

|   |    |      |      |  |  |  |  |  |  |  |
|---|----|------|------|--|--|--|--|--|--|--|
| 1,1,1,2-Tetrachloroethane                         | ND | 0.50 | ug/L |  |  |  |  |  |  |  |
| 1,1,1-Trichloroethane                             | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1,2,2-Tetrachloroethane                         | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1,2-Trichloroethane                             | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1-Dichloroethane                                | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1-Dichloroethylene                              | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1-Dichloropropylene                             | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2,3-Trichlorobenzene                            | ND | 2.0  | "    |  |  |  |  |  |  |  |
| 1,2,3-Trichloropropane                            | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2,4-Trichlorobenzene                            | ND | 2.0  | "    |  |  |  |  |  |  |  |
| 1,2,4-Trimethylbenzene                            | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dibromo-3-chloropropane                       | ND | 2.0  | "    |  |  |  |  |  |  |  |
| 1,2-Dibromoethane                                 | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dichlorobenzene                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dichloroethane                                | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dichloropropane                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,3,5-Trimethylbenzene                            | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,3-Dichlorobenzene                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,3-Dichloropropane                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 1,4-Dichlorobenzene                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 2,2-Dichloropropane                               | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 2-Chlorotoluene                                   | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 2-Hexanone  | ND | 0.50 | "    |  |  |  |  |  |  |  |
| 4-Chlorotoluene                                   | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Acetone   | ND | 2.0  | "    |  |  |  |  |  |  |  |
| Benzene   | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Bromobenzene                                      | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Bromochloromethane                                | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Bromodichloromethane                              | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Bromoform   | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Bromomethane                                      | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Carbon tetrachloride                              | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Chlorobenzene                                     | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Chloroethane                                      | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Chloroform  | ND | 0.50 | "    |  |  |  |  |  |  |  |
| Chloromethane                                     | ND | 0.50 | "    |  |  |  |  |  |  |  |
| cis-1,2-Dichloroethylene                          | ND | 0.50 | "    |  |  |  |  |  |  |  |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC<br>Limits | Flag | RPD | Limit | Flag |
|---------|--------|--------------------|-------|----------------|-------------------|----------------|------|-----|-------|------|
|---------|--------|--------------------|-------|----------------|-------------------|----------------|------|-----|-------|------|

**Batch BA30619 - EPA 5030B**

**Blank (BA30619-BLK1)**

Prepared & Analyzed: 01/17/2013

|                                  |      |      |      |      |  |      |          |  |  |  |
|----------------------------------|------|------|------|------|--|------|----------|--|--|--|
| cis-1,3-Dichloropropylene        | ND   | 0.50 | ug/L |      |  |      |          |  |  |  |
| Dibromochloromethane             | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Dibromomethane                   | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Dichlorodifluoromethane          | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Ethyl Benzene                    | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Hexachlorobutadiene              | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Isopropylbenzene                 | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Methyl tert-butyl ether (MTBE)   | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Methylene chloride               | ND   | 2.0  | "    |      |  |      |          |  |  |  |
| Naphthalene                      | 0.84 | 2.0  | "    |      |  |      |          |  |  |  |
| n-Butylbenzene                   | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| n-Propylbenzene                  | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| o-Xylene                         | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| p- & m- Xylenes                  | ND   | 1.0  | "    |      |  |      |          |  |  |  |
| p-Isopropyltoluene               | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| sec-Butylbenzene                 | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Styrene                          | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| tert-Butylbenzene                | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Tetrachloroethylene              | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Toluene                          | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| trans-1,2-Dichloroethylene       | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| trans-1,3-Dichloropropylene      | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Trichloroethylene                | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Trichlorofluoromethane           | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Vinyl Chloride                   | ND   | 0.50 | "    |      |  |      |          |  |  |  |
| Xylenes, Total                   | ND   | 1.5  | "    |      |  |      |          |  |  |  |
| <hr/>                            |      |      |      |      |  |      |          |  |  |  |
| Surrogate: 1,2-Dichloroethane-d4 | 9.80 |      | "    | 10.0 |  | 98.0 | 72.6-129 |  |  |  |
| Surrogate: p-Bromofluorobenzene  | 9.57 |      | "    | 10.0 |  | 95.7 | 63.5-145 |  |  |  |
| Surrogate: Toluene-d8            | 10.5 |      | "    | 10.0 |  | 105  | 81.2-127 |  |  |  |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC<br>Limits | %REC<br>Limits | Flag | RPD | RPD<br>Limit | Flag                            |
|---|--------|--------------------|-------|----------------|-------------------|----------------|----------------|------|-----|--------------|---------------------------------|
| <b>Batch BA30619 - EPA 5030B</b>                  |        |                    |       |                |                   |                |                |      |     |              |                                 |
| <b>LCS (BA30619-BS1)</b>                          |        |                    |       |                |                   |                |                |      |     |              | Prepared & Analyzed: 01/17/2013 |
| 1,1,1,2-Tetrachloroethane                         | 9.57   |                    | ug/L  | 10.0           |                   | 95.7           | 82.3-130       |      |     |              |                                 |
| 1,1,1-Trichloroethane                             | 9.72   |                    | "     | 10.0           |                   | 97.2           | 75.6-137       |      |     |              |                                 |
| 1,1,2,2-Tetrachloroethane                         | 9.52   |                    | "     | 10.0           |                   | 95.2           | 71.3-131       |      |     |              |                                 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 10.7   |                    | "     | 10.0           |                   | 107            | 71.1-129       |      |     |              |                                 |
| 1,1,2-Trichloroethane                             | 9.69   |                    | "     | 10.0           |                   | 96.9           | 74.5-129       |      |     |              |                                 |
| 1,1-Dichloroethane                                | 9.31   |                    | "     | 10.0           |                   | 93.1           | 79.6-132       |      |     |              |                                 |
| 1,1-Dichloroethylene                              | 9.21   |                    | "     | 10.0           |                   | 92.1           | 80.2-146       |      |     |              |                                 |
| 1,1-Dichloropropylene                             | 9.12   |                    | "     | 10.0           |                   | 91.2           | 75-136         |      |     |              |                                 |
| 1,2,3-Trichlorobenzene                            | 8.71   |                    | "     | 10.0           |                   | 87.1           | 66.1-136       |      |     |              |                                 |
| 1,2,3-Trichloropropane                            | 8.68   |                    | "     | 10.0           |                   | 86.8           | 63-131         |      |     |              |                                 |
| 1,2,4-Trichlorobenzene                            | 9.22   |                    | "     | 10.0           |                   | 92.2           | 70.6-136       |      |     |              |                                 |
| 1,2,4-Trimethylbenzene                            | 9.75   |                    | "     | 10.0           |                   | 97.5           | 75.3-135       |      |     |              |                                 |
| 1,2-Dibromo-3-chloropropane                       | 10.4   |                    | "     | 10.0           |                   | 104            | 58.9-140       |      |     |              |                                 |
| 1,2-Dibromoethane                                 | 9.52   |                    | "     | 10.0           |                   | 95.2           | 79-130         |      |     |              |                                 |
| 1,2-Dichlorobenzene                               | 9.62   |                    | "     | 10.0           |                   | 96.2           | 76.1-122       |      |     |              |                                 |
| 1,2-Dichloroethane                                | 9.23   |                    | "     | 10.0           |                   | 92.3           | 74.6-132       |      |     |              |                                 |
| 1,2-Dichloropropane                               | 9.81   |                    | "     | 10.0           |                   | 98.1           | 76.9-129       |      |     |              |                                 |
| 1,3,5-Trimethylbenzene                            | 9.82   |                    | "     | 10.0           |                   | 98.2           | 70.6-127       |      |     |              |                                 |
| 1,3-Dichlorobenzene                               | 9.41   |                    | "     | 10.0           |                   | 94.1           | 77-124         |      |     |              |                                 |
| 1,3-Dichloropropane                               | 9.71   |                    | "     | 10.0           |                   | 97.1           | 75.8-126       |      |     |              |                                 |
| 1,4-Dichlorobenzene                               | 9.60   |                    | "     | 10.0           |                   | 96.0           | 76.6-125       |      |     |              |                                 |
| 2,2-Dichloropropane                               | 7.52   |                    | "     | 10.0           |                   | 75.2           | 69-133         |      |     |              |                                 |
| 2-Chlorotoluene                                   | 8.86   |                    | "     | 10.0           |                   | 88.6           | 66.3-119       |      |     |              |                                 |
| 2-Hexanone  | 9.04   |                    | "     | 10.0           |                   | 90.4           | 70-130         |      |     |              |                                 |
| 4-Chlorotoluene                                   | 9.30   |                    | "     | 10.0           |                   | 93.0           | 69.2-127       |      |     |              |                                 |
| Acetone   | 8.62   |                    | "     | 10.0           |                   | 86.2           | 70-130         |      |     |              |                                 |
| Benzene   | 9.61   |                    | "     | 10.0           |                   | 96.1           | 76.2-129       |      |     |              |                                 |
| Bromobenzene                                      | 9.09   |                    | "     | 10.0           |                   | 90.9           | 71.3-123       |      |     |              |                                 |
| Bromochloromethane                                | 9.43   |                    | "     | 10.0           |                   | 94.3           | 70.8-137       |      |     |              |                                 |
| Bromodichloromethane                              | 10.0   |                    | "     | 10.0           |                   | 100            | 79.7-134       |      |     |              |                                 |
| Bromoform   | 9.07   |                    | "     | 10.0           |                   | 90.7           | 70.5-141       |      |     |              |                                 |
| Bromomethane                                      | 9.22   |                    | "     | 10.0           |                   | 92.2           | 43.9-147       |      |     |              |                                 |
| Carbon tetrachloride                              | 9.24   |                    | "     | 10.0           |                   | 92.4           | 78.1-138       |      |     |              |                                 |
| Chlorobenzene                                     | 9.76   |                    | "     | 10.0           |                   | 97.6           | 80.4-125       |      |     |              |                                 |
| Chloroethane                                      | 8.62   |                    | "     | 10.0           |                   | 86.2           | 55.8-140       |      |     |              |                                 |
| Chloroform  | 9.60   |                    | "     | 10.0           |                   | 96.0           | 76.6-133       |      |     |              |                                 |
| Chloromethane                                     | 7.92   |                    | "     | 10.0           |                   | 79.2           | 48.8-115       |      |     |              |                                 |
| cis-1,2-Dichloroethylene                          | 9.86   |                    | "     | 10.0           |                   | 98.6           | 75.1-128       |      |     |              |                                 |
| cis-1,3-Dichloropropylene                         | 9.83   |                    | "     | 10.0           |                   | 98.3           | 74.5-128       |      |     |              |                                 |
| Dibromochloromethane                              | 9.37   |                    | "     | 10.0           |                   | 93.7           | 79.8-134       |      |     |              |                                 |
| Dibromomethane                                    | 9.94   |                    | "     | 10.0           |                   | 99.4           | 79-130         |      |     |              |                                 |
| Dichlorodifluoromethane                           | 6.82   |                    | "     | 10.0           |                   | 68.2           | 47.1-101       |      |     |              |                                 |
| Ethyl Benzene                                     | 10.1   |                    | "     | 10.0           |                   | 101            | 80.8-128       |      |     |              |                                 |
| Hexachlorobutadiene                               | 9.23   |                    | "     | 10.0           |                   | 92.3           | 64.8-128       |      |     |              |                                 |
| Isopropylbenzene                                  | 9.45   |                    | "     | 10.0           |                   | 94.5           | 75.5-135       |      |     |              |                                 |
| Methyl tert-butyl ether (MTBE)                    | 9.06   |                    | "     | 10.0           |                   | 90.6           | 65.1-140       |      |     |              |                                 |
| Methylene chloride                                | 7.63   |                    | "     | 10.0           |                   | 76.3           | 61.3-120       |      |     |              |                                 |
| Naphthalene                                       | 9.88   |                    | "     | 10.0           |                   | 98.8           | 62.3-148       |      |     |              |                                 |
| n-Butylbenzene                                    | 9.08   |                    | "     | 10.0           |                   | 90.8           | 67.2-123       |      |     |              |                                 |
| n-Propylbenzene                                   | 9.31   |                    | "     | 10.0           |                   | 93.1           | 70.5-127       |      |     |              |                                 |
| o-Xylene  | 9.71   |                    | "     | 10.0           |                   | 97.1           | 75.9-122       |      |     |              |                                 |
| p- & m- Xylenes                                   | 19.9   |                    | "     | 20.0           |                   | 99.6           | 77.7-127       |      |     |              |                                 |
| p-Isopropyltoluene                                | 9.22   |                    | "     | 10.0           |                   | 92.2           | 75.6-129       |      |     |              |                                 |
| sec-Butylbenzene                                  | 9.74   |                    | "     | 10.0           |                   | 97.4           | 71.5-125       |      |     |              |                                 |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result      | Reporting | Units    | Spike<br>Level | Source*                         | %REC<br>Limits  | Flag  | RPD  |     |       |
|---|-------------|-----------|----------|----------------|---------------------------------|-----------------|-------|------|-----|-------|
|   |             | Limit     |          |                | Result                          |                 |       | %REC | RPD | Limit |
| <b>Batch BA30619 - EPA 5030B</b>                  |             |           |          |                |                                 |                 |       |      |     |       |
| <b>LCS (BA30619-BS1)</b>                          |             |           |          |                | Prepared & Analyzed: 01/17/2013 |                 |       |      |     |       |
| Styrene   | 11.1        |           | ug/L     | 10.0           | 111                             | 77.8-123        |       |      |     |       |
| tert-Butylbenzene                                 | 8.89        |           | "        | 10.0           | 88.9                            | 75.9-151        |       |      |     |       |
| Tetrachloroethylene                               | 9.63        |           | "        | 10.0           | 96.3                            | 63.6-167        |       |      |     |       |
| Toluene   | 9.77        |           | "        | 10.0           | 97.7                            | 77-123          |       |      |     |       |
| trans-1,2-Dichloroethylene                        | 9.24        |           | "        | 10.0           | 92.4                            | 76.3-139        |       |      |     |       |
| trans-1,3-Dichloropropylene                       | 9.63        |           | "        | 10.0           | 96.3                            | 72.5-137        |       |      |     |       |
| Trichloroethylene                                 | 9.99        |           | "        | 10.0           | 99.9                            | 77.9-130        |       |      |     |       |
| Trichlorofluoromethane                            | 9.00        |           | "        | 10.0           | 90.0                            | 57.4-133        |       |      |     |       |
| Vinyl Chloride                                    | 8.20        |           | "        | 10.0           | 82.0                            | 54.9-124        |       |      |     |       |
| <i>Surrogate: 1,2-Dichloroethane-d4</i>           | <i>9.36</i> |           | <i>"</i> | <i>10.0</i>    | <i>93.6</i>                     | <i>72.6-129</i> |       |      |     |       |
| <i>Surrogate: p-Bromofluorobenzene</i>            | <i>9.49</i> |           | <i>"</i> | <i>10.0</i>    | <i>94.9</i>                     | <i>63.5-145</i> |       |      |     |       |
| <i>Surrogate: Toluene-d8</i>                      | <i>10.0</i> |           | <i>"</i> | <i>10.0</i>    | <i>100</i>                      | <i>81.2-127</i> |       |      |     |       |
| <b>LCS Dup (BA30619-BSD1)</b>                     |             |           |          |                | Prepared & Analyzed: 01/17/2013 |                 |       |      |     |       |
| 1,1,1,2-Tetrachloroethane                         | 9.90        |           | ug/L     | 10.0           | 99.0                            | 82.3-130        | 3.39  | 21.1 |     |       |
| 1,1,1-Trichloroethane                             | 10.8        |           | "        | 10.0           | 108                             | 75.6-137        | 10.2  | 19.7 |     |       |
| 1,1,2,2-Tetrachloroethane                         | 9.81        |           | "        | 10.0           | 98.1                            | 71.3-131        | 3.00  | 20.8 |     |       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 12.1        |           | "        | 10.0           | 121                             | 71.1-129        | 12.4  | 21.7 |     |       |
| 1,1,2-Trichloroethane                             | 9.46        |           | "        | 10.0           | 94.6                            | 74.5-129        | 2.40  | 20.3 |     |       |
| 1,1-Dichloroethane                                | 10.7        |           | "        | 10.0           | 107                             | 79.6-132        | 13.5  | 20.6 |     |       |
| 1,1-Dichloroethylene                              | 10.2        |           | "        | 10.0           | 102                             | 80.2-146        | 10.7  | 20   |     |       |
| 1,1-Dichloropropylene                             | 10.4        |           | "        | 10.0           | 104                             | 75-136          | 12.6  | 19.3 |     |       |
| 1,2,3-Trichlorobenzene                            | 9.55        |           | "        | 10.0           | 95.5                            | 66.1-136        | 9.20  | 21.6 |     |       |
| 1,2,3-Trichloropropane                            | 9.05        |           | "        | 10.0           | 90.5                            | 63-131          | 4.17  | 23.9 |     |       |
| 1,2,4-Trichlorobenzene                            | 9.61        |           | "        | 10.0           | 96.1                            | 70.6-136        | 4.14  | 21.7 |     |       |
| 1,2,4-Trimethylbenzene                            | 9.13        |           | "        | 10.0           | 91.3                            | 75.3-135        | 6.57  | 18.8 |     |       |
| 1,2-Dibromo-3-chloropropane                       | 10.1        |           | "        | 10.0           | 101                             | 58.9-140        | 2.93  | 27.7 |     |       |
| 1,2-Dibromoethane                                 | 9.68        |           | "        | 10.0           | 96.8                            | 79-130          | 1.67  | 23   |     |       |
| 1,2-Dichlorobenzene                               | 9.81        |           | "        | 10.0           | 98.1                            | 76.1-122        | 1.96  | 19.8 |     |       |
| 1,2-Dichloroethane                                | 10.3        |           | "        | 10.0           | 103                             | 74.6-132        | 11.2  | 20.2 |     |       |
| 1,2-Dichloropropane                               | 10.2        |           | "        | 10.0           | 102                             | 76.9-129        | 3.41  | 20.7 |     |       |
| 1,3,5-Trimethylbenzene                            | 9.62        |           | "        | 10.0           | 96.2                            | 70.6-127        | 2.06  | 18.9 |     |       |
| 1,3-Dichlorobenzene                               | 9.45        |           | "        | 10.0           | 94.5                            | 77-124          | 0.424 | 19.2 |     |       |
| 1,3-Dichloropropane                               | 9.85        |           | "        | 10.0           | 98.5                            | 75.8-126        | 1.43  | 22.1 |     |       |
| 1,4-Dichlorobenzene                               | 9.61        |           | "        | 10.0           | 96.1                            | 76.6-125        | 0.104 | 18.6 |     |       |
| 2,2-Dichloropropane                               | 8.24        |           | "        | 10.0           | 82.4                            | 69-133          | 9.14  | 19.8 |     |       |
| 2-Chlorotoluene                                   | 9.09        |           | "        | 10.0           | 90.9                            | 66.3-119        | 2.56  | 21.6 |     |       |
| 2-Hexanone  | 9.25        |           | "        | 10.0           | 92.5                            | 70-130          | 2.30  | 30   |     |       |
| 4-Chlorotoluene                                   | 9.63        |           | "        | 10.0           | 96.3                            | 69.2-127        | 3.49  | 19   |     |       |
| Acetone   | 7.81        |           | "        | 10.0           | 78.1                            | 70-130          | 9.86  | 30   |     |       |
| Benzene   | 10.8        |           | "        | 10.0           | 108                             | 76.2-129        | 11.9  | 19   |     |       |
| Bromobenzene                                      | 9.19        |           | "        | 10.0           | 91.9                            | 71.3-123        | 1.09  | 20.3 |     |       |
| Bromochloromethane                                | 10.2        |           | "        | 10.0           | 102                             | 70.8-137        | 8.33  | 23.9 |     |       |
| Bromodichloromethane                              | 10.2        |           | "        | 10.0           | 102                             | 79.7-134        | 2.47  | 21   |     |       |
| Bromoform   | 9.18        |           | "        | 10.0           | 91.8                            | 70.5-141        | 1.21  | 21.8 |     |       |
| Bromomethane                                      | 10.7        |           | "        | 10.0           | 107                             | 43.9-147        | 14.6  | 28.4 |     |       |
| Carbon tetrachloride                              | 10.5        |           | "        | 10.0           | 105                             | 78.1-138        | 12.7  | 20.1 |     |       |
| Chlorobenzene                                     | 10.1        |           | "        | 10.0           | 101                             | 80.4-125        | 3.13  | 19.9 |     |       |
| Chloroethane                                      | 9.21        |           | "        | 10.0           | 92.1                            | 55.8-140        | 6.62  | 23.3 |     |       |
| Chloroform  | 10.6        |           | "        | 10.0           | 106                             | 76.6-133        | 10.1  | 20.3 |     |       |
| Chloromethane                                     | 9.08        |           | "        | 10.0           | 90.8                            | 48.8-115        | 13.6  | 24.5 |     |       |
| cis-1,2-Dichloroethylene                          | 11.1        |           | "        | 10.0           | 111                             | 75.1-128        | 11.7  | 20.5 |     |       |
| cis-1,3-Dichloropropylene                         | 10.0        |           | "        | 10.0           | 100                             | 74.5-128        | 2.21  | 19.9 |     |       |
| Dibromochloromethane                              | 9.74        |           | "        | 10.0           | 97.4                            | 79.8-134        | 3.87  | 21.3 |     |       |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                                 | Result      | Reporting<br>Limit | Units    | Spike<br>Level | Source*<br>Result | %REC<br>Limits       | Flag | RPD  | RPD<br>Limit | Flag                            |
|---|-------------|--------------------|----------|----------------|-------------------|----------------------|------|------|--------------|---------------------------------|
| <b>Batch BA30619 - EPA 5030B</b>        |             |                    |          |                |                   |                      |      |      |              |                                 |
| <b>LCS Dup (BA30619-BSD1)</b>           |             |                    |          |                |                   |                      |      |      |              |                                 |
|   |             |                    |          |                |                   |                      |      |      |              | Prepared & Analyzed: 01/17/2013 |
| Dibromomethane                          | 10.2        |                    | ug/L     | 10.0           |                   | 102 79-130           |      | 2.29 | 22.4         |                                 |
| Dichlorodifluoromethane                 | 7.44        |                    | "        | 10.0           |                   | 74.4 47.1-101        |      | 8.70 | 23.9         |                                 |
| Ethyl Benzene                           | 10.3        |                    | "        | 10.0           |                   | 103 80.8-128         |      | 2.15 | 19.2         |                                 |
| Hexachlorobutadiene                     | 9.40        |                    | "        | 10.0           |                   | 94.0 64.8-128        |      | 1.83 | 20.6         |                                 |
| Isopropylbenzene                        | 9.75        |                    | "        | 10.0           |                   | 97.5 75.5-135        |      | 3.12 | 20           |                                 |
| Methyl tert-butyl ether (MTBE)          | 9.87        |                    | "        | 10.0           |                   | 98.7 65.1-140        |      | 8.56 | 23.6         |                                 |
| Methylene chloride                      | 8.25        |                    | "        | 10.0           |                   | 82.5 61.3-120        |      | 7.81 | 20.4         |                                 |
| Naphthalene                             | 9.60        |                    | "        | 10.0           |                   | 96.0 62.3-148        |      | 2.87 | 27.1         |                                 |
| n-Butylbenzene                          | 9.25        |                    | "        | 10.0           |                   | 92.5 67.2-123        |      | 1.85 | 19.1         |                                 |
| n-Propylbenzene                         | 9.46        |                    | "        | 10.0           |                   | 94.6 70.5-127        |      | 1.60 | 23.4         |                                 |
| o-Xylene                                | 10.1        |                    | "        | 10.0           |                   | 101 75.9-122         |      | 3.54 | 19.3         |                                 |
| p- & m- Xylenes                         | 20.2        |                    | "        | 20.0           |                   | 101 77.7-127         |      | 1.69 | 18.6         |                                 |
| p-Isopropyltoluene                      | 9.42        |                    | "        | 10.0           |                   | 94.2 75.6-129        |      | 2.15 | 19.1         |                                 |
| sec-Butylbenzene                        | 9.90        |                    | "        | 10.0           |                   | 99.0 71.5-125        |      | 1.63 | 18.9         |                                 |
| Styrene                                 | 9.89        |                    | "        | 10.0           |                   | 98.9 77.8-123        |      | 11.6 | 20.9         |                                 |
| tert-Butylbenzene                       | 9.17        |                    | "        | 10.0           |                   | 91.7 75.9-151        |      | 3.10 | 20.9         |                                 |
| Tetrachloroethylene                     | 9.86        |                    | "        | 10.0           |                   | 98.6 63.6-167        |      | 2.36 | 27.7         |                                 |
| Toluene                                 | 10.0        |                    | "        | 10.0           |                   | 100 77-123           |      | 2.43 | 18.7         |                                 |
| trans-1,2-Dichloroethylene              | 10.2        |                    | "        | 10.0           |                   | 102 76.3-139         |      | 9.68 | 19.5         |                                 |
| trans-1,3-Dichloropropylene             | 9.77        |                    | "        | 10.0           |                   | 97.7 72.5-137        |      | 1.44 | 19.3         |                                 |
| Trichloroethylene                       | 10.5        |                    | "        | 10.0           |                   | 105 77.9-130         |      | 5.07 | 20.5         |                                 |
| Trichlorofluoromethane                  | 10.0        |                    | "        | 10.0           |                   | 100 57.4-133         |      | 10.6 | 21.4         |                                 |
| Vinyl Chloride                          | 9.09        |                    | "        | 10.0           |                   | 90.9 54.9-124        |      | 10.3 | 22.3         |                                 |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>9.73</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>97.3 72.6-129</i> |      |      |              |                                 |
| <i>Surrogate: p-Bromofluorobenzene</i>  | <i>9.43</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>94.3 63.5-145</i> |      |      |              |                                 |
| <i>Surrogate: Toluene-d8</i>            | <i>10.4</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>104 81.2-127</i>  |      |      |              |                                 |

## Metals by EPA 6000 Series Methods - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte  | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC | %REC<br>Limits                  | Flag | RPD | RPD<br>Limit | Flag |
|--|--------|--------------------|-------|----------------|-------------------|------|---------------------------------|------|-----|--------------|------|
| <b>Batch BA30582 - EPA 3010A</b>                 |        |                    |       |                |                   |      |                                 |      |     |              |      |
| <b>Blank (BA30582-BLK1)</b>                      |        |                    |       |                |                   |      | Prepared & Analyzed: 01/16/2013 |      |     |              |      |
| Iron - Dissolved                                 | ND     | 0.0200             | mg/L  |                |                   |      |                                 |      |     |              |      |
| <b>Duplicate (BA30582-DUP1)</b>                  |        |                    |       |                |                   |      | Prepared & Analyzed: 01/16/2013 |      |     |              |      |
| *Source sample: 13A0418-01 (WQ011413:1110NP2-10) |        |                    |       |                |                   |      |                                 |      |     |              |      |
| Iron - Dissolved                                 | 0.0128 | 0.0200             | mg/L  |                | ND                |      |                                 |      |     | 20           |      |
| <b>Matrix Spike (BA30582-MS1)</b>                |        |                    |       |                |                   |      | Prepared & Analyzed: 01/16/2013 |      |     |              |      |
| *Source sample: 13A0418-01 (WQ011413:1110NP2-10) |        |                    |       |                |                   |      |                                 |      |     |              |      |
| Iron - Dissolved                                 | 1.06   | 0.0200             | mg/L  | 1.00           | ND                | 106  | 75-125                          |      |     |              |      |
| <b>Reference (BA30582-SRM1)</b>                  |        |                    |       |                |                   |      | Prepared & Analyzed: 01/16/2013 |      |     |              |      |
| Iron - Dissolved                                 | 0.450  | 0.0200             | mg/L  | 0.462          |                   | 97.3 | 87.9-114                        |      |     |              |      |

## Metals by EPA 200 Series Methods - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                           | Result   | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC | %REC<br>Limits | Flag                            | RPD    | RPD<br>Limit | Flag |
|-----------------------------------|--|--------------------|-------|----------------|-------------------|------|----------------|---------------------------------|--------|--------------|------|
| <b>Batch BA30582 - EPA 3010A</b>  |  |                    |       |                |                   |      |                |                                 |        |              |      |
| <b>Blank (BA30582-BLK1)</b>       |  |                    |       |                |                   |      |                | Prepared & Analyzed: 01/16/2013 |        |              |      |
| Iron                              | ND   | 0.0200             | mg/L  |                |                   |      |                |                                 |        |              |      |
| <b>Duplicate (BA30582-DUP1)</b>   |  |                    |       |                |                   |      |                | Prepared & Analyzed: 01/16/2013 |        |              |      |
|                                   | *Source sample: 13A0418-01 (WQ011413:1110NP2-10) |                    |       |                |                   |      |                |                                 |        |              |      |
| Iron                              | 12.7   | 0.0200             | mg/L  |                | 12.7              |      |                |                                 | 0.0348 | 20           |      |
| <b>Matrix Spike (BA30582-MS1)</b> |  |                    |       |                |                   |      |                | Prepared & Analyzed: 01/16/2013 |        |              |      |
|                                   | *Source sample: 13A0418-01 (WQ011413:1110NP2-10) |                    |       |                |                   |      |                |                                 |        |              |      |
| Iron                              | 13.8   | 0.0200             | mg/L  | 1.00           | 12.7              | 115  | 75-125         |                                 |        |              |      |
| <b>Reference (BA30582-SRM1)</b>   |  |                    |       |                |                   |      |                | Prepared & Analyzed: 01/16/2013 |        |              |      |
| Iron                              | 0.450  | 0.0200             | mg/L  | 0.462          |                   | 97.3 | 87.9-114       |                                 |        |              |      |

## Miscellaneous Physical/Conventional Chemistry Parameters - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source* Result | %REC | %REC Limits | Flag | RPD | RPD Limit | Flag |
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|

#### Batch BA30662 - % Solids Prep

#### Blank (BA30662-BLK1)

Prepared & Analyzed: 01/21/2013

|                        |    |      |      |  |  |  |  |  |  |  |  |
|------------------------|----|------|------|--|--|--|--|--|--|--|--|
| Total Dissolved Solids | ND | 1.00 | mg/L |  |  |  |  |  |  |  |  |
|------------------------|----|------|------|--|--|--|--|--|--|--|--|

## Volatile Analysis Sample Containers

| Lab ID     | Client Sample ID    | Volatile Sample Container                     |
|------------|---------------------|---|
| 13A0416-01 | WQ011413:1100NP2-6  | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |
| 13A0416-02 | WQ011413:1105NP2-7  | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |
| 13A0418-01 | WQ011413:1110NP2-10 | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |

### Notes and Definitions

- VOA-CO The result reported is most likely due to carryover from a previous sample run in the batch. Data user should take note.
- J Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
- B Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants. Data users should consider anything <10x the blank value as artifact.
- 
- ND Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
- RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
- MDL METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
- NR Not reported
- RPD Relative Percent Difference
- Wet The data has been reported on an as-received (wet weight) basis
- Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- Non-Dir. Non-dir. flag (Non-Directional Bias ) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the MDL, with values between the MDL and the RL being "J" flagged as estimated results.

# Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 13A0416

| YOUR INFORMATION   |                       | Report To:            |  | Invoice To:           |  | YOUR PROJECT ID                         |  | Turn-Around Time                                       |  | Report Type                                |  |
|--|-----------------------|-----------------------|--|-----------------------|--|---|--|--|--|--|--|
| Company: <u>LBG</u>  | Company: <u>Same</u>  | Company: <u>Same</u>  |  | Company: <u>Same</u>  |  | YOUR PROJECT ID: <u>Rowe Industries</u> |  | RUSH - Same Day <input type="checkbox"/>               |  | Summary Report <u>X</u> , pdf              |  |
| Address: <u>4 Research Dr. Suite 301 Shelton, CT 06484</u> | Address: _____        | Address: _____        |  | Address: _____        |  | Purchase Order No. <u>NAB5A6</u>        |  | RUSH - Next Day <input type="checkbox"/>               |  | Summary w/ QA Summary <u>X</u> , pdf       |  |
| Phone No. <u>203-929-8555</u>                              | Phone No. _____       | Phone No. _____       |  | Phone No. _____       |  |   |  | RUSH - Two Day <input type="checkbox"/>                |  | CT RCP Package                             |  |
| Contact Person: <u>Tunde Sandor</u>                        | Attention: _____      | Attention: _____      |  | Attention: _____      |  |   |  | RUSH - Three Day <input type="checkbox"/>              |  | CTRCP DQ/DUE Pkg                           |  |
| E-Mail Address: <u>TSandor@lbgct.com</u>                   | E-Mail Address: _____ | E-Mail Address: _____ |  | E-Mail Address: _____ |  |   |  | RUSH - Four Day <input type="checkbox"/>               |  | NY ASP A Package                           |  |
|  |                       |                       |  |                       |  |   |  | Standard(5-7 Days) <input checked="" type="checkbox"/> |  | NY ASP B Package <u>NB2-10 only</u> , pdf. |  |
|  |                       |                       |  |                       |  |   |  |  |  | NIDEP Red. Deliv.                          |  |
|  |                       |                       |  |                       |  |   |  |  |  | Electronic Data Deliverables (EDD)         |  |

**Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.**

Samples Collected/Authorized By (Signature) \_\_\_\_\_  
Name (printed) STEPHEN HAT

| Matrix Codes                | Volatiles    | Semi-Vols    | Metals       | Misc. Org. | Full Lists      | Misc.         |
|-----------------------------|--------------|--------------|--------------|------------|-----------------|---------------|
| S - soil                    | 8260 full    | 8270 & 625   | TPH GRO      | TPH GRO    | Pt.Poll.        | Corrosivity   |
| Other - specify (oil, etc.) | TICs         | STARS list   | RCRA8        | TPH DRO    | TCL Orgs        | Reactivity    |
| WW - wastewater             | Site Spec    | BN Only      | PP13 list    | CT ETHP    | TAL-MeCN        | Ignitability  |
| GW - groundwater            | Nassau Co.   | Acids Only   | TAL          | NY 310-13  | Full TCLP       | Flash Point   |
| DW - drinking water         | Suffolk Co.  | PAH list     | CT RCP       | TPH 1664   | Full App IX     | Sieve Anal.   |
| Air-A - ambient air         | Ketones      | TAGM list    | App. IX      | Air TO14A  | Pat 360-ROxide  | Heterocyclics |
| Air-SV - soil vapor         | Oxygenates   | CT RCP list  | Site Spec.   | Air TO15   | Pat 360-Benzene | TDX           |
|                             | TCLP list    | TCLP list    | SPLP or TCLP | Air STARS  | Pat 360-Sulfide | BTU/b.        |
|                             | TAGM list    | CT RCP list  | Dissolved    | Air VPH    | Pat 360-Ethanol | Aquatic Tox.  |
|                             | TCLP list    | TCLP list    | TCLP Herb    | Air TICs   | NYCDEP-Sort     | TOC           |
|                             | Arom. only   | NUDEP list   | Chloro-dane  | Mediane    | NYSEDClean      | Silica        |
|                             | Halog. only  | App. IX list | 608 Pest     | Helium     | TAGM            |               |
|                             | App. IX list | SPLP or TCLP | TCLP BNA     |            |                 |               |
|                             | 8021B list   | SPLP or TCLP | 608 PCB      |            |                 |               |

| Sample Identification | Date Sampled | Sample Matrix | Choose Analyses Needed from the Menu Above and Enter Below   | Container Description(s) |
|-----------------------|--------------|---------------|--|--------------------------|
| WR011413-1100NP2-6    | 1/4/13 1100  | GW            | Fe by EPA 200.7/Fe, Dissolved by EPA 6010 (SWP46-61006) / VOLs, P260 List (EPA SWP45-R2606) plus from 113                  | 2x 2P                    |
| WR011413-1105NP2-7    | 1105         | GW            | Fe by EPA 200.7/Fe, Dissolved by EPA 6010 (SWP46-61006) / VOLs, P260 List (EPA SWP45-R2606) plus from 113 / TDS (SH 2540C) | 2x 2P                    |
| WR011413-1100NP2-10   | 1110         | GW            |  | 2x 3P                    |
|                       |              |               |  |                          |
|                       |              |               |  |                          |
|                       |              |               |  |                          |
|                       |              |               |  |                          |
|                       |              |               |  |                          |
|                       |              |               |  |                          |
|                       |              |               |  |                          |

|          |   |   |
|----------|---|---|
| Comments | 4°C _____ Frozen _____ HCl _____ MeOH _____ HNO <sub>3</sub> _____ H <sub>2</sub> O _____ NaOH _____  | Temperature on Receipt <u>4.3 °C</u>  |
|          | <input type="checkbox"/> Check those Applicable<br><input type="checkbox"/> Special Instructions<br><input type="checkbox"/> Field Filtered<br><input type="checkbox"/> Lab to Filter | Samples Received By <u>[Signature]</u> Date/Time <u>1/15/13 9:30</u><br>Samples Relinquished By <u>[Signature]</u> Date/Time <u>1/15/13 13:00</u><br>Samples Relinquished In LAB by <u>[Signature]</u> Date/Time <u>1/15/13 13:30</u> |

# Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 13A0418

|   |  |  |  |  |  |   |  |   |  |  |  |
|---|--|--|--|--|--|---|--|---|--|--|--|
| <b>YOUR Information</b><br>Company: <u>LBG</u><br>Address: <u>4 Research Dr. Suite 301 Shelton, CT 06484</u><br>Phone No. <u>203-929-8555</u><br>Contact Person: <u>Tonde Sandor</u><br>E-Mail Address: <u>Tsandor@lbct.com</u> |  | <b>Report To:</b><br>Company: <u>Same</u><br>Address: _____<br>Phone No. _____<br>Attention: _____<br>E-Mail Address: _____  |  | <b>Invoice To:</b><br>Company: <u>Same</u><br>Address: _____<br>Phone No. _____<br>Attention: _____<br>E-Mail Address: _____   |  | <b>YOUR Project ID</b><br><u>Apwe Industries</u><br>Purchase Order No. <u>NAB5A6</u>  |  | <b>Turn-Around Time</b><br>RUSH - Same Day <input type="checkbox"/><br>RUSH - Next Day <input type="checkbox"/><br>RUSH - Two Day <input type="checkbox"/><br>RUSH - Three Day <input type="checkbox"/><br>RUSH - Four Day <input type="checkbox"/><br>Standard(5-7 Days) <input checked="" type="checkbox"/> |  | <b>Report Type</b><br>Summary Report <u>X</u> pdf<br>Summary w/ QA summary <u>X</u> pdf<br>CT RCP Package<br>CTRCP DQA/DUE Pkg<br>NY ASP A Package<br>NY ASP B Package <u>NY2-10 only</u> pdf<br>NJDEP Red. Deliv.<br>Electronic Data Deliverables (EDD)<br>Simple Excel <u>X</u><br>NYSDEC EQUIS<br>EQUIS (std)<br>EZ-EDD (EQUIS)<br>NJDEP SRP HazSite EDD<br>GIS/KEY (std)<br>Other<br>York Regulatory Comparison<br>Excel Spreadsheet<br>Compare to the following Regs. (please fill in): |  |
| <b>Volatiles</b><br>8260 full<br>624<br>STARS list<br>BTEX<br>MTBE<br>TCL list<br>TAGM list<br>CT RCP list<br>Arom. only<br>Halog. only<br>App. IX list<br>8021B list   |  | <b>Semi-Vols.</b><br>8082PCB<br>808IPest<br>8151Herb<br>CT RCP<br>App. IX<br>Site Spec.<br>SFLP/TCLP<br>TCLP list<br>CT RCP list<br>Arom. only<br>Halog. only<br>App. IX list<br>SFLP/TCLP |  | <b>Metals</b><br>RCRA8<br>PP13 list<br>TAL<br>CT15 list<br>TAGM list<br>NJDEP list<br>CT RCP list<br>TCLP list<br>Arom. only<br>Halog. only<br>App. IX list<br>SFLP/TCLP   |  | <b>Misc. Org.</b><br>TPH GRO<br>TPH DRO<br>CT ETPH<br>NY 310-13<br>TPH 1664<br>Air TO14A<br>Air TO15<br>Air STARS<br>SFLP/TCLP<br>TCLP Herb<br>Chlordane<br>608 Pest<br>SFLP/TCLP |  | <b>Misc.</b><br>Corrosivity<br>Reactivity<br>Ignitability<br>Flash Point<br>Steve Anal.<br>Heteroatoms<br>TOX<br>BTU/lb.<br>Aquatic Tox<br>NYDEP Benzene<br>TOC<br>NYSDC Benzene<br>Asbestos<br>Silica<br>TAGM  |  | Choose Analyses Needed from the Menu Above and Enter Below<br>Fe by EPA 200.7/Fe, Dissolved by EPA 6010 (SW 846-6010B) / VOCs,<br>P260 List (EPA SW 845-8260B) plus Fe on 113<br>Fe by EPA 800.7/Fe, Dissolved by EPA 6010 (SW 846-6010B) / VOCs<br>P260 List (EPA SW 845-8260B) plus Fe on 113 / TDS (SH 2540C)   |  |
| <b>Matrix Codes</b><br>S - soil<br>Other - specify (oil, etc.)<br>WW - wastewater<br>GW - groundwater<br>DW - drinking water<br>Air-A - ambient air<br>Air-SV - soil vapor  |  | <b>Sample Matrix</b><br>GW<br>GW<br>GW   |  | <b>Date Sampled</b><br>1/4/13 1100<br>1/4/13 1105<br>1/4/13 1110   |  | <b>Sample Identification</b><br>WQ011413-1100NP2-6<br>WQ011413-1105NP2-7<br>WQ011413-1110NP2-10   |  | <b>Container Description(s)</b><br>2V 2P<br>2V 2P<br>2V 3P  |  |  |  |
| <b>Preservation</b><br>Check those Applicable<br>Special Instructions<br>Field Filtered <input type="checkbox"/><br>Lab to Filter <input type="checkbox"/>  |  | 4°C _____ Frozen _____<br>HCl _____ ZnAc _____ MeOH _____ Ascorbic Acid _____<br>HNO <sub>3</sub> _____ Other _____<br>H <sub>2</sub> O _____ NaOH _____                                   |  | Samples Relinquished By: <u>[Signature]</u> Date/Time: <u>1/5/13 930</u><br>Samples Relinquished By: <u>[Signature]</u> Date/Time: <u>1/5/13 1300</u><br>Samples Relinquished By: <u>[Signature]</u> Date/Time: <u>1/5/13 1300</u> |  | Temperature on Receipt: <u>4.3</u> °C   |  |   |  |  |  |

**APPENDIX II**  
**JANUARY 2013 LABORATORY ANALYTICAL REPORTS**  
**FOR FSP&T AND FP&T RECOVERY WELLS**

# YORK

ANALYTICAL LABORATORIES, INC.

## Technical Report

prepared for:

**Leggette Brashears & Graham Shelton Office**

4 Research Drive, Suite 301

Shelton CT, 06484

**Attention: Tunde Komuves-Sandor**

Report Date: 01/22/2013

**Client Project ID: Rowe Industries**

York Project (SDG) No.: 13A0419

CT License No. PH-0723

New Jersey License No. CT-005



New York License No. 10854

PA License No. 68-04440

Report Date: 01/22/2013  
Client Project ID: Rowe Industries  
York Project (SDG) No.: 13A0419

**Leggette Brashears & Graham Shelton Office**  
4 Research Drive, Suite 301  
Shelton CT, 06484  
Attention: Tunde Komuves-Sandor

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on January 15, 2013 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

| <u>York Sample ID</u> | <u>Client Sample ID</u> | <u>Matrix</u> | <u>Date Collected</u> | <u>Date Received</u> |
|-----------------------|-------------------------|---------------|-----------------------|----------------------|
| 13A0419-01            | GWQ011413:1000NP1-1-2   | Water         | 01/14/2013            | 01/15/2013           |
| 13A0419-02            | GWQ011413:1010NP1-1-6   | Water         | 01/14/2013            | 01/15/2013           |
| 13A0419-03            | GWQ011413:1020NP1-1-7   | Water         | 01/14/2013            | 01/15/2013           |
| 13A0419-04            | GWQ011413:1030NP1-1-4   | Water         | 01/14/2013            | 01/15/2013           |

## General Notes for York Project (SDG) No.: 13A0419

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley  
Laboratory Director

Date: 01/22/2013

**YORK**

## Sample Information

**Client Sample ID:** GWQ011413:1000NP1-1-2

**York Sample ID:** 13A0419-01

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:00 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter                                       | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                       | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                           | 0.26   | J    | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                       | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 76-13-1  | 1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND     |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 79-00-5  | 1,1,2-Trichloroethane                           | ND     |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 75-34-3  | 1,1-Dichloroethane                              | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 75-35-4  | 1,1-Dichloroethylene                            | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 563-58-6 | 1,1-Dichloropropylene                           | ND     |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene                          | ND     |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane                          | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene                          | ND     |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene                          | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane                     | ND     |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 106-93-4 | 1,2-Dibromoethane                               | ND     |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene                             | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 107-06-2 | 1,2-Dichloroethane                              | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 78-87-5  | 1,2-Dichloropropane                             | ND     |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene                          | ND     |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene                             | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 142-28-9 | 1,3-Dichloropropane                             | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 106-46-7 | 1,4-Dichlorobenzene                             | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 594-20-7 | 2,2-Dichloropropane                             | ND     |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 95-49-8  | 2-Chlorotoluene                                 | ND     |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 591-78-6 | 2-Hexanone                                      | ND     |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 106-43-4 | 4-Chlorotoluene                                 | ND     |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 67-64-1  | Acetone   | ND     |      | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 71-43-2  | Benzene   | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 108-86-1 | Bromobenzene                                    | ND     |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 74-97-5  | Bromochloromethane                              | ND     |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 75-27-4  | Bromodichloromethane                            | ND     |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 75-25-2  | Bromoform                                       | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 74-83-9  | Bromomethane                                    | ND     |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 56-23-5  | Carbon tetrachloride                            | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |

## Sample Information

**Client Sample ID:** GWQ011413:1000NP1-1-2

**York Sample ID:** 13A0419-01

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:00 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.                     | Parameter                        | Result        | Flag                    | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|----------------------------------|---------------|-------------------------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 108-90-7                    | Chlorobenzene                    | ND            |                         | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 75-00-3                     | Chloroethane                     | ND            |                         | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 67-66-3                     | Chloroform                       | ND            |                         | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 74-87-3                     | Chloromethane                    | ND            |                         | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 156-59-2                    | cis-1,2-Dichloroethylene         | <b>0.47</b>   | J                       | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 10061-01-5                  | cis-1,3-Dichloropropylene        | ND            |                         | ug/L  | 0.067 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 124-48-1                    | Dibromochloromethane             | ND            |                         | ug/L  | 0.053 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 74-95-3                     | Dibromomethane                   | ND            |                         | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 75-71-8                     | Dichlorodifluoromethane          | ND            |                         | ug/L  | 0.092 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 100-41-4                    | Ethyl Benzene                    | ND            |                         | ug/L  | 0.057 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 87-68-3                     | Hexachlorobutadiene              | ND            |                         | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 98-82-8                     | Isopropylbenzene                 | ND            |                         | ug/L  | 0.056 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 1634-04-4                   | Methyl tert-butyl ether (MTBE)   | ND            |                         | ug/L  | 0.48  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 75-09-2                     | Methylene chloride               | ND            |                         | ug/L  | 0.26  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 91-20-3                     | Naphthalene                      | ND            |                         | ug/L  | 0.090 | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 104-51-8                    | n-Butylbenzene                   | ND            |                         | ug/L  | 0.083 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 103-65-1                    | n-Propylbenzene                  | ND            |                         | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 95-47-6                     | o-Xylene                         | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 1330-20-7P/M                | p- & m- Xylenes                  | ND            |                         | ug/L  | 0.090 | 1.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 99-87-6                     | p-Isopropyltoluene               | ND            |                         | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 135-98-8                    | sec-Butylbenzene                 | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 100-42-5                    | Styrene                          | ND            |                         | ug/L  | 0.043 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 98-06-6                     | tert-Butylbenzene                | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 127-18-4                    | Tetrachloroethylene              | <b>0.99</b>   |                         | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 108-88-3                    | Toluene                          | ND            |                         | ug/L  | 0.042 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 156-60-5                    | trans-1,2-Dichloroethylene       | ND            |                         | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 10061-02-6                  | trans-1,3-Dichloropropylene      | ND            |                         | ug/L  | 0.060 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 79-01-6                     | Trichloroethylene                | <b>0.61</b>   |                         | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 75-69-4                     | Trichlorofluoromethane           | ND            |                         | ug/L  | 0.094 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 75-01-4                     | Vinyl Chloride                   | ND            |                         | ug/L  | 0.062 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| 1330-20-7                   | Xylenes, Total                   | ND            |                         | ug/L  | 0.12  | 1.5  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 22:33   | SS      |
| <b>Surrogate Recoveries</b> |                                  | <b>Result</b> | <b>Acceptance Range</b> |       |       |      |          |                  |                    |                    |         |
| 17060-07-0                  | Surrogate: 1,2-Dichloroethane-d4 | 102 %         | 72.6-129                |       |       |      |          |                  |                    |                    |         |
| 460-00-4                    | Surrogate: p-Bromofluorobenzene  | 92.1 %        | 63.5-145                |       |       |      |          |                  |                    |                    |         |
| 2037-26-5                   | Surrogate: Toluene-d8            | 103 %         | 81.2-127                |       |       |      |          |                  |                    |                    |         |

## Sample Information

**Client Sample ID:** GWQ011413:1000NP1-1-2

**York Sample ID:** 13A0419-01

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:00 am

Date Received  
01/15/2013

## Sample Information

**Client Sample ID:** GWQ011413:1010NP1-1-6

**York Sample ID:** 13A0419-02

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:10 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter   | Result      | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|-------------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                         | ND          |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                             | <b>0.88</b> |      | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                         | ND          |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 76-13-1  | 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND          |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 79-00-5  | 1,1,2-Trichloroethane                             | ND          |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 75-34-3  | 1,1-Dichloroethane                                | <b>0.29</b> | J    | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 75-35-4  | 1,1-Dichloroethylene                              | ND          |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 563-58-6 | 1,1-Dichloropropylene                             | ND          |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene                            | ND          |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane                            | ND          |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene                            | ND          |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene                            | ND          |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane                       | ND          |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 106-93-4 | 1,2-Dibromoethane                                 | ND          |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene                               | ND          |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 107-06-2 | 1,2-Dichloroethane                                | ND          |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 78-87-5  | 1,2-Dichloropropane                               | ND          |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene                            | ND          |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene                               | ND          |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 142-28-9 | 1,3-Dichloropropane                               | ND          |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 106-46-7 | 1,4-Dichlorobenzene                               | ND          |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 594-20-7 | 2,2-Dichloropropane                               | ND          |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 95-49-8  | 2-Chlorotoluene                                   | ND          |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 591-78-6 | 2-Hexanone  | ND          |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 106-43-4 | 4-Chlorotoluene                                   | ND          |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 67-64-1  | Acetone   | ND          |      | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 71-43-2  | Benzene   | ND          |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 108-86-1 | Bromobenzene                                      | ND          |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |

## Sample Information

**Client Sample ID:** GWQ011413:1010NP1-1-6

**York Sample ID:** 13A0419-02

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:10 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.      | Parameter                      | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|--------------|--------------------------------|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 74-97-5      | Bromochloromethane             | ND     |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 75-27-4      | Bromodichloromethane           | ND     |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 75-25-2      | Bromoform                      | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 74-83-9      | Bromomethane                   | ND     |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 56-23-5      | Carbon tetrachloride           | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 108-90-7     | Chlorobenzene                  | ND     |      | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 75-00-3      | Chloroethane                   | ND     |      | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 67-66-3      | Chloroform                     | 0.26   | J    | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 74-87-3      | Chloromethane                  | ND     |      | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 156-59-2     | cis-1,2-Dichloroethylene       | ND     |      | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 10061-01-5   | cis-1,3-Dichloropropylene      | ND     |      | ug/L  | 0.067 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 124-48-1     | Dibromochloromethane           | ND     |      | ug/L  | 0.053 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 74-95-3      | Dibromomethane                 | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 75-71-8      | Dichlorodifluoromethane        | ND     |      | ug/L  | 0.092 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 100-41-4     | Ethyl Benzene                  | ND     |      | ug/L  | 0.057 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 87-68-3      | Hexachlorobutadiene            | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 98-82-8      | Isopropylbenzene               | ND     |      | ug/L  | 0.056 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 1634-04-4    | Methyl tert-butyl ether (MTBE) | ND     |      | ug/L  | 0.48  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 75-09-2      | Methylene chloride             | ND     |      | ug/L  | 0.26  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 91-20-3      | Naphthalene                    | ND     |      | ug/L  | 0.090 | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 104-51-8     | n-Butylbenzene                 | ND     |      | ug/L  | 0.083 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 103-65-1     | n-Propylbenzene                | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 95-47-6      | o-Xylene                       | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 1330-20-7P/M | p- & m- Xylenes                | ND     |      | ug/L  | 0.090 | 1.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 99-87-6      | p-Isopropyltoluene             | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 135-98-8     | sec-Butylbenzene               | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 100-42-5     | Styrene                        | ND     |      | ug/L  | 0.043 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 98-06-6      | tert-Butylbenzene              | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 127-18-4     | Tetrachloroethylene            | 2.3    |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 108-88-3     | Toluene                        | ND     |      | ug/L  | 0.042 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 156-60-5     | trans-1,2-Dichloroethylene     | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 10061-02-6   | trans-1,3-Dichloropropylene    | ND     |      | ug/L  | 0.060 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 79-01-6      | Trichloroethylene              | 0.10   | J    | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 75-69-4      | Trichlorofluoromethane         | ND     |      | ug/L  | 0.094 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |

## Sample Information

**Client Sample ID:** GWQ011413:1010NP1-1-6

**York Sample ID:** 13A0419-02

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:10 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.                     | Parameter                        | Result        | Flag                    | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|----------------------------------|---------------|-------------------------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 75-01-4                     | Vinyl Chloride                   | ND            |                         | ug/L  | 0.062 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| 1330-20-7                   | Xylenes, Total                   | ND            |                         | ug/L  | 0.12  | 1.5  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:09   | SS      |
| <b>Surrogate Recoveries</b> |                                  | <b>Result</b> | <b>Acceptance Range</b> |       |       |      |          |                  |                    |                    |         |
| 17060-07-0                  | Surrogate: 1,2-Dichloroethane-d4 | 105 %         | 72.6-129                |       |       |      |          |                  |                    |                    |         |
| 460-00-4                    | Surrogate: p-Bromofluorobenzene  | 92.1 %        | 63.5-145                |       |       |      |          |                  |                    |                    |         |
| 2037-26-5                   | Surrogate: Toluene-d8            | 106 %         | 81.2-127                |       |       |      |          |                  |                    |                    |         |

## Sample Information

**Client Sample ID:** GWQ011413:1020NP1-1-7

**York Sample ID:** 13A0419-03

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:20 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter   | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                         | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                             | 0.20   | J    | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                         | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 76-13-1  | 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND     |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 79-00-5  | 1,1,2-Trichloroethane                             | ND     |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 75-34-3  | 1,1-Dichloroethane                                | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 75-35-4  | 1,1-Dichloroethylene                              | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 563-58-6 | 1,1-Dichloropropylene                             | ND     |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene                            | ND     |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane                            | ND     |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene                            | ND     |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene                            | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 96-12-8  | 1,2-Dibromo-3-chloropropane                       | ND     |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 106-93-4 | 1,2-Dibromoethane                                 | ND     |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 95-50-1  | 1,2-Dichlorobenzene                               | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 107-06-2 | 1,2-Dichloroethane                                | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 78-87-5  | 1,2-Dichloropropane                               | ND     |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 108-67-8 | 1,3,5-Trimethylbenzene                            | ND     |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 541-73-1 | 1,3-Dichlorobenzene                               | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 142-28-9 | 1,3-Dichloropropane                               | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |

## Sample Information

**Client Sample ID:** GWQ011413:1020NP1-1-7

**York Sample ID:** 13A0419-03

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:20 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.      | Parameter                      | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|--------------|--------------------------------|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 106-46-7     | 1,4-Dichlorobenzene            | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 594-20-7     | 2,2-Dichloropropane            | ND     |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 95-49-8      | 2-Chlorotoluene                | ND     |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 591-78-6     | 2-Hexanone                     | ND     |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 106-43-4     | 4-Chlorotoluene                | ND     |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 67-64-1      | Acetone                        | ND     |      | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 71-43-2      | Benzene                        | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 108-86-1     | Bromobenzene                   | ND     |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 74-97-5      | Bromochloromethane             | ND     |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 75-27-4      | Bromodichloromethane           | ND     |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 75-25-2      | Bromoform                      | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 74-83-9      | Bromomethane                   | ND     |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 56-23-5      | Carbon tetrachloride           | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 108-90-7     | Chlorobenzene                  | ND     |      | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 75-00-3      | Chloroethane                   | ND     |      | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 67-66-3      | Chloroform                     | 0.12   | J    | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 74-87-3      | Chloromethane                  | ND     |      | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 156-59-2     | cis-1,2-Dichloroethylene       | ND     |      | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 10061-01-5   | cis-1,3-Dichloropropylene      | ND     |      | ug/L  | 0.067 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 124-48-1     | Dibromochloromethane           | ND     |      | ug/L  | 0.053 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 74-95-3      | Dibromomethane                 | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 75-71-8      | Dichlorodifluoromethane        | ND     |      | ug/L  | 0.092 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 100-41-4     | Ethyl Benzene                  | ND     |      | ug/L  | 0.057 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 87-68-3      | Hexachlorobutadiene            | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 98-82-8      | Isopropylbenzene               | ND     |      | ug/L  | 0.056 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 1634-04-4    | Methyl tert-butyl ether (MTBE) | ND     |      | ug/L  | 0.48  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 75-09-2      | Methylene chloride             | ND     |      | ug/L  | 0.26  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 91-20-3      | Naphthalene                    | ND     |      | ug/L  | 0.090 | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 104-51-8     | n-Butylbenzene                 | ND     |      | ug/L  | 0.083 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 103-65-1     | n-Propylbenzene                | ND     |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 95-47-6      | o-Xylene                       | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 1330-20-7P/M | p- & m- Xylenes                | ND     |      | ug/L  | 0.090 | 1.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 99-87-6      | p-Isopropyltoluene             | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 135-98-8     | sec-Butylbenzene               | ND     |      | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |

## Sample Information

**Client Sample ID:** GWQ011413:1020NP1-1-7

**York Sample ID:** 13A0419-03

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:20 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.                     | Parameter                        | Result        | Flag                    | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|----------------------------------|---------------|-------------------------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 100-42-5                    | Styrene                          | ND            |                         | ug/L  | 0.043 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 98-06-6                     | tert-Butylbenzene                | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 127-18-4                    | Tetrachloroethylene              | <b>0.70</b>   |                         | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 108-88-3                    | Toluene                          | ND            |                         | ug/L  | 0.042 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 156-60-5                    | trans-1,2-Dichloroethylene       | ND            |                         | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 10061-02-6                  | trans-1,3-Dichloropropylene      | ND            |                         | ug/L  | 0.060 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 79-01-6                     | Trichloroethylene                | ND            |                         | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 75-69-4                     | Trichlorofluoromethane           | ND            |                         | ug/L  | 0.094 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 75-01-4                     | Vinyl Chloride                   | ND            |                         | ug/L  | 0.062 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| 1330-20-7                   | Xylenes, Total                   | ND            |                         | ug/L  | 0.12  | 1.5  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/17/2013 23:45   | SS      |
| <b>Surrogate Recoveries</b> |                                  | <b>Result</b> | <b>Acceptance Range</b> |       |       |      |          |                  |                    |                    |         |
| 17060-07-0                  | Surrogate: 1,2-Dichloroethane-d4 | 93.2 %        | 72.6-129                |       |       |      |          |                  |                    |                    |         |
| 460-00-4                    | Surrogate: p-Bromofluorobenzene  | 93.9 %        | 63.5-145                |       |       |      |          |                  |                    |                    |         |
| 2037-26-5                   | Surrogate: Toluene-d8            | 106 %         | 81.2-127                |       |       |      |          |                  |                    |                    |         |

## Sample Information

**Client Sample ID:** GWQ011413:1030NP1-1-4

**York Sample ID:** 13A0419-04

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:30 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.  | Parameter   | Result      | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|----------|---|-------------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 630-20-6 | 1,1,1,2-Tetrachloroethane                         | ND          |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 71-55-6  | 1,1,1-Trichloroethane                             | <b>1.2</b>  |      | ug/L  | 0.024 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 79-34-5  | 1,1,2,2-Tetrachloroethane                         | ND          |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 76-13-1  | 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND          |      | ug/L  | 0.074 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 79-00-5  | 1,1,2-Trichloroethane                             | ND          |      | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 75-34-3  | 1,1-Dichloroethane                                | <b>0.49</b> | J    | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 75-35-4  | 1,1-Dichloroethylene                              | ND          |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 563-58-6 | 1,1-Dichloropropylene                             | ND          |      | ug/L  | 0.11  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 87-61-6  | 1,2,3-Trichlorobenzene                            | ND          |      | ug/L  | 0.12  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 96-18-4  | 1,2,3-Trichloropropane                            | ND          |      | ug/L  | 0.17  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 120-82-1 | 1,2,4-Trichlorobenzene                            | ND          |      | ug/L  | 0.11  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 95-63-6  | 1,2,4-Trimethylbenzene                            | ND          |      | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |

## Sample Information

**Client Sample ID:** GWQ011413:1030NP1-1-4

**York Sample ID:** 13A0419-04

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:30 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.    | Parameter                      | Result | Flag | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|------------|--------------------------------|--------|------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 96-12-8    | 1,2-Dibromo-3-chloropropane    | ND     |      | ug/L  | 0.46  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 106-93-4   | 1,2-Dibromoethane              | ND     |      | ug/L  | 0.15  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 95-50-1    | 1,2-Dichlorobenzene            | ND     |      | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 107-06-2   | 1,2-Dichloroethane             | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 78-87-5    | 1,2-Dichloropropane            | ND     |      | ug/L  | 0.051 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 108-67-8   | 1,3,5-Trimethylbenzene         | ND     |      | ug/L  | 0.059 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 541-73-1   | 1,3-Dichlorobenzene            | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 142-28-9   | 1,3-Dichloropropane            | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 106-46-7   | 1,4-Dichlorobenzene            | ND     |      | ug/L  | 0.048 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 594-20-7   | 2,2-Dichloropropane            | ND     |      | ug/L  | 0.096 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 95-49-8    | 2-Chlorotoluene                | ND     |      | ug/L  | 0.084 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 591-78-6   | 2-Hexanone                     | ND     |      | ug/L  | 0.24  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 106-43-4   | 4-Chlorotoluene                | ND     |      | ug/L  | 0.072 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 67-64-1    | Acetone                        | ND     |      | ug/L  | 0.90  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 71-43-2    | Benzene                        | ND     |      | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 108-86-1   | Bromobenzene                   | ND     |      | ug/L  | 0.081 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 74-97-5    | Bromochloromethane             | ND     |      | ug/L  | 0.10  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 75-27-4    | Bromodichloromethane           | ND     |      | ug/L  | 0.054 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 75-25-2    | Bromoform                      | ND     |      | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 74-83-9    | Bromomethane                   | ND     |      | ug/L  | 0.20  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 56-23-5    | Carbon tetrachloride           | ND     |      | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 108-90-7   | Chlorobenzene                  | ND     |      | ug/L  | 0.063 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 75-00-3    | Chloroethane                   | ND     |      | ug/L  | 0.090 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 67-66-3    | Chloroform                     | 0.14   | J    | ug/L  | 0.079 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 74-87-3    | Chloromethane                  | ND     |      | ug/L  | 0.076 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 156-59-2   | cis-1,2-Dichloroethylene       | ND     |      | ug/L  | 0.069 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 10061-01-5 | cis-1,3-Dichloropropylene      | ND     |      | ug/L  | 0.067 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 124-48-1   | Dibromochloromethane           | ND     |      | ug/L  | 0.053 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 74-95-3    | Dibromomethane                 | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 75-71-8    | Dichlorodifluoromethane        | ND     |      | ug/L  | 0.092 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 100-41-4   | Ethyl Benzene                  | ND     |      | ug/L  | 0.057 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 87-68-3    | Hexachlorobutadiene            | ND     |      | ug/L  | 0.12  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 98-82-8    | Isopropylbenzene               | ND     |      | ug/L  | 0.056 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 1634-04-4  | Methyl tert-butyl ether (MTBE) | ND     |      | ug/L  | 0.48  | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |

## Sample Information

**Client Sample ID:** GWQ011413:1030NP1-1-4

**York Sample ID:** 13A0419-04

York Project (SDG) No.  
13A0419

Client Project ID  
Rowe Industries

Matrix  
Water

Collection Date/Time  
January 14, 2013 10:30 am

Date Received  
01/15/2013

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

| CAS No.                     | Parameter                        | Result        | Flag                    | Units | MDL   | RL   | Dilution | Reference Method | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|----------------------------------|---------------|-------------------------|-------|-------|------|----------|------------------|--------------------|--------------------|---------|
| 75-09-2                     | Methylene chloride               | ND            |                         | ug/L  | 0.26  | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 91-20-3                     | Naphthalene                      | ND            |                         | ug/L  | 0.090 | 2.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 104-51-8                    | n-Butylbenzene                   | ND            |                         | ug/L  | 0.083 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 103-65-1                    | n-Propylbenzene                  | ND            |                         | ug/L  | 0.068 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 95-47-6                     | o-Xylene                         | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 1330-20-7P/M                | p- & m- Xylenes                  | ND            |                         | ug/L  | 0.090 | 1.0  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 99-87-6                     | p-Isopropyltoluene               | ND            |                         | ug/L  | 0.044 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 135-98-8                    | sec-Butylbenzene                 | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 100-42-5                    | Styrene                          | ND            |                         | ug/L  | 0.043 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 98-06-6                     | tert-Butylbenzene                | ND            |                         | ug/L  | 0.050 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 127-18-4                    | Tetrachloroethylene              | 1.0           |                         | ug/L  | 0.070 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 108-88-3                    | Toluene                          | ND            |                         | ug/L  | 0.042 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 156-60-5                    | trans-1,2-Dichloroethylene       | ND            |                         | ug/L  | 0.085 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 10061-02-6                  | trans-1,3-Dichloropropylene      | ND            |                         | ug/L  | 0.060 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 79-01-6                     | Trichloroethylene                | 0.15          | J                       | ug/L  | 0.071 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 75-69-4                     | Trichlorofluoromethane           | ND            |                         | ug/L  | 0.094 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 75-01-4                     | Vinyl Chloride                   | ND            |                         | ug/L  | 0.062 | 0.50 | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| 1330-20-7                   | Xylenes, Total                   | ND            |                         | ug/L  | 0.12  | 1.5  | 1        | EPA SW846-8260B  | 01/17/2013 14:58   | 01/18/2013 00:20   | SS      |
| <b>Surrogate Recoveries</b> |                                  | <b>Result</b> | <b>Acceptance Range</b> |       |       |      |          |                  |                    |                    |         |
| 17060-07-0                  | Surrogate: 1,2-Dichloroethane-d4 | 104 %         | 72.6-129                |       |       |      |          |                  |                    |                    |         |
| 460-00-4                    | Surrogate: p-Bromofluorobenzene  | 90.6 %        | 63.5-145                |       |       |      |          |                  |                    |                    |         |
| 2037-26-5                   | Surrogate: Toluene-d8            | 107 %         | 81.2-127                |       |       |      |          |                  |                    |                    |         |

## Analytical Batch Summary

**Batch ID:** BA30619

**Preparation Method:** EPA 5030B

**Prepared By:** EKM

| YORK Sample ID | Client Sample ID      | Preparation Date |
|----------------|-----------------------|------------------|
| 13A0419-01     | GWQ011413:1000NP1-1-2 | 01/17/13         |
| 13A0419-02     | GWQ011413:1010NP1-1-6 | 01/17/13         |
| 13A0419-03     | GWQ011413:1020NP1-1-7 | 01/17/13         |
| 13A0419-04     | GWQ011413:1030NP1-1-4 | 01/17/13         |
| BA30619-BLK1   | Blank                 | 01/17/13         |
| BA30619-BS1    | LCS                   | 01/17/13         |
| BA30619-BSD1   | LCS Dup               | 01/17/13         |
| BA30619-MS1    | Matrix Spike          | 01/17/13         |
| BA30619-MSD1   | Matrix Spike Dup      | 01/17/13         |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting | Units | Spike | Source* | %REC | %REC | Flag | RPD   |     |
|---------|--------|-----------|-------|-------|---------|------|------|------|-------|-----|
|         |        | Limit     |       |       | Result  |      |      |      | Limit | RPD |

**Batch BA30619 - EPA 5030B**

**Blank (BA30619-BLK1)**

Prepared & Analyzed: 01/17/2013

|   |      |      |      |  |  |  |  |  |  |  |
|---|------|------|------|--|--|--|--|--|--|--|
| 1,1,1,2-Tetrachloroethane                         | ND   | 0.50 | ug/L |  |  |  |  |  |  |  |
| 1,1,1-Trichloroethane                             | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1,2,2-Tetrachloroethane                         | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1,2-Trichloroethane                             | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1-Dichloroethane                                | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1-Dichloroethylene                              | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,1-Dichloropropylene                             | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2,3-Trichlorobenzene                            | ND   | 2.0  | "    |  |  |  |  |  |  |  |
| 1,2,3-Trichloropropane                            | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2,4-Trichlorobenzene                            | ND   | 2.0  | "    |  |  |  |  |  |  |  |
| 1,2,4-Trimethylbenzene                            | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dibromo-3-chloropropane                       | ND   | 2.0  | "    |  |  |  |  |  |  |  |
| 1,2-Dibromoethane                                 | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dichlorobenzene                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dichloroethane                                | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,2-Dichloropropane                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,3,5-Trimethylbenzene                            | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,3-Dichlorobenzene                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,3-Dichloropropane                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 1,4-Dichlorobenzene                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 2,2-Dichloropropane                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 2-Chlorotoluene                                   | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 2-Hexanone  | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| 4-Chlorotoluene                                   | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Acetone   | ND   | 2.0  | "    |  |  |  |  |  |  |  |
| Benzene   | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Bromobenzene                                      | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Bromochloromethane                                | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Bromodichloromethane                              | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Bromoform   | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Bromomethane                                      | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Carbon tetrachloride                              | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Chlorobenzene                                     | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Chloroethane                                      | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Chloroform  | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Chloromethane                                     | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| cis-1,2-Dichloroethylene                          | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| cis-1,3-Dichloropropylene                         | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Dibromochloromethane                              | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Dibromomethane                                    | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Dichlorodifluoromethane                           | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Ethyl Benzene                                     | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Hexachlorobutadiene                               | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Isopropylbenzene                                  | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Methyl tert-butyl ether (MTBE)                    | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| Methylene chloride                                | ND   | 2.0  | "    |  |  |  |  |  |  |  |
| Naphthalene                                       | 0.84 | 2.0  | "    |  |  |  |  |  |  |  |
| n-Butylbenzene                                    | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| n-Propylbenzene                                   | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| o-Xylene  | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| p- & m- Xylenes                                   | ND   | 1.0  | "    |  |  |  |  |  |  |  |
| p-Isopropyltoluene                                | ND   | 0.50 | "    |  |  |  |  |  |  |  |
| sec-Butylbenzene                                  | ND   | 0.50 | "    |  |  |  |  |  |  |  |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC<br>Limits | %REC<br>Limits | Flag | RPD | RPD<br>Limit | Flag                            |
|---|--------|--------------------|-------|----------------|-------------------|----------------|----------------|------|-----|--------------|---------------------------------|
| <b>Batch BA30619 - EPA 5030B</b>                  |        |                    |       |                |                   |                |                |      |     |              |                                 |
| <b>Blank (BA30619-BLK1)</b>                       |        |                    |       |                |                   |                |                |      |     |              |                                 |
|   |        |                    |       |                |                   |                |                |      |     |              | Prepared & Analyzed: 01/17/2013 |
| Styrene   | ND     | 0.50               | ug/L  |                |                   |                |                |      |     |              |                                 |
| tert-Butylbenzene                                 | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Tetrachloroethylene                               | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Toluene   | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| trans-1,2-Dichloroethylene                        | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| trans-1,3-Dichloropropylene                       | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Trichloroethylene                                 | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Trichlorofluoromethane                            | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Vinyl Chloride                                    | ND     | 0.50               | "     |                |                   |                |                |      |     |              |                                 |
| Xylenes, Total                                    | ND     | 1.5                | "     |                |                   |                |                |      |     |              |                                 |
| <i>Surrogate: 1,2-Dichloroethane-d4</i>           | 9.80   |                    | "     | 10.0           |                   | 98.0           | 72.6-129       |      |     |              |                                 |
| <i>Surrogate: p-Bromofluorobenzene</i>            | 9.57   |                    | "     | 10.0           |                   | 95.7           | 63.5-145       |      |     |              |                                 |
| <i>Surrogate: Toluene-d8</i>                      | 10.5   |                    | "     | 10.0           |                   | 105            | 81.2-127       |      |     |              |                                 |
| <b>LCS (BA30619-BS1)</b>                          |        |                    |       |                |                   |                |                |      |     |              |                                 |
|   |        |                    |       |                |                   |                |                |      |     |              | Prepared & Analyzed: 01/17/2013 |
| 1,1,1,2-Tetrachloroethane                         | 9.57   |                    | ug/L  | 10.0           |                   | 95.7           | 82.3-130       |      |     |              |                                 |
| 1,1,1-Trichloroethane                             | 9.72   |                    | "     | 10.0           |                   | 97.2           | 75.6-137       |      |     |              |                                 |
| 1,1,2,2-Tetrachloroethane                         | 9.52   |                    | "     | 10.0           |                   | 95.2           | 71.3-131       |      |     |              |                                 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 10.7   |                    | "     | 10.0           |                   | 107            | 71.1-129       |      |     |              |                                 |
| 1,1,2-Trichloroethane                             | 9.69   |                    | "     | 10.0           |                   | 96.9           | 74.5-129       |      |     |              |                                 |
| 1,1-Dichloroethane                                | 9.31   |                    | "     | 10.0           |                   | 93.1           | 79.6-132       |      |     |              |                                 |
| 1,1-Dichloroethylene                              | 9.21   |                    | "     | 10.0           |                   | 92.1           | 80.2-146       |      |     |              |                                 |
| 1,1-Dichloropropylene                             | 9.12   |                    | "     | 10.0           |                   | 91.2           | 75-136         |      |     |              |                                 |
| 1,2,3-Trichlorobenzene                            | 8.71   |                    | "     | 10.0           |                   | 87.1           | 66.1-136       |      |     |              |                                 |
| 1,2,3-Trichloropropane                            | 8.68   |                    | "     | 10.0           |                   | 86.8           | 63-131         |      |     |              |                                 |
| 1,2,4-Trichlorobenzene                            | 9.22   |                    | "     | 10.0           |                   | 92.2           | 70.6-136       |      |     |              |                                 |
| 1,2,4-Trimethylbenzene                            | 9.75   |                    | "     | 10.0           |                   | 97.5           | 75.3-135       |      |     |              |                                 |
| 1,2-Dibromo-3-chloropropane                       | 10.4   |                    | "     | 10.0           |                   | 104            | 58.9-140       |      |     |              |                                 |
| 1,2-Dibromoethane                                 | 9.52   |                    | "     | 10.0           |                   | 95.2           | 79-130         |      |     |              |                                 |
| 1,2-Dichlorobenzene                               | 9.62   |                    | "     | 10.0           |                   | 96.2           | 76.1-122       |      |     |              |                                 |
| 1,2-Dichloroethane                                | 9.23   |                    | "     | 10.0           |                   | 92.3           | 74.6-132       |      |     |              |                                 |
| 1,2-Dichloropropane                               | 9.81   |                    | "     | 10.0           |                   | 98.1           | 76.9-129       |      |     |              |                                 |
| 1,3,5-Trimethylbenzene                            | 9.82   |                    | "     | 10.0           |                   | 98.2           | 70.6-127       |      |     |              |                                 |
| 1,3-Dichlorobenzene                               | 9.41   |                    | "     | 10.0           |                   | 94.1           | 77-124         |      |     |              |                                 |
| 1,3-Dichloropropane                               | 9.71   |                    | "     | 10.0           |                   | 97.1           | 75.8-126       |      |     |              |                                 |
| 1,4-Dichlorobenzene                               | 9.60   |                    | "     | 10.0           |                   | 96.0           | 76.6-125       |      |     |              |                                 |
| 2,2-Dichloropropane                               | 7.52   |                    | "     | 10.0           |                   | 75.2           | 69-133         |      |     |              |                                 |
| 2-Chlorotoluene                                   | 8.86   |                    | "     | 10.0           |                   | 88.6           | 66.3-119       |      |     |              |                                 |
| 2-Hexanone  | 9.04   |                    | "     | 10.0           |                   | 90.4           | 70-130         |      |     |              |                                 |
| 4-Chlorotoluene                                   | 9.30   |                    | "     | 10.0           |                   | 93.0           | 69.2-127       |      |     |              |                                 |
| Acetone   | 8.62   |                    | "     | 10.0           |                   | 86.2           | 70-130         |      |     |              |                                 |
| Benzene   | 9.61   |                    | "     | 10.0           |                   | 96.1           | 76.2-129       |      |     |              |                                 |
| Bromobenzene                                      | 9.09   |                    | "     | 10.0           |                   | 90.9           | 71.3-123       |      |     |              |                                 |
| Bromochloromethane                                | 9.43   |                    | "     | 10.0           |                   | 94.3           | 70.8-137       |      |     |              |                                 |
| Bromodichloromethane                              | 10.0   |                    | "     | 10.0           |                   | 100            | 79.7-134       |      |     |              |                                 |
| Bromoform   | 9.07   |                    | "     | 10.0           |                   | 90.7           | 70.5-141       |      |     |              |                                 |
| Bromomethane                                      | 9.22   |                    | "     | 10.0           |                   | 92.2           | 43.9-147       |      |     |              |                                 |
| Carbon tetrachloride                              | 9.24   |                    | "     | 10.0           |                   | 92.4           | 78.1-138       |      |     |              |                                 |
| Chlorobenzene                                     | 9.76   |                    | "     | 10.0           |                   | 97.6           | 80.4-125       |      |     |              |                                 |
| Chloroethane                                      | 8.62   |                    | "     | 10.0           |                   | 86.2           | 55.8-140       |      |     |              |                                 |
| Chloroform  | 9.60   |                    | "     | 10.0           |                   | 96.0           | 76.6-133       |      |     |              |                                 |
| Chloromethane                                     | 7.92   |                    | "     | 10.0           |                   | 79.2           | 48.8-115       |      |     |              |                                 |
| cis-1,2-Dichloroethylene                          | 9.86   |                    | "     | 10.0           |                   | 98.6           | 75.1-128       |      |     |              |                                 |
| cis-1,3-Dichloropropylene                         | 9.83   |                    | "     | 10.0           |                   | 98.3           | 74.5-128       |      |     |              |                                 |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                                 | Result      | Reporting<br>Limit | Units    | Spike<br>Level | Source*<br>Result | %REC<br>Limits | Flag | RPD | RPD<br>Limit    | Flag |
|---|-------------|--------------------|----------|----------------|-------------------|----------------|------|-----|-----------------|------|
| <b>Batch BA30619 - EPA 5030B</b>        |             |                    |          |                |                   |                |      |     |                 |      |
| <b>LCS (BA30619-BS1)</b>                |             |                    |          |                |                   |                |      |     |                 |      |
| Prepared & Analyzed: 01/17/2013         |             |                    |          |                |                   |                |      |     |                 |      |
| Dibromochloromethane                    | 9.37        |                    | ug/L     | 10.0           |                   | 93.7           |      |     | 79.8-134        |      |
| Dibromomethane                          | 9.94        |                    | "        | 10.0           |                   | 99.4           |      |     | 79-130          |      |
| Dichlorodifluoromethane                 | 6.82        |                    | "        | 10.0           |                   | 68.2           |      |     | 47.1-101        |      |
| Ethyl Benzene                           | 10.1        |                    | "        | 10.0           |                   | 101            |      |     | 80.8-128        |      |
| Hexachlorobutadiene                     | 9.23        |                    | "        | 10.0           |                   | 92.3           |      |     | 64.8-128        |      |
| Isopropylbenzene                        | 9.45        |                    | "        | 10.0           |                   | 94.5           |      |     | 75.5-135        |      |
| Methyl tert-butyl ether (MTBE)          | 9.06        |                    | "        | 10.0           |                   | 90.6           |      |     | 65.1-140        |      |
| Methylene chloride                      | 7.63        |                    | "        | 10.0           |                   | 76.3           |      |     | 61.3-120        |      |
| Naphthalene                             | 9.88        |                    | "        | 10.0           |                   | 98.8           |      |     | 62.3-148        |      |
| n-Butylbenzene                          | 9.08        |                    | "        | 10.0           |                   | 90.8           |      |     | 67.2-123        |      |
| n-Propylbenzene                         | 9.31        |                    | "        | 10.0           |                   | 93.1           |      |     | 70.5-127        |      |
| o-Xylene                                | 9.71        |                    | "        | 10.0           |                   | 97.1           |      |     | 75.9-122        |      |
| p- & m- Xylenes                         | 19.9        |                    | "        | 20.0           |                   | 99.6           |      |     | 77.7-127        |      |
| p-Isopropyltoluene                      | 9.22        |                    | "        | 10.0           |                   | 92.2           |      |     | 75.6-129        |      |
| sec-Butylbenzene                        | 9.74        |                    | "        | 10.0           |                   | 97.4           |      |     | 71.5-125        |      |
| Styrene                                 | 11.1        |                    | "        | 10.0           |                   | 111            |      |     | 77.8-123        |      |
| tert-Butylbenzene                       | 8.89        |                    | "        | 10.0           |                   | 88.9           |      |     | 75.9-151        |      |
| Tetrachloroethylene                     | 9.63        |                    | "        | 10.0           |                   | 96.3           |      |     | 63.6-167        |      |
| Toluene                                 | 9.77        |                    | "        | 10.0           |                   | 97.7           |      |     | 77-123          |      |
| trans-1,2-Dichloroethylene              | 9.24        |                    | "        | 10.0           |                   | 92.4           |      |     | 76.3-139        |      |
| trans-1,3-Dichloropropylene             | 9.63        |                    | "        | 10.0           |                   | 96.3           |      |     | 72.5-137        |      |
| Trichloroethylene                       | 9.99        |                    | "        | 10.0           |                   | 99.9           |      |     | 77.9-130        |      |
| Trichlorofluoromethane                  | 9.00        |                    | "        | 10.0           |                   | 90.0           |      |     | 57.4-133        |      |
| Vinyl Chloride                          | 8.20        |                    | "        | 10.0           |                   | 82.0           |      |     | 54.9-124        |      |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>9.36</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>93.6</i>    |      |     | <i>72.6-129</i> |      |
| <i>Surrogate: p-Bromofluorobenzene</i>  | <i>9.49</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>94.9</i>    |      |     | <i>63.5-145</i> |      |
| <i>Surrogate: Toluene-d8</i>            | <i>10.0</i> |                    | <i>"</i> | <i>10.0</i>    |                   | <i>100</i>     |      |     | <i>81.2-127</i> |      |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC<br>Limits | %REC<br>Limits | Flag | RPD   | RPD<br>Limit                    | Flag |
|---|--------|--------------------|-------|----------------|-------------------|----------------|----------------|------|-------|---------------------------------|------|
| <b>Batch BA30619 - EPA 5030B</b>                  |        |                    |       |                |                   |                |                |      |       |                                 |      |
| <b>LCS Dup (BA30619-BSD1)</b>                     |        |                    |       |                |                   |                |                |      |       |                                 |      |
|   |        |                    |       |                |                   |                |                |      |       | Prepared & Analyzed: 01/17/2013 |      |
| 1,1,1,2-Tetrachloroethane                         | 9.90   |                    | ug/L  | 10.0           |                   | 99.0           | 82.3-130       |      | 3.39  | 21.1                            |      |
| 1,1,1-Trichloroethane                             | 10.8   |                    | "     | 10.0           |                   | 108            | 75.6-137       |      | 10.2  | 19.7                            |      |
| 1,1,2,2-Tetrachloroethane                         | 9.81   |                    | "     | 10.0           |                   | 98.1           | 71.3-131       |      | 3.00  | 20.8                            |      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 12.1   |                    | "     | 10.0           |                   | 121            | 71.1-129       |      | 12.4  | 21.7                            |      |
| 1,1,2-Trichloroethane                             | 9.46   |                    | "     | 10.0           |                   | 94.6           | 74.5-129       |      | 2.40  | 20.3                            |      |
| 1,1-Dichloroethane                                | 10.7   |                    | "     | 10.0           |                   | 107            | 79.6-132       |      | 13.5  | 20.6                            |      |
| 1,1-Dichloroethylene                              | 10.2   |                    | "     | 10.0           |                   | 102            | 80.2-146       |      | 10.7  | 20                              |      |
| 1,1-Dichloropropylene                             | 10.4   |                    | "     | 10.0           |                   | 104            | 75-136         |      | 12.6  | 19.3                            |      |
| 1,2,3-Trichlorobenzene                            | 9.55   |                    | "     | 10.0           |                   | 95.5           | 66.1-136       |      | 9.20  | 21.6                            |      |
| 1,2,3-Trichloropropane                            | 9.05   |                    | "     | 10.0           |                   | 90.5           | 63-131         |      | 4.17  | 23.9                            |      |
| 1,2,4-Trichlorobenzene                            | 9.61   |                    | "     | 10.0           |                   | 96.1           | 70.6-136       |      | 4.14  | 21.7                            |      |
| 1,2,4-Trimethylbenzene                            | 9.13   |                    | "     | 10.0           |                   | 91.3           | 75.3-135       |      | 6.57  | 18.8                            |      |
| 1,2-Dibromo-3-chloropropane                       | 10.1   |                    | "     | 10.0           |                   | 101            | 58.9-140       |      | 2.93  | 27.7                            |      |
| 1,2-Dibromoethane                                 | 9.68   |                    | "     | 10.0           |                   | 96.8           | 79-130         |      | 1.67  | 23                              |      |
| 1,2-Dichlorobenzene                               | 9.81   |                    | "     | 10.0           |                   | 98.1           | 76.1-122       |      | 1.96  | 19.8                            |      |
| 1,2-Dichloroethane                                | 10.3   |                    | "     | 10.0           |                   | 103            | 74.6-132       |      | 11.2  | 20.2                            |      |
| 1,2-Dichloropropane                               | 10.2   |                    | "     | 10.0           |                   | 102            | 76.9-129       |      | 3.41  | 20.7                            |      |
| 1,3,5-Trimethylbenzene                            | 9.62   |                    | "     | 10.0           |                   | 96.2           | 70.6-127       |      | 2.06  | 18.9                            |      |
| 1,3-Dichlorobenzene                               | 9.45   |                    | "     | 10.0           |                   | 94.5           | 77-124         |      | 0.424 | 19.2                            |      |
| 1,3-Dichloropropane                               | 9.85   |                    | "     | 10.0           |                   | 98.5           | 75.8-126       |      | 1.43  | 22.1                            |      |
| 1,4-Dichlorobenzene                               | 9.61   |                    | "     | 10.0           |                   | 96.1           | 76.6-125       |      | 0.104 | 18.6                            |      |
| 2,2-Dichloropropane                               | 8.24   |                    | "     | 10.0           |                   | 82.4           | 69-133         |      | 9.14  | 19.8                            |      |
| 2-Chlorotoluene                                   | 9.09   |                    | "     | 10.0           |                   | 90.9           | 66.3-119       |      | 2.56  | 21.6                            |      |
| 2-Hexanone  | 9.25   |                    | "     | 10.0           |                   | 92.5           | 70-130         |      | 2.30  | 30                              |      |
| 4-Chlorotoluene                                   | 9.63   |                    | "     | 10.0           |                   | 96.3           | 69.2-127       |      | 3.49  | 19                              |      |
| Acetone   | 7.81   |                    | "     | 10.0           |                   | 78.1           | 70-130         |      | 9.86  | 30                              |      |
| Benzene   | 10.8   |                    | "     | 10.0           |                   | 108            | 76.2-129       |      | 11.9  | 19                              |      |
| Bromobenzene                                      | 9.19   |                    | "     | 10.0           |                   | 91.9           | 71.3-123       |      | 1.09  | 20.3                            |      |
| Bromochloromethane                                | 10.2   |                    | "     | 10.0           |                   | 102            | 70.8-137       |      | 8.33  | 23.9                            |      |
| Bromodichloromethane                              | 10.2   |                    | "     | 10.0           |                   | 102            | 79.7-134       |      | 2.47  | 21                              |      |
| Bromoform   | 9.18   |                    | "     | 10.0           |                   | 91.8           | 70.5-141       |      | 1.21  | 21.8                            |      |
| Bromomethane                                      | 10.7   |                    | "     | 10.0           |                   | 107            | 43.9-147       |      | 14.6  | 28.4                            |      |
| Carbon tetrachloride                              | 10.5   |                    | "     | 10.0           |                   | 105            | 78.1-138       |      | 12.7  | 20.1                            |      |
| Chlorobenzene                                     | 10.1   |                    | "     | 10.0           |                   | 101            | 80.4-125       |      | 3.13  | 19.9                            |      |
| Chloroethane                                      | 9.21   |                    | "     | 10.0           |                   | 92.1           | 55.8-140       |      | 6.62  | 23.3                            |      |
| Chloroform  | 10.6   |                    | "     | 10.0           |                   | 106            | 76.6-133       |      | 10.1  | 20.3                            |      |
| Chloromethane                                     | 9.08   |                    | "     | 10.0           |                   | 90.8           | 48.8-115       |      | 13.6  | 24.5                            |      |
| cis-1,2-Dichloroethylene                          | 11.1   |                    | "     | 10.0           |                   | 111            | 75.1-128       |      | 11.7  | 20.5                            |      |
| cis-1,3-Dichloropropylene                         | 10.0   |                    | "     | 10.0           |                   | 100            | 74.5-128       |      | 2.21  | 19.9                            |      |
| Dibromochloromethane                              | 9.74   |                    | "     | 10.0           |                   | 97.4           | 79.8-134       |      | 3.87  | 21.3                            |      |
| Dibromomethane                                    | 10.2   |                    | "     | 10.0           |                   | 102            | 79-130         |      | 2.29  | 22.4                            |      |
| Dichlorodifluoromethane                           | 7.44   |                    | "     | 10.0           |                   | 74.4           | 47.1-101       |      | 8.70  | 23.9                            |      |
| Ethyl Benzene                                     | 10.3   |                    | "     | 10.0           |                   | 103            | 80.8-128       |      | 2.15  | 19.2                            |      |
| Hexachlorobutadiene                               | 9.40   |                    | "     | 10.0           |                   | 94.0           | 64.8-128       |      | 1.83  | 20.6                            |      |
| Isopropylbenzene                                  | 9.75   |                    | "     | 10.0           |                   | 97.5           | 75.5-135       |      | 3.12  | 20                              |      |
| Methyl tert-butyl ether (MTBE)                    | 9.87   |                    | "     | 10.0           |                   | 98.7           | 65.1-140       |      | 8.56  | 23.6                            |      |
| Methylene chloride                                | 8.25   |                    | "     | 10.0           |                   | 82.5           | 61.3-120       |      | 7.81  | 20.4                            |      |
| Naphthalene                                       | 9.60   |                    | "     | 10.0           |                   | 96.0           | 62.3-148       |      | 2.87  | 27.1                            |      |
| n-Butylbenzene                                    | 9.25   |                    | "     | 10.0           |                   | 92.5           | 67.2-123       |      | 1.85  | 19.1                            |      |
| n-Propylbenzene                                   | 9.46   |                    | "     | 10.0           |                   | 94.6           | 70.5-127       |      | 1.60  | 23.4                            |      |
| o-Xylene  | 10.1   |                    | "     | 10.0           |                   | 101            | 75.9-122       |      | 3.54  | 19.3                            |      |
| p- & m- Xylenes                                   | 20.2   |                    | "     | 20.0           |                   | 101            | 77.7-127       |      | 1.69  | 18.6                            |      |
| p-Isopropyltoluene                                | 9.42   |                    | "     | 10.0           |                   | 94.2           | 75.6-129       |      | 2.15  | 19.1                            |      |
| sec-Butylbenzene                                  | 9.90   |                    | "     | 10.0           |                   | 99.0           | 71.5-125       |      | 1.63  | 18.9                            |      |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source* Result | %REC | %REC Limits | Flag | RPD | RPD Limit | Flag |
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|

**Batch BA30619 - EPA 5030B**

**LCS Dup (BA30619-BSD1)**

Prepared & Analyzed: 01/17/2013

|   |      |  |      |      |  |      |          |  |      |      |  |
|---|------|--|------|------|--|------|----------|--|------|------|--|
| Styrene                                 | 9.89 |  | ug/L | 10.0 |  | 98.9 | 77.8-123 |  | 11.6 | 20.9 |  |
| tert-Butylbenzene                       | 9.17 |  | "    | 10.0 |  | 91.7 | 75.9-151 |  | 3.10 | 20.9 |  |
| Tetrachloroethylene                     | 9.86 |  | "    | 10.0 |  | 98.6 | 63.6-167 |  | 2.36 | 27.7 |  |
| Toluene                                 | 10.0 |  | "    | 10.0 |  | 100  | 77-123   |  | 2.43 | 18.7 |  |
| trans-1,2-Dichloroethylene              | 10.2 |  | "    | 10.0 |  | 102  | 76.3-139 |  | 9.68 | 19.5 |  |
| trans-1,3-Dichloropropylene             | 9.77 |  | "    | 10.0 |  | 97.7 | 72.5-137 |  | 1.44 | 19.3 |  |
| Trichloroethylene                       | 10.5 |  | "    | 10.0 |  | 105  | 77.9-130 |  | 5.07 | 20.5 |  |
| Trichlorofluoromethane                  | 10.0 |  | "    | 10.0 |  | 100  | 57.4-133 |  | 10.6 | 21.4 |  |
| Vinyl Chloride                          | 9.09 |  | "    | 10.0 |  | 90.9 | 54.9-124 |  | 10.3 | 22.3 |  |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 9.73 |  | "    | 10.0 |  | 97.3 | 72.6-129 |  |      |      |  |
| <i>Surrogate: p-Bromofluorobenzene</i>  | 9.43 |  | "    | 10.0 |  | 94.3 | 63.5-145 |  |      |      |  |
| <i>Surrogate: Toluene-d8</i>            | 10.4 |  | "    | 10.0 |  | 104  | 81.2-127 |  |      |      |  |

**Matrix Spike (BA30619-MS1)**

\*Source sample: 13A0419-01 (GWQ011413:1000NP1-1-2)

Prepared: 01/17/2013 Analyzed: 01/18/2013

|   |      |  |      |      |       |      |          |  |  |  |  |
|---|------|--|------|------|-------|------|----------|--|--|--|--|
| 1,1,1,2-Tetrachloroethane                         | 9.62 |  | ug/L | 10.0 | ND    | 96.2 | 82-138   |  |  |  |  |
| 1,1,1-Trichloroethane                             | 10.4 |  | "    | 10.0 | 0.260 | 102  | 85.7-133 |  |  |  |  |
| 1,1,2,2-Tetrachloroethane                         | 9.39 |  | "    | 10.0 | ND    | 93.9 | 78.6-136 |  |  |  |  |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 12.2 |  | "    | 10.0 | ND    | 122  | 74.8-131 |  |  |  |  |
| 1,1,2-Trichloroethane                             | 9.74 |  | "    | 10.0 | ND    | 97.4 | 82.5-129 |  |  |  |  |
| 1,1-Dichloroethane                                | 10.0 |  | "    | 10.0 | ND    | 100  | 81.4-137 |  |  |  |  |
| 1,1-Dichloroethylene                              | 10.1 |  | "    | 10.0 | ND    | 101  | 90-138   |  |  |  |  |
| 1,1-Dichloropropylene                             | 9.88 |  | "    | 10.0 | ND    | 98.8 | 91.7-131 |  |  |  |  |
| 1,2,3-Trichlorobenzene                            | 8.65 |  | "    | 10.0 | ND    | 86.5 | 75.9-130 |  |  |  |  |
| 1,2,3-Trichloropropane                            | 9.04 |  | "    | 10.0 | ND    | 90.4 | 77.1-140 |  |  |  |  |
| 1,2,4-Trichlorobenzene                            | 8.46 |  | "    | 10.0 | ND    | 84.6 | 69.8-135 |  |  |  |  |
| 1,2,4-Trimethylbenzene                            | 9.94 |  | "    | 10.0 | ND    | 99.4 | 79.4-131 |  |  |  |  |
| 1,2-Dibromo-3-chloropropane                       | 14.0 |  | "    | 10.0 | ND    | 140  | 66.6-143 |  |  |  |  |
| 1,2-Dibromoethane                                 | 9.95 |  | "    | 10.0 | ND    | 99.5 | 79.8-136 |  |  |  |  |
| 1,2-Dichlorobenzene                               | 9.18 |  | "    | 10.0 | ND    | 91.8 | 79.9-130 |  |  |  |  |
| 1,2-Dichloroethane                                | 9.55 |  | "    | 10.0 | ND    | 95.5 | 85-133   |  |  |  |  |
| 1,2-Dichloropropane                               | 10.1 |  | "    | 10.0 | ND    | 101  | 81.1-132 |  |  |  |  |
| 1,3,5-Trimethylbenzene                            | 9.79 |  | "    | 10.0 | ND    | 97.9 | 76.1-121 |  |  |  |  |
| 1,3-Dichlorobenzene                               | 8.92 |  | "    | 10.0 | ND    | 89.2 | 79.1-124 |  |  |  |  |
| 1,3-Dichloropropane                               | 10.2 |  | "    | 10.0 | ND    | 102  | 83.3-130 |  |  |  |  |
| 1,4-Dichlorobenzene                               | 8.83 |  | "    | 10.0 | ND    | 88.3 | 79.4-128 |  |  |  |  |
| 2,2-Dichloropropane                               | 7.89 |  | "    | 10.0 | ND    | 78.9 | 54.2-126 |  |  |  |  |
| 2-Chlorotoluene                                   | 8.71 |  | "    | 10.0 | ND    | 87.1 | 60.2-144 |  |  |  |  |
| 2-Hexanone  | 9.83 |  | "    | 10.0 | ND    | 98.3 | 70-130   |  |  |  |  |
| 4-Chlorotoluene                                   | 8.94 |  | "    | 10.0 | ND    | 89.4 | 79.8-128 |  |  |  |  |
| Acetone   | 9.05 |  | "    | 10.0 | ND    | 90.5 | 70-130   |  |  |  |  |
| Benzene   | 10.3 |  | "    | 10.0 | ND    | 103  | 74.1-134 |  |  |  |  |
| Bromobenzene                                      | 8.82 |  | "    | 10.0 | ND    | 88.2 | 76.6-125 |  |  |  |  |
| Bromochloromethane                                | 9.94 |  | "    | 10.0 | ND    | 99.4 | 85-133   |  |  |  |  |
| Bromodichloromethane                              | 10.2 |  | "    | 10.0 | ND    | 102  | 80.8-143 |  |  |  |  |
| Bromoform   | 9.09 |  | "    | 10.0 | ND    | 90.9 | 65.8-164 |  |  |  |  |
| Bromomethane                                      | 10.6 |  | "    | 10.0 | ND    | 106  | 68.7-112 |  |  |  |  |
| Carbon tetrachloride                              | 9.95 |  | "    | 10.0 | ND    | 99.5 | 85.7-138 |  |  |  |  |
| Chlorobenzene                                     | 9.98 |  | "    | 10.0 | ND    | 99.8 | 79.9-129 |  |  |  |  |
| Chloroethane                                      | 10.0 |  | "    | 10.0 | ND    | 100  | 74.7-127 |  |  |  |  |
| Chloroform  | 10.3 |  | "    | 10.0 | ND    | 103  | 50.6-145 |  |  |  |  |
| Chloromethane                                     | 9.77 |  | "    | 10.0 | ND    | 97.7 | 64-111   |  |  |  |  |
| cis-1,2-Dichloroethylene                          | 11.1 |  | "    | 10.0 | 0.470 | 106  | 75.5-129 |  |  |  |  |
| cis-1,3-Dichloropropylene                         | 9.98 |  | "    | 10.0 | ND    | 99.8 | 74.3-128 |  |  |  |  |
| Dibromochloromethane                              | 10.2 |  | "    | 10.0 | ND    | 102  | 76.8-150 |  |  |  |  |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting<br>Limit | Units | Spike<br>Level | Source*<br>Result | %REC | %REC<br>Limits | Flag | RPD | RPD<br>Limit | Flag |
|---------|--------|--------------------|-------|----------------|-------------------|------|----------------|------|-----|--------------|------|
|---------|--------|--------------------|-------|----------------|-------------------|------|----------------|------|-----|--------------|------|

**Batch BA30619 - EPA 5030B**

**Matrix Spike (BA30619-MS1)**      \*Source sample: 13A0419-01 (GWQ011413:1000NP1-1-2)      Prepared: 01/17/2013 Analyzed: 01/18/2013

|   |      |  |      |      |       |      |          |  |  |  |  |
|---|------|--|------|------|-------|------|----------|--|--|--|--|
| Dibromomethane                          | 10.7 |  | ug/L | 10.0 | ND    | 107  | 83.3-140 |  |  |  |  |
| Dichlorodifluoromethane                 | 9.37 |  | "    | 10.0 | ND    | 93.7 | 51-100   |  |  |  |  |
| Ethyl Benzene                           | 10.4 |  | "    | 10.0 | ND    | 104  | 82.9-127 |  |  |  |  |
| Hexachlorobutadiene                     | 8.35 |  | "    | 10.0 | ND    | 83.5 | 73-128   |  |  |  |  |
| Isopropylbenzene                        | 9.26 |  | "    | 10.0 | ND    | 92.6 | 78.7-131 |  |  |  |  |
| Methyl tert-butyl ether (MTBE)          | 10.2 |  | "    | 10.0 | ND    | 102  | 81.2-134 |  |  |  |  |
| Methylene chloride                      | 8.26 |  | "    | 10.0 | ND    | 82.6 | 57.8-103 |  |  |  |  |
| Naphthalene                             | 9.35 |  | "    | 10.0 | ND    | 93.5 | 80.1-122 |  |  |  |  |
| n-Butylbenzene                          | 8.68 |  | "    | 10.0 | ND    | 86.8 | 72.4-120 |  |  |  |  |
| n-Propylbenzene                         | 9.10 |  | "    | 10.0 | ND    | 91.0 | 74-130   |  |  |  |  |
| o-Xylene                                | 10.0 |  | "    | 10.0 | ND    | 100  | 78.8-122 |  |  |  |  |
| p- & m- Xylenes                         | 20.6 |  | "    | 20.0 | ND    | 103  | 82.5-123 |  |  |  |  |
| p-Isopropyltoluene                      | 8.89 |  | "    | 10.0 | ND    | 88.9 | 64.9-132 |  |  |  |  |
| sec-Butylbenzene                        | 9.45 |  | "    | 10.0 | ND    | 94.5 | 25.4-151 |  |  |  |  |
| Styrene                                 | 12.5 |  | "    | 10.0 | ND    | 125  | 74.1-134 |  |  |  |  |
| tert-Butylbenzene                       | 8.80 |  | "    | 10.0 | ND    | 88.0 | 79.5-171 |  |  |  |  |
| Tetrachloroethylene                     | 11.1 |  | "    | 10.0 | 0.990 | 102  | 72.5-130 |  |  |  |  |
| Toluene                                 | 10.3 |  | "    | 10.0 | ND    | 103  | 77.8-121 |  |  |  |  |
| trans-1,2-Dichloroethylene              | 10.1 |  | "    | 10.0 | ND    | 101  | 83.8-140 |  |  |  |  |
| trans-1,3-Dichloropropylene             | 9.81 |  | "    | 10.0 | ND    | 98.1 | 74.9-136 |  |  |  |  |
| Trichloroethylene                       | 11.1 |  | "    | 10.0 | 0.610 | 105  | 84.4-125 |  |  |  |  |
| Trichlorofluoromethane                  | 10.4 |  | "    | 10.0 | ND    | 104  | 78.7-127 |  |  |  |  |
| Vinyl Chloride                          | 9.76 |  | "    | 10.0 | ND    | 97.6 | 72.1-116 |  |  |  |  |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 9.75 |  | "    | 10.0 |       | 97.5 | 72.6-129 |  |  |  |  |
| <i>Surrogate: p-Bromofluorobenzene</i>  | 9.18 |  | "    | 10.0 |       | 91.8 | 63.5-145 |  |  |  |  |
| <i>Surrogate: Toluene-d8</i>            | 10.5 |  | "    | 10.0 |       | 105  | 81.2-127 |  |  |  |  |

**Matrix Spike Dup (BA30619-MSD1)**      \*Source sample: 13A0419-01 (GWQ011413:1000NP1-1-2)      Prepared: 01/17/2013 Analyzed: 01/18/2013

|   |      |  |      |      |       |      |          |           |  |       |      |
|---|------|--|------|------|-------|------|----------|-----------|--|-------|------|
| 1,1,1,2-Tetrachloroethane                         | 9.66 |  | ug/L | 10.0 | ND    | 96.6 | 82-138   |           |  | 0.415 | 21.3 |
| 1,1,1-Trichloroethane                             | 10.7 |  | "    | 10.0 | 0.260 | 104  | 85.7-133 |           |  | 2.62  | 22.6 |
| 1,1,2,2-Tetrachloroethane                         | 9.97 |  | "    | 10.0 | ND    | 99.7 | 78.6-136 |           |  | 5.99  | 23.1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 12.4 |  | "    | 10.0 | ND    | 124  | 74.8-131 |           |  | 2.20  | 25.6 |
| 1,1,2-Trichloroethane                             | 9.83 |  | "    | 10.0 | ND    | 98.3 | 82.5-129 |           |  | 0.920 | 19.3 |
| 1,1-Dichloroethane                                | 10.4 |  | "    | 10.0 | ND    | 104  | 81.4-137 |           |  | 3.43  | 20.7 |
| 1,1-Dichloroethylene                              | 10.4 |  | "    | 10.0 | ND    | 104  | 90-138   |           |  | 2.54  | 22.9 |
| 1,1-Dichloropropylene                             | 10.1 |  | "    | 10.0 | ND    | 101  | 91.7-131 |           |  | 2.40  | 24.9 |
| 1,2,3-Trichlorobenzene                            | 9.13 |  | "    | 10.0 | ND    | 91.3 | 75.9-130 |           |  | 5.40  | 21.4 |
| 1,2,3-Trichloropropane                            | 9.65 |  | "    | 10.0 | ND    | 96.5 | 77.1-140 |           |  | 6.53  | 28   |
| 1,2,4-Trichlorobenzene                            | 9.28 |  | "    | 10.0 | ND    | 92.8 | 69.8-135 |           |  | 9.24  | 22.5 |
| 1,2,4-Trimethylbenzene                            | 10.4 |  | "    | 10.0 | ND    | 104  | 79.4-131 |           |  | 4.23  | 33.9 |
| 1,2-Dibromo-3-chloropropane                       | 14.9 |  | "    | 10.0 | ND    | 149  | 66.6-143 | High Bias |  | 6.10  | 23.3 |
| 1,2-Dibromoethane                                 | 9.90 |  | "    | 10.0 | ND    | 99.0 | 79.8-136 |           |  | 0.504 | 19.1 |
| 1,2-Dichlorobenzene                               | 9.61 |  | "    | 10.0 | ND    | 96.1 | 79.9-130 |           |  | 4.58  | 23.2 |
| 1,2-Dichloroethane                                | 9.95 |  | "    | 10.0 | ND    | 99.5 | 85-133   |           |  | 4.10  | 19.1 |
| 1,2-Dichloropropane                               | 10.2 |  | "    | 10.0 | ND    | 102  | 81.1-132 |           |  | 0.983 | 19.9 |
| 1,3,5-Trimethylbenzene                            | 9.92 |  | "    | 10.0 | ND    | 99.2 | 76.1-121 |           |  | 1.32  | 31.2 |
| 1,3-Dichlorobenzene                               | 9.38 |  | "    | 10.0 | ND    | 93.8 | 79.1-124 |           |  | 5.03  | 22.6 |
| 1,3-Dichloropropane                               | 10.4 |  | "    | 10.0 | ND    | 104  | 83.3-130 |           |  | 1.46  | 20.9 |
| 1,4-Dichlorobenzene                               | 9.48 |  | "    | 10.0 | ND    | 94.8 | 79.4-128 |           |  | 7.10  | 21   |
| 2,2-Dichloropropane                               | 7.99 |  | "    | 10.0 | ND    | 79.9 | 54.2-126 |           |  | 1.26  | 24.5 |
| 2-Chlorotoluene                                   | 9.25 |  | "    | 10.0 | ND    | 92.5 | 60.2-144 |           |  | 6.01  | 30.8 |
| 2-Hexanone  | 10.6 |  | "    | 10.0 | ND    | 106  | 70-130   |           |  | 7.25  | 30   |
| 4-Chlorotoluene                                   | 9.48 |  | "    | 10.0 | ND    | 94.8 | 79.8-128 |           |  | 5.86  | 23.2 |
| Acetone   | 9.08 |  | "    | 10.0 | ND    | 90.8 | 70-130   |           |  | 0.331 | 30   |

## Volatile Organic Compounds by EPA SW846-8260B - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                                 | Result   | Reporting<br>Limit | Units    | Spike<br>Level | Source*<br>Result | %REC        | %REC<br>Limits                            | Flag      | RPD    | RPD<br>Limit | Flag |
|---|--|--------------------|----------|----------------|-------------------|-------------|---|-----------|--------|--------------|------|
| <b>Batch BA30619 - EPA 5030B</b>        |  |                    |          |                |                   |             |   |           |        |              |      |
| <b>Matrix Spike Dup (BA30619-MSD1)</b>  | *Source sample: 13A0419-01 (GWQ011413:1000NP1-1-2) |                    |          |                |                   |             | Prepared: 01/17/2013 Analyzed: 01/18/2013 |           |        |              |      |
| Benzene                                 | 10.7   |                    | ug/L     | 10.0           | ND                | 107         | 74.1-134                                  |           | 4.09   | 20.8         |      |
| Bromobenzene                            | 9.25   |                    | "        | 10.0           | ND                | 92.5        | 76.6-125                                  |           | 4.76   | 23           |      |
| Bromochloromethane                      | 10.3   |                    | "        | 10.0           | ND                | 103         | 85-133                                    |           | 3.65   | 18.4         |      |
| Bromodichloromethane                    | 10.7   |                    | "        | 10.0           | ND                | 107         | 80.8-143                                  |           | 4.20   | 18.1         |      |
| Bromoform                               | 9.64   |                    | "        | 10.0           | ND                | 96.4        | 65.8-164                                  |           | 5.87   | 27.3         |      |
| Bromomethane                            | 11.4   |                    | "        | 10.0           | ND                | 114         | 68.7-112                                  | High Bias | 6.98   | 22.8         |      |
| Carbon tetrachloride                    | 10.2   |                    | "        | 10.0           | ND                | 102         | 85.7-138                                  |           | 2.48   | 25.1         |      |
| Chlorobenzene                           | 10.1   |                    | "        | 10.0           | ND                | 101         | 79.9-129                                  |           | 0.997  | 21           |      |
| Chloroethane                            | 10.0   |                    | "        | 10.0           | ND                | 100         | 74.7-127                                  |           | 0.0996 | 23.7         |      |
| Chloroform                              | 10.7   |                    | "        | 10.0           | ND                | 107         | 50.6-145                                  |           | 3.24   | 21.7         |      |
| Chloromethane                           | 9.93   |                    | "        | 10.0           | ND                | 99.3        | 64-111                                    |           | 1.62   | 21.4         |      |
| cis-1,2-Dichloroethylene                | 11.3   |                    | "        | 10.0           | 0.470             | 108         | 75.5-129                                  |           | 2.05   | 20.2         |      |
| cis-1,3-Dichloropropylene               | 10.3   |                    | "        | 10.0           | ND                | 103         | 74.3-128                                  |           | 3.25   | 19.8         |      |
| Dibromochloromethane                    | 10.2   |                    | "        | 10.0           | ND                | 102         | 76.8-150                                  |           | 0.392  | 20.8         |      |
| Dibromomethane                          | 10.6   |                    | "        | 10.0           | ND                | 106         | 83.3-140                                  |           | 0.942  | 20.4         |      |
| Dichlorodifluoromethane                 | 9.67   |                    | "        | 10.0           | ND                | 96.7        | 51-100                                    |           | 3.15   | 27.6         |      |
| Ethyl Benzene                           | 10.5   |                    | "        | 10.0           | ND                | 105         | 82.9-127                                  |           | 1.05   | 21.4         |      |
| Hexachlorobutadiene                     | 8.74   |                    | "        | 10.0           | ND                | 87.4        | 73-128                                    |           | 4.56   | 26           |      |
| Isopropylbenzene                        | 9.63   |                    | "        | 10.0           | ND                | 96.3        | 78.7-131                                  |           | 3.92   | 26.7         |      |
| Methyl tert-butyl ether (MTBE)          | 10.6   |                    | "        | 10.0           | ND                | 106         | 81.2-134                                  |           | 4.43   | 21.2         |      |
| Methylene chloride                      | 8.72   |                    | "        | 10.0           | ND                | 87.2        | 57.8-103                                  |           | 5.42   | 21.2         |      |
| Naphthalene                             | 10.6   |                    | "        | 10.0           | ND                | 106         | 80.1-122                                  |           | 12.5   | 26.1         |      |
| n-Butylbenzene                          | 9.33   |                    | "        | 10.0           | ND                | 93.3        | 72.4-120                                  |           | 7.22   | 30.8         |      |
| n-Propylbenzene                         | 9.55   |                    | "        | 10.0           | ND                | 95.5        | 74-130                                    |           | 4.83   | 31           |      |
| o-Xylene                                | 10.2   |                    | "        | 10.0           | ND                | 102         | 78.8-122                                  |           | 2.18   | 21           |      |
| p- & m- Xylenes                         | 20.9   |                    | "        | 20.0           | ND                | 104         | 82.5-123                                  |           | 1.16   | 22.5         |      |
| p-Isopropyltoluene                      | 9.31   |                    | "        | 10.0           | ND                | 93.1        | 64.9-132                                  |           | 4.62   | 25.2         |      |
| sec-Butylbenzene                        | 9.86   |                    | "        | 10.0           | ND                | 98.6        | 25.4-151                                  |           | 4.25   | 25.2         |      |
| Styrene                                 | 12.8   |                    | "        | 10.0           | ND                | 128         | 74.1-134                                  |           | 2.61   | 20           |      |
| tert-Butylbenzene                       | 9.12   |                    | "        | 10.0           | ND                | 91.2        | 79.5-171                                  |           | 3.57   | 24.8         |      |
| Tetrachloroethylene                     | 10.9   |                    | "        | 10.0           | 0.990             | 99.2        | 72.5-130                                  |           | 2.29   | 22.7         |      |
| Toluene                                 | 10.3   |                    | "        | 10.0           | ND                | 103         | 77.8-121                                  |           | 0.388  | 21.5         |      |
| trans-1,2-Dichloroethylene              | 10.4   |                    | "        | 10.0           | ND                | 104         | 83.8-140                                  |           | 3.13   | 20.1         |      |
| trans-1,3-Dichloropropylene             | 9.81   |                    | "        | 10.0           | ND                | 98.1        | 74.9-136                                  |           | 0.00   | 22.5         |      |
| Trichloroethylene                       | 11.1   |                    | "        | 10.0           | 0.610             | 105         | 84.4-125                                  |           | 0.381  | 20.7         |      |
| Trichlorofluoromethane                  | 10.8   |                    | "        | 10.0           | ND                | 108         | 78.7-127                                  |           | 3.88   | 24.7         |      |
| Vinyl Chloride                          | 9.96   |                    | "        | 10.0           | ND                | 99.6        | 72.1-116                                  |           | 2.03   | 24.9         |      |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | <i>9.59</i>  |                    | <i>"</i> | <i>10.0</i>    |                   | <i>95.9</i> | <i>72.6-129</i>                           |           |        |              |      |
| <i>Surrogate: p-Bromofluorobenzene</i>  | <i>9.54</i>  |                    | <i>"</i> | <i>10.0</i>    |                   | <i>95.4</i> | <i>63.5-145</i>                           |           |        |              |      |
| <i>Surrogate: Toluene-d8</i>            | <i>10.4</i>  |                    | <i>"</i> | <i>10.0</i>    |                   | <i>104</i>  | <i>81.2-127</i>                           |           |        |              |      |

## Volatile Analysis Sample Containers

| Lab ID     | Client Sample ID      | Volatile Sample Container                     |
|------------|-----------------------|---|
| 13A0419-01 | GWQ011413:1000NP1-1-2 | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |
| 13A0419-02 | GWQ011413:1010NP1-1-6 | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |
| 13A0419-03 | GWQ011413:1020NP1-1-7 | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |
| 13A0419-04 | GWQ011413:1030NP1-1-4 | 40mL Clear Vial (pre-pres.) HCl; Cool to 4° C |

### Notes and Definitions

- VOA-CO** The result reported is most likely due to carryover from a previous sample run in the batch. Data user should take note.
- QM-07** The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- J** Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
- B** Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants. Data users should consider anything <10x the blank value as artifact.
- 
- ND** Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
- RL** REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
- MDL** METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
- NR** Not reported
- RPD** Relative Percent Difference
- Wet** The data has been reported on an as-received (wet weight) basis
- Low Bias** Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- High Bias** High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- Non-Dir.** Non-dir. flag (Non-Directional Bias ) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the MDL, with values between the MDL and the RL being "J" flagged as estimated results.



**APPENDIX III**  
**JANUARY 2013 LABORATORY ANALYTICAL REPORTS**  
**FOR AIR SAMPLES**

# YORK

ANALYTICAL LABORATORIES, INC.

## Technical Report

prepared for:

**Leggette Brashears & Graham Shelton Office**

4 Research Drive, Suite 301

Shelton CT, 06484

**Attention: Tunde Komuves-Sandor**

Report Date: 01/18/2013

**Client Project ID: Rowe Industries**

York Project (SDG) No.: 13A0230

CT License No. PH-0723

New Jersey License No. CT-005



New York License No. 10854

PA License No. 68-04440

Report Date: 01/18/2013  
Client Project ID: Rowe Industries  
York Project (SDG) No.: 13A0230

**Leggette Brashears & Graham Shelton Office**  
4 Research Drive, Suite 301  
Shelton CT, 06484  
Attention: Tunde Komuves-Sandor

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on January 09, 2013 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

| <u>York Sample ID</u> | <u>Client Sample ID</u> | <u>Matrix</u>    | <u>Date Collected</u> | <u>Date Received</u> |
|-----------------------|-------------------------|------------------|-----------------------|----------------------|
| 13A0230-01            | AQ010713:1200NP4-1      | Vapor Extraction | 01/07/2013            | 01/09/2013           |
| 13A0230-02            | AQ010713:1205NP4-2      | Vapor Extraction | 01/07/2013            | 01/09/2013           |
| 13A0230-03            | AQ010713:1210NP4-3      | Vapor Extraction | 01/07/2013            | 01/09/2013           |

## General Notes for York Project (SDG) No.: 13A0230

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley  
Laboratory Director

Date: 01/18/2013

**YORK**

## Sample Information

**Client Sample ID:** AQ010713:1200NP4-1

**York Sample ID:** 13A0230-01

York Project (SDG) No.  
13A0230

Client Project ID  
Rowe Industries

Matrix  
Vapor Extraction

Collection Date/Time  
January 7, 2013 12:00 pm

Date Received  
01/09/2013

**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA TO15 PREP

| CAS No.      | Parameter                      | Result | Flag | Units             | MDL  | RL   | Dilution | Reference Method     | Date/Time Prepared | Date/Time Analyzed | Analyst |
|--------------|--------------------------------|--------|------|-------------------|------|------|----------|----------------------|--------------------|--------------------|---------|
| 75-01-4      | Vinyl Chloride                 | ND     |      | ug/m <sup>3</sup> | 0.43 | 0.43 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 108-05-4     | Vinyl acetate                  | ND     |      | ug/m <sup>3</sup> | 0.59 | 0.59 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 79-01-6      | Trichloroethylene              | ND     |      | ug/m <sup>3</sup> | 0.45 | 0.45 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 10061-02-6   | trans-1,3-Dichloropropylene    | ND     |      | ug/m <sup>3</sup> | 0.76 | 0.76 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 156-60-5     | trans-1,2-Dichloroethylene     | ND     |      | ug/m <sup>3</sup> | 0.67 | 0.67 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 108-88-3     | Toluene                        | ND     |      | ug/m <sup>3</sup> | 0.64 | 0.64 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 109-99-9     | Tetrahydrofuran                | ND     |      | ug/m <sup>3</sup> | 0.50 | 0.50 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 127-18-4     | Tetrachloroethylene            | ND     |      | ug/m <sup>3</sup> | 1.1  | 1.1  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 100-42-5     | Styrene                        | ND     |      | ug/m <sup>3</sup> | 0.72 | 0.72 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 115-07-01    | Propylene                      | ND     |      | ug/m <sup>3</sup> | 0.29 | 0.29 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 622-96-8     | p-Ethyltoluene                 | ND     |      | ug/m <sup>3</sup> | 4.1  | 4.1  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 1330-20-7P/M | p- & m- Xylenes                | ND     |      | ug/m <sup>3</sup> | 0.73 | 0.73 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 95-47-6      | o-Xylene                       | ND     |      | ug/m <sup>3</sup> | 0.73 | 0.73 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 110-54-3     | n-Hexane                       | ND     |      | ug/m <sup>3</sup> | 0.59 | 0.59 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 142-82-5     | n-Heptane                      | ND     |      | ug/m <sup>3</sup> | 0.69 | 0.69 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 75-09-2      | Methylene chloride             | ND     |      | ug/m <sup>3</sup> | 0.59 | 0.59 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 1634-04-4    | Methyl tert-butyl ether (MTBE) | ND     |      | ug/m <sup>3</sup> | 0.61 | 0.61 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 108-10-1     | 4-Methyl-2-pentanone           | ND     |      | ug/m <sup>3</sup> | 0.69 | 0.69 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 67-63-0      | Isopropanol                    | ND     |      | ug/m <sup>3</sup> | 0.41 | 0.41 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 87-68-3      | Hexachlorobutadiene            | ND     |      | ug/m <sup>3</sup> | 1.8  | 1.8  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 100-41-4     | Ethyl Benzene                  | ND     |      | ug/m <sup>3</sup> | 0.73 | 0.73 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 141-78-6     | Ethyl acetate                  | ND     |      | ug/m <sup>3</sup> | 0.61 | 0.61 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 110-82-7     | Cyclohexane                    | ND     |      | ug/m <sup>3</sup> | 0.58 | 0.58 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 10061-01-5   | cis-1,3-Dichloropropylene      | ND     |      | ug/m <sup>3</sup> | 0.76 | 0.76 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 156-59-2     | cis-1,2-Dichloroethylene       | ND     |      | ug/m <sup>3</sup> | 0.67 | 0.67 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 74-87-3      | Chloromethane                  | ND     |      | ug/m <sup>3</sup> | 0.35 | 0.35 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 67-66-3      | Chloroform                     | ND     |      | ug/m <sup>3</sup> | 0.82 | 0.82 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 75-00-3      | Chloroethane                   | ND     |      | ug/m <sup>3</sup> | 0.44 | 0.44 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 56-23-5      | Carbon tetrachloride           | ND     |      | ug/m <sup>3</sup> | 0.53 | 0.53 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 75-15-0      | Carbon disulfide               | ND     |      | ug/m <sup>3</sup> | 0.52 | 0.52 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 74-83-9      | Bromomethane                   | ND     |      | ug/m <sup>3</sup> | 0.65 | 0.65 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 75-25-2      | Bromoform                      | ND     |      | ug/m <sup>3</sup> | 1.7  | 1.7  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 75-27-4      | Bromodichloromethane           | ND     |      | ug/m <sup>3</sup> | 1.0  | 1.0  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |

## Sample Information

**Client Sample ID:** AQ010713:1200NP4-1

**York Sample ID:** 13A0230-01

York Project (SDG) No.  
13A0230

Client Project ID  
Rowe Industries

Matrix  
Vapor Extraction

Collection Date/Time  
January 7, 2013 12:00 pm

Date Received  
01/09/2013

**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA TO15 PREP

| CAS No.                     | Parameter   | Result        | Flag                    | Units             | MDL  | RL   | Dilution | Reference Method     | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|---|---------------|-------------------------|-------------------|------|------|----------|----------------------|--------------------|--------------------|---------|
| 100-44-7                    | Benzyl chloride                                   | ND            |                         | ug/m <sup>3</sup> | 0.87 | 0.87 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 71-43-2                     | Benzene   | ND            |                         | ug/m <sup>3</sup> | 0.54 | 0.54 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 67-64-1                     | Acetone   | 5.2           |                         | ug/m <sup>3</sup> | 0.40 | 0.40 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 591-78-6                    | 2-Hexanone  | ND            |                         | ug/m <sup>3</sup> | 0.69 | 0.69 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 78-93-3                     | 2-Butanone  | ND            |                         | ug/m <sup>3</sup> | 0.50 | 0.50 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 123-91-1                    | 1,4-Dioxane                                       | ND            |                         | ug/m <sup>3</sup> | 0.61 | 0.61 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 106-46-7                    | 1,4-Dichlorobenzene                               | ND            |                         | ug/m <sup>3</sup> | 1.0  | 1.0  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 541-73-1                    | 1,3-Dichlorobenzene                               | ND            |                         | ug/m <sup>3</sup> | 1.0  | 1.0  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 106-99-0                    | 1,3-Butadiene                                     | ND            |                         | ug/m <sup>3</sup> | 0.73 | 0.73 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 108-67-8                    | 1,3,5-Trimethylbenzene                            | ND            |                         | ug/m <sup>3</sup> | 0.83 | 0.83 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 76-14-2                     | 1,2-Dichlorotetrafluoroethane                     | ND            |                         | ug/m <sup>3</sup> | 1.2  | 1.2  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 78-87-5                     | 1,2-Dichloropropane                               | ND            |                         | ug/m <sup>3</sup> | 0.78 | 0.78 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 107-06-2                    | 1,2-Dichloroethane                                | ND            |                         | ug/m <sup>3</sup> | 0.68 | 0.68 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 95-50-1                     | 1,2-Dichlorobenzene                               | ND            |                         | ug/m <sup>3</sup> | 1.0  | 1.0  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 95-63-6                     | 1,2,4-Trimethylbenzene                            | ND            |                         | ug/m <sup>3</sup> | 0.83 | 0.83 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 120-82-1                    | 1,2,4-Trichlorobenzene                            | ND            |                         | ug/m <sup>3</sup> | 1.3  | 1.3  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 75-35-4                     | 1,1-Dichloroethylene                              | ND            |                         | ug/m <sup>3</sup> | 0.67 | 0.67 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 75-34-3                     | 1,1-Dichloroethane                                | ND            |                         | ug/m <sup>3</sup> | 0.68 | 0.68 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 75-69-4                     | Trichlorofluoromethane (Freon 11)                 | ND            |                         | ug/m <sup>3</sup> | 0.95 | 0.95 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 79-00-5                     | 1,1,2-Trichloroethane                             | ND            |                         | ug/m <sup>3</sup> | 0.92 | 0.92 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 76-13-1                     | 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND            |                         | ug/m <sup>3</sup> | 1.3  | 1.3  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 79-34-5                     | 1,1,2,2-Tetrachloroethane                         | ND            |                         | ug/m <sup>3</sup> | 1.2  | 1.2  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 71-55-6                     | 1,1,1-Trichloroethane                             | ND            |                         | ug/m <sup>3</sup> | 0.92 | 0.92 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 75-71-8                     | Dichlorodifluoromethane                           | 2.7           |                         | ug/m <sup>3</sup> | 0.83 | 0.83 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 106-93-4                    | 1,2-Dibromoethane                                 | ND            |                         | ug/m <sup>3</sup> | 1.3  | 1.3  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 124-48-1                    | Dibromochloromethane                              | ND            |                         | ug/m <sup>3</sup> | 1.4  | 1.4  | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 80-62-6                     | Methyl Methacrylate                               | ND            |                         | ug/m <sup>3</sup> | 0.69 | 0.69 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| 108-90-7                    | Chlorobenzene                                     | ND            |                         | ug/m <sup>3</sup> | 0.78 | 0.78 | 1.657    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/14/2013 17:06   | TD      |
| <b>Surrogate Recoveries</b> |   | <b>Result</b> | <b>Acceptance Range</b> |                   |      |      |          |                      |                    |                    |         |
| 460-00-4                    | Surrogate: <i>p</i> -Bromofluorobenzene           | 93.1 %        | 70-130                  |                   |      |      |          |                      |                    |                    |         |

## Sample Information

**Client Sample ID:** AQ010713:1205NP4-2

**York Sample ID:** 13A0230-02

York Project (SDG) No.  
13A0230

Client Project ID  
Rowe Industries

Matrix  
Vapor Extraction

Collection Date/Time  
January 7, 2013 12:05 pm

Date Received  
01/09/2013

**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA TO15 PREP

| CAS No.      | Parameter                      | Result | Flag | Units             | MDL  | RL   | Dilution | Reference Method     | Date/Time Prepared | Date/Time Analyzed | Analyst |
|--------------|--------------------------------|--------|------|-------------------|------|------|----------|----------------------|--------------------|--------------------|---------|
| 75-01-4      | Vinyl Chloride                 | ND     |      | ug/m <sup>3</sup> | 0.44 | 0.44 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 108-05-4     | Vinyl acetate                  | ND     |      | ug/m <sup>3</sup> | 0.61 | 0.61 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 79-01-6      | Trichloroethylene              | 6.2    |      | ug/m <sup>3</sup> | 0.46 | 0.46 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 10061-02-6   | trans-1,3-Dichloropropylene    | ND     |      | ug/m <sup>3</sup> | 0.78 | 0.78 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 156-60-5     | trans-1,2-Dichloroethylene     | ND     |      | ug/m <sup>3</sup> | 0.68 | 0.68 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 108-88-3     | Toluene                        | 3.3    |      | ug/m <sup>3</sup> | 0.65 | 0.65 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 109-99-9     | Tetrahydrofuran                | ND     |      | ug/m <sup>3</sup> | 0.51 | 0.51 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 127-18-4     | Tetrachloroethylene            | 240    |      | ug/m <sup>3</sup> | 1.2  | 1.2  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 100-42-5     | Styrene                        | ND     |      | ug/m <sup>3</sup> | 0.74 | 0.74 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 115-07-01    | Propylene                      | ND     |      | ug/m <sup>3</sup> | 0.30 | 0.30 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 622-96-8     | p-Ethyltoluene                 | ND     |      | ug/m <sup>3</sup> | 4.2  | 4.2  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 1330-20-7P/M | p- & m- Xylenes                | ND     |      | ug/m <sup>3</sup> | 0.75 | 0.75 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 95-47-6      | o-Xylene                       | ND     |      | ug/m <sup>3</sup> | 0.75 | 0.75 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 110-54-3     | n-Hexane                       | ND     |      | ug/m <sup>3</sup> | 0.61 | 0.61 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 142-82-5     | n-Heptane                      | ND     |      | ug/m <sup>3</sup> | 0.71 | 0.71 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 75-09-2      | Methylene chloride             | ND     |      | ug/m <sup>3</sup> | 0.60 | 0.60 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 1634-04-4    | Methyl tert-butyl ether (MTBE) | ND     |      | ug/m <sup>3</sup> | 0.62 | 0.62 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 108-10-1     | 4-Methyl-2-pentanone           | ND     |      | ug/m <sup>3</sup> | 0.71 | 0.71 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 67-63-0      | Isopropanol                    | ND     |      | ug/m <sup>3</sup> | 0.42 | 0.42 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 87-68-3      | Hexachlorobutadiene            | ND     |      | ug/m <sup>3</sup> | 1.8  | 1.8  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 100-41-4     | Ethyl Benzene                  | ND     |      | ug/m <sup>3</sup> | 0.75 | 0.75 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 141-78-6     | Ethyl acetate                  | ND     |      | ug/m <sup>3</sup> | 0.62 | 0.62 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 110-82-7     | Cyclohexane                    | ND     |      | ug/m <sup>3</sup> | 0.59 | 0.59 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 10061-01-5   | cis-1,3-Dichloropropylene      | ND     |      | ug/m <sup>3</sup> | 0.78 | 0.78 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 156-59-2     | cis-1,2-Dichloroethylene       | ND     |      | ug/m <sup>3</sup> | 0.68 | 0.68 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 74-87-3      | Chloromethane                  | ND     |      | ug/m <sup>3</sup> | 0.36 | 0.36 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 67-66-3      | Chloroform                     | 3.0    |      | ug/m <sup>3</sup> | 0.84 | 0.84 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 75-00-3      | Chloroethane                   | ND     |      | ug/m <sup>3</sup> | 0.46 | 0.46 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 56-23-5      | Carbon tetrachloride           | ND     |      | ug/m <sup>3</sup> | 0.54 | 0.54 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 75-15-0      | Carbon disulfide               | 1.4    |      | ug/m <sup>3</sup> | 0.54 | 0.54 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 74-83-9      | Bromomethane                   | ND     |      | ug/m <sup>3</sup> | 0.67 | 0.67 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 75-25-2      | Bromoform                      | ND     |      | ug/m <sup>3</sup> | 1.8  | 1.8  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 75-27-4      | Bromodichloromethane           | ND     |      | ug/m <sup>3</sup> | 1.1  | 1.1  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 100-44-7     | Benzyl chloride                | ND     |      | ug/m <sup>3</sup> | 0.89 | 0.89 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |

## Sample Information

**Client Sample ID:** AQ010713:1205NP4-2

**York Sample ID:** 13A0230-02

York Project (SDG) No.  
13A0230

Client Project ID  
Rowe Industries

Matrix  
Vapor Extraction

Collection Date/Time  
January 7, 2013 12:05 pm

Date Received  
01/09/2013

**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA TO15 PREP

| CAS No.                     | Parameter   | Result        | Flag                    | Units             | MDL  | RL   | Dilution | Reference Method     | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|---|---------------|-------------------------|-------------------|------|------|----------|----------------------|--------------------|--------------------|---------|
| 71-43-2                     | Benzene   | ND            |                         | ug/m <sup>3</sup> | 0.55 | 0.55 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 67-64-1                     | Acetone   | 18            |                         | ug/m <sup>3</sup> | 0.41 | 0.41 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 591-78-6                    | 2-Hexanone  | ND            |                         | ug/m <sup>3</sup> | 0.71 | 0.71 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 78-93-3                     | 2-Butanone  | ND            |                         | ug/m <sup>3</sup> | 0.51 | 0.51 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 123-91-1                    | 1,4-Dioxane                                       | ND            |                         | ug/m <sup>3</sup> | 0.62 | 0.62 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 106-46-7                    | 1,4-Dichlorobenzene                               | ND            |                         | ug/m <sup>3</sup> | 1.0  | 1.0  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 541-73-1                    | 1,3-Dichlorobenzene                               | ND            |                         | ug/m <sup>3</sup> | 1.0  | 1.0  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 106-99-0                    | 1,3-Butadiene                                     | ND            |                         | ug/m <sup>3</sup> | 0.75 | 0.75 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 108-67-8                    | 1,3,5-Trimethylbenzene                            | ND            |                         | ug/m <sup>3</sup> | 0.85 | 0.85 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 76-14-2                     | 1,2-Dichlorotetrafluoroethane                     | ND            |                         | ug/m <sup>3</sup> | 1.2  | 1.2  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 78-87-5                     | 1,2-Dichloropropane                               | ND            |                         | ug/m <sup>3</sup> | 0.80 | 0.80 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 107-06-2                    | 1,2-Dichloroethane                                | ND            |                         | ug/m <sup>3</sup> | 0.70 | 0.70 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 95-50-1                     | 1,2-Dichlorobenzene                               | ND            |                         | ug/m <sup>3</sup> | 1.0  | 1.0  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 95-63-6                     | 1,2,4-Trimethylbenzene                            | ND            |                         | ug/m <sup>3</sup> | 0.85 | 0.85 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 120-82-1                    | 1,2,4-Trichlorobenzene                            | ND            |                         | ug/m <sup>3</sup> | 1.3  | 1.3  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 75-35-4                     | 1,1-Dichloroethylene                              | ND            |                         | ug/m <sup>3</sup> | 0.68 | 0.68 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 75-34-3                     | 1,1-Dichloroethane                                | ND            |                         | ug/m <sup>3</sup> | 0.70 | 0.70 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 75-69-4                     | Trichlorofluoromethane (Freon 11)                 | 2.2           |                         | ug/m <sup>3</sup> | 0.97 | 0.97 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 79-00-5                     | 1,1,2-Trichloroethane                             | ND            |                         | ug/m <sup>3</sup> | 0.94 | 0.94 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 76-13-1                     | 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND            |                         | ug/m <sup>3</sup> | 1.3  | 1.3  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 79-34-5                     | 1,1,2,2-Tetrachloroethane                         | ND            |                         | ug/m <sup>3</sup> | 1.2  | 1.2  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 71-55-6                     | 1,1,1-Trichloroethane                             | 15            |                         | ug/m <sup>3</sup> | 0.94 | 0.94 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 75-71-8                     | Dichlorodifluoromethane                           | 3.2           |                         | ug/m <sup>3</sup> | 0.85 | 0.85 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 106-93-4                    | 1,2-Dibromoethane                                 | ND            |                         | ug/m <sup>3</sup> | 1.3  | 1.3  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 124-48-1                    | Dibromochloromethane                              | ND            |                         | ug/m <sup>3</sup> | 1.4  | 1.4  | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 80-62-6                     | Methyl Methacrylate                               | ND            |                         | ug/m <sup>3</sup> | 0.71 | 0.71 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| 108-90-7                    | Chlorobenzene                                     | ND            |                         | ug/m <sup>3</sup> | 0.79 | 0.79 | 1.697    | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 21:35   | TD      |
| <b>Surrogate Recoveries</b> |   | <b>Result</b> | <b>Acceptance Range</b> |                   |      |      |          |                      |                    |                    |         |
| 460-00-4                    | Surrogate: <i>p</i> -Bromofluorobenzene           | 110 %         | 70-130                  |                   |      |      |          |                      |                    |                    |         |

## Sample Information

**Client Sample ID:** AQ010713:1210NP4-3

**York Sample ID:** 13A0230-03

York Project (SDG) No.  
13A0230

Client Project ID  
Rowe Industries

Matrix  
Vapor Extraction

Collection Date/Time  
January 7, 2013 12:10 pm

Date Received  
01/09/2013

## Sample Information

**Client Sample ID:** AQ010713:1210NP4-3

**York Sample ID:** 13A0230-03

York Project (SDG) No.  
13A0230

Client Project ID  
Rowe Industries

Matrix                      Collection Date/Time  
Vapor Extraction      January 7, 2013 12:10 pm

Date Received  
01/09/2013

**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA TO15 PREP

| CAS No.      | Parameter                      | Result | Flag | Units             | MDL  | RL   | Dilution | Reference Method     | Date/Time Prepared | Date/Time Analyzed | Analyst |
|--------------|--------------------------------|--------|------|-------------------|------|------|----------|----------------------|--------------------|--------------------|---------|
| 75-01-4      | Vinyl Chloride                 | ND     |      | ug/m <sup>3</sup> | 0.45 | 0.45 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 108-05-4     | Vinyl acetate                  | ND     |      | ug/m <sup>3</sup> | 0.62 | 0.62 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 79-01-6      | Trichloroethylene              | ND     |      | ug/m <sup>3</sup> | 0.47 | 0.47 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 10061-02-6   | trans-1,3-Dichloropropylene    | ND     |      | ug/m <sup>3</sup> | 0.79 | 0.79 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 156-60-5     | trans-1,2-Dichloroethylene     | ND     |      | ug/m <sup>3</sup> | 0.69 | 0.69 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 108-88-3     | Toluene                        | ND     |      | ug/m <sup>3</sup> | 0.66 | 0.66 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 109-99-9     | Tetrahydrofuran                | 3.6    |      | ug/m <sup>3</sup> | 0.52 | 0.52 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 127-18-4     | Tetrachloroethylene            | ND     |      | ug/m <sup>3</sup> | 1.2  | 1.2  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 100-42-5     | Styrene                        | ND     |      | ug/m <sup>3</sup> | 0.75 | 0.75 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 115-07-01    | Propylene                      | ND     |      | ug/m <sup>3</sup> | 0.30 | 0.30 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 622-96-8     | p-Ethyltoluene                 | ND     |      | ug/m <sup>3</sup> | 4.3  | 4.3  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 1330-20-7P/M | p- & m- Xylenes                | 2.4    |      | ug/m <sup>3</sup> | 0.76 | 0.76 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 95-47-6      | o-Xylene                       | 1.4    |      | ug/m <sup>3</sup> | 0.76 | 0.76 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 110-54-3     | n-Hexane                       | ND     |      | ug/m <sup>3</sup> | 0.62 | 0.62 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 142-82-5     | n-Heptane                      | ND     |      | ug/m <sup>3</sup> | 0.72 | 0.72 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 75-09-2      | Methylene chloride             | ND     |      | ug/m <sup>3</sup> | 0.61 | 0.61 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 1634-04-4    | Methyl tert-butyl ether (MTBE) | ND     |      | ug/m <sup>3</sup> | 0.63 | 0.63 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 108-10-1     | 4-Methyl-2-pentanone           | ND     |      | ug/m <sup>3</sup> | 0.72 | 0.72 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 67-63-0      | Isopropanol                    | ND     |      | ug/m <sup>3</sup> | 0.43 | 0.43 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 87-68-3      | Hexachlorobutadiene            | ND     |      | ug/m <sup>3</sup> | 1.9  | 1.9  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 100-41-4     | Ethyl Benzene                  | ND     |      | ug/m <sup>3</sup> | 0.76 | 0.76 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 141-78-6     | Ethyl acetate                  | ND     |      | ug/m <sup>3</sup> | 0.63 | 0.63 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 110-82-7     | Cyclohexane                    | ND     |      | ug/m <sup>3</sup> | 0.60 | 0.60 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 10061-01-5   | cis-1,3-Dichloropropylene      | ND     |      | ug/m <sup>3</sup> | 0.79 | 0.79 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 156-59-2     | cis-1,2-Dichloroethylene       | 1.5    |      | ug/m <sup>3</sup> | 0.69 | 0.69 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 74-87-3      | Chloromethane                  | ND     |      | ug/m <sup>3</sup> | 0.36 | 0.36 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 67-66-3      | Chloroform                     | 4.7    |      | ug/m <sup>3</sup> | 0.85 | 0.85 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 75-00-3      | Chloroethane                   | ND     |      | ug/m <sup>3</sup> | 0.46 | 0.46 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 56-23-5      | Carbon tetrachloride           | ND     |      | ug/m <sup>3</sup> | 0.55 | 0.55 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 75-15-0      | Carbon disulfide               | ND     |      | ug/m <sup>3</sup> | 0.54 | 0.54 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 74-83-9      | Bromomethane                   | ND     |      | ug/m <sup>3</sup> | 0.68 | 0.68 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 75-25-2      | Bromoform                      | ND     |      | ug/m <sup>3</sup> | 1.8  | 1.8  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 75-27-4      | Bromodichloromethane           | ND     |      | ug/m <sup>3</sup> | 1.1  | 1.1  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 100-44-7     | Benzyl chloride                | ND     |      | ug/m <sup>3</sup> | 0.91 | 0.91 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |

## Sample Information

**Client Sample ID:** AQ010713:1210NP4-3

**York Sample ID:** 13A0230-03

York Project (SDG) No.  
13A0230

Client Project ID  
Rowe Industries

Matrix  
Vapor Extraction

Collection Date/Time  
January 7, 2013 12:10 pm

Date Received  
01/09/2013

**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA TO15 PREP

| CAS No.                     | Parameter   | Result        | Flag                    | Units             | MDL  | RL   | Dilution | Reference Method     | Date/Time Prepared | Date/Time Analyzed | Analyst |
|-----------------------------|---|---------------|-------------------------|-------------------|------|------|----------|----------------------|--------------------|--------------------|---------|
| 71-43-2                     | Benzene   | ND            |                         | ug/m <sup>3</sup> | 0.56 | 0.56 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 67-64-1                     | Acetone   | 51            |                         | ug/m <sup>3</sup> | 0.42 | 0.42 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 591-78-6                    | 2-Hexanone  | ND            |                         | ug/m <sup>3</sup> | 0.72 | 0.72 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 78-93-3                     | 2-Butanone  | 3.5           |                         | ug/m <sup>3</sup> | 0.52 | 0.52 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 123-91-1                    | 1,4-Dioxane                                       | ND            |                         | ug/m <sup>3</sup> | 0.63 | 0.63 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 106-46-7                    | 1,4-Dichlorobenzene                               | ND            |                         | ug/m <sup>3</sup> | 1.1  | 1.1  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 541-73-1                    | 1,3-Dichlorobenzene                               | ND            |                         | ug/m <sup>3</sup> | 1.1  | 1.1  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 106-99-0                    | 1,3-Butadiene                                     | ND            |                         | ug/m <sup>3</sup> | 0.76 | 0.76 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 108-67-8                    | 1,3,5-Trimethylbenzene                            | ND            |                         | ug/m <sup>3</sup> | 0.86 | 0.86 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 76-14-2                     | 1,2-Dichlorotetrafluoroethane                     | ND            |                         | ug/m <sup>3</sup> | 1.2  | 1.2  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 78-87-5                     | 1,2-Dichloropropane                               | ND            |                         | ug/m <sup>3</sup> | 0.81 | 0.81 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 107-06-2                    | 1,2-Dichloroethane                                | ND            |                         | ug/m <sup>3</sup> | 0.71 | 0.71 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 95-50-1                     | 1,2-Dichlorobenzene                               | ND            |                         | ug/m <sup>3</sup> | 1.1  | 1.1  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 95-63-6                     | 1,2,4-Trimethylbenzene                            | 1.5           |                         | ug/m <sup>3</sup> | 0.86 | 0.86 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 120-82-1                    | 1,2,4-Trichlorobenzene                            | ND            |                         | ug/m <sup>3</sup> | 1.3  | 1.3  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 75-35-4                     | 1,1-Dichloroethylene                              | ND            |                         | ug/m <sup>3</sup> | 0.69 | 0.69 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 75-34-3                     | 1,1-Dichloroethane                                | 5.6           |                         | ug/m <sup>3</sup> | 0.71 | 0.71 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 75-69-4                     | Trichlorofluoromethane (Freon 11)                 | 2.3           |                         | ug/m <sup>3</sup> | 0.98 | 0.98 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 79-00-5                     | 1,1,2-Trichloroethane                             | ND            |                         | ug/m <sup>3</sup> | 0.95 | 0.95 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 76-13-1                     | 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND            |                         | ug/m <sup>3</sup> | 1.3  | 1.3  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 79-34-5                     | 1,1,2,2-Tetrachloroethane                         | ND            |                         | ug/m <sup>3</sup> | 1.2  | 1.2  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 71-55-6                     | 1,1,1-Trichloroethane                             | 30            |                         | ug/m <sup>3</sup> | 0.95 | 0.95 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 75-71-8                     | Dichlorodifluoromethane                           | 3.5           |                         | ug/m <sup>3</sup> | 0.87 | 0.87 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 106-93-4                    | 1,2-Dibromoethane                                 | ND            |                         | ug/m <sup>3</sup> | 1.3  | 1.3  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 124-48-1                    | Dibromochloromethane                              | ND            |                         | ug/m <sup>3</sup> | 1.4  | 1.4  | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 80-62-6                     | Methyl Methacrylate                               | ND            |                         | ug/m <sup>3</sup> | 0.72 | 0.72 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| 108-90-7                    | Chlorobenzene                                     | ND            |                         | ug/m <sup>3</sup> | 0.81 | 0.81 | 1.72     | EPA Compendium TO-15 | 01/14/2013 09:00   | 01/17/2013 22:24   | TD      |
| <b>Surrogate Recoveries</b> |   | <b>Result</b> | <b>Acceptance Range</b> |                   |      |      |          |                      |                    |                    |         |
| 460-00-4                    | Surrogate: <i>p</i> -Bromofluorobenzene           | 110 %         | 70-130                  |                   |      |      |          |                      |                    |                    |         |

## Analytical Batch Summary

**Batch ID:** BA30526

**Preparation Method:** EPA TO15 PREP

**Prepared By:** TD

| YORK Sample ID | Client Sample ID   | Preparation Date |
|----------------|--------------------|------------------|
| 13A0230-01     | AQ010713:1200NP4-1 | 01/14/13         |
| BA30526-BLK1   | Blank              | 01/14/13         |
| BA30526-BS1    | LCS                | 01/14/13         |
| BA30526-DUP1   | Duplicate          | 01/14/13         |

**Batch ID:** BA30661

**Preparation Method:** EPA TO15 PREP

**Prepared By:** TD

| YORK Sample ID | Client Sample ID   | Preparation Date |
|----------------|--------------------|------------------|
| 13A0230-02     | AQ010713:1205NP4-2 | 01/14/13         |
| 13A0230-03     | AQ010713:1210NP4-3 | 01/14/13         |
| BA30661-BLK1   | Blank              | 01/16/13         |
| BA30661-BS1    | LCS                | 01/16/13         |
| BA30661-DUP1   | Duplicate          | 01/16/13         |

## Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting | Units | Spike | Source* | %REC | %REC | Flag | RPD    |     |
|---------|--------|-----------|-------|-------|---------|------|------|------|--------|-----|
|         |        | Limit     |       |       | Result  |      |      |      | Limits | RPD |

**Batch BA30526 - EPA TO15 PREP**

**Blank (BA30526-BLK1)**

Prepared & Analyzed: 01/14/2013

|   |    |      |                   |
|---|----|------|-------------------|
| Vinyl Chloride                                    | ND | 0.26 | ug/m <sup>3</sup> |
| Vinyl acetate                                     | ND | 0.36 | "                 |
| Trichloroethylene                                 | ND | 0.27 | "                 |
| trans-1,3-Dichloropropylene                       | ND | 0.46 | "                 |
| trans-1,2-Dichloroethylene                        | ND | 0.40 | "                 |
| Toluene   | ND | 0.38 | "                 |
| Tetrahydrofuran                                   | ND | 0.30 | "                 |
| Tetrachloroethylene                               | ND | 0.69 | "                 |
| Styrene   | ND | 0.43 | "                 |
| Propylene   | ND | 0.18 | "                 |
| p-Ethyltoluene                                    | ND | 2.5  | "                 |
| p- & m- Xylenes                                   | ND | 0.44 | "                 |
| o-Xylene  | ND | 0.44 | "                 |
| n-Hexane  | ND | 0.36 | "                 |
| n-Heptane   | ND | 0.42 | "                 |
| Methylene chloride                                | ND | 0.35 | "                 |
| Methyl tert-butyl ether (MTBE)                    | ND | 0.37 | "                 |
| 4-Methyl-2-pentanone                              | ND | 0.42 | "                 |
| Isopropanol                                       | ND | 0.25 | "                 |
| Hexachlorobutadiene                               | ND | 1.1  | "                 |
| Ethyl Benzene                                     | ND | 0.44 | "                 |
| Ethyl acetate                                     | ND | 0.37 | "                 |
| Cyclohexane                                       | ND | 0.35 | "                 |
| cis-1,3-Dichloropropylene                         | ND | 0.46 | "                 |
| cis-1,2-Dichloroethylene                          | ND | 0.40 | "                 |
| Chloromethane                                     | ND | 0.21 | "                 |
| Chloroform  | ND | 0.50 | "                 |
| Chloroethane                                      | ND | 0.27 | "                 |
| Carbon tetrachloride                              | ND | 0.32 | "                 |
| Carbon disulfide                                  | ND | 0.32 | "                 |
| Bromomethane                                      | ND | 0.39 | "                 |
| Bromoform   | ND | 1.1  | "                 |
| Bromodichloromethane                              | ND | 0.63 | "                 |
| Benzyl chloride                                   | ND | 0.53 | "                 |
| Benzene   | ND | 0.32 | "                 |
| Acetone   | ND | 0.24 | "                 |
| 2-Hexanone  | ND | 0.42 | "                 |
| 2-Butanone  | ND | 0.30 | "                 |
| 1,4-Dioxane                                       | ND | 0.37 | "                 |
| 1,4-Dichlorobenzene                               | ND | 0.61 | "                 |
| 1,3-Dichlorobenzene                               | ND | 0.61 | "                 |
| 1,3-Butadiene                                     | ND | 0.44 | "                 |
| 1,3,5-Trimethylbenzene                            | ND | 0.50 | "                 |
| 1,2-Dichlorotetrafluoroethane                     | ND | 0.71 | "                 |
| 1,2-Dichloropropane                               | ND | 0.47 | "                 |
| 1,2-Dichloroethane                                | ND | 0.41 | "                 |
| 1,2-Dichlorobenzene                               | ND | 0.61 | "                 |
| 1,2,4-Trimethylbenzene                            | ND | 0.50 | "                 |
| 1,2,4-Trichlorobenzene                            | ND | 0.75 | "                 |
| 1,1-Dichloroethylene                              | ND | 0.40 | "                 |
| 1,1-Dichloroethane                                | ND | 0.41 | "                 |
| Trichlorofluoromethane (Freon 11)                 | ND | 0.57 | "                 |
| 1,1,2-Trichloroethane                             | ND | 0.55 | "                 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND | 0.78 | "                 |

## Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                                | Result | Reporting<br>Limit | Units             | Spike<br>Level | Source*<br>Result | %REC<br>Limits | Flag     | RPD       | RPD<br>Limit | Flag                            |
|--|--------|--------------------|-------------------|----------------|-------------------|----------------|----------|-----------|--------------|---------------------------------|
| <b>Batch BA30526 - EPA TO15 PREP</b>   |        |                    |                   |                |                   |                |          |           |              |                                 |
| <b>Blank (BA30526-BLK1)</b>            |        |                    |                   |                |                   |                |          |           |              |                                 |
|  |        |                    |                   |                |                   |                |          |           |              | Prepared & Analyzed: 01/14/2013 |
| 1,1,2,2-Tetrachloroethane              | ND     | 0.70               | ug/m <sup>3</sup> |                |                   |                |          |           |              |                                 |
| 1,1,1-Trichloroethane                  | ND     | 0.55               | "                 |                |                   |                |          |           |              |                                 |
| Dichlorodifluoromethane                | ND     | 0.50               | "                 |                |                   |                |          |           |              |                                 |
| 1,2-Dibromoethane                      | ND     | 0.78               | "                 |                |                   |                |          |           |              |                                 |
| Dibromochloromethane                   | ND     | 0.82               | "                 |                |                   |                |          |           |              |                                 |
| Methyl Methacrylate                    | ND     | 0.42               | "                 |                |                   |                |          |           |              |                                 |
| Chlorobenzene                          | ND     | 0.47               | "                 |                |                   |                |          |           |              |                                 |
| <i>Surrogate: p-Bromofluorobenzene</i> | 8.65   |                    | ppbv              | 10.0           |                   | 86.5           | 70-130   |           |              |                                 |
| <b>LCS (BA30526-BS1)</b>               |        |                    |                   |                |                   |                |          |           |              |                                 |
|  |        |                    |                   |                |                   |                |          |           |              | Prepared & Analyzed: 01/14/2013 |
| Vinyl Chloride                         | 10.0   |                    | ppbv              | 10.1           |                   | 99.5           | 70-130   |           |              |                                 |
| Vinyl acetate                          | 4.44   |                    | "                 | 9.70           |                   | 45.8           | 58.1-135 | Low Bias  |              |                                 |
| Trichloroethylene                      | 9.37   |                    | "                 | 10.2           |                   | 91.9           | 70-130   |           |              |                                 |
| trans-1,3-Dichloropropylene            | 7.68   |                    | "                 | 9.90           |                   | 77.6           | 62-135   |           |              |                                 |
| trans-1,2-Dichloroethylene             | 8.93   |                    | "                 | 9.50           |                   | 94.0           | 58.3-130 |           |              |                                 |
| Toluene                                | 10.6   |                    | "                 | 10.8           |                   | 98.1           | 64.9-126 |           |              |                                 |
| Tetrahydrofuran                        | 9.86   |                    | "                 | 10.2           |                   | 96.7           | 44.6-146 |           |              |                                 |
| Tetrachloroethylene                    | 10.0   |                    | "                 | 10.5           |                   | 95.2           | 70-130   |           |              |                                 |
| Styrene                                | 9.96   |                    | "                 | 10.7           |                   | 93.1           | 66.4-132 |           |              |                                 |
| Propylene                              | 11.0   |                    | "                 | 11.0           |                   | 99.5           | 62.4-150 |           |              |                                 |
| p-Ethyltoluene                         | 10.5   |                    | "                 | 10.4           |                   | 101            | 73.8-146 |           |              |                                 |
| p- & m- Xylenes                        | 20.0   |                    | "                 | 21.0           |                   | 95.3           | 56.6-136 |           |              |                                 |
| o-Xylene                               | 10.5   |                    | "                 | 10.8           |                   | 97.2           | 67.8-133 |           |              |                                 |
| n-Hexane                               | 9.63   |                    | "                 | 10.3           |                   | 93.5           | 59.7-130 |           |              |                                 |
| n-Heptane                              | 10.0   |                    | "                 | 10.4           |                   | 96.4           | 62.3-134 |           |              |                                 |
| Methylene chloride                     | 8.53   |                    | "                 | 10.0           |                   | 85.3           | 62.6-130 |           |              |                                 |
| Methyl tert-butyl ether (MTBE)         | 10.2   |                    | "                 | 10.2           |                   | 99.7           | 60.7-139 |           |              |                                 |
| 4-Methyl-2-pentanone                   | 9.39   |                    | "                 | 10.0           |                   | 93.9           | 64.5-158 |           |              |                                 |
| Isopropanol                            | 13.6   |                    | "                 | 9.90           |                   | 138            | 60-150   |           |              |                                 |
| Hexachlorobutadiene                    | 18.8   |                    | "                 | 11.0           |                   | 171            | 61.2-150 | High Bias |              |                                 |
| Ethyl Benzene                          | 9.99   |                    | "                 | 10.7           |                   | 93.4           | 68.4-125 |           |              |                                 |
| Ethyl acetate                          | 11.9   |                    | "                 | 10.0           |                   | 119            | 40.6-150 |           |              |                                 |
| Cyclohexane                            | 9.44   |                    | "                 | 10.2           |                   | 92.5           | 60.4-127 |           |              |                                 |
| cis-1,3-Dichloropropylene              | 8.93   |                    | "                 | 10.7           |                   | 83.5           | 65.5-129 |           |              |                                 |
| cis-1,2-Dichloroethylene               | 9.27   |                    | "                 | 10.5           |                   | 88.3           | 51.3-118 |           |              |                                 |
| Chloromethane                          | 9.23   |                    | "                 | 10.1           |                   | 91.4           | 64.9-130 |           |              |                                 |
| Chloroform                             | 9.32   |                    | "                 | 10.0           |                   | 93.2           | 65.1-130 |           |              |                                 |
| Chloroethane                           | 11.0   |                    | "                 | 10.1           |                   | 109            | 52.1-131 |           |              |                                 |
| Carbon tetrachloride                   | 8.78   |                    | "                 | 10.1           |                   | 86.9           | 70-130   |           |              |                                 |
| Carbon disulfide                       | 8.73   |                    | "                 | 10.0           |                   | 87.3           | 61.8-111 |           |              |                                 |
| Bromomethane                           | 8.50   |                    | "                 | 10.2           |                   | 83.3           | 60.1-140 |           |              |                                 |
| Bromoform                              | 9.46   |                    | "                 | 10.5           |                   | 90.1           | 58.7-150 |           |              |                                 |
| Bromodichloromethane                   | 10.2   |                    | "                 | 10.2           |                   | 99.5           | 65.3-127 |           |              |                                 |
| Benzyl chloride                        | 4.75   |                    | "                 | 10.2           |                   | 46.6           | 62.5-150 | Low Bias  |              |                                 |
| Benzene                                | 9.18   |                    | "                 | 10.4           |                   | 88.3           | 69.5-130 |           |              |                                 |
| Acetone                                | 11.0   |                    | "                 | 10.0           |                   | 110            | 55.3-133 |           |              |                                 |
| 2-Hexanone                             | 8.24   |                    | "                 | 10.1           |                   | 81.6           | 52-150   |           |              |                                 |
| 2-Butanone                             | 8.66   |                    | "                 | 10.0           |                   | 86.6           | 28.5-154 |           |              |                                 |
| 1,4-Dioxane                            | 11.0   |                    | "                 | 10.2           |                   | 108            | 50-150   |           |              |                                 |
| 1,4-Dichlorobenzene                    | 10.5   |                    | "                 | 10.6           |                   | 99.0           | 62.5-139 |           |              |                                 |
| 1,3-Dichlorobenzene                    | 10.1   |                    | "                 | 10.2           |                   | 99.3           | 71.9-153 |           |              |                                 |
| 1,3-Butadiene                          | 10.2   |                    | "                 | 10.5           |                   | 96.8           | 66.7-127 |           |              |                                 |
| 1,3,5-Trimethylbenzene                 | 10.7   |                    | "                 | 10.6           |                   | 101            | 65-152   |           |              |                                 |
| 1,2-Dichlorotetrafluoroethane          | 9.67   |                    | "                 | 10.1           |                   | 95.7           | 63.3-129 |           |              |                                 |

## Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source* Result | %REC | %REC Limits | Flag | RPD | RPD Limit | Flag |
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|
|---------|--------|-----------------|-------|-------------|----------------|------|-------------|------|-----|-----------|------|

**Batch BA30526 - EPA TO15 PREP**

**LCS (BA30526-BS1)**

Prepared & Analyzed: 01/14/2013

|   |             |  |          |             |  |             |               |           |  |  |  |
|---|-------------|--|----------|-------------|--|-------------|---------------|-----------|--|--|--|
| 1,2-Dichloropropane                               | 9.56        |  | ppbv     | 10.7        |  | 89.3        | 21.3-152      |           |  |  |  |
| 1,2-Dichloroethane                                | 10.2        |  | "        | 10.4        |  | 97.8        | 51.2-124      |           |  |  |  |
| 1,2-Dichlorobenzene                               | 10.5        |  | "        | 10.6        |  | 99.2        | 63.7-148      |           |  |  |  |
| 1,2,4-Trimethylbenzene                            | 11.2        |  | "        | 10.7        |  | 104         | 67.9-152      |           |  |  |  |
| 1,2,4-Trichlorobenzene                            | 20.2        |  | "        | 11.0        |  | 184         | 58-147        | High Bias |  |  |  |
| 1,1-Dichloroethylene                              | 9.36        |  | "        | 9.80        |  | 95.5        | 58.1-130      |           |  |  |  |
| 1,1-Dichloroethane                                | 9.39        |  | "        | 10.2        |  | 92.1        | 63.3-130      |           |  |  |  |
| Trichlorofluoromethane (Freon 11)                 | 10.2        |  | "        | 10.5        |  | 96.9        | 56-132        |           |  |  |  |
| 1,1,2-Trichloroethane                             | 10.2        |  | "        | 10.7        |  | 95.2        | 66-127        |           |  |  |  |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 9.02        |  | "        | 9.70        |  | 93.0        | 60.2-125      |           |  |  |  |
| 1,1,2,2-Tetrachloroethane                         | 9.94        |  | "        | 10.8        |  | 92.0        | 63.7-132      |           |  |  |  |
| 1,1,1-Trichloroethane                             | 10.1        |  | "        | 10.4        |  | 96.7        | 58.2-126      |           |  |  |  |
| Dichlorodifluoromethane                           | 9.71        |  | "        | 10.0        |  | 97.1        | 62.8-133      |           |  |  |  |
| 1,2-Dibromoethane                                 | 9.48        |  | "        | 10.6        |  | 89.4        | 70-130        |           |  |  |  |
| Dibromochloromethane                              | 10.7        |  | "        | 10.6        |  | 101         | 70-130        |           |  |  |  |
| Methyl Methacrylate                               | 9.20        |  | "        | 10.1        |  | 91.1        | 70-130        |           |  |  |  |
| Chlorobenzene                                     | 9.71        |  | "        | 10.8        |  | 89.9        | 67.6-122      |           |  |  |  |
| <i>Surrogate: p-Bromofluorobenzene</i>            | <i>9.22</i> |  | <i>"</i> | <i>10.0</i> |  | <i>92.2</i> | <i>70-130</i> |           |  |  |  |

**Duplicate (BA30526-DUP1)**

\*Source sample: 13A0230-01 (AQ010713:1200NP4-1)

Prepared & Analyzed: 01/14/2013

|                                |    |      |                   |  |    |  |  |  |  |  |    |
|--------------------------------|----|------|-------------------|--|----|--|--|--|--|--|----|
| Vinyl Chloride                 | ND | 0.43 | ug/m <sup>3</sup> |  | ND |  |  |  |  |  | 25 |
| Vinyl acetate                  | ND | 0.59 | "                 |  | ND |  |  |  |  |  | 25 |
| Trichloroethylene              | ND | 0.45 | "                 |  | ND |  |  |  |  |  | 25 |
| trans-1,3-Dichloropropylene    | ND | 0.76 | "                 |  | ND |  |  |  |  |  | 25 |
| trans-1,2-Dichloroethylene     | ND | 0.67 | "                 |  | ND |  |  |  |  |  | 25 |
| Toluene                        | ND | 0.64 | "                 |  | ND |  |  |  |  |  | 25 |
| Tetrahydrofuran                | ND | 0.50 | "                 |  | ND |  |  |  |  |  | 25 |
| Tetrachloroethylene            | ND | 1.1  | "                 |  | ND |  |  |  |  |  | 25 |
| Styrene                        | ND | 0.72 | "                 |  | ND |  |  |  |  |  | 25 |
| Propylene                      | ND | 0.29 | "                 |  | ND |  |  |  |  |  | 25 |
| p-Ethyltoluene                 | ND | 4.1  | "                 |  | ND |  |  |  |  |  | 25 |
| p- & m- Xylenes                | ND | 0.73 | "                 |  | ND |  |  |  |  |  | 25 |
| o-Xylene                       | ND | 0.73 | "                 |  | ND |  |  |  |  |  | 25 |
| n-Hexane                       | ND | 0.59 | "                 |  | ND |  |  |  |  |  | 25 |
| n-Heptane                      | ND | 0.69 | "                 |  | ND |  |  |  |  |  | 25 |
| Methylene chloride             | ND | 0.59 | "                 |  | ND |  |  |  |  |  | 25 |
| Methyl tert-butyl ether (MTBE) | ND | 0.61 | "                 |  | ND |  |  |  |  |  | 25 |
| 4-Methyl-2-pentanone           | ND | 0.69 | "                 |  | ND |  |  |  |  |  | 25 |
| Isopropanol                    | ND | 0.41 | "                 |  | ND |  |  |  |  |  | 25 |
| Hexachlorobutadiene            | ND | 1.8  | "                 |  | ND |  |  |  |  |  | 25 |
| Ethyl Benzene                  | ND | 0.73 | "                 |  | ND |  |  |  |  |  | 25 |
| Ethyl acetate                  | ND | 0.61 | "                 |  | ND |  |  |  |  |  | 25 |
| Cyclohexane                    | ND | 0.58 | "                 |  | ND |  |  |  |  |  | 25 |
| cis-1,3-Dichloropropylene      | ND | 0.76 | "                 |  | ND |  |  |  |  |  | 25 |
| cis-1,2-Dichloroethylene       | ND | 0.67 | "                 |  | ND |  |  |  |  |  | 25 |
| Chloromethane                  | ND | 0.35 | "                 |  | ND |  |  |  |  |  | 25 |
| Chloroform                     | ND | 0.82 | "                 |  | ND |  |  |  |  |  | 25 |
| Chloroethane                   | ND | 0.44 | "                 |  | ND |  |  |  |  |  | 25 |
| Carbon tetrachloride           | ND | 0.53 | "                 |  | ND |  |  |  |  |  | 25 |
| Carbon disulfide               | ND | 0.52 | "                 |  | ND |  |  |  |  |  | 25 |
| Bromomethane                   | ND | 0.65 | "                 |  | ND |  |  |  |  |  | 25 |
| Bromoform                      | ND | 1.7  | "                 |  | ND |  |  |  |  |  | 25 |
| Bromodichloromethane           | ND | 1.0  | "                 |  | ND |  |  |  |  |  | 25 |
| Benzyl chloride                | ND | 0.87 | "                 |  | ND |  |  |  |  |  | 25 |

## Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result  | Reporting<br>Limit | Units             | Spike<br>Level | Source*<br>Result | %REC<br>Limits                  | Flag          | RPD  | RPD<br>Limit | Flag |
|---|---|--------------------|-------------------|----------------|-------------------|---------------------------------|---------------|------|--------------|------|
| <b>Batch BA30526 - EPA TO15 PREP</b>              |   |                    |                   |                |                   |                                 |               |      |              |      |
| <b>Duplicate (BA30526-DUP1)</b>                   | *Source sample: 13A0230-01 (AQ010713:1200NP4-1) |                    |                   |                |                   | Prepared & Analyzed: 01/14/2013 |               |      |              |      |
| Benzene   | ND  | 0.54               | ug/m <sup>3</sup> |                | ND                |                                 |               |      | 25           |      |
| Acetone   | 4.3   | 0.40               | "                 |                | 5.2               |                                 |               | 17.7 | 25           |      |
| 2-Hexanone  | ND  | 0.69               | "                 |                | ND                |                                 |               |      | 25           |      |
| 2-Butanone  | ND  | 0.50               | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,4-Dioxane                                       | ND  | 0.61               | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,4-Dichlorobenzene                               | ND  | 1.0                | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,3-Dichlorobenzene                               | ND  | 1.0                | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,3-Butadiene                                     | ND  | 0.73               | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,3,5-Trimethylbenzene                            | ND  | 0.83               | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,2-Dichlorotetrafluoroethane                     | ND  | 1.2                | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,2-Dichloropropane                               | ND  | 0.78               | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,2-Dichloroethane                                | ND  | 0.68               | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,2-Dichlorobenzene                               | ND  | 1.0                | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,2,4-Trimethylbenzene                            | ND  | 0.83               | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,2,4-Trichlorobenzene                            | ND  | 1.3                | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,1-Dichloroethylene                              | ND  | 0.67               | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,1-Dichloroethane                                | ND  | 0.68               | "                 |                | ND                |                                 |               |      | 25           |      |
| Trichlorofluoromethane (Freon 11)                 | ND  | 0.95               | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,1,2-Trichloroethane                             | ND  | 0.92               | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND  | 1.3                | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,1,2,2-Tetrachloroethane                         | ND  | 1.2                | "                 |                | ND                |                                 |               |      | 25           |      |
| 1,1,1-Trichloroethane                             | ND  | 0.92               | "                 |                | ND                |                                 |               |      | 25           |      |
| Dichlorodifluoromethane                           | 2.2   | 0.83               | "                 |                | 2.7               |                                 |               | 20.7 | 25           |      |
| 1,2-Dibromoethane                                 | ND  | 1.3                | "                 |                | ND                |                                 |               |      | 25           |      |
| Dibromochloromethane                              | ND  | 1.4                | "                 |                | ND                |                                 |               |      | 25           |      |
| Methyl Methacrylate                               | ND  | 0.69               | "                 |                | ND                |                                 |               |      | 25           |      |
| Chlorobenzene                                     | ND  | 0.78               | "                 |                | ND                |                                 |               |      | 25           |      |
| <i>Surrogate: p-Bromofluorobenzene</i>            | <i>9.64</i>                                     |                    | <i>ppbv</i>       | <i>10.0</i>    |                   | <i>96.4</i>                     | <i>70-130</i> |      |              |      |

## Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result | Reporting<br>Limit | Units             | Spike<br>Level | Source*<br>Result | %REC<br>Limits | Flag | RPD | Limit | Flag |
|---|--------|--------------------|-------------------|----------------|-------------------|----------------|------|-----|-------|------|
| <b>Batch BA30661 - EPA TO15 PREP</b>              |        |                    |                   |                |                   |                |      |     |       |      |
| <b>Blank (BA30661-BLK1)</b>                       |        |                    |                   |                |                   |                |      |     |       |      |
| Prepared: 01/16/2013 Analyzed: 01/17/2013         |        |                    |                   |                |                   |                |      |     |       |      |
| Vinyl Chloride                                    | ND     | 0.26               | ug/m <sup>3</sup> |                |                   |                |      |     |       |      |
| Vinyl acetate                                     | ND     | 0.36               | "                 |                |                   |                |      |     |       |      |
| Trichloroethylene                                 | ND     | 0.27               | "                 |                |                   |                |      |     |       |      |
| trans-1,3-Dichloropropylene                       | ND     | 0.46               | "                 |                |                   |                |      |     |       |      |
| trans-1,2-Dichloroethylene                        | ND     | 0.40               | "                 |                |                   |                |      |     |       |      |
| Toluene   | ND     | 0.38               | "                 |                |                   |                |      |     |       |      |
| Tetrahydrofuran                                   | ND     | 0.30               | "                 |                |                   |                |      |     |       |      |
| Tetrachloroethylene                               | ND     | 0.69               | "                 |                |                   |                |      |     |       |      |
| Styrene   | ND     | 0.43               | "                 |                |                   |                |      |     |       |      |
| Propylene   | ND     | 0.18               | "                 |                |                   |                |      |     |       |      |
| p-Ethyltoluene                                    | ND     | 2.5                | "                 |                |                   |                |      |     |       |      |
| p- & m- Xylenes                                   | ND     | 0.44               | "                 |                |                   |                |      |     |       |      |
| o-Xylene  | ND     | 0.44               | "                 |                |                   |                |      |     |       |      |
| n-Hexane  | ND     | 0.36               | "                 |                |                   |                |      |     |       |      |
| n-Heptane   | ND     | 0.42               | "                 |                |                   |                |      |     |       |      |
| Methylene chloride                                | ND     | 0.35               | "                 |                |                   |                |      |     |       |      |
| Methyl tert-butyl ether (MTBE)                    | ND     | 0.37               | "                 |                |                   |                |      |     |       |      |
| 4-Methyl-2-pentanone                              | ND     | 0.42               | "                 |                |                   |                |      |     |       |      |
| Isopropanol                                       | ND     | 0.25               | "                 |                |                   |                |      |     |       |      |
| Hexachlorobutadiene                               | ND     | 1.1                | "                 |                |                   |                |      |     |       |      |
| Ethyl Benzene                                     | ND     | 0.44               | "                 |                |                   |                |      |     |       |      |
| Ethyl acetate                                     | ND     | 0.37               | "                 |                |                   |                |      |     |       |      |
| Cyclohexane                                       | ND     | 0.35               | "                 |                |                   |                |      |     |       |      |
| cis-1,3-Dichloropropylene                         | ND     | 0.46               | "                 |                |                   |                |      |     |       |      |
| cis-1,2-Dichloroethylene                          | ND     | 0.40               | "                 |                |                   |                |      |     |       |      |
| Chloromethane                                     | ND     | 0.21               | "                 |                |                   |                |      |     |       |      |
| Chloroform  | ND     | 0.50               | "                 |                |                   |                |      |     |       |      |
| Chloroethane                                      | ND     | 0.27               | "                 |                |                   |                |      |     |       |      |
| Carbon tetrachloride                              | ND     | 0.32               | "                 |                |                   |                |      |     |       |      |
| Carbon disulfide                                  | ND     | 0.32               | "                 |                |                   |                |      |     |       |      |
| Bromomethane                                      | ND     | 0.39               | "                 |                |                   |                |      |     |       |      |
| Bromoform   | ND     | 1.1                | "                 |                |                   |                |      |     |       |      |
| Bromodichloromethane                              | ND     | 0.63               | "                 |                |                   |                |      |     |       |      |
| Benzyl chloride                                   | ND     | 0.53               | "                 |                |                   |                |      |     |       |      |
| Benzene   | ND     | 0.32               | "                 |                |                   |                |      |     |       |      |
| Acetone   | ND     | 0.24               | "                 |                |                   |                |      |     |       |      |
| 2-Hexanone  | ND     | 0.42               | "                 |                |                   |                |      |     |       |      |
| 2-Butanone  | ND     | 0.30               | "                 |                |                   |                |      |     |       |      |
| 1,4-Dioxane                                       | ND     | 0.37               | "                 |                |                   |                |      |     |       |      |
| 1,4-Dichlorobenzene                               | ND     | 0.61               | "                 |                |                   |                |      |     |       |      |
| 1,3-Dichlorobenzene                               | ND     | 0.61               | "                 |                |                   |                |      |     |       |      |
| 1,3-Butadiene                                     | ND     | 0.44               | "                 |                |                   |                |      |     |       |      |
| 1,3,5-Trimethylbenzene                            | ND     | 0.50               | "                 |                |                   |                |      |     |       |      |
| 1,2-Dichlorotetrafluoroethane                     | ND     | 0.71               | "                 |                |                   |                |      |     |       |      |
| 1,2-Dichloropropane                               | ND     | 0.47               | "                 |                |                   |                |      |     |       |      |
| 1,2-Dichloroethane                                | ND     | 0.41               | "                 |                |                   |                |      |     |       |      |
| 1,2-Dichlorobenzene                               | ND     | 0.61               | "                 |                |                   |                |      |     |       |      |
| 1,2,4-Trimethylbenzene                            | ND     | 0.50               | "                 |                |                   |                |      |     |       |      |
| 1,2,4-Trichlorobenzene                            | ND     | 0.75               | "                 |                |                   |                |      |     |       |      |
| 1,1-Dichloroethylene                              | ND     | 0.40               | "                 |                |                   |                |      |     |       |      |
| 1,1-Dichloroethane                                | ND     | 0.41               | "                 |                |                   |                |      |     |       |      |
| Trichlorofluoromethane (Freon 11)                 | ND     | 0.57               | "                 |                |                   |                |      |     |       |      |
| 1,1,2-Trichloroethane                             | ND     | 0.55               | "                 |                |                   |                |      |     |       |      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND     | 0.78               | "                 |                |                   |                |      |     |       |      |

## Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte                                   | Result | Reporting<br>Limit | Units             | Spike<br>Level | Source*<br>Result | %REC<br>Limits | Flag     | RPD       | RPD<br>Limit | Flag |
|---|--------|--------------------|-------------------|----------------|-------------------|----------------|----------|-----------|--------------|------|
| <b>Batch BA30661 - EPA TO15 PREP</b>      |        |                    |                   |                |                   |                |          |           |              |      |
| <b>Blank (BA30661-BLK1)</b>               |        |                    |                   |                |                   |                |          |           |              |      |
| Prepared: 01/16/2013 Analyzed: 01/17/2013 |        |                    |                   |                |                   |                |          |           |              |      |
| 1,1,2,2-Tetrachloroethane                 | ND     | 0.70               | ug/m <sup>3</sup> |                |                   |                |          |           |              |      |
| 1,1,1-Trichloroethane                     | ND     | 0.55               | "                 |                |                   |                |          |           |              |      |
| Dichlorodifluoromethane                   | ND     | 0.50               | "                 |                |                   |                |          |           |              |      |
| 1,2-Dibromoethane                         | ND     | 0.78               | "                 |                |                   |                |          |           |              |      |
| Dibromochloromethane                      | ND     | 0.82               | "                 |                |                   |                |          |           |              |      |
| Methyl Methacrylate                       | ND     | 0.42               | "                 |                |                   |                |          |           |              |      |
| Chlorobenzene                             | ND     | 0.47               | "                 |                |                   |                |          |           |              |      |
| <i>Surrogate: p-Bromofluorobenzene</i>    | 8.87   |                    | ppbv              | 10.0           |                   | 88.7           | 70-130   |           |              |      |
| <b>LCS (BA30661-BS1)</b>                  |        |                    |                   |                |                   |                |          |           |              |      |
| Prepared: 01/16/2013 Analyzed: 01/17/2013 |        |                    |                   |                |                   |                |          |           |              |      |
| Vinyl Chloride                            | 12.7   |                    | ppbv              | 10.1           |                   | 126            | 70-130   |           |              |      |
| Vinyl acetate                             | 4.94   |                    | "                 | 9.70           |                   | 50.9           | 58.1-135 | Low Bias  |              |      |
| Trichloroethylene                         | 13.0   |                    | "                 | 10.2           |                   | 128            | 70-130   |           |              |      |
| trans-1,3-Dichloropropylene               | 9.13   |                    | "                 | 9.90           |                   | 92.2           | 62-135   |           |              |      |
| trans-1,2-Dichloroethylene                | 9.87   |                    | "                 | 9.50           |                   | 104            | 58.3-130 |           |              |      |
| Toluene                                   | 13.1   |                    | "                 | 10.8           |                   | 121            | 64.9-126 |           |              |      |
| Tetrahydrofuran                           | 7.83   |                    | "                 | 10.2           |                   | 76.8           | 44.6-146 |           |              |      |
| Tetrachloroethylene                       | 14.2   |                    | "                 | 10.5           |                   | 135            | 70-130   | High Bias |              |      |
| Styrene                                   | 12.2   |                    | "                 | 10.7           |                   | 114            | 66.4-132 |           |              |      |
| Propylene                                 | 12.6   |                    | "                 | 11.0           |                   | 114            | 62.4-150 |           |              |      |
| p-Ethyltoluene                            | 12.0   |                    | "                 | 10.4           |                   | 115            | 73.8-146 |           |              |      |
| p- & m- Xylenes                           | 24.2   |                    | "                 | 21.0           |                   | 115            | 56.6-136 |           |              |      |
| o-Xylene                                  | 12.6   |                    | "                 | 10.8           |                   | 117            | 67.8-133 |           |              |      |
| n-Hexane                                  | 10.8   |                    | "                 | 10.3           |                   | 105            | 59.7-130 |           |              |      |
| n-Heptane                                 | 11.4   |                    | "                 | 10.4           |                   | 110            | 62.3-134 |           |              |      |
| Methylene chloride                        | 9.46   |                    | "                 | 10.0           |                   | 94.6           | 62.6-130 |           |              |      |
| Methyl tert-butyl ether (MTBE)            | 9.88   |                    | "                 | 10.2           |                   | 96.9           | 60.7-139 |           |              |      |
| 4-Methyl-2-pentanone                      | 4.62   |                    | "                 | 10.0           |                   | 46.2           | 64.5-158 | Low Bias  |              |      |
| Isopropanol                               | 5.90   |                    | "                 | 9.90           |                   | 59.6           | 60-150   | Low Bias  |              |      |
| Hexachlorobutadiene                       | 13.8   |                    | "                 | 11.0           |                   | 125            | 61.2-150 |           |              |      |
| Ethyl Benzene                             | 12.0   |                    | "                 | 10.7           |                   | 113            | 68.4-125 |           |              |      |
| Ethyl acetate                             | 8.21   |                    | "                 | 10.0           |                   | 82.1           | 40.6-150 |           |              |      |
| Cyclohexane                               | 10.6   |                    | "                 | 10.2           |                   | 104            | 60.4-127 |           |              |      |
| cis-1,3-Dichloropropylene                 | 11.1   |                    | "                 | 10.7           |                   | 104            | 65.5-129 |           |              |      |
| cis-1,2-Dichloroethylene                  | 10.3   |                    | "                 | 10.5           |                   | 97.9           | 51.3-118 |           |              |      |
| Chloromethane                             | 11.2   |                    | "                 | 10.1           |                   | 111            | 64.9-130 |           |              |      |
| Chloroform                                | 10.5   |                    | "                 | 10.0           |                   | 105            | 65.1-130 |           |              |      |
| Chloroethane                              | 12.8   |                    | "                 | 10.1           |                   | 126            | 52.1-131 |           |              |      |
| Carbon tetrachloride                      | 9.91   |                    | "                 | 10.1           |                   | 98.1           | 70-130   |           |              |      |
| Carbon disulfide                          | 10.0   |                    | "                 | 10.0           |                   | 100            | 61.8-111 |           |              |      |
| Bromomethane                              | 10.1   |                    | "                 | 10.2           |                   | 99.0           | 60.1-140 |           |              |      |
| Bromoform                                 | 12.7   |                    | "                 | 10.5           |                   | 121            | 58.7-150 |           |              |      |
| Bromodichloromethane                      | 13.1   |                    | "                 | 10.2           |                   | 129            | 65.3-127 | High Bias |              |      |
| Benzyl chloride                           | 3.40   |                    | "                 | 10.2           |                   | 33.3           | 62.5-150 | Low Bias  |              |      |
| Benzene                                   | 9.45   |                    | "                 | 10.4           |                   | 90.9           | 69.5-130 |           |              |      |
| Acetone                                   | 7.91   |                    | "                 | 10.0           |                   | 79.1           | 55.3-133 |           |              |      |
| 2-Hexanone                                | 2.47   |                    | "                 | 10.1           |                   | 24.5           | 52-150   | Low Bias  |              |      |
| 2-Butanone                                | 5.92   |                    | "                 | 10.0           |                   | 59.2           | 28.5-154 |           |              |      |
| 1,4-Dioxane                               | 3.67   |                    | "                 | 10.2           |                   | 36.0           | 50-150   | Low Bias  |              |      |
| 1,4-Dichlorobenzene                       | 11.7   |                    | "                 | 10.6           |                   | 110            | 62.5-139 |           |              |      |
| 1,3-Dichlorobenzene                       | 11.4   |                    | "                 | 10.2           |                   | 112            | 71.9-153 |           |              |      |
| 1,3-Butadiene                             | 12.5   |                    | "                 | 10.5           |                   | 119            | 66.7-127 |           |              |      |
| 1,3,5-Trimethylbenzene                    | 11.9   |                    | "                 | 10.6           |                   | 112            | 65-152   |           |              |      |
| 1,2-Dichlorotetrafluoroethane             | 11.6   |                    | "                 | 10.1           |                   | 115            | 63.3-129 |           |              |      |

## Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source* Result | %REC %REC | %REC Limits | Flag | RPD | RPD Limit | Flag |
|---------|--------|-----------------|-------|-------------|----------------|-----------|-------------|------|-----|-----------|------|
|---------|--------|-----------------|-------|-------------|----------------|-----------|-------------|------|-----|-----------|------|

**Batch BA30661 - EPA TO15 PREP**

**LCS (BA30661-BS1)**

Prepared: 01/16/2013 Analyzed: 01/17/2013

|   |             |  |          |             |  |            |               |           |  |  |  |
|---|-------------|--|----------|-------------|--|------------|---------------|-----------|--|--|--|
| 1,2-Dichloropropane                               | 11.6        |  | ppbv     | 10.7        |  | 108        | 21.3-152      |           |  |  |  |
| 1,2-Dichloroethane                                | 10.0        |  | "        | 10.4        |  | 96.5       | 51.2-124      |           |  |  |  |
| 1,2-Dichlorobenzene                               | 10.9        |  | "        | 10.6        |  | 103        | 63.7-148      |           |  |  |  |
| 1,2,4-Trimethylbenzene                            | 11.6        |  | "        | 10.7        |  | 109        | 67.9-152      |           |  |  |  |
| 1,2,4-Trichlorobenzene                            | 14.9        |  | "        | 11.0        |  | 136        | 58-147        |           |  |  |  |
| 1,1-Dichloroethylene                              | 10.5        |  | "        | 9.80        |  | 107        | 58.1-130      |           |  |  |  |
| 1,1-Dichloroethane                                | 10.3        |  | "        | 10.2        |  | 101        | 63.3-130      |           |  |  |  |
| Trichlorofluoromethane (Freon 11)                 | 11.6        |  | "        | 10.5        |  | 110        | 56-132        |           |  |  |  |
| 1,1,2-Trichloroethane                             | 12.8        |  | "        | 10.7        |  | 119        | 66-127        |           |  |  |  |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | 10.3        |  | "        | 9.70        |  | 107        | 60.2-125      |           |  |  |  |
| 1,1,2,2-Tetrachloroethane                         | 10.7        |  | "        | 10.8        |  | 99.3       | 63.7-132      |           |  |  |  |
| 1,1,1-Trichloroethane                             | 11.3        |  | "        | 10.4        |  | 109        | 58.2-126      |           |  |  |  |
| Dichlorodifluoromethane                           | 11.4        |  | "        | 10.0        |  | 114        | 62.8-133      |           |  |  |  |
| 1,2-Dibromoethane                                 | 11.6        |  | "        | 10.6        |  | 110        | 70-130        |           |  |  |  |
| Dibromochloromethane                              | 14.1        |  | "        | 10.6        |  | 133        | 70-130        | High Bias |  |  |  |
| Methyl Methacrylate                               | 11.1        |  | "        | 10.1        |  | 110        | 70-130        |           |  |  |  |
| Chlorobenzene                                     | 11.6        |  | "        | 10.8        |  | 108        | 67.6-122      |           |  |  |  |
| <i>Surrogate: p-Bromofluorobenzene</i>            | <i>11.2</i> |  | <i>"</i> | <i>10.0</i> |  | <i>112</i> | <i>70-130</i> |           |  |  |  |

**Duplicate (BA30661-DUP1)**

\*Source sample: 13A0230-03 (AQ010713:1210NP4-3)

Prepared: 01/16/2013 Analyzed: 01/18/2013

|                                |     |      |                   |  |     |  |  |  |      |  |    |
|--------------------------------|-----|------|-------------------|--|-----|--|--|--|------|--|----|
| Vinyl Chloride                 | ND  | 0.45 | ug/m <sup>3</sup> |  | ND  |  |  |  |      |  | 25 |
| Vinyl acetate                  | ND  | 0.62 | "                 |  | ND  |  |  |  |      |  | 25 |
| Trichloroethylene              | ND  | 0.47 | "                 |  | ND  |  |  |  |      |  | 25 |
| trans-1,3-Dichloropropylene    | ND  | 0.79 | "                 |  | ND  |  |  |  |      |  | 25 |
| trans-1,2-Dichloroethylene     | ND  | 0.69 | "                 |  | ND  |  |  |  |      |  | 25 |
| Toluene                        | ND  | 0.66 | "                 |  | ND  |  |  |  |      |  | 25 |
| Tetrahydrofuran                | 4.2 | 0.52 | "                 |  | 3.6 |  |  |  | 14.6 |  | 25 |
| Tetrachloroethylene            | ND  | 1.2  | "                 |  | ND  |  |  |  |      |  | 25 |
| Styrene                        | ND  | 0.75 | "                 |  | ND  |  |  |  |      |  | 25 |
| Propylene                      | ND  | 0.30 | "                 |  | ND  |  |  |  |      |  | 25 |
| p-Ethyltoluene                 | ND  | 4.3  | "                 |  | ND  |  |  |  |      |  | 25 |
| p- & m- Xylenes                | 2.4 | 0.76 | "                 |  | 2.4 |  |  |  | 3.17 |  | 25 |
| o-Xylene                       | 1.4 | 0.76 | "                 |  | 1.4 |  |  |  | 5.41 |  | 25 |
| n-Hexane                       | ND  | 0.62 | "                 |  | ND  |  |  |  |      |  | 25 |
| n-Heptane                      | ND  | 0.72 | "                 |  | ND  |  |  |  |      |  | 25 |
| Methylene chloride             | ND  | 0.61 | "                 |  | ND  |  |  |  |      |  | 25 |
| Methyl tert-butyl ether (MTBE) | ND  | 0.63 | "                 |  | ND  |  |  |  |      |  | 25 |
| 4-Methyl-2-pentanone           | ND  | 0.72 | "                 |  | ND  |  |  |  |      |  | 25 |
| Isopropanol                    | ND  | 0.43 | "                 |  | ND  |  |  |  |      |  | 25 |
| Hexachlorobutadiene            | ND  | 1.9  | "                 |  | ND  |  |  |  |      |  | 25 |
| Ethyl Benzene                  | ND  | 0.76 | "                 |  | ND  |  |  |  |      |  | 25 |
| Ethyl acetate                  | ND  | 0.63 | "                 |  | ND  |  |  |  |      |  | 25 |
| Cyclohexane                    | ND  | 0.60 | "                 |  | ND  |  |  |  |      |  | 25 |
| cis-1,3-Dichloropropylene      | ND  | 0.79 | "                 |  | ND  |  |  |  |      |  | 25 |
| cis-1,2-Dichloroethylene       | 1.6 | 0.69 | "                 |  | 1.5 |  |  |  | 9.09 |  | 25 |
| Chloromethane                  | ND  | 0.36 | "                 |  | ND  |  |  |  |      |  | 25 |
| Chloroform                     | 4.5 | 0.85 | "                 |  | 4.7 |  |  |  | 3.70 |  | 25 |
| Chloroethane                   | ND  | 0.46 | "                 |  | ND  |  |  |  |      |  | 25 |
| Carbon tetrachloride           | ND  | 0.55 | "                 |  | ND  |  |  |  |      |  | 25 |
| Carbon disulfide               | ND  | 0.54 | "                 |  | ND  |  |  |  |      |  | 25 |
| Bromomethane                   | ND  | 0.68 | "                 |  | ND  |  |  |  |      |  | 25 |
| Bromoform                      | ND  | 1.8  | "                 |  | ND  |  |  |  |      |  | 25 |
| Bromodichloromethane           | ND  | 1.1  | "                 |  | ND  |  |  |  |      |  | 25 |
| Benzyl chloride                | ND  | 0.91 | "                 |  | ND  |  |  |  |      |  | 25 |

## Volatile Organic Compounds by EPA Compendium TO14A/TO15 - Quality Control Data

### York Analytical Laboratories, Inc.

| Analyte   | Result  | Reporting<br>Limit | Units             | Spike<br>Level | Source*<br>Result | %REC<br>Limits                            | Flag          | RPD  | RPD<br>Limit | Flag |
|---|---|--------------------|-------------------|----------------|-------------------|---|---------------|------|--------------|------|
| <b>Batch BA30661 - EPA TO15 PREP</b>              |   |                    |                   |                |                   |   |               |      |              |      |
| <b>Duplicate (BA30661-DUP1)</b>                   | *Source sample: 13A0230-03 (AQ010713:1210NP4-3) |                    |                   |                |                   | Prepared: 01/16/2013 Analyzed: 01/18/2013 |               |      |              |      |
| Benzene   | ND  | 0.56               | ug/m <sup>3</sup> |                | ND                |   |               |      | 25           |      |
| Acetone   | 48  | 0.42               | "                 |                | 51                |   |               | 5.67 | 25           |      |
| 2-Hexanone  | ND  | 0.72               | "                 |                | ND                |   |               |      | 25           |      |
| 2-Butanone  | 3.8   | 0.52               | "                 |                | 3.5               |   |               | 9.93 | 25           |      |
| 1,4-Dioxane                                       | ND  | 0.63               | "                 |                | ND                |   |               |      | 25           |      |
| 1,4-Dichlorobenzene                               | ND  | 1.1                | "                 |                | ND                |   |               |      | 25           |      |
| 1,3-Dichlorobenzene                               | ND  | 1.1                | "                 |                | ND                |   |               |      | 25           |      |
| 1,3-Butadiene                                     | ND  | 0.76               | "                 |                | ND                |   |               |      | 25           |      |
| 1,3,5-Trimethylbenzene                            | ND  | 0.86               | "                 |                | ND                |   |               |      | 25           |      |
| 1,2-Dichlorotetrafluoroethane                     | ND  | 1.2                | "                 |                | ND                |   |               |      | 25           |      |
| 1,2-Dichloropropane                               | ND  | 0.81               | "                 |                | ND                |   |               |      | 25           |      |
| 1,2-Dichloroethane                                | ND  | 0.71               | "                 |                | ND                |   |               |      | 25           |      |
| 1,2-Dichlorobenzene                               | ND  | 1.1                | "                 |                | ND                |   |               |      | 25           |      |
| 1,2,4-Trimethylbenzene                            | 1.7   | 0.86               | "                 |                | 1.5               |   |               | 10.5 | 25           |      |
| 1,2,4-Trichlorobenzene                            | ND  | 1.3                | "                 |                | ND                |   |               |      | 25           |      |
| 1,1-Dichloroethylene                              | ND  | 0.69               | "                 |                | ND                |   |               |      | 25           |      |
| 1,1-Dichloroethane                                | 5.7   | 0.71               | "                 |                | 5.6               |   |               | 2.50 | 25           |      |
| Trichlorofluoromethane (Freon 11)                 | 2.2   | 0.98               | "                 |                | 2.3               |   |               | 4.44 | 25           |      |
| 1,1,2-Trichloroethane                             | ND  | 0.95               | "                 |                | ND                |   |               |      | 25           |      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) | ND  | 1.3                | "                 |                | ND                |   |               |      | 25           |      |
| 1,1,2,2-Tetrachloroethane                         | ND  | 1.2                | "                 |                | ND                |   |               |      | 25           |      |
| 1,1,1-Trichloroethane                             | 26  | 0.95               | "                 |                | 30                |   |               | 13.1 | 25           |      |
| Dichlorodifluoromethane                           | 3.3   | 0.87               | "                 |                | 3.5               |   |               | 5.13 | 25           |      |
| 1,2-Dibromoethane                                 | ND  | 1.3                | "                 |                | ND                |   |               |      | 25           |      |
| Dibromochloromethane                              | ND  | 1.4                | "                 |                | ND                |   |               |      | 25           |      |
| Methyl Methacrylate                               | ND  | 0.72               | "                 |                | ND                |   |               |      | 25           |      |
| Chlorobenzene                                     | ND  | 0.81               | "                 |                | ND                |   |               |      | 25           |      |
| <i>Surrogate: p-Bromofluorobenzene</i>            | <i>9.47</i>                                     |                    | <i>ppbv</i>       | <i>10.0</i>    |                   | <i>94.7</i>                               | <i>70-130</i> |      |              |      |

**Notes and Definitions**

QL-02 This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.

---

ND Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.

RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.

MDL METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.

NR Not reported

RPD Relative Percent Difference

Wet The data has been reported on an as-received (wet weight) basis

Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.

High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.

Non-Dir. Non-dir. flag (Non-Directional Bias ) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the MDL, with values between the MDL and the RL being "J" flagged as estimated results.

---

# Field Chain-of-Custody Record - AIR

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

York Project No. 13A0230

|  |  |   |  |  |  |  |  |  |  |   |  |
|--|--|---|--|--|--|--|--|--|--|---|--|
| <b>YOUR INFORMATION</b><br>Company: <u>LOB</u><br>Address: <u>4 Research Dr, Suite 301</u><br><u>Shelton, CT 06484</u><br>Phone No. <u>203-929-8555</u><br>Contact Person: <u>Tunde Sandor</u><br>E-Mail Address: <u>TSandor@LOBCT.COM</u> |  | <b>Report To:</b><br>Company: <u>Same</u><br>Address: _____<br>Phone No. _____<br>Attention: _____<br>E-Mail Address: _____ |  | <b>Invoice To:</b><br>Company: <u>Same</u><br>Address: _____<br>Phone No. _____<br>Attention: _____<br>E-Mail Address: _____ |  | <b>YOUR PROJECT ID</b><br><u>Rowe Industries</u><br>Purchase Order No.<br><u>NABSAG</u><br>Samples from: CT <u>NY</u> X NJ |  | <b>Turn-Around Time</b><br>RUSH - Same Day <input type="checkbox"/><br>RUSH - Next Day <input type="checkbox"/><br>RUSH - Two Day <input type="checkbox"/><br>RUSH - Three Day <input type="checkbox"/><br>RUSH - Four Day <input type="checkbox"/><br>Standard (5-7 Days) <input checked="" type="checkbox"/> |  | <b>Report Type/Deliverables</b><br>Summary Report <u>X</u><br>Summary w/ QA Summary <u>X</u><br>CT RCP Package <u>X</u><br>NY ASP A Package _____<br>NY ASP B/CLP Pkg _____<br>NJDEP Reduced _____<br>Electronic Deliverables: _____<br>EDD (Specify Type) _____<br>Standard Excel _____<br>Regulatory Comparison Excel _____ |  |
|--|--|---|--|--|--|--|--|--|--|---|--|

**Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.**

|  |  |  |  |
|--|--|--|--|
| <b>TO15 Volatiles and Other Gas Analyses</b><br>EPA TO-14A List<br>Tentatively Identified Compounds<br>Air VPH<br>Helium<br>Methane<br>OTHER |  | <b>Detection Limits Required</b><br>≤ 1 ug/m <sup>3</sup><br>NYSDEC VI Limits<br>(VI - report substance)<br>NJDEP low level<br>Routine Survey<br>Other |  |
|--|--|--|--|

| Sample Identification     | Date Sampled       | AIR Matrix | Canister Vacuum Before Sampling (in. Hg) | Canister Vacuum After Sampling (in. Hg) | Cheese Analyses Needed from the Menu Above and Enter Below | Sampling Media   |
|---------------------------|--------------------|------------|--|---|--|--|
| <u>AD010713-1205NPH-1</u> | <u>1/7/13 1200</u> | <u>AE</u>  | <u>Grab</u>                              | <u>Grab</u>                             | <u>EPA TO-15 List.</u>                                     | 6 Liter Summa canister <input checked="" type="checkbox"/><br>Tedlar Bag |
| <u>AD010713-1205NPH-2</u> | <u>1205</u>        | <u>AE</u>  | <u>↓</u>                                 | <u>↓</u>                                |  | 6 Liter Summa canister <input checked="" type="checkbox"/><br>Tedlar Bag |
| <u>AD010713-1210NPH-3</u> | <u>1210</u>        | <u>AC</u>  | <u>↓</u>                                 | <u>↓</u>                                |  | 6 Liter Summa canister <input checked="" type="checkbox"/><br>Tedlar Bag |
|                           |                    |            |  |   |  | 6 Liter Summa canister _____<br>Tedlar Bag                               |
|                           |                    |            |  |   |  | 6 Liter Summa canister _____<br>Tedlar Bag                               |
|                           |                    |            |  |   |  | 6 Liter Summa canister _____<br>Tedlar Bag                               |
|                           |                    |            |  |   |  | 6 Liter Summa canister _____<br>Tedlar Bag                               |
|                           |                    |            |  |   |  | 6 Liter Summa canister _____<br>Tedlar Bag                               |
|                           |                    |            |  |   |  | 6 Liter Summa canister _____<br>Tedlar Bag                               |

Comments

9:55  
Chin C 1-9-13

|                         |                    |                            |                    |
|-------------------------|--------------------|----------------------------|--------------------|
| Samples Relinquished By | Date/Time          | Samples Received By        | Date/Time          |
| <u>[Signature]</u>      | <u>1/8/13 1300</u> | <u>Fridge/Feldman</u>      | <u>1/8/13 1300</u> |
| Samples Relinquished By | Date/Time          | Samples Received in LAB by | Date/Time          |
|                         |                    | <u>[Signature]</u>         | <u>1/9/13-1605</u> |