


# LBG ENGINEERING SERVICES, P.C.

PROFESSIONAL ENVIRONMENTAL & CIVIL ENGINEERS



4 RESEARCH DRIVE, SUITE 301  
SHELTON, CT 06484  
203-929-8555  
203-926-9140 (FAX)

November 22, 2010

Mr. Michael Sordi  
Town Attorney  
Town of Southampton  
116 Hampton Road, Town Hall  
Southampton, NY 11968

RE: September 2010 Status Report  
Groundwater Remedial Action  
Rowe Industries Superfund Site  
Sag Harbor, New York

Dear Mr. Sordi:

The September 2010 Status Report for the above-referenced site is attached. The enclosed tables, graphs and laboratory reports are provided as required by a condition of the Agreement for 1087 Middle Lane Highway, Noyac, New York and the Effluent Limitations and Monitoring Requirements of the New York State Department of Environmental Conservation.

Should you have any questions regarding the information, please feel free to contact me or Paul Jobmann at (203) 929-8555.

Very truly yours,

LBG ENGINEERING SERVICES, P.C.

A handwritten signature in blue ink that reads "Mark M. Goldberg". The signature is written in a cursive style.

Mark M. Goldberg, P.E.  
Senior Environmental Engineer

MG:nv

Enclosures

H:\NABIS\2010\Monthly Reports\September 2010\Sordi\_Sept2010.doc

TABLE 2

GROUNDWATER REMEDIAL ACTION  
 ROWE INDUSTRIES SUPERFUND SITE  
 SAG HARBOR, NEW YORK

EFFLUENT WATER QUALITY RESULTS

Date Sampled <sup>2/</sup>	pH <sup>1/</sup>	TDS (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	1,2-DCE (ug/l)	Xylene (ug/l)	Bromoform (ug/l)	Dibromo-chloromethane (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Acetone (ug/l)	Chloroform (ug/l)	MTBE (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
<b>SPDES Limits</b>	<b>5.0 to 8.5</b>	<b>---</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>---</b>	<b>---</b>	<b>5</b>	<b>---</b>	<b>50</b>	<b>7</b>	<b>---</b>	<b>---</b>	<b>---</b>
7-Sep-10	5.2	111	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	0.95	0.223
16-Sep-10	<sup>3/</sup>	128	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	1.59	0.102
22-Sep-10	5.4	108	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	5.29	0.077
27-Sep-10	5.2	108	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0	2.27	0.097

SPDES: State Pollutant Discharge Elimination System

mg/l: Milligrams per liter

ug/l: Micrograms per liter

---: Not established

J: Analyte detected below quantitation limits, value shown is a laboratory estimate.

B: Method blank contamination. The associated method blank contains the target analyte at a reportable level.

NM: Not Measured

TDS: Total dissolved solids

PCE: Tetrachloroethylene

TCE: Trichloroethene

1,1-DCA: 1,1-Dichloroethane

1,1-DCE: 1,1-Dichloroethene

1,2-DCE: 1,2-Dichloroethene


MTBE: Methyl tert-butyl ether

Notes:

- Based on the SPDES criteria from an NYSDEC letter dated on May 11, 2006, the new allowable pH range for the Rowe Site is between 5.0 and 8.5. The pH was measured with a new calibrated electronic pH meter. Influent pH values from recovery wells typically range between 5 and 6.
- "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.
- The pH was not measured at this time.

**GRAPH 1**  
GROUNDWATER REMEDIAL ACTION  
ROWE INDUSTRIES SUPERFUND SITE  
SAG HARBOR, NEW YORK

EFFLUENT FLOW DATA  
(September 1, 2010 through September 30, 2010)



**APPENDIX I**

**SEPTEMBER 2010 LABORATORY ANALYTICAL REPORTS  
FOR FSP& T SYSTEM AND RECOVERY WELLS**

Monday, September 13, 2010

Mark Goldberg  
Leggette Brashears & Graham Inc.  
4 Research Drive  
Suite 301  
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe

Order No.: 1009062

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 9/9/2010 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 27 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at [lbeyer@american-analytical.com](mailto:lbeyer@american-analytical.com).

Sincerely,



Lori Beyer  
Lab Director

CLIENT: Leggette Brashears & Graham Inc.  
Project: Rowe  
Lab Order: 1009062

**Work Order Sample Summary**

---

Lab Sample ID	Client Sample ID	Date Collected	Date Received
1009062-01A	WQ9710:1215NP2-6	9/7/2010 12:15:00 PM	9/9/2010
1009062-01B	WQ9710:1215NP2-6	9/7/2010 12:15:00 PM	9/9/2010
1009062-01C	WQ9710:1215NP2-6	9/7/2010 12:15:00 PM	9/9/2010
1009062-02A	WQ9710:1220NP2-7	9/7/2010 12:20:00 PM	9/9/2010
1009062-02B	WQ9710:1220NP2-7	9/7/2010 12:20:00 PM	9/9/2010
1009062-02C	WQ9710:1220NP2-7	9/7/2010 12:20:00 PM	9/9/2010
1009062-03A	WQ9710:1225NP2-10	9/7/2010 12:25:00 PM	9/9/2010
1009062-03B	WQ9710:1225NP2-10	9/7/2010 12:25:00 PM	9/9/2010
1009062-03C	WQ9710:1225NP2-10	9/7/2010 12:25:00 PM	9/9/2010
1009062-03D	WQ9710:1225NP2-10	9/7/2010 12:25:00 PM	9/9/2010



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735  
 (631) 454-6100 • FAX (631) 454-8027  
 www.american-analytical.com

NYSDOH 11418  
 CTDOH PH-0205  
 NJDEP NY050  
 PADEP 68-573

# CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: **LB6**  
 4 Research Dr. Suite 301  
 Shelton, CT 06484

CONTACT: **M. Goldberg**

SAMPLER (SIGNATURE): *[Signature]*

SAMPLER NAME (PRINT): **STERICH WJAT**

SAMPLE(S) SEALED: **(YES) NO**

CORRECT CONTAINER(S): **(YES) NO**

PROJECT LOCATION: **Rowe**

LABORATORY ID# LAB USE ONLY	MATRIX/ TYPE	NO. OF CONTAINERS	SAMPLING DATE	SAMPLING TIME	SAMPLE # - LOCATION	ANALYSIS REQUIRED	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
100906091	W	4	9/10	1215	W09710.1215M2-6	ANALYSIS REQUIRED	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-02AE	W	4		1220	W09710.1220M2-7		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-03A-D	W	5		1225	W09710.1225M2-10		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

COMMENTS / INSTRUCTIONS: **Samples must be on ICE (<6°C)**

MATRIX S=SOIL; W=WATER; SL=SLUDGE; A=AIR; M=MISCELLANEOUS

TURNAROUND REQUIRED: **NORMAL** STAT  BY / / E-MAIL ADDRESS FOR RESULTS: **Mgoldberg@labct.com**

TYPE G=GRAB; C=COMPOSITE

RELINQUISHED BY (SIGNATURE)	DATE	TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE	TIME	PRINTED NAME
<i>[Signature]</i>	9/10	11-		<i>[Signature]</i>			

American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name LBG CT

Date and Time Receive 9/9/2010 10:33:23 AM

Work Order Numbe 1009062

RcptNo: 1

Received by CB

COC\_ID:

CoolerID:

Checklist completed by

*CBaw*  
Signature

9/9/10  
Date

Reviewed by

*CB*  
Initials

9/10/10  
Date

Matrix:

Carrier name FedEx

- Shipping container/cooler in good condition? Yes  No  Not Presen
- Custody seals intact on shipping container/cooler? Yes  No  Not Presen
- Custody seals intact on sample bottles? Yes  No  Not Presen
- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Samples in proper container/bottle? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No
- All samples received within holding time? Yes  No
- Container/Temp Blank temperature in compliance? Yes  No
- Water - VOA vials have zero headspace? No VOA vials submitted  Yes  No
- Water - pH acceptable upon receipt? Yes  No  N/A

Adjusted? \_\_\_\_\_ Checked b \_\_\_\_\_

Any No and/or NA (not applicable) response must be detailed in the comments section be

Client contacted \_\_\_\_\_ Date contacted: \_\_\_\_\_ Person contacted \_\_\_\_\_

Contacted by: \_\_\_\_\_ Regarding: \_\_\_\_\_

Comments: Cooler with ice @ 5.7C

Corrective Action \_\_\_\_\_

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-01A

Client Sample ID: WQ9710:1215NP2-6  
 Collection Date: 9/7/2010 12:15:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
2-Butanone	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
2-Hexanone	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Acetone	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Benzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/9/2010 11:55:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-01A

Client Sample ID: WQ9710:1215NP2-6  
 Collection Date: 9/7/2010 12:15:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Bromoform	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Bromomethane	U	0.3	1.0	C	µg/L	1	9/9/2010 11:55:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Chloroethane	U	0.4	1.0	C	µg/L	1	9/9/2010 11:55:00 AM
Chloroform	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/9/2010 11:55:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Styrene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Toluene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/9/2010 11:55:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-01A

Client Sample ID: WQ9710:1215NP2-6  
 Collection Date: 9/7/2010 12:15:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/9/2010 11:55:00 AM
Surr: 4-Bromofluorobenzene	96.6	0	60-130		%REC	1	9/9/2010 11:55:00 AM
Surr: Dibromofluoromethane	109	0	63-127		%REC	1	9/9/2010 11:55:00 AM
Surr: Toluene-d8	96.8	0	61-128		%REC	1	9/9/2010 11:55:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-01B

Client Sample ID: WQ9710:1215NP2-6  
 Collection Date: 9/7/2010 12:15:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>			Analyst: JP
Total Iron	1.59	0.005	0.0200		mg/L	1	9/9/2010 12:20:38 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-01C

Client Sample ID: WQ9710:1215NP2-6  
 Collection Date: 9/7/2010 12:15:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>		<b>SW3005A</b>	Analyst: JP
Dissolved Iron	0.189	0.005	0.0200		mg/L	1	9/9/2010 12:18:34 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- Qualifiers:**
- B Analyte detected in the associated Method Blank
  - C Calibration %RSD/%D exceeded for non-CCC analytes
  - E Value above quantitation range
  - H Holding times for preparation or analysis exceeded
  - J Analyte detected below quantitation limits
  - LOD Limit of Detection
  - LOQ Limit of Quantitation
  - P >40% diff for detected conc between the two GC columns
  - S Spike Recovery outside accepted recovery limits
  - U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-02A

Client Sample ID: WQ9710:1220NP2-7  
 Collection Date: 9/7/2010 12:20:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
2-Butanone	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/9/2010 12:26:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-02A

Client Sample ID: WQ9710:1220NP2-7  
 Collection Date: 9/7/2010 12:20:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Bromomethane	U	0.3	1.0	C	µg/L	1	9/9/2010 12:26:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	9/9/2010 12:26:00 PM
Chloroform	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/9/2010 12:26:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/9/2010 12:26:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 13-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-02A

Client Sample ID: WQ9710:1220NP2-7  
 Collection Date: 9/7/2010 12:20:00 PM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/9/2010 12:26:00 PM
Surr: 4-Bromofluorobenzene	98.6	0	60-130		%REC	1	9/9/2010 12:26:00 PM
Surr: Dibromofluoromethane	104	0	63-127		%REC	1	9/9/2010 12:26:00 PM
Surr: Toluene-d8	101	0	61-128		%REC	1	9/9/2010 12:26:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-02B

Client Sample ID: WQ9710:1220NP2-7  
 Collection Date: 9/7/2010 12:20:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3010A</b>		Analyst: JP
Total Iron	0.667	0.005	0.0200		mg/L	1	9/9/2010 12:24:44 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- Qualifiers:**
- B Analyte detected in the associated Method Blank
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - LOQ Limit of Quantitation
  - S Spike Recovery outside accepted recovery limits
  - C Calibration %RSD/%D exceeded for non-CCC analytes
  - H Holding times for preparation or analysis exceeded
  - LOD Limit of Detection
  - P >40% diff for detected conc between the two GC columns
  - U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-02C

Client Sample ID: WQ9710:1220NP2-7  
 Collection Date: 9/7/2010 12:20:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3005A</b>		Analyst: JP
Dissolved Iron	0.216	0.005	0.0200		mg/L	1	9/9/2010 12:22:41 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- Qualifiers:**
- B Analyte detected in the associated Method Blank
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - LOQ Limit of Quantitation
  - S Spike Recovery outside accepted recovery limits
  - C Calibration %RSD/%D exceeded for non-CCC analytes
  - H Holding times for preparation or analysis exceeded
  - LOD Limit of Detection
  - P >40% diff for detected conc between the two GC columns
  - U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-03A

Client Sample ID: WQ9710:1225NP2-10  
 Collection Date: 9/7/2010 12:25:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
2-Butanone	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/9/2010 12:58:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-03A

Client Sample ID: WQ9710:1225NP2-10  
 Collection Date: 9/7/2010 12:25:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Bromomethane	U	0.3	1.0	C	µg/L	1	9/9/2010 12:58:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	9/9/2010 12:58:00 PM
Chloroform	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/9/2010 12:58:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/9/2010 12:58:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 13-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-03A

Client Sample ID: WQ9710:1225NP2-10  
 Collection Date: 9/7/2010 12:25:00 PM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/9/2010 12:58:00 PM
Surr: 4-Bromofluorobenzene	100	0	60-130		%REC	1	9/9/2010 12:58:00 PM
Surr: Dibromofluoromethane	105	0	63-127		%REC	1	9/9/2010 12:58:00 PM
Surr: Toluene-d8	100	0	61-128		%REC	1	9/9/2010 12:58:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ9710:1225NP2-10
<b>Lab Order:</b>	1009062	<b>Collection Date:</b>	9/7/2010 12:25:00 PM
<b>Project:</b>	Rowe	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009062-03B		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3010A</b>		<b>Analyst: JP</b>
Total Iron	0.951	0.005	0.0200		mg/L	1	9/9/2010 12:26:47 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 13-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-03C

Client Sample ID: WQ9710:1225NP2-10  
 Collection Date: 9/7/2010 12:25:00 PM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3005A</b>		Analyst: JP
Dissolved Iron	0.223	0.005	0.0200		mg/L	1	9/9/2010 12:28:50 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 13-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009062  
 Project: Rowe  
 Lab ID: 1009062-03D

Client Sample ID: WQ9710:1225NP2-10  
 Collection Date: 9/7/2010 12:25:00 PM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>TOTAL DISSOLVED SOLIDS</b>				<b>M2540C</b>			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	111	0	1.00		mg/L	1	9/9/2010

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**ANALYTICAL QC SUMMARY REPORT**

**CLIENT:** Leggett Brashears & Graham Inc.

**Work Order:** 1009062

**Project:** Rowe

**TestCode:** 8260MTBE113\_W

Sample ID: V624LCS-090910HW	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 53112
Client ID: LCSW	Batch ID: R53112	TestNo: SW8260B		Analysis Date: 9/9/2010	SeqNo: 747628

Analyte	Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	56	1.0	50.00	0	112	43	148				
1,1,2,2-Tetrachloroethane	52	1.0	50.00	0	105	32	148				
1,1,2-Trichloroethane	52	1.0	50.00	0	104	42	136				
1,1-Dichloroethane	53	1.0	50.00	0	106	40	150				
1,1-Dichloroethene	53	1.0	50.00	0	105	30	154				
1,2-Dichlorobenzene	51	1.0	50.00	0	102	40	129				
1,2-Dichloroethane	53	1.0	50.00	0	107	36	141				
1,2-Dichloropropane	52	1.0	50.00	0	103	44	138				
1,3-Dichlorobenzene	53	1.0	50.00	0	105	40	133				
1,4-Dichlorobenzene	50	1.0	50.00	0	101	40	135				
2-Chloroethyl vinyl ether	43	1.0	50.00	0	86.0	21	139				
Benzene	54	1.0	50.00	0	108	45	144				
Bromodichloromethane	53	1.0	50.00	0	106	35	136				
Bromoform	52	1.0	50.00	0	105	28	138				
Bromomethane	30	1.0	50.00	0	60.5	26	148				C
Carbon tetrachloride	54	1.0	50.00	0	108	45	141				
Chlorobenzene	53	1.0	50.00	0	106	41	142				
Chloroethane	57	1.0	50.00	0	113	36	143				C
Chloroform	52	1.0	50.00	0	103	42	137				
Chloromethane	35	1.0	50.00	0	70.8	35	151				
cis-1,3-Dichloropropene	53	1.0	50.00	0	106	42	130				
Dibromochloromethane	51	1.0	50.00	0	101	21	134				
Ethylbenzene	56	1.0	50.00	0	111	45	146				
Tetrachloroethene	42	1.0	50.00	0	84.0	45	136				
Toluene	56	1.0	50.00	0	112	43	134				
trans-1,2-Dichloroethene	51	1.0	50.00	0	103	42	135				
trans-1,3-Dichloropropene	53	1.0	50.00	0	106	37	133				
Trichloroethene	54	1.0	50.00	0	109	43	140				
Trichlorofluoromethane	51	1.0	50.00	0	101	50	148				C
Vinyl chloride	46	1.0	50.00	0	91.8	35	142				

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009062  
**Project:** Rowe

# ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260MTBE113\_W**

Sample ID: <b>V624LCS-090910HW</b>	SampType: <b>LCS</b>	TestCode: <b>8260MTBE11</b>	Units: <b>µg/L</b>
Client ID: <b>LCSW</b>	Batch ID: <b>R53112</b>	TestNo: <b>SW8260B</b>	Prep Date:
Analyte		Result	HighLimit
Surr: 4-Bromofluorobenzene	50	50.00	130
Surr: Dibromofluoromethane	50	50.00	127
Surr: Toluene-d8	51	50.00	128

RunNo: **53112**  
SeqNo: **747628**

Analysis Date: **9/9/2010**

%REC    LowLimit    HighLimit    RPD Ref Val    %RPD    RPDLimit    Qual

	99.6	60	130			
	100	63	127			
	102	61	128			

Sample ID: <b>VBLK-090910HW</b>	SampType: <b>MBLK</b>	TestCode: <b>8260MTBE11</b>	Units: <b>µg/L</b>
Client ID: <b>PBW</b>	Batch ID: <b>R53112</b>	TestNo: <b>SW8260B</b>	Prep Date:
Analyte		Result	HighLimit
1,1,1,2-Tetrachloroethane	U	1.0	
1,1,1-Trichloroethane	U	1.0	
1,1,2,2-Tetrachloroethane	U	1.0	
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0	
1,1,2-Trichloroethane	U	1.0	
1,1-Dichloroethane	U	1.0	
1,1-Dichloroethene	U	1.0	
1,1-Dichloropropene	U	1.0	
1,2,3-Trichlorobenzene	U	1.0	
1,2,3-Trichloropropane	U	1.0	
1,2,4-Trichlorobenzene	U	1.0	
1,2,4-Trimethylbenzene	U	1.0	
1,2-Dibromo-3-chloropropane	U	1.0	
1,2-Dibromoethane	U	1.0	
1,2-Dichlorobenzene	U	1.0	
1,2-Dichloroethane	U	1.0	
1,2-Dichloropropane	U	1.0	
1,3,5-Trimethylbenzene	U	1.0	
1,3-Dichlorobenzene	U	1.0	
1,3-dichloropropane	U	1.0	
1,4-Dichlorobenzene	U	1.0	
2,2-Dichloropropane	U	1.0	
2-Butanone	U	1.0	

RunNo: **53112**  
SeqNo: **747629**

Analysis Date: **9/9/2010**

%REC    LowLimit    HighLimit    RPD Ref Val    %RPD    RPDLimit    Qual


**Qualifiers:** B Analyte detected in the associated Method Blank    C Calibration %RSD/%D exceeded for non-CCC analytes    E Value above quantitation range  
H Holding times for preparation or analysis exceeded    J Analyte detected below quantitation limits    LOD Limit of Detection  
LOQ Limit of Quantitation    P >40% diff for detected conc between the two GC column    R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009062  
**Project:** Rowe

**TestCode:** 8260MTBE113\_W

Sample ID: <b>VBLK-090910HW</b>	SampType: <b>MBLK</b>	TestCode: <b>8260MTBE11</b>	Units: <b>µg/L</b>	Prep Date:	RunNo: <b>53112</b>						
Client ID: <b>PBW</b>	Batch ID: <b>R53112</b>	TestNo: <b>SW8260B</b>		Analysis Date: <b>9/9/2010</b>	SeqNo: <b>747629</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	1.0									
Acetone	U	1.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									C
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									C
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009062  
**Project:** Rowe

**TestCode:** 8260MTBE113\_W

Sample ID: VBLK-090910HW	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 53112						
Client ID: PBW	Batch ID: R53112	TestNo: SW8260B		Analysis Date: 9/9/2010	SeqNo: 747629						
Analyte	Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									C
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	51		50.00		101	60		130			
Surr: Dibromofluoromethane	54		50.00		109	63		127			
Surr: Toluene-d8	49		50.00		97.4	61		128			

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%d exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009062  
**Project:** Rowe

**TestCode: FE\_D**

Sample ID: PBW-090910AD	SampType: MBLK	TestCode: FE_D	Units: mg/L	Prep Date: 9/9/2010	RunNo: 53085					
Client ID: PBW	Batch ID: 30073	TestNo: E200.7	SW3005A	Analysis Date: 9/9/2010	SeqNo: 747303					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dissolved Iron	U	0.0200								

Sample ID: LCSW-090910AD	SampType: LCS	TestCode: FE_D	Units: mg/L	Prep Date: 9/9/2010	RunNo: 53085					
Client ID: LCSW	Batch ID: 30073	TestNo: E200.7	SW3005A	Analysis Date: 9/9/2010	SeqNo: 747304					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dissolved Iron	1.96	0.0200	2.000	98.1	70	130				

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

**CLIENT:** Legette Brashears & Graham Inc.  
**Work Order:** 1009062  
**Project:** Rowe

# ANALYTICAL QC SUMMARY REPORT

**TestCode:** FE\_T

Sample ID: LCSW-090910A	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 9/9/2010	RunNo: 53085						
Client ID: LCSW	Batch ID: 30074	TestNo: E200.7	SW3010A	Analysis Date: 9/9/2010	SeqNo: 747275						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Iron	1.98	0.0200	2.000	0	99.0	70	130				

Sample ID: PBW-090910A	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 9/9/2010	RunNo: 53085						
Client ID: PBW	Batch ID: 30074	TestNo: E200.7	SW3010A	Analysis Date: 9/9/2010	SeqNo: 747276						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Iron	U	0.0200									

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009062  
**Project:** Rowe

**TestCode:** TDS\_W

Sample ID: MB-R53109	SampType: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 53109
Client ID: PBW	Batch ID: R53109	TestNo: M2540C		Analysis Date: 9/9/2010	SeqNo: 747587
Analyte	Result	PQL	SPK value	SPK RefVal	%REC
				LowLimit	HighLimit
				RPD RefVal	%RPD
					RPDLimit
					Qual

Total Dissolved Solids (Residue, Filtera) U 1.00

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

Thursday, September 23, 2010

Mark Goldberg  
Leggette Brashears & Graham Inc.  
4 Research Drive  
Suite 301  
Shelton, CT 06484

TEL: (203) 929-8555  
FAX (203) 926-9140

RE: Rowe Industries; Sag Harbor

Order No.: 1009144

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 9/17/2010 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 30 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at [lbeyer@american-analytical.com](mailto:lbeyer@american-analytical.com).

Sincerely,



Lori Beyer  
Lab Director

---

**CLIENT:** Leggette Brashears & Graham Inc.  
**Project:** Rowe Industries; Sag Harbor  
**Lab Order:** 1009144

**Work Order Sample Summary**

---

<b>Lab Sample ID</b>	<b>Client Sample ID</b>	<b>Date Collected</b>	<b>Date Received</b>
1009144-01A	WQ91610:1300NP2-6	9/16/2010 1:00:00 PM	9/17/2010
1009144-01B	WQ91610:1300NP2-6	9/16/2010 1:00:00 PM	9/17/2010
1009144-01C	WQ91610:1300NP2-6	9/16/2010 1:00:00 PM	9/17/2010
1009144-02A	WQ91610:1305NP2-7	9/16/2010 1:05:00 PM	9/17/2010
1009144-02B	WQ91610:1305NP2-7	9/16/2010 1:05:00 PM	9/17/2010
1009144-02C	WQ91610:1305NP2-7	9/16/2010 1:05:00 PM	9/17/2010
1009144-03A	WQ91610:1310NP2-10	9/16/2010 1:10:00 PM	9/17/2010
1009144-03B	WQ91610:1310NP2-10	9/16/2010 1:10:00 PM	9/17/2010
1009144-03C	WQ91610:1310NP2-10	9/16/2010 1:10:00 PM	9/17/2010
1009144-03D	WQ91610:1310NP2-10	9/16/2010 1:10:00 PM	9/17/2010



American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name LBG CT

Date and Time Receive 9/17/2010

Work Order Numbe 1009144

RcptNo: 1

Received by CD

COC\_ID:

CoolerID:

Checklist completed by

Signature *[Handwritten Signature]*

Date 9/20/10

Reviewed by

Initials *[Handwritten Initials]*

Date 9/20/10

Matrix:

Carrier name AAL

- Shipping container/cooler in good condition? Yes  No  Not Presen
- Custody seals intact on shipping container/cooler? Yes  No  Not Presen
- Custody seals intact on sample bottles? Yes  No  Not Presen
- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Samples in proper container/bottle? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No
- All samples received within holding time? Yes  No
- Container/Temp Blank temperature in compliance? Yes  No
- Water - VOA vials have zero headspace? No VOA vials submitted  Yes  No
- Water - pH acceptable upon receipt? Yes  No  N/A

Adjusted? \_\_\_\_\_ Checked b \_\_\_\_\_

Any No and/or NA (not applicable) response must be detailed in the comments section be

Client contacted \_\_\_\_\_ Date contacted: \_\_\_\_\_ Person contacted \_\_\_\_\_

Contacted by: \_\_\_\_\_ Regarding: \_\_\_\_\_

Comments: Cooler with ice @ 3.6C

Corrective Action \_\_\_\_\_

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009144  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009144-01A

Client Sample ID: WQ91610:1300NP2-6  
 Collection Date: 9/16/2010 1:00:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,1,1-Trichloroethane	0.42	0.3	1.0	J	µg/L	1	9/22/2010 10:35:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
2-Butanone	U	0.3	1.0	C	µg/L	1	9/22/2010 10:35:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/22/2010 10:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 23-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009144  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009144-01A

Client Sample ID: WQ91610:1300NP2-6  
 Collection Date: 9/16/2010 1:00:00 PM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	9/22/2010 10:35:00 PM
Chloroform	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/22/2010 10:35:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 23-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009144  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009144-01A

Client Sample ID: WQ91610:1300NP2-6  
 Collection Date: 9/16/2010 1:00:00 PM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/22/2010 10:35:00 PM
Surr: 4-Bromofluorobenzene	94.9	0	60-130		%REC	1	9/22/2010 10:35:00 PM
Surr: Dibromofluoromethane	90.8	0	63-127		%REC	1	9/22/2010 10:35:00 PM
Surr: Toluene-d8	98.5	0	61-128		%REC	1	9/22/2010 10:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

# American Analytical Laboratories, LLC.

Date: 23-Sep-10

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ91610:1300NP2-6
<b>Lab Order:</b>	1009144	<b>Collection Date:</b>	9/16/2010 1:00:00 PM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009144-01B		

## Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3010A</b>		Analyst: JP
Total Iron	6.51	0.005	0.0200		mg/L	1	9/21/2010 12:08:43 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 23-Sep-10

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ91610:1300NP2-6
<b>Lab Order:</b>	1009144	<b>Collection Date:</b>	9/16/2010 1:00:00 PM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009144-01C		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3005A</b>		Analyst: JP
Dissolved Iron	0.0142	0.005	0.0200	J	mg/L	1	9/21/2010 12:06:40 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009144  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009144-02A

Client Sample ID: WQ91610:1305NP2-7  
 Collection Date: 9/16/2010 1:05:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
2-Butanone	U	0.3	1.0	C	µg/L	1	9/22/2010 11:07:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/22/2010 11:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 23-Sep-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009144  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009144-02A

**Client Sample ID:** WQ91610:1305NP2-7  
**Collection Date:** 9/16/2010 1:05:00 PM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	9/22/2010 11:07:00 PM
Chloroform	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/22/2010 11:07:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 23-Sep-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009144  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009144-02A

**Client Sample ID:** WQ91610:1305NP2-7  
**Collection Date:** 9/16/2010 1:05:00 PM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/22/2010 11:07:00 PM
Surr: 4-Bromofluorobenzene	98.6	0	60-130		%REC	1	9/22/2010 11:07:00 PM
Surr: Dibromofluoromethane	87.4	0	63-127		%REC	1	9/22/2010 11:07:00 PM
Surr: Toluene-d8	95.7	0	61-128		%REC	1	9/22/2010 11:07:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ91610:1305NP2-7
<b>Lab Order:</b>	1009144	<b>Collection Date:</b>	9/16/2010 1:05:00 PM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009144-02B		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3010A</b>		Analyst: JP
Total Iron	1.33	0.005	0.0200		mg/L	1	9/21/2010 12:12:51 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- |                    |     |   |     |  |
|--------------------|-----|---|-----|--|
| <b>Qualifiers:</b> | B   | Analyte detected in the associated Method Blank | C   | Calibration %RSD/%D exceeded for non-CCC analytes      |
|                    | E   | Value above quantitation range                  | H   | Holding times for preparation or analysis exceeded     |
|                    | J   | Analyte detected below quantitation limits      | LOD | Limit of Detection                                     |
|                    | LOQ | Limit of Quantitation                           | P   | >40% diff for detected conc between the two GC columns |
|                    | S   | Spike Recovery outside accepted recovery limits | U   | Indicates the compound was analyzed but not detected.  |

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ91610:1305NP2-7
<b>Lab Order:</b>	1009144	<b>Collection Date:</b>	9/16/2010 1:05:00 PM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009144-02C		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3005A</b>		Analyst: JP
Dissolved Iron	0.100	0.005	0.0200		mg/L	1	9/21/2010 12:10:46 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 23-Sep-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009144  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009144-03A

**Client Sample ID:** WQ91610:1310NP2-10  
**Collection Date:** 9/16/2010 1:10:00 PM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
2-Butanone	U	0.3	1.0	C	µg/L	1	9/22/2010 11:38:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/22/2010 11:38:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 23-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009144  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009144-03A

Client Sample ID: WQ91610:1310NP2-10  
 Collection Date: 9/16/2010 1:10:00 PM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	9/22/2010 11:38:00 PM
Chloroform	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/22/2010 11:38:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Trichlorofluoromethane	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 23-Sep-10

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ91610:1310NP2-10
<b>Lab Order:</b>	1009144	<b>Collection Date:</b>	9/16/2010 1:10:00 PM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009144-03A		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>				<b>Analyst: LA</b>
Vinyl acetate	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/22/2010 11:38:00 PM
Surr: 4-Bromofluorobenzene	96.0	0	60-130		%REC	1	9/22/2010 11:38:00 PM
Surr: Dibromofluoromethane	91.4	0	63-127		%REC	1	9/22/2010 11:38:00 PM
Surr: Toluene-d8	101	0	61-128		%REC	1	9/22/2010 11:38:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 23-Sep-10

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ91610:1310NP2-10
<b>Lab Order:</b>	1009144	<b>Collection Date:</b>	9/16/2010 1:10:00 PM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009144-03B		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3010A</b>		Analyst: JP
Total Iron	1.59	0.005	0.0200		mg/L	1	9/21/2010 12:29:10 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- |                    |     |   |     |  |
|--------------------|-----|---|-----|--|
| <b>Qualifiers:</b> | B   | Analyte detected in the associated Method Blank | C   | Calibration %RSD/%D exceeded for non-CCC analytes      |
|                    | E   | Value above quantitation range                  | H   | Holding times for preparation or analysis exceeded     |
|                    | J   | Analyte detected below quantitation limits      | LOD | Limit of Detection                                     |
|                    | LOQ | Limit of Quantitation                           | P   | >40% diff for detected conc between the two GC columns |
|                    | S   | Spike Recovery outside accepted recovery limits | U   | Indicates the compound was analyzed but not detected.  |

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ91610:1310NP2-10
<b>Lab Order:</b>	1009144	<b>Collection Date:</b>	9/16/2010 1:10:00 PM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009144-03C		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3005A</b>		Analyst: JP
Dissolved Iron	0.102	0.005	0.0200		mg/L	1	9/21/2010 12:27:06 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- |                    |     |   |     |  |
|--------------------|-----|---|-----|--|
| <b>Qualifiers:</b> | B   | Analyte detected in the associated Method Blank | C   | Calibration %RSD/%D exceeded for non-CCC analytes      |
|                    | E   | Value above quantitation range                  | H   | Holding times for preparation or analysis exceeded     |
|                    | J   | Analyte detected below quantitation limits      | LOD | Limit of Detection                                     |
|                    | LOQ | Limit of Quantitation                           | P   | >40% diff for detected conc between the two GC columns |
|                    | S   | Spike Recovery outside accepted recovery limits | U   | Indicates the compound was analyzed but not detected.  |

**American Analytical Laboratories, LLC.**

Date: 23-Sep-10

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ91610:1310NP2-10
<b>Lab Order:</b>	1009144	<b>Collection Date:</b>	9/16/2010 1:10:00 PM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009144-03D		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>TOTAL DISSOLVED SOLIDS</b>				<b>M2540C</b>			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	128	0	1.00		mg/L	1	9/21/2010

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- |                    |     |   |     |  |
|--------------------|-----|---|-----|--|
| <b>Qualifiers:</b> | B   | Analyte detected in the associated Method Blank | C   | Calibration %RSD/%D exceeded for non-CCC analytes      |
|                    | E   | Value above quantitation range                  | H   | Holding times for preparation or analysis exceeded     |
|                    | J   | Analyte detected below quantitation limits      | LOD | Limit of Detection                                     |
|                    | LOQ | Limit of Quantitation                           | P   | >40% diff for detected conc between the two GC columns |
|                    | S   | Spike Recovery outside accepted recovery limits | U   | Indicates the compound was analyzed but not detected.  |

**CLIENT:** Leggett Brashears & Graham Inc.  
**Work Order:** 1009144  
**Project:** Rowe Industries; Sag Harbor

**ANALYTICAL QC SUMMARY REPORT**

**TestCode:** 8260MTBE113\_W

Sample ID: V624LCS-092210HW	Batch ID: R53320	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/22/2010	RunNo: 53320
Client ID: LCSW	Batch ID: R53320	TestNo: SW8260B		Analysis Date: 9/22/2010	SeqNo: 750281

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	47	1.0	50.00	0	94.9	43	148				
1,1,2,2-Tetrachloroethane	46	1.0	50.00	0	91.4	32	148				
1,1,2-Trichloroethane	44	1.0	50.00	0	87.0	42	136				
1,1-Dichloroethane	46	1.0	50.00	0	92.3	40	150				
1,1-Dichloroethene	48	1.0	50.00	0	96.4	30	154				
1,2-Dichlorobenzene	44	1.0	50.00	0	88.4	40	129				
1,2-Dichloroethane	45	1.0	50.00	0	90.1	36	141				
1,2-Dichloropropane	43	1.0	50.00	0	86.3	44	138				
1,3-Dichlorobenzene	45	1.0	50.00	0	89.4	40	133				
1,4-Dichlorobenzene	44	1.0	50.00	0	88.2	40	135				
2-Chloroethyl vinyl ether	30	1.0	50.00	0	60.6	21	139				
Benzene	45	1.0	50.00	0	89.5	45	144				
Bromodichloromethane	42	1.0	50.00	0	83.3	35	136				
Bromoform	43	1.0	50.00	0	85.2	28	138				
Bromomethane	44	1.0	50.00	0	87.6	26	148				
Carbon tetrachloride	34	1.0	50.00	0	67.8	45	141				
Chlorobenzene	48	1.0	50.00	0	96.8	41	142				
Chloroethane	37	1.0	50.00	0	74.1	36	143				
Chloroform	35	1.0	50.00	0	70.6	42	137				
Chloromethane	42	1.0	50.00	0	83.6	35	151				
cis-1,3-Dichloropropene	44	1.0	50.00	0	87.3	42	130				
Dibromochloromethane	41	1.0	50.00	0	83.0	21	134				
Ethylbenzene	49	1.0	50.00	0	97.9	45	146				
Tetrachloroethene	43	1.0	50.00	0	85.8	45	136				
Toluene	48	1.0	50.00	0	95.1	43	134				
trans-1,2-Dichloroethene	45	1.0	50.00	0	89.3	42	135				
trans-1,3-Dichloropropene	44	1.0	50.00	0	87.9	37	133				
Trichloroethene	46	1.0	50.00	0	91.0	43	140				
Trichlorofluoromethane	59	1.0	50.00	0	117	50	148				
Vinyl chloride	49	1.0	50.00	0	98.5	35	142				

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
LOQ Limit of Quantitation  
C Calibration %RSD/%D exceeded for non-CCC analytes  
J Analyte detected below quantitation limits  
P >40% diff for detected conc between the two GC column  
E Value above quantitation range  
LOD Limit of Detection  
R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009144  
**Project:** Rowe Industries; Sag Harbor

**TestCode:** 8260MTBE113\_W

Sample ID: V624LCS-092210HW	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L								
Client ID: LCSW	Batch ID: R53320	Prep Date: 9/22/2010	RunNo: 53320								
		Analysis Date: 9/22/2010	SeqNo: 750281								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	50		50.00		99.8	60	130				
Surr: Dibromofluoromethane	55		50.00		109	63	127				
Surr: Toluene-d8	49		50.00		97.0	61	128				

Sample ID: VBLK-092210HW	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L								
Client ID: PBW	Batch ID: R53320	Prep Date: 9/22/2010	RunNo: 53320								
		Analysis Date: 9/22/2010	SeqNo: 750282								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	1.0									C

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009144

**Project:** Rowe Industries; Sag Harbor

# ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260MTBE113\_W

Sample ID: <b>VBLK-092210HW</b>	SampType: <b>MBLK</b>	TestCode: <b>8260MTBE11</b>	Units: <b>µg/L</b>	Prep Date: <b>9/22/2010</b>	RunNo: <b>53320</b>						
Client ID: <b>PBW</b>	Batch ID: <b>R53320</b>	TestNo: <b>SW8260B</b>		Analysis Date: <b>9/22/2010</b>	SeqNo: <b>750282</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	1.0									
Acetone	U	1.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009144  
**Project:** Rowe Industries; Sag Harbor

**TestCode:** 8260MTBE113\_W

Sample ID: VBLK-092210HW	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/22/2010	RunNo: 53320
Client ID: PBW	Batch ID: R53320	TestNo: SW8260B		Analysis Date: 9/22/2010	SeqNo: 750282

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	49		50.00		97.3	60		130			
Surr: Dibromofluoromethane	57		50.00		114	63		127			
Surr: Toluene-d8	50		50.00		99.7	61		128			

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits



# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009144  
**Project:** Rowe Industries; Sag Harbor

**TestCode:** FE\_T

Sample ID: PBW-092010A	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 9/21/2010	RunNo: 53295						
Client ID: PBW	Batch ID: 30171	TestNo: E200.7	SW3010A	Analysis Date: 9/21/2010	SeqNo: 750008						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Iron	U	0.0200									

Sample ID: LCSW-092010A	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 9/21/2010	RunNo: 53295						
Client ID: LCSW	Batch ID: 30171	TestNo: E200.7	SW3010A	Analysis Date: 9/21/2010	SeqNo: 750009						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Iron		0.0200	2.000	0	102	80	120				

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009144  
**Project:** Rowe Industries; Sag Harbor

**TestCode:** TDS\_W

Sample ID: MB-R53311	SampType: MBLK	TestCode: TDS_W	Units: mg/L
Client ID: PBW	Batch ID: R53311	TestNo: M2540C	
Analyte	Result	PQL	SPK value
		%REC	LowLimit
		HighLimit	RPD Ref Val
		%RPD	RPDLimit
			Qual

RunNo: 53311  
 SeqNo: 750176

Prep Date:  
 Analysis Date: 9/21/2010

Total Dissolved Solids (Residue, Filtera) U 1.00

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

American Analytical Laboratories, LLC.

Date: 23-Sep-10

**CLIENT:** Leggett Brashears & Graham Inc.  
**Work Order:** 1009144  
**Project:** Rowe Industries; Sag Harbor

**ANALYTICAL QC SUMMARY REPORT**

**TestCode:** 8260MTBE113\_W

Sample ID: 1009144-03AMS	SampType: MS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 53320
Client ID: WQ91610:1310NP2-	Batch ID: R53320	TestNo: SW8260B		Analysis Date: 9/23/2010	SeqNo: 750286

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	34	1.0	50.00	0	67.3	43	148				
1,1,2,2-Tetrachloroethane	42	1.0	50.00	0	83.8	32	148				
1,1,2-Trichloroethane	41	1.0	50.00	0	81.6	42	136				
1,1-Dichloroethane	44	1.0	50.00	0	88.5	40	150				
1,1-Dichloroethene	45	1.0	50.00	0	90.1	30	154				
1,2-Dichlorobenzene	42	1.0	50.00	0	83.2	40	129				
1,2-Dichloroethane	41	1.0	50.00	0	82.3	36	141				
1,2-Dichloropropane	39	1.0	50.00	0	77.6	44	138				
1,3-Dichlorobenzene	43	1.0	50.00	0	86.5	40	133				
1,4-Dichlorobenzene	41	1.0	50.00	0	81.2	40	135				
Benzene	44	1.0	50.00	0	87.2	45	144				
Bromodichloromethane	41	1.0	50.00	0	81.7	35	136				
Bromoform	40	1.0	50.00	0	79.2	28	138				
Bromomethane	43	1.0	50.00	0	85.6	26	148				
Carbon tetrachloride	33	1.0	50.00	0	66.7	45	141				
Chlorobenzene	43	1.0	50.00	0	86.9	41	142				
Chloroethane	52	1.0	50.00	0	105	36	143				
Chloroform	34	1.0	50.00	0	67.2	42	137				
Chloromethane	34	1.0	50.00	0	68.6	35	151				
cis-1,3-Dichloropropene	41	1.0	50.00	0	81.6	42	130				
Dibromochloromethane	41	1.0	50.00	0	81.1	21	134				
Ethylbenzene	47	1.0	50.00	0	93.4	45	146				
Tetrachloroethene	43	1.0	50.00	0	85.7	45	136				
Toluene	46	1.0	50.00	0	91.1	43	134				
trans-1,2-Dichloroethene	46	1.0	50.00	0	92.3	42	135				
trans-1,3-Dichloropropene	40	1.0	50.00	0	79.9	37	133				
Trichloroethene	45	1.0	50.00	0	90.2	43	140				
Trichlorofluoromethane	43	1.0	50.00	0	86.6	50	148				
Vinyl chloride	44	1.0	50.00	0	88.8	35	142				
Surr: 4-Bromofluorobenzene	48		50.00		96.5	60	130				

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009144  
**Project:** Rowe Industries; Sag Harbor

**TestCode:** 8260MTBE113\_W

Sample ID: 1009144-03AMS	SampType: MS	TestCode: 8260MTBE11	Units: µg/L
Client ID: WQ91610:1310NP2-	Batch ID: R53320	Prep Date:	RunNo: 53320
		Analysis Date: 9/23/2010	SeqNo: 750286
Analyte	Result	PQL	SPK value
		SPK Ref Val	SPK Ref Val
		%REC	LowLimit
		HighLimit	RPD Ref Val
		%RPD	RPDLimit
		Qual	Qual

Surr: Dibromofluoromethane	42	50.00	84.8	63	127
Surr: Toluene-d8	50	50.00	100	61	128

Sample ID: 1009144-03AMSD	SampType: MSD	TestCode: 8260MTBE11	Units: µg/L
Client ID: WQ91610:1310NP2-	Batch ID: R53320	Prep Date:	RunNo: 53320
		Analysis Date: 9/23/2010	SeqNo: 750287
Analyte	Result	PQL	SPK value
		SPK Ref Val	SPK Ref Val
		%REC	LowLimit
		HighLimit	RPD Ref Val
		%RPD	RPDLimit
		Qual	Qual

1,1,1-Trichloroethane	33	1.0	50.00	0	43	148	33.63	1.83	20
1,1,2,2-Tetrachloroethane	41	1.0	50.00	0	32	148	41.89	2.83	20
1,1,2-Trichloroethane	39	1.0	50.00	0	42	136	40.81	3.64	20
1,1-Dichloroethane	41	1.0	50.00	0	40	150	44.25	6.46	20
1,1-Dichloroethene	43	1.0	50.00	0	30	154	45.07	4.65	20
1,2-Dichlorobenzene	40	1.0	50.00	0	40	129	41.60	4.67	20
1,2-Dichloroethane	39	1.0	50.00	0	36	141	41.15	6.58	20
1,2-Dichloropropane	39	1.0	50.00	0	44	138	38.79	0.180	20
1,3-Dichlorobenzene	40	1.0	50.00	0	40	133	43.27	8.03	20
1,4-Dichlorobenzene	37	1.0	50.00	0	40	135	40.62	8.82	20
Benzene	42	1.0	50.00	0	45	144	43.61	3.62	20
Bromodichloromethane	41	1.0	50.00	0	35	136	40.86	0.442	20
Bromoform	38	1.0	50.00	0	28	138	39.62	3.81	20
Bromomethane	41	1.0	50.00	0	26	148	42.81	5.50	20
Carbon tetrachloride	33	1.0	50.00	0	45	141	33.36	2.27	20
Chlorobenzene	41	1.0	50.00	0	41	142	43.43	4.88	20
Chloroethane	53	1.0	50.00	0	36	143	52.41	0.931	20
Chloroform	33	1.0	50.00	0	42	137	33.62	1.14	20
Chloromethane	35	1.0	50.00	0	35	151	34.30	3.38	20
cis-1,3-Dichloropropene	39	1.0	50.00	0	42	130	40.78	5.36	20
Dibromochloromethane	38	1.0	50.00	0	21	134	40.54	5.45	20
Ethylbenzene	43	1.0	50.00	0	45	146	46.70	8.32	20
Tetrachloroethene	41	1.0	50.00	0	45	136	42.87	3.78	20
Toluene	44	1.0	50.00	0	43	134	45.55	2.76	20

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009144  
**Project:** Rowe Industries, Sag Harbor

**TestCode:** 8260MTBE113\_W

Sample ID: 1009144-03AMSD	SampType: MSD	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 53320						
Client ID: WQ91610:1310NP2-	Batch ID: R53320	TestNo: SW8260B		Analysis Date: 9/23/2010	SeqNo: 750287						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,2-Dichloroethene	41	1.0	50.00	0	81.7	42	135	46.16	12.3	20	
trans-1,3-Dichloropropene	39	1.0	50.00	0	77.8	37	133	39.93	2.56	20	
Trichloroethene	43	1.0	50.00	0	85.5	43	140	45.12	5.44	20	
Trichlorofluoromethane	58	1.0	50.00	0	116	50	148	43.29	28.7	20	R
Vinyl chloride	44	1.0	50.00	0	87.8	35	142	44.38	1.04	20	
Surr: 4-Bromofluorobenzene	48		50.00		96.8	60	130		0	0	
Surr: Dibromofluoromethane	46		50.00		91.2	63	127		0	0	
Surr: Toluene-d8	52		50.00		104	61	128		0	0	

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

Thursday, September 30, 2010

Mark Goldberg  
Leggette Brashears & Graham Inc.  
4 Research Drive  
Suite 301  
Shelton, CT 06484

TEL: (203) 929-8555  
FAX (203) 926-9140

RE: Rowe

Order No.: 1009205

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 9/24/2010 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 27 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at [lbeyer@american-analytical.com](mailto:lbeyer@american-analytical.com).

Sincerely,

  
Lori Beyer  
Lab Director

---

**CLIENT:** Leggette Brashears & Graham Inc.  
**Project:** Rowe  
**Lab Order:** 1009205

**Work Order Sample Summary**

---

<b>Lab Sample ID</b>	<b>Client Sample ID</b>	<b>Date Collected</b>	<b>Date Received</b>
1009205-01A	WQ92210:1525NP2-6	9/22/2010 3:25:00 PM	9/22/2010
1009205-01B	WQ92210:1525NP2-6	9/22/2010 3:25:00 PM	9/22/2010
1009205-01C	WQ92210:1525NP2-6	9/22/2010 3:25:00 PM	9/22/2010
1009205-02A	WQ92210:1530NP2-7	9/22/2010 3:30:00 PM	9/22/2010
1009205-02B	WQ92210:1530NP2-7	9/22/2010 3:30:00 PM	9/22/2010
1009205-02C	WQ92210:1530NP2-7	9/22/2010 3:30:00 PM	9/22/2010
1009205-03A	WQ92210:1535NP2-10	9/22/2010 3:35:00 PM	9/22/2010
1009205-03B	WQ92210:1535NP2-10	9/22/2010 3:35:00 PM	9/22/2010
1009205-03C	WQ92210:1535NP2-10	9/22/2010 3:35:00 PM	9/22/2010
1009205-03D	WQ92210:1535NP2-10	9/22/2010 3:35:00 PM	9/22/2010



American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name LBG CT

Date and Time Receive 9/24/2010

Work Order Number 1009205

RcptNo: 1

Received by CB

COC\_ID:

CoolerID:

Checklist completed by

*OBaw*  
Signature

9/24/10  
Date

Reviewed by

*KBK*  
Initials

9/27/10  
Date

Matrix:

Carrier name FedEx

- Shipping container/cooler in good condition? Yes  No  Not Present
- Custody seals intact on shipping container/cooler? Yes  No  Not Present
- Custody seals intact on sample bottles? Yes  No  Not Present
- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Samples in proper container/bottle? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No
- All samples received within holding time? Yes  No
- Container/Temp Blank temperature in compliance? Yes  No
- Water - VOA vials have zero headspace? No VOA vials submitted  Yes  No
- Water - pH acceptable upon receipt? Yes  No  N/A

Adjusted? \_\_\_\_\_

Checked by \_\_\_\_\_

Any No and/or NA (not applicable) response must be detailed in the comments section below

Client contacted \_\_\_\_\_

Date contacted: \_\_\_\_\_

Person contacted \_\_\_\_\_

Contacted by: \_\_\_\_\_

Regarding: \_\_\_\_\_

Comments: Cooler with ice @ 4.5C

Corrective Action \_\_\_\_\_

**American Analytical Laboratories, LLC.**

**Date:** 30-Sep-10

**ELAP ID :** 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009205  
**Project:** Rowe  
**Lab ID:** 1009205-01A

**Client Sample ID:** WQ92210:1525NP2-6  
**Collection Date:** 9/22/2010 3:25:00 PM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>				<b>Analyst: LA</b>
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
2-Butanone	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/29/2010 3:36:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009205  
 Project: Rowe  
 Lab ID: 1009205-01A

Client Sample ID: WQ92210:1525NP2-6  
 Collection Date: 9/22/2010 3:25:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	9/29/2010 3:36:00 PM
Chloroform	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Dichlorodifluoromethane	U	0.3	1.0	C	µg/L	1	9/29/2010 3:36:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/29/2010 3:36:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/29/2010 3:36:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009205  
 Project: Rowe  
 Lab ID: 1009205-01A

Client Sample ID: WQ92210:1525NP2-6  
 Collection Date: 9/22/2010 3:25:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/29/2010 3:36:00 PM
Surr: 4-Bromofluorobenzene	99.5	0	60-130		%REC	1	9/29/2010 3:36:00 PM
Surr: Dibromofluoromethane	98.0	0	63-127		%REC	1	9/29/2010 3:36:00 PM
Surr: Toluene-d8	97.0	0	61-128		%REC	1	9/29/2010 3:36:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009205  
 Project: Rowe  
 Lab ID: 1009205-01B

Client Sample ID: WQ92210:1525NP2-6  
 Collection Date: 9/22/2010 3:25:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3010A</b>		Analyst: JP
Total Iron	2.43	0.005	0.0200		mg/L	1	9/29/2010 10:41:36 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- Qualifiers:**
- B Analyte detected in the associated Method Blank
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - LOQ Limit of Quantitation
  - S Spike Recovery outside accepted recovery limits
  - C Calibration %RSD/%D exceeded for non-CCC analytes
  - H Holding times for preparation or analysis exceeded
  - LOD Limit of Detection
  - P >40% diff for detected conc between the two GC columns
  - U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009205  
 Project: Rowe  
 Lab ID: 1009205-01C

Client Sample ID: WQ92210:1525NP2-6  
 Collection Date: 9/22/2010 3:25:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3005A</b>		Analyst: JP
Dissolved Iron	0.0159	0.005	0.0200	J	mg/L	1	9/29/2010 10:39:33 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- Qualifiers:**
- B Analyte detected in the associated Method Blank
  - C Calibration %RSD/%D exceeded for non-CCC analytes
  - E Value above quantitation range
  - H Holding times for preparation or analysis exceeded
  - J Analyte detected below quantitation limits
  - LOD Limit of Detection
  - LOQ Limit of Quantitation
  - P >40% diff for detected conc between the two GC columns
  - S Spike Recovery outside accepted recovery limits
  - U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009205  
 Project: Rowe  
 Lab ID: 1009205-02A

Client Sample ID: WQ92210:1530NP2-7  
 Collection Date: 9/22/2010 3:30:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
2-Butanone	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/29/2010 4:08:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009205  
 Project: Rowe  
 Lab ID: 1009205-02A

Client Sample ID: WQ92210:1530NP2-7  
 Collection Date: 9/22/2010 3:30:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	9/29/2010 4:08:00 PM
Chloroform	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Dichlorodifluoromethane	U	0.3	1.0	C	µg/L	1	9/29/2010 4:08:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/29/2010 4:08:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/29/2010 4:08:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009205  
 Project: Rowe  
 Lab ID: 1009205-02A

Client Sample ID: WQ92210:1530NP2-7  
 Collection Date: 9/22/2010 3:30:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>				Analyst: LA
Vinyl acetate	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/29/2010 4:08:00 PM
Surr: 4-Bromofluorobenzene	98.1	0	60-130		%REC	1	9/29/2010 4:08:00 PM
Surr: Dibromofluoromethane	101	0	63-127		%REC	1	9/29/2010 4:08:00 PM
Surr: Toluene-d8	98.3	0	61-128		%REC	1	9/29/2010 4:08:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ92210:1530NP2-7
<b>Lab Order:</b>	1009205	<b>Collection Date:</b>	9/22/2010 3:30:00 PM
<b>Project:</b>	Rowe	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009205-02B		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3010A</b>		<b>Analyst: JP</b>
Total Iron	3.97	0.005	0.0200		mg/L	1	9/29/2010 10:45:41 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- |                    |     |   |     |  |
|--------------------|-----|---|-----|--|
| <b>Qualifiers:</b> | B   | Analyte detected in the associated Method Blank | C   | Calibration %RSD/%D exceeded for non-CCC analytes      |
|                    | E   | Value above quantitation range                  | H   | Holding times for preparation or analysis exceeded     |
|                    | J   | Analyte detected below quantitation limits      | LOD | Limit of Detection                                     |
|                    | LOQ | Limit of Quantitation                           | P   | >40% diff for detected conc between the two GC columns |
|                    | S   | Spike Recovery outside accepted recovery limits | U   | Indicates the compound was analyzed but not detected.  |

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ92210:1530NP2-7
<b>Lab Order:</b>	1009205	<b>Collection Date:</b>	9/22/2010 3:30:00 PM
<b>Project:</b>	Rowe	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009205-02C		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3005A</b>		Analyst: JP
Dissolved Iron	0.0620	0.005	0.0200		mg/L	1	9/29/2010 10:43:38 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- |                    |     |   |     |  |
|--------------------|-----|---|-----|--|
| <b>Qualifiers:</b> | B   | Analyte detected in the associated Method Blank | C   | Calibration %RSD/%D exceeded for non-CCC analytes      |
|                    | E   | Value above quantitation range                  | H   | Holding times for preparation or analysis exceeded     |
|                    | J   | Analyte detected below quantitation limits      | LOD | Limit of Detection                                     |
|                    | LOQ | Limit of Quantitation                           | P   | >40% diff for detected conc between the two GC columns |
|                    | S   | Spike Recovery outside accepted recovery limits | U   | Indicates the compound was analyzed but not detected.  |

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009205  
 Project: Rowe  
 Lab ID: 1009205-03A

Client Sample ID: WQ92210:1535NP2-10  
 Collection Date: 9/22/2010 3:35:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
2-Butanone	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/29/2010 4:40:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009205  
 Project: Rowe  
 Lab ID: 1009205-03A

Client Sample ID: WQ92210:1535NP2-10  
 Collection Date: 9/22/2010 3:35:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	9/29/2010 4:40:00 PM
Chloroform	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Dichlorodifluoromethane	U	0.3	1.0	C	µg/L	1	9/29/2010 4:40:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/29/2010 4:40:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/29/2010 4:40:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009205  
 Project: Rowe  
 Lab ID: 1009205-03A

Client Sample ID: WQ92210:1535NP2-10  
 Collection Date: 9/22/2010 3:35:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>							
							<b>Analyst: LA</b>
Vinyl acetate	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/29/2010 4:40:00 PM
Surr: 4-Bromofluorobenzene	98.9	0	60-130		%REC	1	9/29/2010 4:40:00 PM
Surr: Dibromofluoromethane	98.7	0	63-127		%REC	1	9/29/2010 4:40:00 PM
Surr: Toluene-d8	98.9	0	61-128		%REC	1	9/29/2010 4:40:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009205  
 Project: Rowe  
 Lab ID: 1009205-03B

Client Sample ID: WQ92210:1535NP2-10  
 Collection Date: 9/22/2010 3:35:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3010A</b>		Analyst: JP
Total Iron	5.29	0.005	0.0200		mg/L	1	9/29/2010 10:59:05 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- |                    |     |   |     |  |
|--------------------|-----|---|-----|--|
| <b>Qualifiers:</b> | B   | Analyte detected in the associated Method Blank | C   | Calibration %RSD/%D exceeded for non-CCC analytes      |
|                    | E   | Value above quantitation range                  | H   | Holding times for preparation or analysis exceeded     |
|                    | J   | Analyte detected below quantitation limits      | LOD | Limit of Detection                                     |
|                    | LOQ | Limit of Quantitation                           | P   | >40% diff for detected conc between the two GC columns |
|                    | S   | Spike Recovery outside accepted recovery limits | U   | Indicates the compound was analyzed but not detected.  |

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ92210:1535NP2-10
<b>Lab Order:</b>	1009205	<b>Collection Date:</b>	9/22/2010 3:35:00 PM
<b>Project:</b>	Rowe	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009205-03C		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>		<b>SW3005A</b>	<b>Analyst: JP</b>
Dissolved Iron	0.0774	0.005	0.0200		mg/L	1	9/29/2010 10:47:44 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ92210:1535NP2-10
<b>Lab Order:</b>	1009205	<b>Collection Date:</b>	9/22/2010 3:35:00 PM
<b>Project:</b>	Rowe	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009205-03D		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>TOTAL DISSOLVED SOLIDS</b>				<b>M2540C</b>			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	108	0	1.00		mg/L	1	9/28/2010

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 30-Sep-10

CLIENT: Leggette Brashears & Graham Inc.

Work Order: 1009205

Project: Rowe

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113\_W

Sample ID: V624LCS-092910HW	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/29/2010	RunNo: 53433
Client ID: LCSW	Batch ID: R53433	TestNo: SW8260B		Analysis Date: 9/29/2010	SeqNo: 751210

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	45	1.0	50.00	0	90.4	43	148				
1,1,2,2-Tetrachloroethane	45	1.0	50.00	0	90.1	32	148				
1,1,2-Trichloroethane	45	1.0	50.00	0	90.0	42	136				
1,1-Dichloroethane	47	1.0	50.00	0	93.5	40	150				
1,1-Dichloroethene	49	1.0	50.00	0	97.4	30	154				
1,2-Dichlorobenzene	41	1.0	50.00	0	82.2	40	129				
1,2-Dichloroethane	44	1.0	50.00	0	88.8	36	141				
1,2-Dichloropropane	46	1.0	50.00	0	91.2	44	138				
1,3-Dichlorobenzene	45	1.0	50.00	0	90.7	40	133				
1,4-Dichlorobenzene	46	1.0	50.00	0	91.9	40	135				
2-Chloroethyl vinyl ether	34	1.0	50.00	0	67.8	21	139				
Benzene	48	1.0	50.00	0	96.4	45	144				
Bromodichloromethane	42	1.0	50.00	0	84.1	35	136				
Bromoform	41	1.0	50.00	0	81.3	28	138				
Bromomethane	50	1.0	50.00	0	99.9	26	148				
Carbon tetrachloride	43	1.0	50.00	0	85.9	45	141				
Chlorobenzene	48	1.0	50.00	0	96.1	41	142				
Chloroethane	59	1.0	50.00	0	118	36	143				C
Chloroform	43	1.0	50.00	0	86.9	42	137				
Chloromethane	48	1.0	50.00	0	96.1	35	151				
cis-1,3-Dichloropropene	45	1.0	50.00	0	90.2	42	130				
Dibromochloromethane	43	1.0	50.00	0	86.6	21	134				
Ethylbenzene	50	1.0	50.00	0	99.1	45	146				
Tetrachloroethene	42	1.0	50.00	0	84.9	45	136				
Toluene	49	1.0	50.00	0	98.5	43	134				
trans-1,2-Dichloroethene	49	1.0	50.00	0	97.5	42	135				
trans-1,3-Dichloropropene	47	1.0	50.00	0	93.8	37	133				
Trichloroethene	48	1.0	50.00	0	95.5	43	140				
Trichlorofluoromethane	55	1.0	50.00	0	110	50	148				C
Vinyl chloride	57	1.0	50.00	0	114	35	142				

Qualifiers: B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

CLIENT: Leggett Brashears & Graham Inc.  
 Work Order: 1009205  
 Project: Rowe

# ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113\_W

Sample ID: V624LCS-092910HW	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/29/2010	RunNo: 53433
Client ID: LCSW	Batch ID: R53433	TestNo: SW8260B		Analysis Date: 9/29/2010	SeqNo: 751210

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	51		50.00		102	60	130				
Surr: Dibromofluoromethane	49		50.00		97.7	63	127				
Surr: Toluene-d8	48		50.00		96.2	61	128				

Sample ID: VBLK-092910HW	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/29/2010	RunNo: 53433
Client ID: PBW	Batch ID: R53433	TestNo: SW8260B		Analysis Date: 9/29/2010	SeqNo: 751211

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	1.0									

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%d exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009205  
**Project:** Rowe

**TestCode:** 8260MTBE113\_W

Sample ID: <b>VBLK-092910HW</b>	SampType: <b>MBLK</b>	TestCode: <b>8260MTBE11</b>	Units: <b>µg/L</b>	Prep Date: <b>9/29/2010</b>	RunNo: <b>53433</b>						
Client ID: <b>PBW</b>	Batch ID: <b>R53433</b>	TestNo: <b>SW8260B</b>		Analysis Date: <b>9/29/2010</b>	SeqNo: <b>751211</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	1.0									
Acetone	U	1.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									C
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									C
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%d exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

CLIENT: Leggette Brashears & Graham Inc.  
 Work Order: 1009205  
 Project: Rowe

# ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113\_W

Sample ID: VBLK-092910HW	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/29/2010	RunNo: 53433						
Client ID: PBW	Batch ID: R53433	TestNo: SW8260B		Analysis Date: 9/29/2010	SeqNo: 751211						
Analyte	Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									C
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	50		50.00		100	60		130			
Surr: Dibromofluoromethane	52		50.00		103	63		127			
Surr: Toluene-d8	50		50.00		100	61		128			

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009205  
**Project:** Rowe

**TestCode: FE\_D**

Sample ID: <b>PBW-092810A</b>	SampType: <b>MBLK</b>	TestCode: <b>FE_D</b>	Units: <b>mg/L</b>	Prep Date: <b>9/28/2010</b>	RunNo: <b>53419</b>						
Client ID: <b>PBW</b>	Batch ID: <b>30227</b>	TestNo: <b>E200.7</b>	<b>SW3005A</b>	Analysis Date: <b>9/29/2010</b>	SeqNo: <b>751098</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dissolved Iron	U	0.0200									

Sample ID: <b>LCSW-092810A</b>	SampType: <b>LCS</b>	TestCode: <b>FE_D</b>	Units: <b>mg/L</b>	Prep Date:	RunNo: <b>53419</b>						
Client ID: <b>LCSW</b>	Batch ID: <b>30227</b>	TestNo: <b>E200.7</b>	<b>SW3005A</b>	Analysis Date: <b>9/29/2010</b>	SeqNo: <b>751099</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dissolved Iron		0.0200	2.000		99.8	0	80	120			

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009205  
**Project:** Rowe

**TestCode:** FE\_T

Sample ID: <b>PBW-092810A</b>	SampType: <b>MBLK</b>	TestCode: <b>FE_T</b>	Units: <b>mg/L</b>	Prep Date: <b>9/28/2010</b>	RunNo: <b>53419</b>						
Client ID: <b>PBW</b>	Batch ID: <b>30226</b>	TestNo: <b>E200.7</b>	<b>SW3010A</b>	Analysis Date: <b>9/29/2010</b>	SeqNo: <b>751112</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Iron	U	0.0200									

Sample ID: <b>LCSW-092810A</b>	SampType: <b>LCS</b>	TestCode: <b>FE_T</b>	Units: <b>mg/L</b>	Prep Date: <b>9/28/2010</b>	RunNo: <b>53419</b>						
Client ID: <b>LCSW</b>	Batch ID: <b>30226</b>	TestNo: <b>E200.7</b>	<b>SW3010A</b>	Analysis Date: <b>9/29/2010</b>	SeqNo: <b>751113</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Iron		0.0200	2.000	0	99.8	80	120				

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009205  
**Project:** Rowe

**TestCode:** TDS\_W

Sample ID: MB-R53429	SampType: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 53429
Client ID: PBW	Batch ID: R53429	TestNo: M2540C		Analysis Date: 9/28/2010	SeqNo: 751197
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC
				LowLimit	HighLimit
				RPD Ref Val	%RPD
					RPDLimit
					Qual

Total Dissolved Solids (Residue, Filtera) U 1.00

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

Monday, October 04, 2010

Mark Goldberg  
Leggette Brashears & Graham Inc.  
4 Research Drive  
Suite 301  
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe

Order No.: 1009233

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 3 sample(s) on 9/30/2010 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 27 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at [lbeyer@american-analytical.com](mailto:lbeyer@american-analytical.com).

Sincerely,

  
Lori Beyer  
Lab Director

CLIENT: Leggette Brashears & Graham Inc.  
Project: Rowe  
Lab Order: 1009233

**Work Order Sample Summary**

---

Lab Sample ID	Client Sample ID	Date Collected	Date Received
1009233-01A	WQ92710:1000NP2-6	9/27/2010 10:00:00 AM	9/30/2010
1009233-01B	WQ92710:1000NP2-6	9/27/2010 10:00:00 AM	9/30/2010
1009233-01C	WQ92710:1000NP2-6	9/27/2010 10:00:00 AM	9/30/2010
1009233-02A	WQ92710:1005NP2-7	9/27/2010 10:05:00 AM	9/30/2010
1009233-02B	WQ92710:1005NP2-7	9/27/2010 10:05:00 AM	9/30/2010
1009233-02C	WQ92710:1005NP2-7	9/27/2010 10:05:00 AM	9/30/2010
1009233-03A	WQ92710:1010NP2-10	9/27/2010 10:10:00 AM	9/30/2010
1009233-03B	WQ92710:1010NP2-10	9/27/2010 10:10:00 AM	9/30/2010
1009233-03C	WQ92710:1010NP2-10	9/27/2010 10:10:00 AM	9/30/2010
1009233-03D	WQ92710:1010NP2-10	9/27/2010 10:10:00 AM	9/30/2010

TAG # / COC

# CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS  
**LBG Inc.**  
**4 Research Dr. Suite 301**  
**Shelton, CT 06484**

CONTACT: **MARK Goldberg**  
**mgoldberge@cgct.com**  
**203-929-8555**

SAMPLER (SIGNATURE)  
*Coren Foster*

SAMPLER NAME (PRINT)  
**Coren Foster**

SAMPLE(S) SEALED **(YES/NO)**

CORRECT CONTAINER(S) **(YES/NO)**

PROJECT LOCATION:

**Rare Industries**

LABORATORY ID #	MATRIX	# CONTAINERS	SAMPLING DATE/TIME	SAMPLE # - LOCATION
1099235-01ABC	L	4	9/27/10 1000	WQ92710:1000NP2-6
02ABC	L	4	1005	WQ92710:1005NP2-7
03ABC	L	5	1016	WQ92710:1016NP2-10

ANALYSIS REQUIRED	FROM	TO	TPS	FOR METHANOL PRESERVED SAMPLES (VOLATILE VIAL #)
<input checked="" type="checkbox"/>	8260+MTBE	113	X	
<input checked="" type="checkbox"/>			X	
<input checked="" type="checkbox"/>			X	
<input checked="" type="checkbox"/>			X	

**MATRIX** S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL  
**TYPE** G=GRAB; C=COMPOSITE, SS=SPLIT SPOON

RELINQUISHED BY (SIGNATURE) <i>Coren Foster</i>	DATE/TIME 9/27/10	PRINTED NAME <b>Evan Foster</b>
RELINQUISHED BY (SIGNATURE)	DATE/TIME	PRINTED NAME

TURNAROUND REQUIRED:  
 NORMAL  STAT  BY / /

RECEIVED BY LAB (SIGNATURE) <i>Chen</i>	DATE/TIME 9/30/10 10:50	PRINTED NAME <b>Cate Barr</b>
RECEIVED BY LAB (SIGNATURE)	DATE/TIME	PRINTED NAME

COOLER TEMPERATURE:

COMMENTS / INSTRUCTIONS

American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name LBG CT

Date and Time Receive 9/30/2010 10:52:21 AM

Work Order Number 1009233

RcptNo: 1

Received by CB

COC\_ID:

CoolerID:

Checklist completed by

*CBew* 9/30/10  
Signature Date

Reviewed by

*LCB* 9/30/10  
Initials Date

Matrix:

Carrier name FedEx

- Shipping container/cooler in good condition? Yes  No  Not Present
- Custody seals intact on shipping container/cooler? Yes  No  Not Present
- Custody seals intact on sample bottles? Yes  No  Not Present
- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Samples in proper container/bottle? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No
- All samples received within holding time? Yes  No
- Container/Temp Blank temperature in compliance? Yes  No
- Water - VOA vials have zero headspace? No VOA vials submitted  Yes  No
- Water - pH acceptable upon receipt? Yes  No  N/A

Adjusted? \_\_\_\_\_

Checked by \_\_\_\_\_

Any No and/or NA (not applicable) response must be detailed in the comments section below

Client contacted \_\_\_\_\_

Date contacted: \_\_\_\_\_

Person contacted \_\_\_\_\_

Contacted by: \_\_\_\_\_

Regarding: \_\_\_\_\_

Comments: Cooler with ice @ 4.7C

Corrective Action \_\_\_\_\_

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009233  
 Project: Rowe  
 Lab ID: 1009233-01A

Client Sample ID: WQ92710:1000NP2-6  
 Collection Date: 9/27/2010 10:00:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0	C	µg/L	1	10/1/2010 5:31:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
2,2-Dichloropropane	U	0.3	1.0	C	µg/L	1	10/1/2010 5:31:00 PM
2-Butanone	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Acetone	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Benzene	U	0.3	1.0	C	µg/L	1	10/1/2010 5:31:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	10/1/2010 5:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009233  
 Project: Rowe  
 Lab ID: 1009233-01A

Client Sample ID: WQ92710:1000NP2-6  
 Collection Date: 9/27/2010 10:00:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Bromoform	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	10/1/2010 5:31:00 PM
Chloroform	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	10/1/2010 5:31:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Styrene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Toluene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0	C	µg/L	1	10/1/2010 5:31:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	10/1/2010 5:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 04-Oct-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009233  
 Project: Rowe  
 Lab ID: 1009233-01A

Client Sample ID: WQ92710:1000NP2-6  
 Collection Date: 9/27/2010 10:00:00 AM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Vinyl acetate	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	10/1/2010 5:31:00 PM
Surr: 4-Bromofluorobenzene	101	0	60-130		%REC	1	10/1/2010 5:31:00 PM
Surr: Dibromofluoromethane	122	0	63-127		%REC	1	10/1/2010 5:31:00 PM
Surr: Toluene-d8	99.5	0	61-128		%REC	1	10/1/2010 5:31:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 04-Oct-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
Lab Order: 1009233  
Project: Rowe  
Lab ID: 1009233-01B

Client Sample ID: WQ92710:1000NP2-6  
Collection Date: 9/27/2010 10:00:00 AM  
Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>			Analyst: JP
Total Iron	1.73	0.005	0.0200		mg/L	1	10/1/2010 2:02:10 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 04-Oct-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
Lab Order: 1009233  
Project: Rowe  
Lab ID: 1009233-01C

Client Sample ID: WQ92710:1000NP2-6  
Collection Date: 9/27/2010 10:00:00 AM  
Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3005A</b>		Analyst: JP
Dissolved Iron	0.0305	0.005	0.0200		mg/L	1	10/1/2010 1:19:11 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009233  
 Project: Rowe  
 Lab ID: 1009233-02A

Client Sample ID: WQ92710:1005NP2-7  
 Collection Date: 9/27/2010 10:05:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0	C	µg/L	1	10/1/2010 6:03:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
2,2-Dichloropropane	U	0.3	1.0	C	µg/L	1	10/1/2010 6:03:00 PM
2-Butanone	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Acetone	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Benzene	U	0.3	1.0	C	µg/L	1	10/1/2010 6:03:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	10/1/2010 6:03:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009233  
 Project: Rowe  
 Lab ID: 1009233-02A

Client Sample ID: WQ92710:1005NP2-7  
 Collection Date: 9/27/2010 10:05:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Bromoform	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	10/1/2010 6:03:00 PM
Chloroform	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	10/1/2010 6:03:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Styrene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Toluene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0	C	µg/L	1	10/1/2010 6:03:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	10/1/2010 6:03:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 04-Oct-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009233  
 Project: Rowe  
 Lab ID: 1009233-02A

Client Sample ID: WQ92710:1005NP2-7  
 Collection Date: 9/27/2010 10:05:00 AM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Vinyl acetate	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	10/1/2010 6:03:00 PM
Surr: 4-Bromofluorobenzene	102	0	60-130		%REC	1	10/1/2010 6:03:00 PM
Surr: Dibromofluoromethane	122	0	63-127		%REC	1	10/1/2010 6:03:00 PM
Surr: Toluene-d8	102	0	61-128		%REC	1	10/1/2010 6:03:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 04-Oct-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
Lab Order: 1009233  
Project: Rowe  
Lab ID: 1009233-02B

Client Sample ID: WQ92710:1005NP2-7  
Collection Date: 9/27/2010 10:05:00 AM  
Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3010A</b>		Analyst: JP
Total Iron	1.30	0.005	0.0200		mg/L	1	10/1/2010 2:06:16 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 04-Oct-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009233  
**Project:** Rowe  
**Lab ID:** 1009233-02C

**Client Sample ID:** WQ92710:1005NP2-7  
**Collection Date:** 9/27/2010 10:05:00 AM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>			<b>Analyst: JP</b>
Dissolved Iron	0.0975	0.005	0.0200		mg/L	1	10/1/2010 2:04:12 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009233  
 Project: Rowe  
 Lab ID: 1009233-03A

Client Sample ID: WQ92710:1010NP2-10  
 Collection Date: 9/27/2010 10:10:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0	C	µg/L	1	10/1/2010 6:35:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
2,2-Dichloropropane	U	0.3	1.0	C	µg/L	1	10/1/2010 6:35:00 PM
2-Butanone	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Acetone	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Benzene	U	0.3	1.0	C	µg/L	1	10/1/2010 6:35:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	10/1/2010 6:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009233  
 Project: Rowe  
 Lab ID: 1009233-03A

Client Sample ID: WQ92710:1010NP2-10  
 Collection Date: 9/27/2010 10:10:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Bromoform	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Chloroethane	U	0.4	1.0	C	µg/L	1	10/1/2010 6:35:00 PM
Chloroform	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	10/1/2010 6:35:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Styrene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Toluene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0	C	µg/L	1	10/1/2010 6:35:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Trichloroethene	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	10/1/2010 6:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 04-Oct-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009233  
 Project: Rowe  
 Lab ID: 1009233-03A

Client Sample ID: WQ92710:1010NP2-10  
 Collection Date: 9/27/2010 10:10:00 AM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
				<b>SW8260B</b>		Analyst: LA	
VOC							
Vinyl acetate	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	10/1/2010 6:35:00 PM
Surr: 4-Bromofluorobenzene	96.1	0	60-130		%REC	1	10/1/2010 6:35:00 PM
Surr: Dibromofluoromethane	125	0	63-127		%REC	1	10/1/2010 6:35:00 PM
Surr: Toluene-d8	127	0	61-128		%REC	1	10/1/2010 6:35:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 04-Oct-10

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ92710:1010NP2-10
<b>Lab Order:</b>	1009233	<b>Collection Date:</b>	9/27/2010 10:10:00 AM
<b>Project:</b>	Rowe	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009233-03B		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>			<b>Analyst: JP</b>
Total Iron	2.27	0.005	0.0200		mg/L	1	10/1/2010 2:10:23 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ92710:1010NP2-10
<b>Lab Order:</b>	1009233	<b>Collection Date:</b>	9/27/2010 10:10:00 AM
<b>Project:</b>	Rowe	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009233-03C		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3005A</b>		<b>Analyst: JP</b>
Dissolved Iron	0.0969	0.005	0.0200		mg/L	1	10/1/2010 2:08:20 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	WQ92710:1010NP2-10
<b>Lab Order:</b>	1009233	<b>Collection Date:</b>	9/27/2010 10:10:00 AM
<b>Project:</b>	Rowe	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009233-03D		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>TOTAL DISSOLVED SOLIDS</b>				<b>M2540C</b>			Analyst: AS
Total Dissolved Solids (Residue, Filterable)	108	0	1.00		mg/L	1	9/30/2010

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

CLIENT: Leggett Brashears & Graham Inc.  
 Work Order: 1009233  
 Project: Rowe

**ANALYTICAL QC SUMMARY REPORT**

TestCode: 8260MTBE113\_W

Sample ID: V624LCS-100110HW	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date:	RunNo: 53468						
Client ID: LCSW	Batch ID: R53468	TestNo: SW8260B		Analysis Date: 10/1/2010	SeqNo: 751589						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	54	1.0	50.00	0	107	43	148				
1,1,2,2-Tetrachloroethane	42	1.0	50.00	0	83.6	32	148				
1,1,2-Trichloroethane	45	1.0	50.00	0	90.1	42	136				
1,1-Dichloroethane	56	1.0	50.00	0	113	40	150				
1,1-Dichloroethene	54	1.0	50.00	0	109	30	154				
1,2-Dichlorobenzene	41	1.0	50.00	0	81.9	40	129				
1,2-Dichloroethane	49	1.0	50.00	0	97.1	36	141				
1,2-Dichloropropane	44	1.0	50.00	0	88.9	44	138				
1,3-Dichlorobenzene	43	1.0	50.00	0	85.5	40	133				
1,4-Dichlorobenzene	42	1.0	50.00	0	83.8	40	135				
2-Chloroethyl vinyl ether	28	1.0	50.00	0	56.9	21	139				C
Benzene	44	1.0	50.00	0	88.1	45	144				
Bromodichloromethane	47	1.0	50.00	0	93.4	35	136				
Bromoform	36	1.0	50.00	0	72.6	28	138				
Bromomethane	60	1.0	50.00	0	121	26	148				
Carbon tetrachloride	50	1.0	50.00	0	99.1	45	141				
Chlorobenzene	44	1.0	50.00	0	87.3	41	142				
Chloroethane	33	1.0	50.00	0	66.6	36	143				C
Chloroform	53	1.0	50.00	0	106	42	137				
Chloromethane	60	1.0	50.00	0	120	35	151				
cis-1,3-Dichloropropene	46	1.0	50.00	0	91.1	42	130				
Dibromochloromethane	45	1.0	50.00	0	89.1	21	134				
Ethylbenzene	47	1.0	50.00	0	93.4	45	146				
Tetrachloroethene	44	1.0	50.00	0	88.3	45	136				
Toluene	52	1.0	50.00	0	104	43	134				
trans-1,2-Dichloroethene	57	1.0	50.00	0	113	42	135				C
trans-1,3-Dichloropropene	46	1.0	50.00	0	93.0	37	133				
Trichloroethene	50	1.0	50.00	0	99.9	43	140				
Trichlorofluoromethane	36	1.0	50.00	0	71.1	50	148				C
Vinyl chloride	62	1.0	50.00	0	123	35	142				

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009233  
**Project:** Rowe

# ANALYTICAL QC SUMMARY REPORT

**TestCode: 8260MTBE113\_W**

<b>Sample ID: V624LCS-100110HW</b>		<b>SampType: LCS</b>		<b>TestCode: 8260MTBE11</b>		<b>Units: µg/L</b>		<b>Prep Date:</b>		<b>RunNo: 53468</b>	
<b>Client ID: LCSW</b>		<b>Batch ID: R53468</b>		<b>TestNo: SW8260B</b>				<b>Analysis Date: 10/1/2010</b>		<b>SeqNo: 751589</b>	
<b>Analyte</b>	<b>Result</b>	<b>PQL</b>	<b>SPK value</b>	<b>SPK Ref Val</b>	<b>%REC</b>	<b>LowLimit</b>	<b>HighLimit</b>	<b>RPD Ref Val</b>	<b>%RPD</b>	<b>RPDLimit</b>	<b>Qual</b>

Surr: 4-Bromofluorobenzene	47		50.00		93.9	60	130				
Surr: Dibromofluoromethane	56		50.00		112	63	127				
Surr: Toluene-d8	52		50.00		104	61	128				

<b>Sample ID: VBLK-100110HW</b>		<b>SampType: MBLK</b>		<b>TestCode: 8260MTBE11</b>		<b>Units: µg/L</b>		<b>Prep Date:</b>		<b>RunNo: 53468</b>	
<b>Client ID: PBW</b>		<b>Batch ID: R53468</b>		<b>TestNo: SW8260B</b>				<b>Analysis Date: 10/1/2010</b>		<b>SeqNo: 751590</b>	
<b>Analyte</b>	<b>Result</b>	<b>PQL</b>	<b>SPK value</b>	<b>SPK Ref Val</b>	<b>%REC</b>	<b>LowLimit</b>	<b>HighLimit</b>	<b>RPD Ref Val</b>	<b>%RPD</b>	<b>RPDLimit</b>	<b>Qual</b>

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									C
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	1.0									C

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
LOQ Limit of Quantitation  
C Calibration %RSD/%D exceeded for non-CCC analytes  
J Analyte detected below quantitation limits  
P >40% diff for detected conc between the two GC column  
E Value above quantitation range  
LOD Limit of Detection  
R RPD outside accepted recovery limits

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009233  
**Project:** Rowe

# ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260MTBE113\_W

Sample ID: VBLK-100110HW	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L
Client ID: PBW	Batch ID: R53468	Prep Date:	RunNo: 53468
Analyte	Result	Analysis Date: 10/1/2010	SeqNo: 751590
		LowLimit	HighLimit
		%REC	RPD Ref Val
		SPK value	SPK Ref Val
		PQL	RPDLimit
			Qual

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	1.0									
Acetone	U	1.0									
Benzene	U	1.0									C
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									

**Qualifiers:** B Analyte detected in the associated Method Blank  
H Holding times for preparation or analysis exceeded  
LOQ Limit of Quantitation  
C Calibration %RSD/%D exceeded for non-CCC analytes  
J Analyte detected below quantitation limits  
P >40% diff for detected conc between the two GC column  
E Value above quantitation range  
LOD Limit of Detection  
R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggett Brashears & Graham Inc.  
**Work Order:** 1009233  
**Project:** Rowe

**TestCode:** 8260MTBE113\_W

Sample ID: VBLK-100110HW	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L
Client ID: PBW	Batch ID: R53468	Prep Date:	RunNo: 53468
		Analysis Date: 10/1/2010	SeqNo: 751590

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
n-Butylbenzene	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									C
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									C
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	49		50.00		99.0	60	130				
Surr: Dibromofluoromethane	57		50.00		114	63	127				
Surr: Toluene-d8	49		50.00		98.9	61	128				

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009233  
**Project:** Rowe

**TestCode:** FE\_D

Sample ID:	SampType:	MBLK	TestCode: FE_D	Units: mg/L	Prep Date: 10/1/2010	RunNo: 53473					
Client ID: PBW	Batch ID: 30261		TestNo: E200.7	SW3005A	Analysis Date: 10/1/2010	SeqNo: 751637					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Dissolved Iron	U	0.0200									
Sample ID: LCSW-100110A	SampType: LCS		TestCode: FE_D	Units: mg/L	Prep Date: 10/1/2010	RunNo: 53473					
Client ID: LCSW	Batch ID: 30261		TestNo: E200.7	SW3005A	Analysis Date: 10/1/2010	SeqNo: 751638					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dissolved Iron	1.98	0.0200	2.000	0	98.9	80	120				

**Qualifiers:** B Analyte detected in the associated Method Blank      C Calibration %RSD/%D exceeded for non-CCC analytes      E Value above quantitation range  
 H Holding times for preparation or analysis exceeded      J Analyte detected below quantitation limits      LOD Limit of Detection  
 LOQ Limit of Quantitation      P >40% diff for detected conc between the two GC column      R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009233  
**Project:** Rowe

**TestCode: FE\_T**

Sample ID: PBW-100110A	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 10/1/2010	RunNo: 53473					
Client ID: PBW	Batch ID: 30262	TestNo: E200.7	SW3010A	Analysis Date: 10/1/2010	SeqNo: 751625					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Iron	U	0.0200								
Sample ID: LCSW-100110A	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 10/1/2010	RunNo: 53473					
Client ID: LCSW	Batch ID: 30262	TestNo: E200.7	SW3010A	Analysis Date: 10/1/2010	SeqNo: 751626					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Iron	1.98	0.0200	2.000	98.9	80	120				

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009233  
**Project:** Rowe

**TestCode:** TDS\_W

Sample ID: MB-R53458	SampType: MBLK	TestCode: TDS_W	Units: mg/L	Prep Date:	RunNo: 53458					
Client ID: PBW	Batch ID: R53458	TestNo: M2540C		Analysis Date: 9/30/2010	SeqNo: 751439					
Analyte	Result	PQL	SPK value	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids (Residue, Filtera										
U 1.00										

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

<b>H0I240428 Analytical Report .....</b>	<b>1</b>
<b>Sample Receipt Documentation .....</b>	<b>16</b>
<b>Total Number of Pages .....</b>	<b>18</b>

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

## ANALYTICAL REPORT


Rowe-NABSAG 0401

Lot #: H0I240428

Mark Goldberg

Leggette, Brashears & Graham,  
4 Research Drive  
Suite #301  
Shelton, CT 06484

TESTAMERICA LABORATORIES, INC.



Jamie A. McKinney  
Project Manager

October 5, 2010

# ANALYTICAL METHODS SUMMARY

H01240428

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>
Volatile Organics by TO15	EPA-2 TO-15

## References:

EPA-2 "Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air", EPA-625/R-96/010b, January 1999.

## SAMPLE SUMMARY

H0I240428

<u>WO #</u>	<u>SAMPLE#</u>	<u>CLIENT SAMPLE ID</u>	<u>SAMPLED DATE</u>	<u>SAMP TIME</u>
L7FF1	001	AQ92210:1510NP4-1	09/22/10	15:10
L7FF6	002	AQ92210:1515NP4-2	09/22/10	15:15
L7FF9	003	AQ92210:1520NP4-3	09/22/10	15:20

**NOTE (S) :**

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

## **PROJECT NARRATIVE**

### **HOI240428**

The results reported herein are applicable to the samples submitted for analysis only.

This report shall not be reproduced except in full, without the written approval of the laboratory.

**The original chain of custody documentation is included with this report.**

#### **Sample Receipt**

Custody seals were not present.

#### **Quality Control and Data Interpretation**

Unless otherwise noted, all holding times and QC criteria were met and the test results shown in this report meet all applicable NELAC requirements.

EPA methods TO-14A and TO-15 specify the use of humidified “zero air” as the blank reagent for canister cleaning, instrument calibration and sample analysis. Ultra-high purity humidified nitrogen from a cryogenic reservoir is used in place of “zero air” by TestAmerica Knoxville.

The samples were received on 9/24/10 in Tedlar bags and analyzed within 72 hours of sampling.

TestAmerica Knoxville maintains the following certifications, approvals and accreditations: Arkansas DEQ Lab #88-0688, California DHS ELAP Cert. #2423, Colorado DPHE, Connecticut DPH Lab #PH-0223, Florida DOH Lab #E87177, Georgia DNR Lab #906, Hawaii DOH, Illinois EPA Lab #200012, Indiana DOH Lab #C-TN-02, Iowa DNR Lab #375, Kansas DHE Cert. #E-10349, Kentucky DEP Lab #90101, Louisiana DEQ Cert. #03079, Louisiana DOHH, Maryland DOE Cert. #277, Michigan DEQ Lab #9933, Nevada DEP, New Jersey DEP Lab #TN001, New York DOH Lab #10781, North Carolina DPH Lab #21705, North Carolina DEHNR Cert. #64, Ohio EPA VAP Lab #CL0059, Oklahoma DEQ Lab #9415, Pennsylvania DEP Lab #68-00576, South Carolina DHEC Cert #84001001, Tennessee DOH Lab #02014, Texas CEQ, Utah DOH Lab # QUAN3, Virginia DGS Lab #00165, Washington DOE Lab #C1314, West Virginia DEP Cert. #345, West Virginia DHHR Cert #9955C, Wisconsin DNR Lab #998044300, Naval Facilities Engineering Service Center and USDA Soil Permit #S-46424. This list of approvals is subject to change and does not imply that laboratory certification is available for all parameters reported in this environmental sample data report.

# Sample Data Summary

## Leggette, Brashears &amp; Graham, Inc.

Client Sample ID: AQ92210:1510NP4-1

## GC/MS Volatiles

Lot-Sample # H0I240428 - 001      Work Order # L7FF11AA      Matrix.....: AIR

Date Sampled...: 09/22/2010      Date Received...: 09/24/2010

Prep Date.....: 09/24/2010      Analysis Date...: 09/24/2010

Prep Batch #.....: 0270057

Dilution Factor.: 5      Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	1.0	ND	3.2
Bromodichloromethane	ND	1.0	ND	6.7
Bromoform	ND	1.0	ND	10
Bromomethane	ND	1.0	ND	3.9
Carbon disulfide	ND	2.5	ND	7.8
Carbon tetrachloride	ND	1.0	ND	6.3
Chlorobenzene	ND	1.0	ND	4.6
Dibromochloromethane	ND	1.0	ND	8.5
Chloroethane	ND	1.0	ND	2.6
<b>Chloroform</b>	<b>0.71</b>	<b>1.0</b>	<b>3.5</b> <b>J</b>	<b>4.9</b>
Chloromethane	ND	2.5	ND	5.2
<b>1,1-Dichloroethane</b>	<b>1.3</b>	<b>1.0</b>	<b>5.1</b>	<b>4.0</b>
1,2-Dichloroethane	ND	1.0	ND	4.0
cis-1,2-Dichloroethene	ND	1.0	ND	4.0
trans-1,2-Dichloroethene	ND	1.0	ND	4.0
1,1-Dichloroethene	ND	1.0	ND	4.0
1,2-Dichloropropane	ND	1.0	ND	4.6
cis-1,3-Dichloropropene	ND	1.0	ND	4.5
trans-1,3-Dichloropropene	ND	1.0	ND	4.5
<b>Ethylbenzene</b>	<b>0.43</b>	<b>1.0</b>	<b>1.9</b> <b>J</b>	<b>4.3</b>
<b>Methylene chloride</b>	<b>1.9</b>	<b>2.5</b>	<b>6.4</b> <b>J</b>	<b>8.7</b>
<b>Styrene</b>	<b>0.35</b>	<b>1.0</b>	<b>1.5</b> <b>J</b>	<b>4.3</b>
1,1,1,2-Tetrachloroethane	ND	1.0	ND	6.9
<b>Tetrachloroethene</b>	<b>4.1</b>	<b>1.0</b>	<b>28</b>	<b>6.8</b>
<b>Toluene</b>	<b>0.83</b>	<b>1.0</b>	<b>3.1</b> <b>J</b>	<b>3.8</b>
<b>1,1,1-Trichloroethane</b>	<b>2.9</b>	<b>1.0</b>	<b>16</b>	<b>5.5</b>
1,1,2-Trichloroethane	ND	1.0	ND	5.5
<b>Trichloroethene</b>	<b>0.66</b>	<b>1.0</b>	<b>3.6</b> <b>J</b>	<b>5.4</b>
Vinyl chloride	ND	1.0	ND	2.6
m-Xylene & p-Xylene	ND	1.0	ND	4.3
o-Xylene	ND	1.0	ND	4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
4-Bromofluorobenzene	107	60 - 140

Leggette, Brashears & Graham, Inc.

Client Sample ID: AQ92210:1510NP4-1

GC/MS Volatiles

Lot-Sample # H0I240428 - 001

Work Order # L7FF11AA

Matrix.....: AIR

Qualifiers

J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)\*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) \* Dilution Factor) \* (Molecular Weight/24.45)

## Leggette, Brashears &amp; Graham, Inc.

Client Sample ID: AQ92210:1515NP4-2

## GC/MS Volatiles

Lot-Sample # H0I240428 - 002      Work Order # L7FF61AA      Matrix.....: AIR

Date Sampled...: 09/22/2010      Date Received...: 09/24/2010

Prep Date.....: 09/24/2010      Analysis Date...: 09/24/2010

Prep Batch #.....: 0270057

Dilution Factor.: 5      Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)		REPORTING LIMIT (ug/m3)
<b>Benzene</b>	<b>0.41</b>	<b>1.0</b>	<b>1.3</b>	<b>J</b>	<b>3.2</b>
Bromodichloromethane	ND	1.0	ND		6.7
Bromoform	ND	1.0	ND		10
Bromomethane	ND	1.0	ND		3.9
Carbon disulfide	ND	2.5	ND		7.8
Carbon tetrachloride	ND	1.0	ND		6.3
Chlorobenzene	ND	1.0	ND		4.6
Dibromochloromethane	ND	1.0	ND		8.5
Chloroethane	ND	1.0	ND		2.6
<b>Chloroform</b>	<b>0.80</b>	<b>1.0</b>	<b>3.9</b>	<b>J</b>	<b>4.9</b>
<b>Chloromethane</b>	<b>0.91</b>	<b>2.5</b>	<b>1.9</b>	<b>J</b>	<b>5.2</b>
<b>1,1-Dichloroethane</b>	<b>1.7</b>	<b>1.0</b>	<b>6.7</b>		<b>4.0</b>
1,2-Dichloroethane	ND	1.0	ND		4.0
<b>cis-1,2-Dichloroethene</b>	<b>0.46</b>	<b>1.0</b>	<b>1.8</b>	<b>J</b>	<b>4.0</b>
trans-1,2-Dichloroethene	ND	1.0	ND		4.0
<b>1,1-Dichloroethene</b>	<b>0.28</b>	<b>1.0</b>	<b>1.1</b>	<b>J</b>	<b>4.0</b>
1,2-Dichloropropane	ND	1.0	ND		4.6
cis-1,3-Dichloropropene	ND	1.0	ND		4.5
trans-1,3-Dichloropropene	ND	1.0	ND		4.5
<b>Ethylbenzene</b>	<b>0.42</b>	<b>1.0</b>	<b>1.8</b>	<b>J</b>	<b>4.3</b>
<b>Methylene chloride</b>	<b>3.7</b>	<b>2.5</b>	<b>13</b>		<b>8.7</b>
Styrene	ND	1.0	ND		4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND		6.9
<b>Tetrachloroethene</b>	<b>18</b>	<b>1.0</b>	<b>120</b>		<b>6.8</b>
<b>Toluene</b>	<b>0.98</b>	<b>1.0</b>	<b>3.7</b>	<b>J</b>	<b>3.8</b>
<b>1,1,1-Trichloroethane</b>	<b>8.5</b>	<b>1.0</b>	<b>46</b>		<b>5.5</b>
1,1,2-Trichloroethane	ND	1.0	ND		5.5
<b>Trichloroethene</b>	<b>3.0</b>	<b>1.0</b>	<b>16</b>		<b>5.4</b>
Vinyl chloride	ND	1.0	ND		2.6
m-Xylene & p-Xylene	ND	1.0	ND		4.3
o-Xylene	ND	1.0	ND		4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
4-Bromofluorobenzene	107	60 - 140

Leggette, Brashears & Graham, Inc.

Client Sample ID: AQ92210:1515NP4-2

GC/MS Volatiles

Lot-Sample # H0I240428 - 002

Work Order # L7FF61AA

Matrix.....: AIR

Qualifiers

J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)\*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) \* Dilution Factor) \* (Molecular Weight/24.45)

## Leggette, Brashears &amp; Graham, Inc.

Client Sample ID: AQ92210:1520NP4-3

## GC/MS Volatiles

Lot-Sample # H01240428 - 003      Work Order # L7FF91AA      Matrix.....: AIR

Date Sampled...: 09/22/2010      Date Received...: 09/24/2010

Prep Date.....: 09/24/2010      Analysis Date...: 09/24/2010

Prep Batch #.....: 0270057

Dilution Factor.: 5      Method.....: TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	1.0	ND	3.2
Bromodichloromethane	ND	1.0	ND	6.7
Bromoform	ND	1.0	ND	10
Bromomethane	ND	1.0	ND	3.9
Carbon disulfide	ND	2.5	ND	7.8
Carbon tetrachloride	ND	1.0	ND	6.3
Chlorobenzene	ND	1.0	ND	4.6
Dibromochloromethane	ND	1.0	ND	8.5
Chloroethane	ND	1.0	ND	2.6
<b>Chloroform</b>	<b>1.1</b>	<b>1.0</b>	<b>5.2</b>	<b>4.9</b>
Chloromethane	ND	2.5	ND	5.2
<b>1,1-Dichloroethane</b>	<b>1.9</b>	<b>1.0</b>	<b>7.5</b>	<b>4.0</b>
1,2-Dichloroethane	ND	1.0	ND	4.0
<b>cis-1,2-Dichloroethene</b>	<b>0.53</b>	<b>1.0</b>	<b>2.1</b>	<b>4.0</b>
trans-1,2-Dichloroethene	ND	1.0	ND	4.0
<b>1,1-Dichloroethene</b>	<b>0.26</b>	<b>1.0</b>	<b>1.0</b>	<b>4.0</b>
1,2-Dichloropropane	ND	1.0	ND	4.6
cis-1,3-Dichloropropene	ND	1.0	ND	4.5
trans-1,3-Dichloropropene	ND	1.0	ND	4.5
Ethylbenzene	ND	1.0	ND	4.3
<b>Methylene chloride</b>	<b>2.1</b>	<b>2.5</b>	<b>7.3</b>	<b>8.7</b>
Styrene	ND	1.0	ND	4.3
1,1,2,2-Tetrachloroethane	ND	1.0	ND	6.9
Tetrachloroethene	ND	1.0	ND	6.8
<b>Toluene</b>	<b>0.71</b>	<b>1.0</b>	<b>2.7</b>	<b>3.8</b>
<b>1,1,1-Trichloroethane</b>	<b>3.9</b>	<b>1.0</b>	<b>21</b>	<b>5.5</b>
1,1,2-Trichloroethane	ND	1.0	ND	5.5
Trichloroethene	ND	1.0	ND	5.4
Vinyl chloride	ND	1.0	ND	2.6
m-Xylene & p-Xylene	ND	1.0	ND	4.3
o-Xylene	ND	1.0	ND	4.3

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
4-Bromofluorobenzene	107	60 - 140

Leggette, Brashears & Graham, Inc.

Client Sample ID: AQ92210:1520NP4-3

GC/MS Volatiles

Lot-Sample # H0I240428 - 003

Work Order # L7FF91AA

Matrix.....: AIR

Qualifiers

J Estimated result. Result is less than RL.

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)\*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) \* Dilution Factor) \* (Molecular Weight/24.45)

## Leggette, Brashears &amp; Graham, Inc.

Client Sample ID: INTRA-LAB BLANK

## GC/MS Volatiles

**Lot-Sample #** H0I270000 - 057B      **Work Order #** L7JD21AA      **Matrix.....:** AIR  
**Prep Date.....:** 09/22/2010      **Date Received..:** 09/24/2010  
**Prep Date.....:** 09/24/2010      **Analysis Date...** 09/24/2010  
**Prep Batch #.....:** 0270057  
**Dilution Factor.:** 1      **Method.....:** TO-15

PARAMETER	RESULTS (ppb(v/v))	REPORTING LIMIT (ppb(v/v))	RESULTS (ug/m3)	REPORTING LIMIT (ug/m3)
Benzene	ND	0.20	ND	0.64
Bromodichloromethane	ND	0.20	ND	1.3
Bromoform	ND	0.20	ND	2.1
Bromomethane	ND	0.20	ND	0.78
Carbon disulfide	ND	0.50	ND	1.6
Carbon tetrachloride	ND	0.20	ND	1.3
Chlorobenzene	ND	0.20	ND	0.92
Dibromochloromethane	ND	0.20	ND	1.7
Chloroethane	ND	0.20	ND	0.53
Chloroform	ND	0.20	ND	0.98
Chloromethane	ND	0.50	ND	1.0
1,1-Dichloroethane	ND	0.20	ND	0.81
1,2-Dichloroethane	ND	0.20	ND	0.81
cis-1,2-Dichloroethene	ND	0.20	ND	0.79
trans-1,2-Dichloroethene	ND	0.20	ND	0.79
1,1-Dichloroethene	ND	0.20	ND	0.79
1,2-Dichloropropane	ND	0.20	ND	0.92
cis-1,3-Dichloropropene	ND	0.20	ND	0.91
trans-1,3-Dichloropropene	ND	0.20	ND	0.91
Ethylbenzene	ND	0.20	ND	0.87
Methylene chloride	ND	0.50	ND	1.7
Styrene	ND	0.20	ND	0.85
1,1,2,2-Tetrachloroethane	ND	0.20	ND	1.4
Tetrachloroethene	ND	0.20	ND	1.4
Toluene	ND	0.20	ND	0.75
1,1,1-Trichloroethane	ND	0.20	ND	1.1
1,1,2-Trichloroethane	ND	0.20	ND	1.1
Trichloroethene	ND	0.20	ND	1.1
Vinyl chloride	ND	0.20	ND	0.51
m-Xylene & p-Xylene	ND	0.20	ND	0.87
o-Xylene	ND	0.20	ND	0.87

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
4-Bromofluorobenzene	103	60 - 140

Leggette, Brashears & Graham, Inc.  
Client Sample ID: INTRA-LAB BLANK  
GC/MS Volatiles

Lot-Sample # H0I270000 - 057B      Work Order # L7JD21AA      Matrix.....: AIR

---

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)\*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) \* Dilution Factor) \* (Molecular Weight/24.45)

## Leggette, Brashears &amp; Graham, Inc.

Client Sample ID: CHECK SAMPLE

## GC/MS Volatiles

Lot-Sample # H01270000 - 057C Work Order # L7JD21AC Matrix.....: AIR

Prep Date.....: 09/22/2010 Date Received...: 09/24/2010  
 Prep Date.....: 09/24/2010 Analysis Date...: 09/24/2010  
 Prep Batch #.....: 0270057  
 Dilution Factor.: 1 Method.....: TO-15

PARAMETER	SPIKE AMOUNT (ppb(v/v))	MEASURED AMOUNT (ppb(v/v))	SPIKE AMOUNT (ug/m3)	MEASURED AMOUNT (ug/m3)	PERCENT RECOVERY	RECOVERY LIMITS
Benzene	5.00	4.15	16	13	83	70 - 130
Bromodichloromethane	5.00	5.28	34	35	106	70 - 130
Bromoform	5.00	5.46	52	56	109	70 - 130
Bromomethane	5.00	5.15	19	20	103	70 - 130
Carbon disulfide	5.00	4.49	16	14	90	70 - 130
Carbon tetrachloride	5.00	5.79	31	36	116	70 - 130
Chlorobenzene	5.00	4.27	23	20	85	70 - 130
Dibromochloromethane	5.00	5.14	43	44	103	70 - 130
Chloroethane	5.00	4.63	13	12	93	70 - 130
Chloroform	5.00	5.67	24	28	113	70 - 130
Chloromethane	5.00	5.66	10	12	113	60 - 140
1,1-Dichloroethane	5.00	5.09	20	21	102	70 - 130
1,2-Dichloroethane	5.00	5.67	20	23	113	70 - 130
cis-1,2-Dichloroethene	5.00	4.85	20	19	97	70 - 130
trans-1,2-Dichloroethene	5.00	4.76	20	19	95	70 - 130
1,1-Dichloroethene	5.00	4.65	20	18	93	70 - 130
1,2-Dichloropropane	5.00	4.27	23	20	85	70 - 130
cis-1,3-Dichloropropene	5.00	4.57	23	21	91	70 - 130
trans-1,3-Dichloropropene	5.00	4.86	23	22	97	70 - 130
Ethylbenzene	5.00	4.58	22	20	92	70 - 130
Methylene chloride	5.00	4.25	17	15	85	70 - 130
Styrene	5.00	4.33	21	18	87	70 - 130
1,1,2,2-Tetrachloroethane	5.00	3.83	34	26	77	70 - 130
Tetrachloroethene	5.00	4.78	34	32	96	70 - 130
Toluene	5.00	4.29	19	16	86	70 - 130
1,1,1-Trichloroethane	5.00	6.31	27	34	126	70 - 130
1,1,2-Trichloroethane	5.00	4.36	27	24	87	70 - 130
Trichloroethene	5.00	4.65	27	25	93	70 - 130
Vinyl chloride	5.00	5.30	13	14	106	70 - 130
m-Xylene & p-Xylene	10.0	9.34	43	41	93	70 - 130
o-Xylene	5.00	4.65	22	20	93	70 - 130

SURROGATE	PERCENT RECOVERY	LABORATORY CONTROL LIMITS (%)
4-Bromofluorobenzene	102	60 - 140

Leggette, Brashears & Graham, Inc.  
Client Sample ID: CHECK SAMPLE  
GC/MS Volatiles

Lot-Sample # H0I270000 - 057C      Work Order # L7JD21AC      Matrix.....: AIR

---

The 'Result' in ug/m3 is calculated using the following equation: Amount Found(before rounding)\*(Molecular Weight/24.45)

The 'Reporting Limit' in ug/m3 is calculated using the following equation: (Reporting Limit(before rounding) \* Dilution Factor) \* (Molecular Weight/24.45)

# Sample Receipt Documentation

TestAmerica Knoxville  
 5815 Middlebrook Pike  
 Knoxville, TN 37921  
 Phone 865-291-3000 (Main)  
 Phone 865-291-3031 (Receiving)

HOI 240428

# Chain of Custody Record

TestAmerica  
 THE LEADER IN ENVIRONMENTAL TESTING

Client Contact		Project Manager: <u>M. Vestberg</u>		Site Contact: <u>S. Huet</u>		COC Record <u>1</u> of <u>1</u>	
Company Name <u>LBG</u>		Tel/Mobile:		Lab Contact: <u>J. McKinney</u>		Carrier: <u>Fed-Ex</u>	
Address <u>4 Research Dr. Sevierville</u>		Analysis Turnaround Time		Analysis (Attach list if more space is needed)			
City/State/Zip <u>Shelton, CT 06484</u>		Calendar (C) or Work Days (W)					
Phone <u>203 945 5000 x282</u>		TAT if different from Below					
Project Name/Number: <u>RESEARCH</u>		<input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day					
Site: <u>Rovc</u>							
P O #				Sample Date: <u>7/22/10</u> Sample Time: <u>1510</u> Sample Type: <u>AG</u> Matrix: <u>A</u> # of Cont.: <u>2</u>			
Sampled by: <u>S. Huet</u>				Sample Date: <u>7/22/10</u> Sample Time: <u>1515</u> Sample Type: <u>I</u> Matrix: <u>I</u> # of Cont.: <u>1</u>			
				Sample Date: <u>7/22/10</u> Sample Time: <u>1520</u> Sample Type: <u>I</u> Matrix: <u>I</u> # of Cont.: <u>1</u>			
Sample Identification				Sample Date: <u>7/22/10</u> Sample Time: <u>1520</u> Sample Type: <u>I</u> Matrix: <u>I</u> # of Cont.: <u>1</u>			
AR92210:1510NP4-1 AR92210:1515NP4-2 AR92210:1520NP4-3				Sample Date: <u>7/22/10</u> Sample Time: <u>1520</u> Sample Type: <u>I</u> Matrix: <u>I</u> # of Cont.: <u>1</u>			
Preservation Used: 1= Ice, 2= HCl; 3= H <sub>2</sub> SO <sub>4</sub> ; 4=HNO <sub>3</sub> ; 5=NaOH; 6= Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> ; Other <u>NONE</u>				Sample Date: <u>7/22/10</u> Sample Time: <u>1520</u> Sample Type: <u>I</u> Matrix: <u>I</u> # of Cont.: <u>1</u>			
Possible Hazard Identification				Sample Date: <u>7/22/10</u> Sample Time: <u>1520</u> Sample Type: <u>I</u> Matrix: <u>I</u> # of Cont.: <u>1</u>			
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown				Sample Date: <u>7/22/10</u> Sample Time: <u>1520</u> Sample Type: <u>I</u> Matrix: <u>I</u> # of Cont.: <u>1</u>			
Special Instructions/QC Requirements & Comments:							
Relinquished by: <u>[Signature]</u>		Company: <u>LBG</u>		Date/Time: <u>7/22/10 9:30</u>		Received by: <u>[Signature]</u>	
Relinquished by:		Company:		Date/Time:		Received by:	
Relinquished by:		Company:		Date/Time:		Received by:	

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

RETURN WHITE COPY TO LAB WITH SAMPLES  
 KEEP YELLOW COPY FOR YOUR RECORDS

TAL-0046-140 (02/06) 17

TEST AMERICA KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST

Lot Number: HOI240427

Review Items	Yes	No	NA	If No, what was the problem?	Comments/Actions Taken
1. Do sample container labels match COC? (IDs, Dates, Times)	✓			<input type="checkbox"/> 1a Do not match COC <input type="checkbox"/> 1b Incomplete information <input type="checkbox"/> 1c Marking smeared <input type="checkbox"/> 1d Label torn <input type="checkbox"/> 1e No label <input type="checkbox"/> 1f COC not received <input type="checkbox"/> 1g Other:	44
2. Is the cooler temperature within limits? (> freezing temp. of water to 6 °C; NC, 1668, 1613B: 0-4°C; VOST: 10°C; MA: 2-6 °C)			✓	<input type="checkbox"/> 2a Temp Blank = _____ <input type="checkbox"/> 2b Cooler Temp = _____	
3. Were samples received with correct chemical preservative (excluding Encore)?		✓	✓	<input type="checkbox"/> 3a Sample preservative = _____ <input checked="" type="checkbox"/> 4a Not present <input type="checkbox"/> 4b Not intact <input type="checkbox"/> 4c Other:	
4. Were custody seals present/intact on cooler and/or containers?	✓			<input type="checkbox"/> 5a Samples received-not on COC <input type="checkbox"/> 5b Samples not received-on COC <input type="checkbox"/> 6a Leaking <input type="checkbox"/> 6b Broken	
5. Were all of the samples listed on the COC received?	✓			<input type="checkbox"/> 7a Headspace (VOA only) <input type="checkbox"/> 8a Improper container <input type="checkbox"/> 9a Could not be determined due to matrix interference	
6. Were all of the sample containers received intact?	✓			<input type="checkbox"/> 10a Holding time expired <input type="checkbox"/> Incomplete information	
7. Were VOA samples received without headspace?	✓		✓	If no, was pH adjusted to pH 7 - 9 with sulfuric acid? <input type="checkbox"/> 13a Leaking <input type="checkbox"/> 13b Other:	
8. Were samples received in appropriate containers?	✓			<input type="checkbox"/> 14a Not relinquished <input type="checkbox"/> 15a Incomplete information	
9. Did you check for residual chlorine, if necessary?	✓			<input type="checkbox"/> 15a Incomplete information <input type="checkbox"/> 15a Incomplete information	
10. Were samples received within holding time?	✓			<input type="checkbox"/> 15a Incomplete information	
11. For rad samples, was sample activity info. provided?					
12. For 1613B water samples is pH<9?	✓		✓		
13. Are the shipping containers intact?	✓				
14. Was COC relinquished? (Signed/Dated/Timed)	✓				
15. Are tests/parameters listed for each sample?	✓				
16. Is the matrix of the samples noted?	✓				
17. Is the date/time of sample collection noted?	✓				
18. Is the client and project name/# identified?	✓				
19. Was the sampler identified on the COC?	✓				

Quote #: 69610 PM Instructions: \_\_\_\_\_

Sample Receiving Associate: *Julie Smith*

Date: 9/24/10

QA026R21.doc, 090409

Friday, September 24, 2010

Mark Goldberg  
Leggette Brashears & Graham Inc.  
4 Research Drive  
Suite 301  
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe Industries; Sag Harbor

Order No.: 1009142

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 8 sample(s) on 9/17/2010 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 49 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at [lbeyer@american-analytical.com](mailto:lbeyer@american-analytical.com).

Sincerely,



Lori Beyer  
Lab Director

**CLIENT:** Leggette Brashears & Graham Inc.  
**Project:** Rowe Industries; Sag Harbor  
**Lab Order:** 1009142

**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Date Collected	Date Received
1009142-01A	GWQ91610:1030NP1-1-2	9/16/2010 10:30:00 AM	9/17/2010
1009142-01B	GWQ91610:1030NP1-1-2	9/16/2010 10:30:00 AM	9/17/2010
1009142-01C	GWQ91610:1030NP1-1-2	9/16/2010 10:30:00 AM	9/17/2010
1009142-02A	GWQ91610:1035NP1-1-3	9/16/2010 10:35:00 AM	9/17/2010
1009142-02B	GWQ91610:1035NP1-1-3	9/16/2010 10:35:00 AM	9/17/2010
1009142-02C	GWQ91610:1035NP1-1-3	9/16/2010 10:35:00 AM	9/17/2010
1009142-03A	GWQ91610:1040NP1-1-4	9/16/2010 10:40:00 AM	9/17/2010
1009142-03B	GWQ91610:1040NP1-1-4	9/16/2010 10:40:00 AM	9/17/2010
1009142-03C	GWQ91610:1040NP1-1-4	9/16/2010 10:40:00 AM	9/17/2010
1009142-04A	GWQ91610:1045NP1-1-5	9/16/2010 10:45:00 AM	9/17/2010
1009142-04B	GWQ91610:1045NP1-1-5	9/16/2010 10:45:00 AM	9/17/2010
1009142-04C	GWQ91610:1045NP1-1-5	9/16/2010 10:45:00 AM	9/17/2010
1009142-05A	GWQ91610:1050NP1-1-6	9/16/2010 10:50:00 AM	9/17/2010
1009142-05B	GWQ91610:1050NP1-1-6	9/16/2010 10:50:00 AM	9/17/2010
1009142-05C	GWQ91610:1050NP1-1-6	9/16/2010 10:50:00 AM	9/17/2010
1009142-06A	GWQ91610:1055NP1-1-7	9/16/2010 10:55:00 AM	9/17/2010
1009142-06B	GWQ91610:1055NP1-1-7	9/16/2010 10:55:00 AM	9/17/2010
1009142-06C	GWQ91610:1055NP1-1-7	9/16/2010 10:55:00 AM	9/17/2010
1009142-07A	GWQ91610:1100NP1-1-8	9/16/2010 11:00:00 AM	9/17/2010
1009142-07B	GWQ91610:1100NP1-1-8	9/16/2010 11:00:00 AM	9/17/2010
1009142-07C	GWQ91610:1100NP1-1-8	9/16/2010 11:00:00 AM	9/17/2010
1009142-08A	GWQ91610:1105NP1-1-9	9/16/2010 11:05:00 AM	9/17/2010
1009142-08B	GWQ91610:1105NP1-1-9	9/16/2010 11:05:00 AM	9/17/2010
1009142-08C	GWQ91610:1105NP1-1-9	9/16/2010 11:05:00 AM	9/17/2010



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735  
 (631) 454-6100 • FAX (631) 454-8027  
 www.american-analytical.com

NYSDOH  
 CTDOH  
 NJDEP  
 PADEP

11418  
 PH-0205  
 NY050  
 68-573

# CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS  
 LBG Inc.  
 4 Research Drive Suite 301  
 Shelton, CT 06484

CONTACT: Mark Goldberg  
 M.GoldBerge@bgct.com  
 203-924-8555

SAMPLER (SIGNATURE) *Mark Goldberg*

SAMPLER NAME (PRINT) Mark Goldberg

SAMPLE(S) SEALED YES / NO  YES /  NO

CORRECT CONTAINER(S) YES / NO  YES /  NO

TEMPERATURE (°C) \_\_\_\_\_

PROJECT LOCATION:  
 Rowe Industries; Sag Harbor NY.

LABORATORY ID# LAB USE ONLY	MATRIX/ TYPE	NO. OF CONTAINERS	DATE	SAMPLING TIME	SAMPLE # - LOCATION	ANALYSIS REQUIRED	TEMPERATURE (°C)
1009MA-018X	GW	5	9/16/10	1030	GW091610:1030NPI-1-2	X	
-018BC				1035	11 1035NPI-1-3		
-038BC				1040	11 1040NPI-1-4		
-048BC				1045	11 1045NPI-1-5		
-058BC				1050	11 1050NPI-1-6		
-068BC				1055	11 1055NPI-1-7		
-078BC				1100	11 1100 NPI-1-8		
-088BC				1105	11 1105 NPI-1-9		

8260+MTBE  
 FLOOR 1/3  
 TGF+DVS.FE

COMMENTS / INSTRUCTIONS

Samples must be on ICE (<6° C)

MATRIX S=SOIL; W=WATER; SL=SLUDGE; A=AIR; M=MISCELLANEOUS

TYPE G=GRAB; C=COMPOSITE

TURNAROUND REQUIRED STANDARD  STAT  BY / /

E-MAIL ADDRESS FOR RESULTS: mgoldberge@bgct.com

RELINQUISHED BY (SIGNATURE)	DATE	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE	PRINTED NAME
<i>Mark</i>	9/17/10 1335	Mark Welsh	<i>[Signature]</i>	9/17/10 1335	C. Quinn
RELINQUISHED BY (SIGNATURE)	DATE	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE	PRINTED NAME

American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name LBG CT

Date and Time Receive 9/17/2010

Work Order Number 1009142

RcptNo: 1

Received by CD

COC\_ID:

CoolerID:

Checklist completed by

Signature *Chen*

Date 9/20/10

Reviewed by

Initials *LCB*

Date 9/20/10

Matrix:

Carrier name AAL

- Shipping container/cooler in good condition? Yes  No  Not Present
- Custody seals intact on shipping container/cooler? Yes  No  Not Present
- Custody seals intact on sample bottles? Yes  No  Not Present
- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Samples in proper container/bottle? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No
- All samples received within holding time? Yes  No
- Container/Temp Blank temperature in compliance? Yes  No
- Water - VOA vials have zero headspace? No VOA vials submitted  Yes  No
- Water - pH acceptable upon receipt? Yes  No  N/A

Adjusted? \_\_\_\_\_ Checked b \_\_\_\_\_

Any No and/or NA (not applicable) response must be detailed in the comments section be

Client contacted \_\_\_\_\_ Date contacted: \_\_\_\_\_ Person contacted \_\_\_\_\_

Contacted by: \_\_\_\_\_ Regarding: \_\_\_\_\_

Comments: Cooler with ice @ 3.6C

Corrective Action \_\_\_\_\_

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-01A

Client Sample ID: GWQ91610:1030NP1-1-2  
 Collection Date: 9/16/2010 10:30:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
2-Butanone	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 7:55:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 7:55:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-01A

Client Sample ID: GWQ91610:1030NP1-1-2  
 Collection Date: 9/16/2010 10:30:00 AM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 7:55:00 AM
Chloroform	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 7:55:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 7:55:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-01A

Client Sample ID: GWQ91610:1030NP1-1-2  
 Collection Date: 9/16/2010 10:30:00 AM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/23/2010 7:55:00 AM
Surr: 4-Bromofluorobenzene	99.2	0	60-130		%REC	1	9/23/2010 7:55:00 AM
Surr: Dibromofluoromethane	89.2	0	63-127		%REC	1	9/23/2010 7:55:00 AM
Surr: Toluene-d8	99.5	0	61-128		%REC	1	9/23/2010 7:55:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
Lab Order: 1009142  
Project: Rowe Industries; Sag Harbor  
Lab ID: 1009142-01B

Client Sample ID: GWQ91610:1030NP1-1-2  
Collection Date: 9/16/2010 10:30:00 AM  
Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>			Analyst: JP
Total Iron	1.50	0.005	0.0200		mg/L	1	9/21/2010 11:24:13 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009142  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009142-01C

**Client Sample ID:** GWQ91610:1030NP1-1-2  
**Collection Date:** 9/16/2010 10:30:00 AM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3005A</b>		Analyst: JP
Dissolved Iron	0.893	0.005	0.0200		mg/L	1	9/21/2010 11:22:09 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-02A

Client Sample ID: GWQ91610:1035NP1-1-3  
 Collection Date: 9/16/2010 10:35:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
2-Butanone	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 8:27:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 8:27:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-02A

Client Sample ID: GWQ91610:1035NP1-1-3  
 Collection Date: 9/16/2010 10:35:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 8:27:00 AM
Chloroform	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 8:27:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Trichloroethene	0.63	0.3	1.0	J	µg/L	1	9/23/2010 8:27:00 AM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 8:27:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-02A

Client Sample ID: GWQ91610:1035NP1-1-3  
 Collection Date: 9/16/2010 10:35:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/23/2010 8:27:00 AM
Surr: 4-Bromofluorobenzene	96.7	0	60-130		%REC	1	9/23/2010 8:27:00 AM
Surr: Dibromofluoromethane	94.8	0	63-127		%REC	1	9/23/2010 8:27:00 AM
Surr: Toluene-d8	98.6	0	61-128		%REC	1	9/23/2010 8:27:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	GWQ91610:1035NP1-1-3
<b>Lab Order:</b>	1009142	<b>Collection Date:</b>	9/16/2010 10:35:00 AM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009142-02B		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3010A</b>		<b>Analyst: JP</b>
Total Iron	2.04	0.005	0.0200		mg/L	1	9/21/2010 11:28:21 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	GWQ91610:1035NP1-1-3
<b>Lab Order:</b>	1009142	<b>Collection Date:</b>	9/16/2010 10:35:00 AM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009142-02C		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3005A</b>		<b>Analyst: JP</b>
Dissolved Iron	0.948	0.005	0.0200		mg/L	1	9/21/2010 11:26:17 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-03A

Client Sample ID: GWQ91610:1040NP1-1-4  
 Collection Date: 9/16/2010 10:40:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,1,1-Trichloroethane	1.9	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
2-Butanone	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 8:59:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 8:59:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-03A

Client Sample ID: GWQ91610:1040NP1-1-4  
 Collection Date: 9/16/2010 10:40:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 8:59:00 AM
Chloroform	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 8:59:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 8:59:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-03A

Client Sample ID: GWQ91610:1040NP1-1-4  
 Collection Date: 9/16/2010 10:40:00 AM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/23/2010 8:59:00 AM
Surr: 4-Bromofluorobenzene	94.1	0	60-130		%REC	1	9/23/2010 8:59:00 AM
Surr: Dibromofluoromethane	91.5	0	63-127		%REC	1	9/23/2010 8:59:00 AM
Surr: Toluene-d8	97.1	0	61-128		%REC	1	9/23/2010 8:59:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	GWQ91610:1040NP1-1-4
<b>Lab Order:</b>	1009142	<b>Collection Date:</b>	9/16/2010 10:40:00 AM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009142-03B		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3010A</b>		<b>Analyst: JP</b>
Total Iron	8.96	0.005	0.0200		mg/L	1	9/21/2010 11:32:28 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009142  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009142-03C

**Client Sample ID:** GWQ91610:1040NP1-1-4  
**Collection Date:** 9/16/2010 10:40:00 AM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>			
Dissolved Iron	1.92	0.005	0.0200		mg/L	1	Analyst: JP 9/21/2010 11:30:24 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-04A

Client Sample ID: GWQ91610:1045NP1-1-5  
 Collection Date: 9/16/2010 10:45:00 AM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
2-Butanone	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 9:30:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 9:30:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-04A

Client Sample ID: GWQ91610:1045NP1-1-5  
 Collection Date: 9/16/2010 10:45:00 AM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 9:30:00 AM
Chloroform	2.3	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 9:30:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 9:30:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-04A

Client Sample ID: GWQ91610:1045NP1-1-5  
 Collection Date: 9/16/2010 10:45:00 AM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/23/2010 9:30:00 AM
Surr: 4-Bromofluorobenzene	98.7	0	60-130		%REC	1	9/23/2010 9:30:00 AM
Surr: Dibromofluoromethane	90.5	0	63-127		%REC	1	9/23/2010 9:30:00 AM
Surr: Toluene-d8	99.8	0	61-128		%REC	1	9/23/2010 9:30:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	GWQ91610:1045NP1-1-5
<b>Lab Order:</b>	1009142	<b>Collection Date:</b>	9/16/2010 10:45:00 AM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009142-04B		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3010A</b>		<b>Analyst: JP</b>
Total Iron	0.0302	0.005	0.0200		mg/L	1	9/21/2010 11:36:34 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	GWQ91610:1045NP1-1-5
<b>Lab Order:</b>	1009142	<b>Collection Date:</b>	9/16/2010 10:45:00 AM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009142-04C		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3005A</b>		<b>Analyst: JP</b>
Dissolved Iron	0.0114	0.005	0.0200	J	mg/L	1	9/21/2010 11:34:31 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-05A

Client Sample ID: GWQ91610:1050NP1-1-6  
 Collection Date: 9/16/2010 10:50:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,1,1-Trichloroethane	2.8	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,1-Dichloroethane	0.36	0.3	1.0	J	µg/L	1	9/23/2010 10:01:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
2-Butanone	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 10:01:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 10:01:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-05A

Client Sample ID: GWQ91610:1050NP1-1-6  
 Collection Date: 9/16/2010 10:50:00 AM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 10:01:00 AM
Chloroform	1.8	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 10:01:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Tetrachloroethene	4.3	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 10:01:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	GWQ91610:1050NP1-1-6
<b>Lab Order:</b>	1009142	<b>Collection Date:</b>	9/16/2010 10:50:00 AM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009142-05A		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/23/2010 10:01:00 AM
Surr: 4-Bromofluorobenzene	92.9	0	60-130		%REC	1	9/23/2010 10:01:00 AM
Surr: Dibromofluoromethane	89.7	0	63-127		%REC	1	9/23/2010 10:01:00 AM
Surr: Toluene-d8	101	0	61-128		%REC	1	9/23/2010 10:01:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	GWQ91610:1050NP1-1-6
<b>Lab Order:</b>	1009142	<b>Collection Date:</b>	9/16/2010 10:50:00 AM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009142-05B		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3010A</b>		<b>Analyst: JP</b>
Total Iron	0.0512	0.005	0.0200		mg/L	1	9/21/2010 11:40:41 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-05C

Client Sample ID: GWQ91610:1050NP1-1-6  
 Collection Date: 9/16/2010 10:50:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3005A</b>		Analyst: JP
Dissolved Iron	0.0225	0.005	0.0200		mg/L	1	9/21/2010 11:38:37 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-06A

Client Sample ID: GWQ91610:1055NP1-1-7  
 Collection Date: 9/16/2010 10:55:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,1,1-Trichloroethane	0.67	0.3	1.0	J	µg/L	1	9/23/2010 10:33:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
2-Butanone	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 10:33:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 10:33:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-06A

Client Sample ID: GWQ91610:1055NP1-1-7  
 Collection Date: 9/16/2010 10:55:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 10:33:00 AM
Chloroform	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 10:33:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 10:33:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009142  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009142-06A

**Client Sample ID:** GWQ91610:1055NP1-1-7  
**Collection Date:** 9/16/2010 10:55:00 AM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/23/2010 10:33:00 AM
Surr: 4-Bromofluorobenzene	95.6	0	60-130		%REC	1	9/23/2010 10:33:00 AM
Surr: Dibromofluoromethane	84.0	0	63-127		%REC	1	9/23/2010 10:33:00 AM
Surr: Toluene-d8	97.5	0	61-128		%REC	1	9/23/2010 10:33:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-06B

Client Sample ID: GWQ91610:1055NP1-1-7  
 Collection Date: 9/16/2010 10:55:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3010A</b>		Analyst: JP
Total Iron	0.163	0.005	0.0200		mg/L	1	9/21/2010 11:56:21 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	GWQ91610:1055NP1-1-7
<b>Lab Order:</b>	1009142	<b>Collection Date:</b>	9/16/2010 10:55:00 AM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009142-06C		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3005A</b>		<b>Analyst: JP</b>
Dissolved Iron	0.0343	0.005	0.0200		mg/L	1	9/21/2010 11:54:17 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- |                    |     |   |     |  |
|--------------------|-----|---|-----|--|
| <b>Qualifiers:</b> | B   | Analyte detected in the associated Method Blank | C   | Calibration %RSD/%D exceeded for non-CCC analytes      |
|                    | E   | Value above quantitation range                  | H   | Holding times for preparation or analysis exceeded     |
|                    | J   | Analyte detected below quantitation limits      | LOD | Limit of Detection                                     |
|                    | LOQ | Limit of Quantitation                           | P   | >40% diff for detected conc between the two GC columns |
|                    | S   | Spike Recovery outside accepted recovery limits | U   | Indicates the compound was analyzed but not detected.  |

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-07A

Client Sample ID: GWQ91610:1100NP1-1-8  
 Collection Date: 9/16/2010 11:00:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
2-Butanone	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 11:05:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 11:05:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-07A

Client Sample ID: GWQ91610:1100NP1-1-8  
 Collection Date: 9/16/2010 11:00:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 11:05:00 AM
Chloroform	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 11:05:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 11:05:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-07A

Client Sample ID: GWQ91610:1100NP1-1-8  
 Collection Date: 9/16/2010 11:00:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/23/2010 11:05:00 AM
Surr: 4-Bromofluorobenzene	98.7	0	60-130		%REC	1	9/23/2010 11:05:00 AM
Surr: Dibromofluoromethane	88.3	0	63-127		%REC	1	9/23/2010 11:05:00 AM
Surr: Toluene-d8	100	0	61-128		%REC	1	9/23/2010 11:05:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-07B

Client Sample ID: GWQ91610:1100NP1-1-8  
 Collection Date: 9/16/2010 11:00:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3010A</b>		Analyst: JP
Total Iron	7.88	0.005	0.0200		mg/L	1	9/21/2010 12:00:29 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- Qualifiers:**
- B Analyte detected in the associated Method Blank
  - E Value above quantitation range
  - J Analyte detected below quantitation limits
  - LOQ Limit of Quantitation
  - S Spike Recovery outside accepted recovery limits
  - C Calibration %RSD/%D exceeded for non-CCC analytes
  - H Holding times for preparation or analysis exceeded
  - LOD Limit of Detection
  - P >40% diff for detected conc between the two GC columns
  - U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	GWQ91610:1100NP1-1-8
<b>Lab Order:</b>	1009142	<b>Collection Date:</b>	9/16/2010 11:00:00 AM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009142-07C		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>	<b>SW3005A</b>		<b>Analyst: JP</b>
Dissolved Iron	0.0626	0.005	0.0200		mg/L	1	9/21/2010 11:58:25 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-08A

Client Sample ID: GWQ91610:1105NP1-1-9  
 Collection Date: 9/16/2010 11:05:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
2-Butanone	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 11:36:00 AM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 11:36:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-08A

Client Sample ID: GWQ91610:1105NP1-1-9  
 Collection Date: 9/16/2010 11:05:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 11:36:00 AM
Chloroform	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
cis-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 11:36:00 AM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Trichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 11:36:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009142  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009142-08A

**Client Sample ID:** GWQ91610:1105NP1-1-9  
**Collection Date:** 9/16/2010 11:05:00 AM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>				<b>Analyst: LA</b>
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/23/2010 11:36:00 AM
Surr: 4-Bromofluorobenzene	94.4	0	60-130		%REC	1	9/23/2010 11:36:00 AM
Surr: Dibromofluoromethane	94.0	0	63-127		%REC	1	9/23/2010 11:36:00 AM
Surr: Toluene-d8	99.7	0	61-128		%REC	1	9/23/2010 11:36:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

<b>CLIENT:</b>	Leggette Brashears & Graham Inc.	<b>Client Sample ID:</b>	GWQ91610:1105NP1-1-9
<b>Lab Order:</b>	1009142	<b>Collection Date:</b>	9/16/2010 11:05:00 AM
<b>Project:</b>	Rowe Industries; Sag Harbor	<b>Matrix:</b>	LIQUID
<b>Lab ID:</b>	1009142-08B		

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>			<b>E200.7</b>		<b>SW3010A</b>		<b>Analyst: JP</b>
Total Iron	1.91	0.005	0.0200		mg/L	1	9/21/2010 12:04:36 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009142  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009142-08C

Client Sample ID: GWQ91610:1105NP1-1-9  
 Collection Date: 9/16/2010 11:05:00 AM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>METALS</b>				<b>E200.7</b>			Analyst: JP
Dissolved Iron	0.694	0.005	0.0200		mg/L	1	9/21/2010 12:02:32 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**ANALYTICAL QC SUMMARY REPORT**

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009142  
**Project:** Rowe Industries; Sag Harbor

**TestCode:** 8260MTBE113\_W

Sample ID:	V624LCS-092210aH	SampType:	LCS	TestCode:	8260MTBE11	Units:	µg/L	Prep Date:	9/22/2010	RunNo:	53339
Client ID:	LCSW	Batch ID:	R53339	TestNo:	SW8260B			Analysis Date:	9/23/2010	SeqNo:	750368
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	37	1.0	50.00	0	74.8	43	148				
1,1,2,2-Tetrachloroethane	49	1.0	50.00	0	97.5	32	148				
1,1,2-Trichloroethane	49	1.0	50.00	0	97.1	42	136				
1,1-Dichloroethane	49	1.0	50.00	0	98.1	40	150				
1,1-Dichloroethene	49	1.0	50.00	0	97.1	30	154				
1,2-Dichlorobenzene	46	1.0	50.00	0	91.0	40	129				
1,2-Dichloroethane	46	1.0	50.00	0	91.9	36	141				
1,2-Dichloropropane	46	1.0	50.00	0	91.5	44	138				
1,3-Dichlorobenzene	47	1.0	50.00	0	94.7	40	133				
1,4-Dichlorobenzene	44	1.0	50.00	0	89.0	40	135				
Benzene	48	1.0	50.00	0	96.3	45	144				
Bromodichloromethane	46	1.0	50.00	0	91.4	35	136				
Bromoform	44	1.0	50.00	0	87.7	28	138				
Bromomethane	47	1.0	50.00	0	94.9	26	148				
Carbon tetrachloride	36	1.0	50.00	0	72.2	45	141				
Chlorobenzene	48	1.0	50.00	0	95.8	41	142				
Chloroethane	36	1.0	50.00	0	71.7	36	143				
Chloroform	37	1.0	50.00	0	73.2	42	137				
Chloromethane	44	1.0	50.00	0	87.1	35	151				
cis-1,3-Dichloropropene	44	1.0	50.00	0	89.0	42	130				
Dibromochloromethane	45	1.0	50.00	0	90.5	21	134				
Ethylbenzene	50	1.0	50.00	0	99.5	45	146				
Tetrachloroethene	47	1.0	50.00	0	94.4	45	136				
Toluene	51	1.0	50.00	0	101	43	134				
trans-1,2-Dichloroethene	47	1.0	50.00	0	93.5	42	135				
trans-1,3-Dichloropropene	46	1.0	50.00	0	92.0	37	133				
Trichloroethene	49	1.0	50.00	0	98.8	43	140				
Trichlorofluoromethane	63	1.0	50.00	0	125	50	148				C
Vinyl chloride	52	1.0	50.00	0	103	35	142				
Surr: 4-Bromofluorobenzene	49		50.00		97.9	60	130				

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009142  
**Project:** Rowe Industries; Sag Harbor

**TestCode:** 8260MTBE113\_W

Sample ID: V624LCS-092210aH	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/22/2010	RunNo: 53339
Client ID: LCSW	Batch ID: R53339	TestNo: SW8260B		Analysis Date: 9/23/2010	SeqNo: 750368

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: Dibromofluoromethane	44		50.00		88.1	63	127				
Surr: Toluene-d8	50		50.00		101	61	128				

Sample ID: VBLK-092210aHW	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/22/2010	RunNo: 53339
Client ID: PBW	Batch ID: R53339	TestNo: SW8260B		Analysis Date: 9/23/2010	SeqNo: 750369

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	1.0									
2-Chloroethyl vinyl ether	U	1.0									C

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009142  
**Project:** Rowe Industries; Sag Harbor

# ANALYTICAL QC SUMMARY REPORT

**TestCode:** 8260MTBE113\_W

Sample ID: <b>VBLK-092210aHW</b>	SampType: <b>MBLK</b>	TestCode: <b>8260MTBE11</b>	Units: <b>µg/L</b>	Prep Date: <b>9/22/2010</b>	RunNo: <b>53339</b>						
Client ID: <b>PBW</b>	Batch ID: <b>R53339</b>	TestNo: <b>SW8260B</b>		Analysis Date: <b>9/23/2010</b>	SeqNo: <b>750369</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

2-Chlorotoluene	U	1.0									
2-Hexanone	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	1.0									
Acetone	U	1.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009142  
**Project:** Rowe Industries; Sag Harbor

**TestCode:** 8260MTBE113\_W

Sample ID:	VBLK-092210aHW	SampType:	MBLK	TestCode:	8260MTBE11	Units:	µg/L	Prep Date:	9/22/2010	RunNo:	53339
Client ID:	PBW	Batch ID:	R53339	TestNo:	SW8260B						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									C
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	50		50.00		99.4	60		130			
Surr: Dibromofluoromethane	62		50.00		124	63		127			
Surr: Toluene-d8	49		50.00		98.7	61		128			

**Qualifiers:** B Analyte detected in the associated Method Blank C Calibration %RSD%D exceeded for non-CCC analytes E Value above quantitation range  
 H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits LOD Limit of Detection  
 LOQ Limit of Quantitation P >40% diff for detected conc between the two GC column R RPD outside accepted recovery limits



# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009142  
**Project:** Rowe Industries; Sag Harbor

**TestCode: FE\_T**

Sample ID: PBW-092010A	SampType: MBLK	TestCode: FE_T	Units: mg/L	Prep Date: 9/21/2010	RunNo: 53295						
Client ID: PBW	Batch ID: 30171	TestNo: E200.7	SW3010A	Analysis Date: 9/21/2010	SeqNo: 750008						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Iron	U		0.0200								

Sample ID: LCSW-092010A	SampType: LCS	TestCode: FE_T	Units: mg/L	Prep Date: 9/21/2010	RunNo: 53295						
Client ID: LCSW	Batch ID: 30171	TestNo: E200.7	SW3010A	Analysis Date: 9/21/2010	SeqNo: 750009						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Iron	2.03	0.0200	2.000	0	102	80	120				

**Qualifiers:** B Analyte detected in the associated Method Blank    C Calibration %RSD/%D exceeded for non-CCC analytes    E Value above quantitation range  
 H Holding times for preparation or analysis exceeded    J Analyte detected below quantitation limits    LOD Limit of Detection  
 LOQ Limit of Quantitation    P >40% diff for detected conc between the two GC column    R RPD outside accepted recovery limits

**APPENDIX II**

**SEPTEMBER 2010 LABORATORY ANALYTICAL REPORTS  
FOR FP&T RECOVERY WELLS**

Friday, September 24, 2010

Mark Goldberg  
Leggette Brashears & Graham Inc.  
4 Research Drive  
Suite 301  
Shelton, CT 06484

TEL: (203) 929-8555

FAX (203) 926-9140

RE: Rowe Industries; Sag Harbor

Order No.: 1009143

Dear Mark Goldberg:

American Analytical Laboratories, LLC. received 4 sample(s) on 9/17/2010 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 20 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at [lbeyer@american-analytical.com](mailto:lbeyer@american-analytical.com).

Sincerely,



Lori Beyer  
Lab Director

---

**CLIENT:** Leggette Brashears & Graham Inc.  
**Project:** Rowe Industries; Sag Harbor  
**Lab Order:** 1009143

**Work Order Sample Summary**

---

<b>Lab Sample ID</b>	<b>Client Sample ID</b>	<b>Date Collected</b>	<b>Date Received</b>
1009143-01A	WQ91610:1200FWR-1	9/16/2010 12:00:00 PM	9/17/2010
1009143-02A	WQ91610:1205FWR-2	9/16/2010 12:05:00 PM	9/17/2010
1009143-03A	WQ91610:1210FWR-3	9/16/2010 12:10:00 PM	9/17/2010
1009143-04A	WQ91610:1215FWR-4	9/16/2010 12:15:00 PM	9/17/2010



American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name LBG CT

Date and Time Receive 9/17/2010

Work Order Number 1009143

RcptNo: 1

Received by CD

COC\_ID:

CoolerID:

Checklist completed by

Signature: [Handwritten Signature] Date: 9/20/10

Reviewed by

Initials: [Handwritten Initials] Date: 9/20/10

Matrix:

Carrier name AAL

- Shipping container/cooler in good condition? Yes  No  Not Present
- Custody seals intact on shipping container/cooler? Yes  No  Not Present
- Custody seals intact on sample bottles? Yes  No  Not Present
- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Samples in proper container/bottle? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No
- All samples received within holding time? Yes  No
- Container/Temp Blank temperature in compliance? Yes  No
- Water - VOA vials have zero headspace? No VOA vials submitted  Yes  No
- Water - pH acceptable upon receipt? Yes  No  N/A

Adjusted? \_\_\_\_\_ Checked by \_\_\_\_\_

Any No and/or NA (not applicable) response must be detailed in the comments section below

Client contacted \_\_\_\_\_ Date contacted: \_\_\_\_\_ Person contacted \_\_\_\_\_

Contacted by: \_\_\_\_\_ Regarding: \_\_\_\_\_

Comments: Cooler with ice @ 3.6C

Corrective Action \_\_\_\_\_

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009143  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009143-01A

Client Sample ID: WQ91610:1200FWR-1  
 Collection Date: 9/16/2010 12:00:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,1,1-Trichloroethane	5.7	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,1,2-Trichloro-1,1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
2-Butanone	U	0.3	1.0	C	µg/L	1	9/23/2010 12:08:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 12:08:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 12:08:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009143  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009143-01A

Client Sample ID: WQ91610:1200FWR-1  
 Collection Date: 9/16/2010 12:00:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 12:08:00 PM
Chloroform	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
cis-1,2-Dichloroethene	79	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 12:08:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Tetrachloroethene	180	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Trichloroethene	3.1	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 12:08:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

**Date:** 24-Sep-10

**ELAP ID :** 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009143  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009143-01A

**Client Sample ID:** WQ91610:1200FWR-1  
**Collection Date:** 9/16/2010 12:00:00 PM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>				<b>Analyst: LA</b>
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Vinyl chloride	3.4	0.3	1.0		µg/L	1	9/23/2010 12:08:00 PM
Surr: 4-Bromofluorobenzene	94.4	0	60-130		%REC	1	9/23/2010 12:08:00 PM
Surr: Dibromofluoromethane	95.6	0	63-127		%REC	1	9/23/2010 12:08:00 PM
Surr: Toluene-d8	103	0	61-128		%REC	1	9/23/2010 12:08:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009143  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009143-02A

Client Sample ID: WQ91610:1205FWR-2  
 Collection Date: 9/16/2010 12:05:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
2-Butanone	U	0.3	1.0	C	µg/L	1	9/23/2010 12:39:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 12:39:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 12:39:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009143  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009143-02A

**Client Sample ID:** WQ91610:1205FWR-2  
**Collection Date:** 9/16/2010 12:05:00 PM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 12:39:00 PM
Chloroform	9.8	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
cis-1,2-Dichloroethene	34	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 12:39:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Tetrachloroethene	150	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Trichloroethene	18	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 12:39:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009143  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009143-02A

**Client Sample ID:** WQ91610:1205FWR-2  
**Collection Date:** 9/16/2010 12:05:00 PM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Vinyl chloride	1.9	0.3	1.0		µg/L	1	9/23/2010 12:39:00 PM
Surr: 4-Bromofluorobenzene	97.6	0	60-130		%REC	1	9/23/2010 12:39:00 PM
Surr: Dibromofluoromethane	92.8	0	63-127		%REC	1	9/23/2010 12:39:00 PM
Surr: Toluene-d8	103	0	61-128		%REC	1	9/23/2010 12:39:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009143  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009143-03A

Client Sample ID: WQ91610:1210FWR-3  
 Collection Date: 9/16/2010 12:10:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,1,1-Trichloroethane	1.8	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
2-Butanone	U	0.3	1.0	C	µg/L	1	9/23/2010 1:11:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 1:11:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 1:11:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009143  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009143-03A

Client Sample ID: WQ91610:1210FWR-3  
 Collection Date: 9/16/2010 12:10:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 1:11:00 PM
Chloroform	4.4	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
cis-1,2-Dichloroethene	62	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 1:11:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Tetrachloroethene	110	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Trichloroethene	12	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 1:11:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009143  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009143-03A

**Client Sample ID:** WQ91610:1210FWR-3  
**Collection Date:** 9/16/2010 12:10:00 PM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>							
							<b>Analyst: LA</b>
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Vinyl chloride	2.2	0.3	1.0		µg/L	1	9/23/2010 1:11:00 PM
Surr: 4-Bromofluorobenzene	98.1	0	60-130		%REC	1	9/23/2010 1:11:00 PM
Surr: Dibromofluoromethane	91.4	0	63-127		%REC	1	9/23/2010 1:11:00 PM
Surr: Toluene-d8	98.9	0	61-128		%REC	1	9/23/2010 1:11:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009143  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009143-04A

Client Sample ID: WQ91610:1215FWR-4  
 Collection Date: 9/16/2010 12:15:00 PM  
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOC			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,1,1-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,1,2,2-Tetrachloroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,1,2-Trichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,1-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,1-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,1-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,2,3-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,2,3-Trichloropropane	U	0.4	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,2,4-Trichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,2,4-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,2-Dibromo-3-chloropropane	U	0.4	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,2-Dibromoethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,2-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,2-Dichloroethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,3,5-Trimethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,3-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,3-dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
1,4-Dichlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
2,2-Dichloropropane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
2-Butanone	U	0.3	1.0	C	µg/L	1	9/23/2010 1:43:00 PM
2-Chloroethyl vinyl ether	U	0.3	1.0	C	µg/L	1	9/23/2010 1:43:00 PM
2-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
2-Hexanone	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
4-Chlorotoluene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
4-Isopropyltoluene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
4-Methyl-2-pentanone	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Acetone	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Benzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Bromobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Bromochloromethane	U	0.4	1.0		µg/L	1	9/23/2010 1:43:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

CLIENT: Leggette Brashears & Graham Inc.  
 Lab Order: 1009143  
 Project: Rowe Industries; Sag Harbor  
 Lab ID: 1009143-04A

Client Sample ID: WQ91610:1215FWR-4  
 Collection Date: 9/16/2010 12:15:00 PM  
 Matrix: LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Bromodichloromethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Bromoform	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Bromomethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Carbon disulfide	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Carbon tetrachloride	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Chlorobenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Chloroethane	U	0.4	1.0		µg/L	1	9/23/2010 1:43:00 PM
Chloroform	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Chloromethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
cis-1,2-Dichloroethene	0.52	0.3	1.0	J	µg/L	1	9/23/2010 1:43:00 PM
cis-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Dibromochloromethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Dibromomethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Dichlorodifluoromethane	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Ethylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Hexachlorobutadiene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Isopropylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
m,p-Xylene	U	0.3	2.0		µg/L	1	9/23/2010 1:43:00 PM
Methyl tert-butyl ether	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Methylene chloride	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Naphthalene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
n-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
n-Propylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
o-Xylene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
sec-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Styrene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
tert-Butylbenzene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Tetrachloroethene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Toluene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
trans-1,2-Dichloroethene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
trans-1,3-Dichloropropene	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Trichloroethene	4.5	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Trichlorofluoromethane	U	0.3	1.0	C	µg/L	1	9/23/2010 1:43:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

**American Analytical Laboratories, LLC.**

Date: 24-Sep-10

ELAP ID : 11418

**CLIENT:** Leggette Brashears & Graham Inc.  
**Lab Order:** 1009143  
**Project:** Rowe Industries; Sag Harbor  
**Lab ID:** 1009143-04A

**Client Sample ID:** WQ91610:1215FWR-4  
**Collection Date:** 9/16/2010 12:15:00 PM  
**Matrix:** LIQUID

**Certificate of Results**

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
<b>VOC</b>			<b>SW8260B</b>			<b>Analyst: LA</b>	
Vinyl acetate	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Vinyl chloride	U	0.3	1.0		µg/L	1	9/23/2010 1:43:00 PM
Surr: 4-Bromofluorobenzene	99.1	0	60-130		%REC	1	9/23/2010 1:43:00 PM
Surr: Dibromofluoromethane	114	0	63-127		%REC	1	9/23/2010 1:43:00 PM
Surr: Toluene-d8	105	0	61-128		%REC	1	9/23/2010 1:43:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735  
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 24-Sep-10

CLIENT: Leggett Brashears & Graham Inc.  
 Work Order: 1009143  
 Project: Rowe Industries; Sag Harbor

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113\_W

Sample ID: V624LCS-092210aH SampType: LCS TestCode: 8260MTBE11 Units: µg/L Prep Date: 9/22/2010 RunNo: 53342  
 Client ID: LCSW Batch ID: R53342 TestNo: SW8260B Analysis Date: 9/23/2010 SeqNo: 750408

Analyte	Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	37	1.0	50.00	0	74.8	43	148				
1,1,2,2-Tetrachloroethane	49	1.0	50.00	0	97.5	32	148				
1,1,2-Trichloroethane	49	1.0	50.00	0	97.1	42	136				
1,1-Dichloroethane	49	1.0	50.00	0	98.1	40	150				
1,1-Dichloroethene	49	1.0	50.00	0	97.1	30	154				
1,2-Dichlorobenzene	46	1.0	50.00	0	91.0	40	129				
1,2-Dichloroethane	46	1.0	50.00	0	91.9	36	141				
1,2-Dichloropropane	46	1.0	50.00	0	91.5	44	138				
1,3-Dichlorobenzene	47	1.0	50.00	0	94.7	40	133				
1,4-Dichlorobenzene	44	1.0	50.00	0	89.0	40	135				
Benzene	48	1.0	50.00	0	96.3	45	144				
Bromodichloromethane	46	1.0	50.00	0	91.4	35	136				
Bromoform	44	1.0	50.00	0	87.7	28	138				
Bromomethane	47	1.0	50.00	0	94.9	26	148				
Carbon tetrachloride	36	1.0	50.00	0	72.2	45	141				
Chlorobenzene	48	1.0	50.00	0	95.8	41	142				
Chloroethane	36	1.0	50.00	0	71.7	36	143				
Chloroform	37	1.0	50.00	0	73.2	42	137				
Chloromethane	44	1.0	50.00	0	87.1	35	151				
cis-1,3-Dichloropropene	44	1.0	50.00	0	89.0	42	130				
Dibromochloromethane	45	1.0	50.00	0	90.5	21	134				
Ethylbenzene	50	1.0	50.00	0	99.5	45	146				
Tetrachloroethene	47	1.0	50.00	0	94.4	45	136				
Toluene	51	1.0	50.00	0	101	43	134				
trans-1,2-Dichloroethene	47	1.0	50.00	0	93.5	42	135				
trans-1,3-Dichloropropene	46	1.0	50.00	0	92.0	37	133				
Trichloroethene	49	1.0	50.00	0	98.8	43	140				
Trichlorofluoromethane	63	1.0	50.00	0	125	50	148				C
Vinyl chloride	52	1.0	50.00	0	103	35	142				
Surr: 4-Bromofluorobenzene	49		50.00		97.9	60	130				

Qualifiers: B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009143  
**Project:** Rowe Industries; Sag Harbor

**TestCode:** 8260MTBE113\_W

Sample ID: V624LCS-092210aH	SampType: LCS	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/22/2010	RunNo: 53342						
Client ID: LCSW	Batch ID: R53342	TestNo: SW8260B		Analysis Date: 9/23/2010	SeqNo: 750408						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: Dibromofluoromethane	44		50.00		88.1	63	127				
Surr: Toluene-d8	50		50.00		101	61	128				

Sample ID: VBLK-092210aHW	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/22/2010	RunNo: 53342						
Client ID: PBW	Batch ID: R53342	TestNo: SW8260B		Analysis Date: 9/23/2010	SeqNo: 750409						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	1.0									C
2-Chloroethyl vinyl ether	U	1.0									C

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Leggette Brashears & Graham Inc.  
**Work Order:** 1009143  
**Project:** Rowe Industries; Sag Harbor

**TestCode:** 8260MTBE113\_W

Sample ID: VBLK-092210aHW	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/22/2010	RunNo: 53342						
Client ID: PBW	Batch ID: R53342	TestNo: SW8260B		Analysis Date: 9/23/2010	SeqNo: 750409						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

2-Chlorotoluene	U	1.0									
2-Hexanone	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	1.0									
Acetone	U	1.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Ethylbenzene	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									
n-Butylbenzene	U	1.0									

**Qualifiers:** B Analyte detected in the associated Method Blank  
 C Calibration %RSD%D exceeded for non-CCC analytes  
 E Value above quantitation range  
 H Holding times for preparation or analysis exceeded  
 J Analyte detected below quantitation limits  
 LOD Limit of Detection  
 LOQ Limit of Quantitation  
 P >40% diff for detected conc between the two GC column  
 R RPD outside accepted recovery limits

CLIENT: Leggette Brashears & Graham Inc.  
 Work Order: 1009143  
 Project: Rowe Industries; Sag Harbor

# ANALYTICAL QC SUMMARY REPORT

TestCode: 8260MTBE113\_W

Sample ID: VBLK-092210aHW	SampType: MBLK	TestCode: 8260MTBE11	Units: µg/L	Prep Date: 9/22/2010	RunNo: 53342						
Client ID: PBW	Batch ID: R53342	TestNo: SW8260B		Analysis Date: 9/23/2010	SeqNo: 750409						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									C
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	50		50.00		99.4	60		130			
Surr: Dibromofluoromethane	62		50.00		124	63		127			
Surr: Toluene-d8	49		50.00		98.7	61		128			

**Qualifiers:** B Analyte detected in the associated Method Blank  
 H Holding times for preparation or analysis exceeded  
 LOQ Limit of Quantitation  
 C Calibration %RSD/%D exceeded for non-CCC analytes  
 J Analyte detected below quantitation limits  
 P >40% diff for detected conc between the two GC column  
 E Value above quantitation range  
 LOD Limit of Detection  
 R RPD outside accepted recovery limits