

TABLE 2

**GROUNDWATER REMEDIAL ACTION  
ROWE INDUSTRIES SUPERFUND SITE  
SAG HARBOR, NEW YORK**

**Effluent Water Quality Results**

Date Sampled <sup>2/</sup>	pH <sup>1/</sup>	TDS <sup>4/</sup> (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	cis-1,2-DCE (ug/l)	trans-1,2-DCE (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Ethylbenzene (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Naphthalene (ug/l)	Chloroform (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
<b>SPDES Limits</b>	<b>6.5 to 8.5</b>	<b>---</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>---</b>	<b>10</b>	<b>7</b>	<b>---</b>	<b>---</b>
5-Oct-18	6.9	145	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<1.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.66	ND<0.278
1-Nov-18	6.8	193	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.838	ND<0.278
5-Dec-18	6.9	100	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.845	ND<0.278
3-Jan-19	6.9	85	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.32	ND<0.278
1-Feb-19	6.9	126	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.641	ND<0.278
1-Mar-19	6.9	142	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	6.31	ND<0.278
2-Apr-19	6.9	153	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.27	ND<0.278
6-May-19	6.9	175	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.374	ND<0.278
4-Jun-19	6.0	139	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.620	ND<0.278
2-Jul-19	6.0	145	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	1.82 C,Q,B	ND<0.5	0.766	ND<0.278
1-Aug-19	6.8	168	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.30	1.24
5-Sep-19	6.8	172	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.291	ND<0.278
3-Oct-19	6.5	165	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.612	ND<0.278

SPDES: State Pollutant Discharge Elimination System

mg/l: Milligrams per liter

ug/l: Micrograms per liter

---: Not established

J: Analyte detected below quantitation limits, value shown is a laboratory estimate.

B: Analyte was found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants.

ND: Not detected NA: Not Analyzed

C = CCV-E: The value reported is estimated The value is estimated due to its behavior during continuing calibration verification.


Q = QL-02: This LCS analyte is outside Laboratory Recovery limits due to the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.

## Notes:


1. Based on the SPDES criteria from an NYSDEC letter dated on May 6, 2016, the allowable pH range for the Rowe Site is between 6.5 and 8.5. The pH of the effluent sample collected on October 15, 2019 was 6.0. Historic pH measurements from recovery wells indicate that natural background pH concentrations are less than 6.5.
2. "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.
3. Starting in October 2016, FSP&T system samples are collected monthly instead of once every two weeks. The pH of the effluent water is measured two times per month in accordance with the SPDES requirements.
4. The laboratory mistakenly forgot to analyze the system effluent sample collected on August 28, 2018 for total dissolved solids (TDS).

**GRAPH 1  
GROUNDWATER REMEDIAL ACTION  
ROWE INDUSTRIES SUPERFUND SITE  
SAG HARBOR, NEW YORK**

**Effluent Flow Data  
(October 1, 2019 to October 31, 2019)**



**APPENDIX I**  
**OCTOBER 2019 LABORATORY ANALYTICAL REPORTS**  
**FOR FSP&T SYSTEM**



# Technical Report

prepared for:

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
**Attention: Tunde Komuves-Sandor**

Report Date: 10/10/2019  
**Client Project ID: 31401451.000 Task 01.00**  
York Project (SDG) No.: 19J0202

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE  
[www.YORKLAB.com](http://www.YORKLAB.com)

STRATFORD, CT 06615  
(203) 325-1371

132-02 89th AVENUE  
FAX (203) 357-0166

RICHMOND HILL, NY 11418  
[ClientServices@yorklab.com](mailto:ClientServices@yorklab.com)

Report Date: 10/10/2019  
Client Project ID: 31401451.000 Task 01.00  
York Project (SDG) No.: 19J0202

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
Attention: Tunde Komuves-Sandor

---

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on October 03, 2019 and listed below. The project was identified as your project: **31401451.000 Task 01.00**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
19J0202-01	WQ100319:1035 NP2-6	Water	10/03/2019	10/03/2019
19J0202-02	WQ100319:1040 NP2-10	Water	10/03/2019	10/03/2019

## **General Notes for York Project (SDG) No.: 19J0202**

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.


**Approved By:**



Benjamin Gulizia  
Laboratory Director

**Date:** 10/10/2019





### Sample Information

**Client Sample ID:** WQ100319:1035 NP2-6

**York Sample ID:** 19J0202-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
19J0202	31401451.000 Task 01.00	Water	October 3, 2019 10:35 am	10/03/2019


**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 18:37	RDS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS



### Sample Information

**Client Sample ID:** WQ100319:1035 NP2-6

**York Sample ID:** 19J0202-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0202

31401451.000 Task 01.00

Water

October 3, 2019 10:35 am

10/03/2019


**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
95-49-8	2-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
591-78-6	2-Hexanone	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
106-43-4	4-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
67-64-1	Acetone	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
108-86-1	Bromobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
74-97-5	Bromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
75-27-4	Bromodichloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
75-25-2	Bromoform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
74-83-9	Bromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
56-23-5	Carbon tetrachloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
108-90-7	Chlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
75-00-3	Chloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
67-66-3	Chloroform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
74-87-3	<b>Chloromethane</b>	<b>0.300</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
124-48-1	Dibromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
74-95-3	Dibromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS



### Sample Information

**Client Sample ID:** WQ100319:1035 NP2-6

**York Sample ID:** 19J0202-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0202

31401451.000 Task 01.00

Water

October 3, 2019 10:35 am

10/03/2019


**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
127-18-4	<b>Tetrachloroethylene</b>	<b>0.370</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
79-01-6	Trichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
75-01-4	Vinyl Chloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 18:37	RDS
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 18:37	RDS
<b>Surrogate Recoveries</b>		<b>Result</b>	<b>Acceptance Range</b>								
17060-07-0	Surrogate: SURRE: 1,2-Dichloroethane-d4	95.0 %	69-130								
2037-26-5	Surrogate: SURRE: Toluene-d8	91.3 %	81-117								
460-00-4	Surrogate: SURRE: p-Bromofluorobenzene	97.4 %	79-122								



### Sample Information

**Client Sample ID:** WQ100319:1040 NP2-10

**York Sample ID:** 19J0202-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0202

31401451.000 Task 01.00

Water

October 3, 2019 10:40 am

10/03/2019


**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 19:06	RDS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
95-49-8	2-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS



### Sample Information

**Client Sample ID:** WQ100319:1040 NP2-10

**York Sample ID:** 19J0202-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0202

31401451.000 Task 01.00

Water

October 3, 2019 10:40 am

10/03/2019


**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
591-78-6	2-Hexanone	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
106-43-4	4-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
67-64-1	Acetone	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
108-86-1	Bromobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
74-97-5	Bromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
75-27-4	Bromodichloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
75-25-2	Bromoform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
74-83-9	Bromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
56-23-5	Carbon tetrachloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
108-90-7	Chlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
75-00-3	Chloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
67-66-3	Chloroform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
74-87-3	<b>Chloromethane</b>	<b>0.220</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
124-48-1	Dibromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
74-95-3	Dibromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS



**Sample Information**

**Client Sample ID:** WQ100319:1040 NP2-10

**York Sample ID:** 19J0202-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0202

31401451.000 Task 01.00

Water

October 3, 2019 10:40 am

10/03/2019

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B


CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
127-18-4	Tetrachloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
79-01-6	Trichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
75-01-4	Vinyl Chloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:06	RDS
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 19:06	RDS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	92.1 %	69-130
2037-26-5	Surrogate: SURR: Toluene-d8	92.2 %	81-117
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	97.7 %	79-122

**Iron by EPA 200.7**

**Log-in Notes:**

**Sample Notes:**



**Sample Information**

**Client Sample ID:** WQ100319:1040 NP2-10

**York Sample ID:** 19J0202-02

<u>York Project (SDG) No.</u> 19J0202	<u>Client Project ID</u> 31401451.000 Task 01.00	<u>Matrix</u> Water	<u>Collection Date/Time</u> October 3, 2019 10:40 am	<u>Date Received</u> 10/03/2019
--	---	------------------------	---	------------------------------------

Sample Prepared by Method: EPA 200.7

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	Iron	0.612		mg/L	0.278	1	EPA 200.7	10/04/2019 13:34	10/04/2019 21:03	BML
							Certifications:	CTDOH,NELAC-NY10854,NJDEP,PADEP		

**Iron, Dissolved by EPA 6010**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 3015A

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	Iron	ND		mg/L	0.278	1	EPA 6010D	10/07/2019 12:29	10/07/2019 14:29	KML
							Certifications:	CTDOH,NELAC-NY10854,NJDEP,PADEP		


**Total Dissolved Solids**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	Total Dissolved Solids	165		mg/L	10.0	1	SM 2540C	10/08/2019 20:29	10/08/2019 20:29	AA
							Certifications:	NELAC-NY10854,CTDOH,NJDEP,PADEP		



## Analytical Batch Summary

**Batch ID:** BJ90297      **Preparation Method:** EPA 5030B      **Prepared By:** AB

YORK Sample ID	Client Sample ID	Preparation Date
19J0202-01	WQ100319:1035 NP2-6	10/04/19
19J0202-02	WQ100319:1040 NP2-10	10/04/19
BJ90297-BLK1	Blank	10/04/19
BJ90297-BS1	LCS	10/04/19
BJ90297-BS2	LCS	10/04/19
BJ90297-BSD1	LCS Dup	10/04/19
BJ90297-BSD2	LCS Dup	10/04/19

**Batch ID:** BJ90316      **Preparation Method:** EPA 200.7      **Prepared By:** SY


YORK Sample ID	Client Sample ID	Preparation Date
19J0202-02	WQ100319:1040 NP2-10	10/04/19
BJ90316-BLK1	Blank	10/04/19
BJ90316-BS1	LCS	10/04/19

**Batch ID:** BJ90388      **Preparation Method:** EPA 3015A      **Prepared By:** SY

YORK Sample ID	Client Sample ID	Preparation Date
19J0202-02	WQ100319:1040 NP2-10	10/07/19
BJ90388-BLK1	Blank	10/07/19
BJ90388-BS1	LCS	10/07/19

**Batch ID:** BJ90521      **Preparation Method:** % Solids Prep      **Prepared By:** AA

YORK Sample ID	Client Sample ID	Preparation Date
19J0202-02	WQ100319:1040 NP2-10	10/08/19
BJ90521-BLK1	Blank	10/08/19



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BJ90297 - EPA 5030B**

**Blank (BJ90297-BLK1)**

Prepared & Analyzed: 10/04/2019

1,1,1,2-Tetrachloroethane	ND	0.500	ug/L								
1,1,1-Trichloroethane	ND	0.500	"								
1,1,2,2-Tetrachloroethane	ND	0.500	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.500	"								
1,1,2-Trichloroethane	ND	0.500	"								
1,1-Dichloroethane	ND	0.500	"								
1,1-Dichloroethylene	ND	0.500	"								
1,1-Dichloropropylene	ND	0.500	"								
1,2,3-Trichlorobenzene	ND	0.500	"								
1,2,3-Trichloropropane	ND	0.500	"								
1,2,4-Trichlorobenzene	ND	0.500	"								
1,2,4-Trimethylbenzene	ND	0.500	"								
1,2-Dibromo-3-chloropropane	ND	0.500	"								
1,2-Dibromoethane	ND	0.500	"								
1,2-Dichlorobenzene	ND	0.500	"								
1,2-Dichloroethane	ND	0.500	"								
1,2-Dichloropropane	ND	0.500	"								
1,3,5-Trimethylbenzene	ND	0.500	"								
1,3-Dichlorobenzene	ND	0.500	"								
1,3-Dichloropropane	ND	0.500	"								
1,4-Dichlorobenzene	ND	0.500	"								
2,2-Dichloropropane	ND	0.500	"								
2-Chlorotoluene	ND	0.500	"								
2-Hexanone	ND	0.500	"								
4-Chlorotoluene	ND	0.500	"								
Acetone	ND	2.00	"								
Benzene	ND	0.500	"								
Bromobenzene	ND	0.500	"								
Bromochloromethane	ND	0.500	"								
Bromodichloromethane	ND	0.500	"								
Bromoform	ND	0.500	"								
Bromomethane	ND	0.500	"								
Carbon tetrachloride	ND	0.500	"								
Chlorobenzene	ND	0.500	"								
Chloroethane	ND	0.500	"								
Chloroform	ND	0.500	"								
Chloromethane	ND	0.500	"								
cis-1,2-Dichloroethylene	ND	0.500	"								
cis-1,3-Dichloropropylene	ND	0.500	"								
Dibromochloromethane	ND	0.500	"								
Dibromomethane	ND	0.500	"								
Dichlorodifluoromethane	ND	0.500	"								
Ethyl Benzene	ND	0.500	"								
Hexachlorobutadiene	ND	0.500	"								
Isopropylbenzene	ND	0.500	"								
Methyl tert-butyl ether (MTBE)	ND	0.500	"								
Methylene chloride	ND	2.00	"								
Naphthalene	ND	2.00	"								
n-Butylbenzene	ND	0.500	"								



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Units	Spike	Source*	%REC	%REC	Limits	Flag	RPD	Flag
		Limit			Result					Limit	

**Batch BJ90297 - EPA 5030B**

**Blank (BJ90297-BLK1)**

Prepared & Analyzed: 10/04/2019

n-Propylbenzene	ND	0.500	ug/L								
o-Xylene	ND	0.500	"								
p- & m- Xylenes	ND	1.00	"								
p-Isopropyltoluene	ND	0.500	"								
sec-Butylbenzene	ND	0.500	"								
Styrene	ND	0.500	"								
tert-Butylbenzene	ND	0.500	"								
Tetrachloroethylene	ND	0.500	"								
Toluene	ND	0.500	"								
trans-1,2-Dichloroethylene	ND	0.500	"								
trans-1,3-Dichloropropylene	ND	0.500	"								
Trichloroethylene	ND	0.500	"								
Trichlorofluoromethane	ND	0.500	"								
Vinyl Chloride	ND	0.500	"								
Xylenes, Total	ND	1.50	"								
<hr/>											
Surrogate: SURR: 1,2-Dichloroethane-d4	9.53		"	10.0		95.3		70-130			
Surrogate: SURR: Toluene-d8	9.29		"	10.0		92.9		81-117			
Surrogate: SURR: p-Bromofluorobenzene	9.70		"	10.0		97.0		79-122			

**LCS (BJ90297-BS1)**

Prepared & Analyzed: 10/04/2019

1,1,1,2-Tetrachloroethane	9.43		ug/L	10.0		94.3		82-126			
1,1,1-Trichloroethane	10.3		"	10.0		103		78-130			
1,1,2,2-Tetrachloroethane	8.55		"	10.0		85.5		76-129			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.5		"	10.0		105		70-130			
1,1,2-Trichloroethane	8.49		"	10.0		84.9		82-123			
1,1-Dichloroethane	10.2		"	10.0		102		82-129			
1,1-Dichloroethylene	10.1		"	10.0		101		70-130			
1,1-Dichloropropylene	10.1		"	10.0		101		83-133			
1,2,3-Trichlorobenzene	8.25		"	10.0		82.5		76-130			
1,2,3-Trichloropropane	8.24		"	10.0		82.4		77-128			
1,2,4-Trichlorobenzene	8.26		"	10.0		82.6		76-130			
1,2,4-Trimethylbenzene	8.72		"	10.0		87.2		82-132			
1,2-Dibromo-3-chloropropane	8.19		"	10.0		81.9		45-147			
1,2-Dibromoethane	8.82		"	10.0		88.2		83-124			
1,2-Dichlorobenzene	8.47		"	10.0		84.7		79-123			
1,2-Dichloroethane	9.59		"	10.0		95.9		73-130			
1,2-Dichloropropane	8.62		"	10.0		86.2		78-126			
1,3,5-Trimethylbenzene	8.66		"	10.0		86.6		80-131			
1,3-Dichlorobenzene	8.38		"	10.0		83.8		86-122		Low Bias	
1,3-Dichloropropane	8.63		"	10.0		86.3		81-125			
1,4-Dichlorobenzene	8.31		"	10.0		83.1		85-124		Low Bias	
2,2-Dichloropropane	10.6		"	10.0		106		56-150			
2-Chlorotoluene	8.47		"	10.0		84.7		79-130			
2-Hexanone	8.18		"	10.0		81.8		51-146			
4-Chlorotoluene	8.25		"	10.0		82.5		79-128			
Acetone	8.01		"	10.0		80.1		40-150			
Benzene	10.7		"	10.0		107		85-126			
Bromobenzene	8.21		"	10.0		82.1		78-129			
Bromochloromethane	10.4		"	10.0		104		77-128			
Bromodichloromethane	8.86		"	10.0		88.6		79-128			



**Volatile Organic Compounds by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Units	Spike	Source*	%REC	%REC	Limits	Flag	RPD	RPD	Limit	Flag
		Limit			Result					Limit			

**Batch BJ90297 - EPA 5030B**

**LCS (BJ90297-BS1)**

Prepared & Analyzed: 10/04/2019

Bromoform	9.01		ug/L	10.0		90.1	78-130						
Bromomethane	8.44		"	10.0		84.4	43-160						
Carbon tetrachloride	11.0		"	10.0		110	77-130						
Chlorobenzene	9.00		"	10.0		90.0	88-120						
Chloroethane	11.2		"	10.0		112	65-136						
Chloroform	10.2		"	10.0		102	82-128						
Chloromethane	10.4		"	10.0		104	43-155						
cis-1,2-Dichloroethylene	10.2		"	10.0		102	83-129						
cis-1,3-Dichloropropylene	8.57		"	10.0		85.7	80-130						
Dibromochloromethane	9.19		"	10.0		91.9	80-130						
Dibromomethane	8.42		"	10.0		84.2	72-134						
Dichlorodifluoromethane	12.8		"	10.0		128	44-144						
Ethyl Benzene	9.37		"	10.0		93.7	80-130						
Hexachlorobutadiene	8.68		"	10.0		86.8	67-146						
Isopropylbenzene	8.60		"	10.0		86.0	76-130						
Methyl tert-butyl ether (MTBE)	9.48		"	10.0		94.8	76-130						
Methylene chloride	11.0		"	10.0		110	70-130						
Naphthalene	7.97		"	10.0		79.7	70-147						
n-Butylbenzene	8.56		"	10.0		85.6	79-132						
n-Propylbenzene	8.81		"	10.0		88.1	78-133						
o-Xylene	9.13		"	10.0		91.3	78-130						
p- & m- Xylenes	18.8		"	20.0		94.2	77-130						
p-Isopropyltoluene	9.03		"	10.0		90.3	81-136						
sec-Butylbenzene	9.35		"	10.0		93.5	79-137						
Styrene	9.21		"	10.0		92.1	70-130						
tert-Butylbenzene	8.69		"	10.0		86.9	77-138						
Tetrachloroethylene	7.75		"	10.0		77.5	82-130		Low Bias				
Toluene	9.18		"	10.0		91.8	80-127						
trans-1,2-Dichloroethylene	10.3		"	10.0		103	80-130						
trans-1,3-Dichloropropylene	8.44		"	10.0		84.4	78-130						
Trichloroethylene	8.65		"	10.0		86.5	82-128						
Trichlorofluoromethane	12.4		"	10.0		124	67-139						
Vinyl Chloride	10.4		"	10.0		104	70-130						
<hr/>													
Surrogate: SURRE: 1,2-Dichloroethane-d4	9.50		"	10.0		95.0	70-130						
Surrogate: SURRE: Toluene-d8	9.16		"	10.0		91.6	81-117						
Surrogate: SURRE: p-Bromofluorobenzene	9.71		"	10.0		97.1	79-122						



**Volatile Organic Compounds by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Spike	Source*	%REC	%REC	Limits	Flag	RPD	
		Limit							Units	Level
<b>Batch BJ90297 - EPA 5030B</b>										
<b>LCS (BJ90297-BS2)</b>										
Prepared & Analyzed: 10/04/2019										
1,1,1,2-Tetrachloroethane	10.2		ug/L	10.0		102	82-126			
1,1,1-Trichloroethane	11.3		"	10.0		113	78-130			
1,1,2,2-Tetrachloroethane	9.15		"	10.0		91.5	76-129			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11.4		"	10.0		114	70-130			
1,1,2-Trichloroethane	9.45		"	10.0		94.5	82-123			
1,1-Dichloroethane	11.1		"	10.0		111	82-129			
1,1-Dichloroethylene	11.0		"	10.0		110	70-130			
1,1-Dichloropropylene	11.0		"	10.0		110	83-133			
1,2,3-Trichlorobenzene	9.19		"	10.0		91.9	76-130			
1,2,3-Trichloropropane	8.81		"	10.0		88.1	77-128			
1,2,4-Trichlorobenzene	8.87		"	10.0		88.7	76-130			
1,2,4-Trimethylbenzene	9.14		"	10.0		91.4	82-132			
1,2-Dibromo-3-chloropropane	9.02		"	10.0		90.2	45-147			
1,2-Dibromoethane	9.64		"	10.0		96.4	83-124			
1,2-Dichlorobenzene	8.97		"	10.0		89.7	79-123			
1,2-Dichloroethane	10.5		"	10.0		105	73-130			
1,2-Dichloropropane	9.33		"	10.0		93.3	78-126			
1,3,5-Trimethylbenzene	9.21		"	10.0		92.1	80-131			
1,3-Dichlorobenzene	8.87		"	10.0		88.7	86-122			
1,3-Dichloropropane	9.39		"	10.0		93.9	81-125			
1,4-Dichlorobenzene	8.84		"	10.0		88.4	85-124			
2,2-Dichloropropane	11.3		"	10.0		113	56-150			
2-Chlorotoluene	9.08		"	10.0		90.8	79-130			
2-Hexanone	8.66		"	10.0		86.6	51-146			
4-Chlorotoluene	8.78		"	10.0		87.8	79-128			
Acetone	7.17		"	10.0		71.7	40-150			
Benzene	11.7		"	10.0		117	85-126			
Bromobenzene	8.76		"	10.0		87.6	78-129			
Bromochloromethane	10.9		"	10.0		109	77-128			
Bromodichloromethane	9.54		"	10.0		95.4	79-128			
Bromoform	9.71		"	10.0		97.1	78-130			
Bromomethane	9.84		"	10.0		98.4	43-160			
Carbon tetrachloride	11.8		"	10.0		118	77-130			
Chlorobenzene	9.66		"	10.0		96.6	88-120			
Chloroethane	11.7		"	10.0		117	65-136			
Chloroform	11.1		"	10.0		111	82-128			
Chloromethane	11.0		"	10.0		110	43-155			
cis-1,2-Dichloroethylene	11.1		"	10.0		111	83-129			
cis-1,3-Dichloropropylene	9.20		"	10.0		92.0	80-130			
Dibromochloromethane	10.0		"	10.0		100	80-130			
Dibromomethane	9.14		"	10.0		91.4	72-134			
Dichlorodifluoromethane	13.6		"	10.0		136	44-144			
Ethyl Benzene	10.1		"	10.0		101	80-130			
Hexachlorobutadiene	8.97		"	10.0		89.7	67-146			
Isopropylbenzene	9.14		"	10.0		91.4	76-130			
Methyl tert-butyl ether (MTBE)	10.5		"	10.0		105	76-130			
Methylene chloride	11.9		"	10.0		119	70-130			
Naphthalene	8.85		"	10.0		88.5	70-147			
n-Butylbenzene	9.06		"	10.0		90.6	79-132			
n-Propylbenzene	9.26		"	10.0		92.6	78-133			



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BJ90297 - EPA 5030B

LCS (BJ90297-BS2)


Prepared & Analyzed: 10/04/2019

o-Xylene	9.88		ug/L	10.0		98.8	78-130				
p- & m- Xylenes	20.3		"	20.0		101	77-130				
p-Isopropyltoluene	9.53		"	10.0		95.3	81-136				
sec-Butylbenzene	9.85		"	10.0		98.5	79-137				
Styrene	9.97		"	10.0		99.7	70-130				
tert-Butylbenzene	9.25		"	10.0		92.5	77-138				
Tetrachloroethylene	8.37		"	10.0		83.7	82-130				
Toluene	9.98		"	10.0		99.8	80-127				
trans-1,2-Dichloroethylene	11.2		"	10.0		112	80-130				
trans-1,3-Dichloropropylene	9.15		"	10.0		91.5	78-130				
Trichloroethylene	9.44		"	10.0		94.4	82-128				
Trichlorofluoromethane	13.1		"	10.0		131	67-139				
Vinyl Chloride	11.0		"	10.0		110	70-130				
Surrogate: SURR: 1,2-Dichloroethane-d4	9.62		"	10.0		96.2	70-130				
Surrogate: SURR: Toluene-d8	9.16		"	10.0		91.6	81-117				
Surrogate: SURR: p-Bromofluorobenzene	9.57		"	10.0		95.7	79-122				

LCS Dup (BJ90297-BSD1)

Prepared & Analyzed: 10/04/2019

1,1,1,2-Tetrachloroethane	9.01		ug/L	10.0		90.1	82-126		4.56	30	
1,1,1-Trichloroethane	9.51		"	10.0		95.1	78-130		7.88	20	
1,1,2,2-Tetrachloroethane	8.53		"	10.0		85.3	76-129		0.234	20	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.63		"	10.0		96.3	70-130		8.45	20	
1,1,2-Trichloroethane	8.55		"	10.0		85.5	82-123		0.704	20	
1,1-Dichloroethane	9.58		"	10.0		95.8	82-129		5.97	20	
1,1-Dichloroethylene	9.28		"	10.0		92.8	70-130		8.46	20	
1,1-Dichloropropylene	9.25		"	10.0		92.5	83-133		8.98	30	
1,2,3-Trichlorobenzene	8.28		"	10.0		82.8	76-130		0.363	20	
1,2,3-Trichloropropane	8.12		"	10.0		81.2	77-128		1.47	30	
1,2,4-Trichlorobenzene	7.89		"	10.0		78.9	76-130		4.58	20	
1,2,4-Trimethylbenzene	7.95		"	10.0		79.5	82-132	Low Bias	9.24	20	
1,2-Dibromo-3-chloropropane	7.97		"	10.0		79.7	45-147		2.72	20	
1,2-Dibromoethane	8.88		"	10.0		88.8	83-124		0.678	20	
1,2-Dichlorobenzene	7.88		"	10.0		78.8	79-123	Low Bias	7.22	20	
1,2-Dichloroethane	9.47		"	10.0		94.7	73-130		1.26	20	
1,2-Dichloropropane	8.28		"	10.0		82.8	78-126		4.02	20	
1,3,5-Trimethylbenzene	7.87		"	10.0		78.7	80-131	Low Bias	9.56	30	
1,3-Dichlorobenzene	7.78		"	10.0		77.8	86-122	Low Bias	7.43	20	
1,3-Dichloropropane	8.61		"	10.0		86.1	81-125		0.232	30	
1,4-Dichlorobenzene	7.70		"	10.0		77.0	85-124	Low Bias	7.62	20	
2,2-Dichloropropane	9.64		"	10.0		96.4	56-150		9.39	30	
2-Chlorotoluene	7.77		"	10.0		77.7	79-130	Low Bias	8.62	30	
2-Hexanone	8.68		"	10.0		86.8	51-146		5.93	20	
4-Chlorotoluene	7.58		"	10.0		75.8	79-128	Low Bias	8.46	30	
Acetone	8.64		"	10.0		86.4	40-150		7.57	20	
Benzene	10.1		"	10.0		101	85-126		6.54	20	
Bromobenzene	7.64		"	10.0		76.4	78-129	Low Bias	7.19	30	
Bromochloromethane	9.96		"	10.0		99.6	77-128		4.13	20	
Bromodichloromethane	8.59		"	10.0		85.9	79-128		3.09	20	
Bromoform	9.01		"	10.0		90.1	78-130		0.00	20	
Bromomethane	8.32		"	10.0		83.2	43-160		1.43	20	



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.


Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
<b>Batch BJ90297 - EPA 5030B</b>											
<b>LCS Dup (BJ90297-BSD1)</b>											
Prepared & Analyzed: 10/04/2019											
Carbon tetrachloride	10.0		ug/L	10.0		100	77-130		9.34	20	
Chlorobenzene	8.45		"	10.0		84.5	88-120	Low Bias	6.30	20	
Chloroethane	10.0		"	10.0		100	65-136		11.4	20	
Chloroform	9.65		"	10.0		96.5	82-128		5.93	20	
Chloromethane	9.35		"	10.0		93.5	43-155		10.8	20	
cis-1,2-Dichloroethylene	9.58		"	10.0		95.8	83-129		6.46	20	
cis-1,3-Dichloropropylene	8.29		"	10.0		82.9	80-130		3.32	20	
Dibromochloromethane	9.00		"	10.0		90.0	80-130		2.09	20	
Dibromomethane	8.32		"	10.0		83.2	72-134		1.19	30	
Dichlorodifluoromethane	11.5		"	10.0		115	44-144		10.6	20	
Ethyl Benzene	8.68		"	10.0		86.8	80-130		7.65	20	
Hexachlorobutadiene	8.07		"	10.0		80.7	67-146		7.28	30	
Isopropylbenzene	7.69		"	10.0		76.9	76-130		11.2	20	
Methyl tert-butyl ether (MTBE)	9.94		"	10.0		99.4	76-130		4.74	20	
Methylene chloride	10.6		"	10.0		106	70-130		3.60	20	
Naphthalene	7.88		"	10.0		78.8	70-147		1.14	30	
n-Butylbenzene	8.03		"	10.0		80.3	79-132		6.39	30	
n-Propylbenzene	7.91		"	10.0		79.1	78-133		10.8	30	
o-Xylene	8.54		"	10.0		85.4	78-130		6.68	20	
p- & m- Xylenes	17.5		"	20.0		87.4	77-130		7.49	20	
p-Isopropyltoluene	8.13		"	10.0		81.3	81-136		10.5	30	
sec-Butylbenzene	8.38		"	10.0		83.8	79-137		10.9	30	
Styrene	8.81		"	10.0		88.1	70-130		4.44	20	
tert-Butylbenzene	7.86		"	10.0		78.6	77-138		10.0	30	
Tetrachloroethylene	7.17		"	10.0		71.7	82-130	Low Bias	7.77	20	
Toluene	8.54		"	10.0		85.4	80-127		7.22	20	
trans-1,2-Dichloroethylene	9.55		"	10.0		95.5	80-130		7.36	20	
trans-1,3-Dichloropropylene	8.33		"	10.0		83.3	78-130		1.31	20	
Trichloroethylene	8.04		"	10.0		80.4	82-128	Low Bias	7.31	20	
Trichlorofluoromethane	11.2		"	10.0		112	67-139		9.48	20	
Vinyl Chloride	9.22		"	10.0		92.2	70-130		11.9	20	
Surrogate: SURR: 1,2-Dichloroethane-d4	9.79		"	10.0		97.9	70-130				
Surrogate: SURR: Toluene-d8	9.07		"	10.0		90.7	81-117				
Surrogate: SURR: p-Bromofluorobenzene	9.52		"	10.0		95.2	79-122				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
<b>Batch BJ90297 - EPA 5030B</b>											
<b>LCS Dup (BJ90297-BSD2)</b>											
Prepared & Analyzed: 10/04/2019											
1,1,1,2-Tetrachloroethane	9.71		ug/L	10.0		97.1	82-126		4.43	30	
1,1,1-Trichloroethane	10.3		"	10.0		103	78-130		8.87	20	
1,1,2,2-Tetrachloroethane	9.03		"	10.0		90.3	76-129		1.32	20	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.3		"	10.0		103	70-130		9.93	20	
1,1,2-Trichloroethane	8.91		"	10.0		89.1	82-123		5.88	20	
1,1-Dichloroethane	10.4		"	10.0		104	82-129		6.53	20	
1,1-Dichloroethylene	10.1		"	10.0		101	70-130		8.92	20	
1,1-Dichloropropylene	10.1		"	10.0		101	83-133		8.79	30	
1,2,3-Trichlorobenzene	8.71		"	10.0		87.1	76-130		5.36	20	
1,2,3-Trichloropropane	8.85		"	10.0		88.5	77-128		0.453	30	
1,2,4-Trichlorobenzene	8.54		"	10.0		85.4	76-130		3.79	20	
1,2,4-Trimethylbenzene	8.73		"	10.0		87.3	82-132		4.59	20	
1,2-Dibromo-3-chloropropane	8.61		"	10.0		86.1	45-147		4.65	20	
1,2-Dibromoethane	9.31		"	10.0		93.1	83-124		3.48	20	
1,2-Dichlorobenzene	8.58		"	10.0		85.8	79-123		4.44	20	
1,2-Dichloroethane	10.0		"	10.0		100	73-130		4.58	20	
1,2-Dichloropropane	8.87		"	10.0		88.7	78-126		5.05	20	
1,3,5-Trimethylbenzene	8.69		"	10.0		86.9	80-131		5.81	30	
1,3-Dichlorobenzene	8.56		"	10.0		85.6	86-122	Low Bias	3.56	20	
1,3-Dichloropropane	9.16		"	10.0		91.6	81-125		2.48	30	
1,4-Dichlorobenzene	8.50		"	10.0		85.0	85-124		3.92	20	
2,2-Dichloropropane	10.4		"	10.0		104	56-150		8.49	30	
2-Chlorotoluene	8.64		"	10.0		86.4	79-130		4.97	30	
2-Hexanone	8.54		"	10.0		85.4	51-146		1.40	20	
4-Chlorotoluene	8.35		"	10.0		83.5	79-128		5.02	30	
Acetone	6.86		"	10.0		68.6	40-150		4.42	20	
Benzene	10.9		"	10.0		109	85-126		7.05	20	
Bromobenzene	8.44		"	10.0		84.4	78-129		3.72	30	
Bromochloromethane	10.6		"	10.0		106	77-128		2.23	20	
Bromodichloromethane	9.15		"	10.0		91.5	79-128		4.17	20	
Bromoform	9.22		"	10.0		92.2	78-130		5.18	20	
Bromomethane	9.89		"	10.0		98.9	43-160		0.507	20	
Carbon tetrachloride	10.9		"	10.0		109	77-130		8.54	20	
Chlorobenzene	9.14		"	10.0		91.4	88-120		5.53	20	
Chloroethane	11.0		"	10.0		110	65-136		5.63	20	
Chloroform	10.5		"	10.0		105	82-128		5.93	20	
Chloromethane	10.3		"	10.0		103	43-155		6.58	20	
cis-1,2-Dichloroethylene	10.3		"	10.0		103	83-129		7.69	20	
cis-1,3-Dichloropropylene	8.76		"	10.0		87.6	80-130		4.90	20	
Dibromochloromethane	9.42		"	10.0		94.2	80-130		6.37	20	
Dibromomethane	8.86		"	10.0		88.6	72-134		3.11	30	
Dichlorodifluoromethane	12.3		"	10.0		123	44-144		10.4	20	
Ethyl Benzene	9.40		"	10.0		94.0	80-130		6.88	20	
Hexachlorobutadiene	8.60		"	10.0		86.0	67-146		4.21	30	
Isopropylbenzene	8.58		"	10.0		85.8	76-130		6.32	20	
Methyl tert-butyl ether (MTBE)	10.2		"	10.0		102	76-130		2.89	20	
Methylene chloride	11.3		"	10.0		113	70-130		5.19	20	
Naphthalene	8.57		"	10.0		85.7	70-147		3.21	30	
n-Butylbenzene	8.67		"	10.0		86.7	79-132		4.40	30	
n-Propylbenzene	8.78		"	10.0		87.8	78-133		5.32	30	



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**


Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BJ90297 - EPA 5030B**

**LCS Dup (BJ90297-BSD2)**


Prepared & Analyzed: 10/04/2019

o-Xylene	9.26		ug/L	10.0		92.6	78-130		6.48	20	
p- & m- Xylenes	19.0		"	20.0		95.0	77-130		6.52	20	
p-Isopropyltoluene	9.05		"	10.0		90.5	81-136		5.17	30	
sec-Butylbenzene	9.29		"	10.0		92.9	79-137		5.85	30	
Styrene	9.46		"	10.0		94.6	70-130		5.25	20	
tert-Butylbenzene	8.71		"	10.0		87.1	77-138		6.01	30	
Tetrachloroethylene	7.74		"	10.0		77.4	82-130	Low Bias	7.82	20	
Toluene	9.30		"	10.0		93.0	80-127		7.05	20	
trans-1,2-Dichloroethylene	10.3		"	10.0		103	80-130		8.72	20	
trans-1,3-Dichloropropylene	8.71		"	10.0		87.1	78-130		4.93	20	
Trichloroethylene	8.74		"	10.0		87.4	82-128		7.70	20	
Trichlorofluoromethane	12.1		"	10.0		121	67-139		8.11	20	
Vinyl Chloride	10.0		"	10.0		100	70-130		8.94	20	
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>9.44</i>		<i>"</i>	<i>10.0</i>		<i>94.4</i>	<i>70-130</i>				
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.12</i>		<i>"</i>	<i>10.0</i>		<i>91.2</i>	<i>81-117</i>				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>9.81</i>		<i>"</i>	<i>10.0</i>		<i>98.1</i>	<i>79-122</i>				



**Metals by ICP - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
<b>Batch BJ90316 - EPA 200.7</b>											
<b>Blank (BJ90316-BLK1)</b>											Prepared & Analyzed: 10/04/2019
Iron	ND	0.278	mg/L								
<b>LCS (BJ90316-BS1)</b>											Prepared & Analyzed: 10/04/2019
Iron	1.03		ug/mL	1.00		103	85-115				
<b>Batch BJ90388 - EPA 3015A</b>											
<b>Blank (BJ90388-BLK1)</b>											Prepared & Analyzed: 10/07/2019
Iron - Dissolved	ND	0.278	mg/L								
<b>LCS (BJ90388-BS1)</b>											Prepared & Analyzed: 10/07/2019
Iron - Dissolved	0.990		ug/mL	1.00		99.0	80-120				



Miscellaneous Physical Parameters - Quality Control Data

York Analytical Laboratories, Inc.


Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BJ90521 - % Solids Prep**

**Blank (BJ90521-BLK1)**


Prepared & Analyzed: 10/08/2019

Total Dissolved Solids	ND	10.0	mg/L								
------------------------	----	------	------	--	--	--	--	--	--	--	--



### Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
19J0202-01	WQ100319:1035 NP2-6	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
19J0202-02	WQ100319:1040 NP2-10	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C



## Sample and Data Qualifiers Relating to This Work Order

SCAL-E	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%).
QL-02	This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
CCV-E	The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).

### Definitions and Other Explanations

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW -846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias ) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.


If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.




For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

---



**APPENDIX II**  
**OCTOBER 2019 LABORATORY ANALYTICAL REPORTS**  
**FOR FSP&T AND FP&T RECOVERY WELLS**



# Technical Report

prepared for:

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
**Attention: Tunde Komuves-Sandor**

Report Date: 10/07/2019  
**Client Project ID: 31401451.000 Task 01.00**  
York Project (SDG) No.: 19J0204

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE  
[www.YORKLAB.com](http://www.YORKLAB.com)

STRATFORD, CT 06615  
(203) 325-1371

132-02 89th AVENUE  
FAX (203) 357-0166

RICHMOND HILL, NY 11418  
[ClientServices@yorklab.com](mailto:ClientServices@yorklab.com)

Report Date: 10/07/2019  
Client Project ID: 31401451.000 Task 01.00  
York Project (SDG) No.: 19J0204

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
Attention: Tunde Komuves-Sandor

---

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on October 03, 2019 and listed below. The project was identified as your project: **31401451.000 Task 01.00**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
19J0204-01	WQ100319: 1000 FRW-1	Water	10/03/2019	10/03/2019
19J0204-02	WQ100319: 1005 FRW-3	Water	10/03/2019	10/03/2019
19J0204-03	WQ100319: 1010 FRW-4	Water	10/03/2019	10/03/2019
19J0204-04	WQ100319: 1020 NPI-1-2	Water	10/03/2019	10/03/2019

## **General Notes for York Project (SDG) No.: 19J0204**

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

**Approved By:**



Benjamin Gulizia  
Laboratory Director

**Date:** 10/07/2019





### Sample Information

**Client Sample ID:** WQ100319: 1000 FRW-1

**York Sample ID:** 19J0204-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
19J0204	31401451.000 Task 01.00	Water	October 3, 2019 10:00 am	10/03/2019

**Volatile Organics, 8260 List - Low Level**

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 19:35	RDS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS



### Sample Information

**Client Sample ID:** WQ100319: 1000 FRW-1

**York Sample ID:** 19J0204-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0204

31401451.000 Task 01.00

Water

October 3, 2019 10:00 am

10/03/2019

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
95-49-8	2-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
591-78-6	2-Hexanone	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
106-43-4	4-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
67-64-1	Acetone	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
108-86-1	Bromobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
74-97-5	Bromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
75-27-4	Bromodichloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
75-25-2	Bromoform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
74-83-9	Bromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
56-23-5	Carbon tetrachloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
108-90-7	Chlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
75-00-3	Chloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
67-66-3	Chloroform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
74-87-3	Chloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
156-59-2	<b>cis-1,2-Dichloroethylene</b>	<b>4.47</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
124-48-1	Dibromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
74-95-3	Dibromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS



### Sample Information

**Client Sample ID:** WQ100319: 1000 FRW-1

**York Sample ID:** 19J0204-01

<u>York Project (SDG) No.</u> 19J0204	<u>Client Project ID</u> 31401451.000 Task 01.00	<u>Matrix</u> Water	<u>Collection Date/Time</u> October 3, 2019 10:00 am	<u>Date Received</u> 10/03/2019
--	---	------------------------	---	------------------------------------

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
127-18-4	<b>Tetrachloroethylene</b>	<b>10.7</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
79-01-6	<b>Trichloroethylene</b>	<b>1.67</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
75-01-4	<b>Vinyl Chloride</b>	<b>1.46</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 19:35	RDS
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 19:35	RDS
<b>Surrogate Recoveries</b>		<b>Result</b>	<b>Acceptance Range</b>								
17060-07-0	Surrogate: SURRE: 1,2-Dichloroethane-d4	97.4 %	69-130								
2037-26-5	Surrogate: SURRE: Toluene-d8	90.4 %	81-117								
460-00-4	Surrogate: SURRE: p-Bromofluorobenzene	104 %	79-122								



### Sample Information

**Client Sample ID:** WQ100319: 1005 FRW-3

**York Sample ID:** 19J0204-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0204

31401451.000 Task 01.00

Water

October 3, 2019 10:05 am

10/03/2019

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 20:03	RDS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
95-49-8	2-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS



### Sample Information

**Client Sample ID:** WQ100319: 1005 FRW-3

**York Sample ID:** 19J0204-02

<u>York Project (SDG) No.</u> 19J0204	<u>Client Project ID</u> 31401451.000 Task 01.00	<u>Matrix</u> Water	<u>Collection Date/Time</u> October 3, 2019 10:05 am	<u>Date Received</u> 10/03/2019
--	---	------------------------	---	------------------------------------

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
591-78-6	2-Hexanone	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
106-43-4	4-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
67-64-1	Acetone	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
108-86-1	Bromobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
74-97-5	Bromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
75-27-4	Bromodichloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
75-25-2	Bromoform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
74-83-9	Bromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
56-23-5	Carbon tetrachloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
108-90-7	Chlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
75-00-3	Chloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
67-66-3	Chloroform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
74-87-3	Chloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
156-59-2	<b>cis-1,2-Dichloroethylene</b>	<b>2.02</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
124-48-1	Dibromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
74-95-3	Dibromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS



### Sample Information

**Client Sample ID:** WQ100319: 1005 FRW-3

**York Sample ID:** 19J0204-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0204

31401451.000 Task 01.00

Water

October 3, 2019 10:05 am

10/03/2019

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
127-18-4	<b>Tetrachloroethylene</b>	<b>5.77</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
79-01-6	<b>Trichloroethylene</b>	<b>0.300</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
75-01-4	Vinyl Chloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:03	RDS
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 20:03	RDS
	<b>Surrogate Recoveries</b>	<b>Result</b>			<b>Acceptance Range</b>						
17060-07-0	Surrogate: SURRE: 1,2-Dichloroethane-d4	96.3 %			69-130						
2037-26-5	Surrogate: SURRE: Toluene-d8	90.0 %			81-117						
460-00-4	Surrogate: SURRE: p-Bromofluorobenzene	105 %			79-122						



### Sample Information

**Client Sample ID:** WQ100319: 1010 FRW-4

**York Sample ID:** 19J0204-03

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0204

31401451.000 Task 01.00

Water

October 3, 2019 10:10 am

10/03/2019

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 20:32	RDS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
95-49-8	2-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS



### Sample Information

**Client Sample ID:** WQ100319: 1010 FRW-4

**York Sample ID:** 19J0204-03

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0204

31401451.000 Task 01.00

Water

October 3, 2019 10:10 am

10/03/2019

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
591-78-6	2-Hexanone	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
106-43-4	4-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
67-64-1	Acetone	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
108-86-1	Bromobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
74-97-5	Bromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
75-27-4	Bromodichloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
75-25-2	Bromoform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
74-83-9	Bromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
56-23-5	Carbon tetrachloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
108-90-7	Chlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
75-00-3	Chloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
67-66-3	Chloroform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
74-87-3	Chloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
124-48-1	Dibromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
74-95-3	Dibromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS



### Sample Information

**Client Sample ID:** WQ100319: 1010 FRW-4

**York Sample ID:** 19J0204-03

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0204

31401451.000 Task 01.00

Water

October 3, 2019 10:10 am

10/03/2019

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
127-18-4	<b>Tetrachloroethylene</b>	<b>1.07</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
79-01-6	Trichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
75-01-4	Vinyl Chloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 20:32	RDS
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 20:32	RDS
<b>Surrogate Recoveries</b>		<b>Result</b>	<b>Acceptance Range</b>								
17060-07-0	Surrogate: <i>SURR: 1,2-Dichloroethane-d4</i>	94.7 %	69-130								
2037-26-5	Surrogate: <i>SURR: Toluene-d8</i>	91.5 %	81-117								
460-00-4	Surrogate: <i>SURR: p-Bromofluorobenzene</i>	103 %	79-122								



### Sample Information

**Client Sample ID:** WQ100319: 1020 NPI-1-2

**York Sample ID:** 19J0204-04

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0204

31401451.000 Task 01.00

Water

October 3, 2019 10:20 am

10/03/2019

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 21:01	RDS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
95-49-8	2-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS



### Sample Information

**Client Sample ID:** WQ100319: 1020 NPI-1-2

**York Sample ID:** 19J0204-04

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0204

31401451.000 Task 01.00

Water

October 3, 2019 10:20 am

10/03/2019

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
591-78-6	2-Hexanone	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
106-43-4	4-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
67-64-1	Acetone	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
108-86-1	Bromobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
74-97-5	Bromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
75-27-4	Bromodichloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
75-25-2	Bromoform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
74-83-9	Bromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
56-23-5	Carbon tetrachloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
108-90-7	Chlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
75-00-3	Chloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
67-66-3	Chloroform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
74-87-3	Chloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
124-48-1	Dibromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
74-95-3	Dibromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS



### Sample Information

**Client Sample ID:** WQ100319: 1020 NPI-1-2

**York Sample ID:** 19J0204-04

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0204

31401451.000 Task 01.00

Water

October 3, 2019 10:20 am

10/03/2019


**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
127-18-4	Tetrachloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
79-01-6	<b>Trichloroethylene</b>	<b>0.220</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
75-01-4	Vinyl Chloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/04/2019 07:30	10/04/2019 21:01	RDS
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	10/04/2019 07:30	10/04/2019 21:01	RDS
<b>Surrogate Recoveries</b>		<b>Result</b>	<b>Acceptance Range</b>								
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	95.2 %	69-130								
2037-26-5	Surrogate: SURR: Toluene-d8	90.4 %	81-117								
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	97.4 %	79-122								



## Analytical Batch Summary

**Batch ID:** BJ90297

**Preparation Method:** EPA 5030B

**Prepared By:** AB

YORK Sample ID	Client Sample ID	Preparation Date
19J0204-01	WQ100319: 1000 FRW-1	10/04/19
19J0204-02	WQ100319: 1005 FRW-3	10/04/19
19J0204-03	WQ100319: 1010 FRW-4	10/04/19
19J0204-04	WQ100319: 1020 NPI-1-2	10/04/19
BJ90297-BLK1	Blank	10/04/19
BJ90297-BS1	LCS	10/04/19
BJ90297-BS2	LCS	10/04/19
BJ90297-BSD1	LCS Dup	10/04/19
BJ90297-BSD2	LCS Dup	10/04/19



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BJ90297 - EPA 5030B**

**Blank (BJ90297-BLK1)**

Prepared & Analyzed: 10/04/2019

1,1,1,2-Tetrachloroethane	ND	0.500	ug/L								
1,1,1-Trichloroethane	ND	0.500	"								
1,1,2,2-Tetrachloroethane	ND	0.500	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.500	"								
1,1,2-Trichloroethane	ND	0.500	"								
1,1-Dichloroethane	ND	0.500	"								
1,1-Dichloroethylene	ND	0.500	"								
1,1-Dichloropropylene	ND	0.500	"								
1,2,3-Trichlorobenzene	ND	0.500	"								
1,2,3-Trichloropropane	ND	0.500	"								
1,2,4-Trichlorobenzene	ND	0.500	"								
1,2,4-Trimethylbenzene	ND	0.500	"								
1,2-Dibromo-3-chloropropane	ND	0.500	"								
1,2-Dibromoethane	ND	0.500	"								
1,2-Dichlorobenzene	ND	0.500	"								
1,2-Dichloroethane	ND	0.500	"								
1,2-Dichloropropane	ND	0.500	"								
1,3,5-Trimethylbenzene	ND	0.500	"								
1,3-Dichlorobenzene	ND	0.500	"								
1,3-Dichloropropane	ND	0.500	"								
1,4-Dichlorobenzene	ND	0.500	"								
2,2-Dichloropropane	ND	0.500	"								
2-Chlorotoluene	ND	0.500	"								
2-Hexanone	ND	0.500	"								
4-Chlorotoluene	ND	0.500	"								
Acetone	ND	2.00	"								
Benzene	ND	0.500	"								
Bromobenzene	ND	0.500	"								
Bromochloromethane	ND	0.500	"								
Bromodichloromethane	ND	0.500	"								
Bromoform	ND	0.500	"								
Bromomethane	ND	0.500	"								
Carbon tetrachloride	ND	0.500	"								
Chlorobenzene	ND	0.500	"								
Chloroethane	ND	0.500	"								
Chloroform	ND	0.500	"								
Chloromethane	ND	0.500	"								
cis-1,2-Dichloroethylene	ND	0.500	"								
cis-1,3-Dichloropropylene	ND	0.500	"								
Dibromochloromethane	ND	0.500	"								
Dibromomethane	ND	0.500	"								
Dichlorodifluoromethane	ND	0.500	"								
Ethyl Benzene	ND	0.500	"								
Hexachlorobutadiene	ND	0.500	"								
Isopropylbenzene	ND	0.500	"								
Methyl tert-butyl ether (MTBE)	ND	0.500	"								
Methylene chloride	ND	2.00	"								
Naphthalene	ND	2.00	"								
n-Butylbenzene	ND	0.500	"								



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Units	Spike	Source*	%REC	%REC	Limits	Flag	RPD	Flag
		Limit			Result					Limit	

**Batch BJ90297 - EPA 5030B**

**Blank (BJ90297-BLK1)**

Prepared & Analyzed: 10/04/2019

n-Propylbenzene	ND	0.500	ug/L								
o-Xylene	ND	0.500	"								
p- & m- Xylenes	ND	1.00	"								
p-Isopropyltoluene	ND	0.500	"								
sec-Butylbenzene	ND	0.500	"								
Styrene	ND	0.500	"								
tert-Butylbenzene	ND	0.500	"								
Tetrachloroethylene	ND	0.500	"								
Toluene	ND	0.500	"								
trans-1,2-Dichloroethylene	ND	0.500	"								
trans-1,3-Dichloropropylene	ND	0.500	"								
Trichloroethylene	ND	0.500	"								
Trichlorofluoromethane	ND	0.500	"								
Vinyl Chloride	ND	0.500	"								
Xylenes, Total	ND	1.50	"								
<hr/>											
Surrogate: SURR: 1,2-Dichloroethane-d4	9.53		"	10.0		95.3	70-130				
Surrogate: SURR: Toluene-d8	9.29		"	10.0		92.9	81-117				
Surrogate: SURR: p-Bromofluorobenzene	9.70		"	10.0		97.0	79-122				

**LCS (BJ90297-BS1)**

Prepared & Analyzed: 10/04/2019

1,1,1,2-Tetrachloroethane	9.43		ug/L	10.0		94.3	82-126				
1,1,1-Trichloroethane	10.3		"	10.0		103	78-130				
1,1,2,2-Tetrachloroethane	8.55		"	10.0		85.5	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.5		"	10.0		105	70-130				
1,1,2-Trichloroethane	8.49		"	10.0		84.9	82-123				
1,1-Dichloroethane	10.2		"	10.0		102	82-129				
1,1-Dichloroethylene	10.1		"	10.0		101	70-130				
1,1-Dichloropropylene	10.1		"	10.0		101	83-133				
1,2,3-Trichlorobenzene	8.25		"	10.0		82.5	76-130				
1,2,3-Trichloropropane	8.24		"	10.0		82.4	77-128				
1,2,4-Trichlorobenzene	8.26		"	10.0		82.6	76-130				
1,2,4-Trimethylbenzene	8.72		"	10.0		87.2	82-132				
1,2-Dibromo-3-chloropropane	8.19		"	10.0		81.9	45-147				
1,2-Dibromoethane	8.82		"	10.0		88.2	83-124				
1,2-Dichlorobenzene	8.47		"	10.0		84.7	79-123				
1,2-Dichloroethane	9.59		"	10.0		95.9	73-130				
1,2-Dichloropropane	8.62		"	10.0		86.2	78-126				
1,3,5-Trimethylbenzene	8.66		"	10.0		86.6	80-131				
1,3-Dichlorobenzene	8.38		"	10.0		83.8	86-122	Low Bias			
1,3-Dichloropropane	8.63		"	10.0		86.3	81-125				
1,4-Dichlorobenzene	8.31		"	10.0		83.1	85-124	Low Bias			
2,2-Dichloropropane	10.6		"	10.0		106	56-150				
2-Chlorotoluene	8.47		"	10.0		84.7	79-130				
2-Hexanone	8.18		"	10.0		81.8	51-146				
4-Chlorotoluene	8.25		"	10.0		82.5	79-128				
Acetone	8.01		"	10.0		80.1	40-150				
Benzene	10.7		"	10.0		107	85-126				
Bromobenzene	8.21		"	10.0		82.1	78-129				
Bromochloromethane	10.4		"	10.0		104	77-128				
Bromodichloromethane	8.86		"	10.0		88.6	79-128				



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Units	Spike	Source*	%REC	%REC	Limits	Flag	RPD	RPD	Limit	Flag
		Limit			Result					Limit			

**Batch BJ90297 - EPA 5030B**

**LCS (BJ90297-BS1)**

Prepared & Analyzed: 10/04/2019

Bromoform	9.01		ug/L	10.0		90.1	78-130						
Bromomethane	8.44		"	10.0		84.4	43-160						
Carbon tetrachloride	11.0		"	10.0		110	77-130						
Chlorobenzene	9.00		"	10.0		90.0	88-120						
Chloroethane	11.2		"	10.0		112	65-136						
Chloroform	10.2		"	10.0		102	82-128						
Chloromethane	10.4		"	10.0		104	43-155						
cis-1,2-Dichloroethylene	10.2		"	10.0		102	83-129						
cis-1,3-Dichloropropylene	8.57		"	10.0		85.7	80-130						
Dibromochloromethane	9.19		"	10.0		91.9	80-130						
Dibromomethane	8.42		"	10.0		84.2	72-134						
Dichlorodifluoromethane	12.8		"	10.0		128	44-144						
Ethyl Benzene	9.37		"	10.0		93.7	80-130						
Hexachlorobutadiene	8.68		"	10.0		86.8	67-146						
Isopropylbenzene	8.60		"	10.0		86.0	76-130						
Methyl tert-butyl ether (MTBE)	9.48		"	10.0		94.8	76-130						
Methylene chloride	11.0		"	10.0		110	70-130						
Naphthalene	7.97		"	10.0		79.7	70-147						
n-Butylbenzene	8.56		"	10.0		85.6	79-132						
n-Propylbenzene	8.81		"	10.0		88.1	78-133						
o-Xylene	9.13		"	10.0		91.3	78-130						
p- & m- Xylenes	18.8		"	20.0		94.2	77-130						
p-Isopropyltoluene	9.03		"	10.0		90.3	81-136						
sec-Butylbenzene	9.35		"	10.0		93.5	79-137						
Styrene	9.21		"	10.0		92.1	70-130						
tert-Butylbenzene	8.69		"	10.0		86.9	77-138						
Tetrachloroethylene	7.75		"	10.0		77.5	82-130	Low Bias					
Toluene	9.18		"	10.0		91.8	80-127						
trans-1,2-Dichloroethylene	10.3		"	10.0		103	80-130						
trans-1,3-Dichloropropylene	8.44		"	10.0		84.4	78-130						
Trichloroethylene	8.65		"	10.0		86.5	82-128						
Trichlorofluoromethane	12.4		"	10.0		124	67-139						
Vinyl Chloride	10.4		"	10.0		104	70-130						
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>9.50</i>		<i>"</i>	<i>10.0</i>		<i>95.0</i>	<i>70-130</i>						
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.16</i>		<i>"</i>	<i>10.0</i>		<i>91.6</i>	<i>81-117</i>						
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>9.71</i>		<i>"</i>	<i>10.0</i>		<i>97.1</i>	<i>79-122</i>						



**Volatile Organic Compounds by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Spike	Source*	%REC	%REC	Limits	Flag	RPD	
		Limit							Units	Level
<b>Batch BJ90297 - EPA 5030B</b>										
<b>LCS (BJ90297-BS2)</b>										
Prepared & Analyzed: 10/04/2019										
1,1,1,2-Tetrachloroethane	10.2		ug/L	10.0		102	82-126			
1,1,1-Trichloroethane	11.3		"	10.0		113	78-130			
1,1,2,2-Tetrachloroethane	9.15		"	10.0		91.5	76-129			
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11.4		"	10.0		114	70-130			
1,1,2-Trichloroethane	9.45		"	10.0		94.5	82-123			
1,1-Dichloroethane	11.1		"	10.0		111	82-129			
1,1-Dichloroethylene	11.0		"	10.0		110	70-130			
1,1-Dichloropropylene	11.0		"	10.0		110	83-133			
1,2,3-Trichlorobenzene	9.19		"	10.0		91.9	76-130			
1,2,3-Trichloropropane	8.81		"	10.0		88.1	77-128			
1,2,4-Trichlorobenzene	8.87		"	10.0		88.7	76-130			
1,2,4-Trimethylbenzene	9.14		"	10.0		91.4	82-132			
1,2-Dibromo-3-chloropropane	9.02		"	10.0		90.2	45-147			
1,2-Dibromoethane	9.64		"	10.0		96.4	83-124			
1,2-Dichlorobenzene	8.97		"	10.0		89.7	79-123			
1,2-Dichloroethane	10.5		"	10.0		105	73-130			
1,2-Dichloropropane	9.33		"	10.0		93.3	78-126			
1,3,5-Trimethylbenzene	9.21		"	10.0		92.1	80-131			
1,3-Dichlorobenzene	8.87		"	10.0		88.7	86-122			
1,3-Dichloropropane	9.39		"	10.0		93.9	81-125			
1,4-Dichlorobenzene	8.84		"	10.0		88.4	85-124			
2,2-Dichloropropane	11.3		"	10.0		113	56-150			
2-Chlorotoluene	9.08		"	10.0		90.8	79-130			
2-Hexanone	8.66		"	10.0		86.6	51-146			
4-Chlorotoluene	8.78		"	10.0		87.8	79-128			
Acetone	7.17		"	10.0		71.7	40-150			
Benzene	11.7		"	10.0		117	85-126			
Bromobenzene	8.76		"	10.0		87.6	78-129			
Bromochloromethane	10.9		"	10.0		109	77-128			
Bromodichloromethane	9.54		"	10.0		95.4	79-128			
Bromoform	9.71		"	10.0		97.1	78-130			
Bromomethane	9.84		"	10.0		98.4	43-160			
Carbon tetrachloride	11.8		"	10.0		118	77-130			
Chlorobenzene	9.66		"	10.0		96.6	88-120			
Chloroethane	11.7		"	10.0		117	65-136			
Chloroform	11.1		"	10.0		111	82-128			
Chloromethane	11.0		"	10.0		110	43-155			
cis-1,2-Dichloroethylene	11.1		"	10.0		111	83-129			
cis-1,3-Dichloropropylene	9.20		"	10.0		92.0	80-130			
Dibromochloromethane	10.0		"	10.0		100	80-130			
Dibromomethane	9.14		"	10.0		91.4	72-134			
Dichlorodifluoromethane	13.6		"	10.0		136	44-144			
Ethyl Benzene	10.1		"	10.0		101	80-130			
Hexachlorobutadiene	8.97		"	10.0		89.7	67-146			
Isopropylbenzene	9.14		"	10.0		91.4	76-130			
Methyl tert-butyl ether (MTBE)	10.5		"	10.0		105	76-130			
Methylene chloride	11.9		"	10.0		119	70-130			
Naphthalene	8.85		"	10.0		88.5	70-147			
n-Butylbenzene	9.06		"	10.0		90.6	79-132			
n-Propylbenzene	9.26		"	10.0		92.6	78-133			



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BJ90297 - EPA 5030B

LCS (BJ90297-BS2)

Prepared & Analyzed: 10/04/2019

o-Xylene	9.88		ug/L	10.0		98.8	78-130				
p- & m- Xylenes	20.3		"	20.0		101	77-130				
p-Isopropyltoluene	9.53		"	10.0		95.3	81-136				
sec-Butylbenzene	9.85		"	10.0		98.5	79-137				
Styrene	9.97		"	10.0		99.7	70-130				
tert-Butylbenzene	9.25		"	10.0		92.5	77-138				
Tetrachloroethylene	8.37		"	10.0		83.7	82-130				
Toluene	9.98		"	10.0		99.8	80-127				
trans-1,2-Dichloroethylene	11.2		"	10.0		112	80-130				
trans-1,3-Dichloropropylene	9.15		"	10.0		91.5	78-130				
Trichloroethylene	9.44		"	10.0		94.4	82-128				
Trichlorofluoromethane	13.1		"	10.0		131	67-139				
Vinyl Chloride	11.0		"	10.0		110	70-130				
Surrogate: SURR: 1,2-Dichloroethane-d4	9.62		"	10.0		96.2	70-130				
Surrogate: SURR: Toluene-d8	9.16		"	10.0		91.6	81-117				
Surrogate: SURR: p-Bromofluorobenzene	9.57		"	10.0		95.7	79-122				

LCS Dup (BJ90297-BSD1)

Prepared & Analyzed: 10/04/2019

1,1,1,2-Tetrachloroethane	9.01		ug/L	10.0		90.1	82-126		4.56	30	
1,1,1-Trichloroethane	9.51		"	10.0		95.1	78-130		7.88	20	
1,1,2,2-Tetrachloroethane	8.53		"	10.0		85.3	76-129		0.234	20	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.63		"	10.0		96.3	70-130		8.45	20	
1,1,2-Trichloroethane	8.55		"	10.0		85.5	82-123		0.704	20	
1,1-Dichloroethane	9.58		"	10.0		95.8	82-129		5.97	20	
1,1-Dichloroethylene	9.28		"	10.0		92.8	70-130		8.46	20	
1,1-Dichloropropylene	9.25		"	10.0		92.5	83-133		8.98	30	
1,2,3-Trichlorobenzene	8.28		"	10.0		82.8	76-130		0.363	20	
1,2,3-Trichloropropane	8.12		"	10.0		81.2	77-128		1.47	30	
1,2,4-Trichlorobenzene	7.89		"	10.0		78.9	76-130		4.58	20	
1,2,4-Trimethylbenzene	7.95		"	10.0		79.5	82-132	Low Bias	9.24	20	
1,2-Dibromo-3-chloropropane	7.97		"	10.0		79.7	45-147		2.72	20	
1,2-Dibromoethane	8.88		"	10.0		88.8	83-124		0.678	20	
1,2-Dichlorobenzene	7.88		"	10.0		78.8	79-123	Low Bias	7.22	20	
1,2-Dichloroethane	9.47		"	10.0		94.7	73-130		1.26	20	
1,2-Dichloropropane	8.28		"	10.0		82.8	78-126		4.02	20	
1,3,5-Trimethylbenzene	7.87		"	10.0		78.7	80-131	Low Bias	9.56	30	
1,3-Dichlorobenzene	7.78		"	10.0		77.8	86-122	Low Bias	7.43	20	
1,3-Dichloropropane	8.61		"	10.0		86.1	81-125		0.232	30	
1,4-Dichlorobenzene	7.70		"	10.0		77.0	85-124	Low Bias	7.62	20	
2,2-Dichloropropane	9.64		"	10.0		96.4	56-150		9.39	30	
2-Chlorotoluene	7.77		"	10.0		77.7	79-130	Low Bias	8.62	30	
2-Hexanone	8.68		"	10.0		86.8	51-146		5.93	20	
4-Chlorotoluene	7.58		"	10.0		75.8	79-128	Low Bias	8.46	30	
Acetone	8.64		"	10.0		86.4	40-150		7.57	20	
Benzene	10.1		"	10.0		101	85-126		6.54	20	
Bromobenzene	7.64		"	10.0		76.4	78-129	Low Bias	7.19	30	
Bromochloromethane	9.96		"	10.0		99.6	77-128		4.13	20	
Bromodichloromethane	8.59		"	10.0		85.9	79-128		3.09	20	
Bromoform	9.01		"	10.0		90.1	78-130		0.00	20	
Bromomethane	8.32		"	10.0		83.2	43-160		1.43	20	



**Volatile Organic Compounds by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Spike	Source*	%REC	%REC	Limits	Flag	RPD	
		Limit							Units	Level

**Batch BJ90297 - EPA 5030B**

**LCS Dup (BJ90297-BSD1)**

Prepared & Analyzed: 10/04/2019

Carbon tetrachloride	10.0		ug/L	10.0	100	77-130			9.34	20
Chlorobenzene	8.45		"	10.0	84.5	88-120	Low Bias		6.30	20
Chloroethane	10.0		"	10.0	100	65-136			11.4	20
Chloroform	9.65		"	10.0	96.5	82-128			5.93	20
Chloromethane	9.35		"	10.0	93.5	43-155			10.8	20
cis-1,2-Dichloroethylene	9.58		"	10.0	95.8	83-129			6.46	20
cis-1,3-Dichloropropylene	8.29		"	10.0	82.9	80-130			3.32	20
Dibromochloromethane	9.00		"	10.0	90.0	80-130			2.09	20
Dibromomethane	8.32		"	10.0	83.2	72-134			1.19	30
Dichlorodifluoromethane	11.5		"	10.0	115	44-144			10.6	20
Ethyl Benzene	8.68		"	10.0	86.8	80-130			7.65	20
Hexachlorobutadiene	8.07		"	10.0	80.7	67-146			7.28	30
Isopropylbenzene	7.69		"	10.0	76.9	76-130			11.2	20
Methyl tert-butyl ether (MTBE)	9.94		"	10.0	99.4	76-130			4.74	20
Methylene chloride	10.6		"	10.0	106	70-130			3.60	20
Naphthalene	7.88		"	10.0	78.8	70-147			1.14	30
n-Butylbenzene	8.03		"	10.0	80.3	79-132			6.39	30
n-Propylbenzene	7.91		"	10.0	79.1	78-133			10.8	30
o-Xylene	8.54		"	10.0	85.4	78-130			6.68	20
p- & m- Xylenes	17.5		"	20.0	87.4	77-130			7.49	20
p-Isopropyltoluene	8.13		"	10.0	81.3	81-136			10.5	30
sec-Butylbenzene	8.38		"	10.0	83.8	79-137			10.9	30
Styrene	8.81		"	10.0	88.1	70-130			4.44	20
tert-Butylbenzene	7.86		"	10.0	78.6	77-138			10.0	30
Tetrachloroethylene	7.17		"	10.0	71.7	82-130	Low Bias		7.77	20
Toluene	8.54		"	10.0	85.4	80-127			7.22	20
trans-1,2-Dichloroethylene	9.55		"	10.0	95.5	80-130			7.36	20
trans-1,3-Dichloropropylene	8.33		"	10.0	83.3	78-130			1.31	20
Trichloroethylene	8.04		"	10.0	80.4	82-128	Low Bias		7.31	20
Trichlorofluoromethane	11.2		"	10.0	112	67-139			9.48	20
Vinyl Chloride	9.22		"	10.0	92.2	70-130			11.9	20
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	9.79		"	10.0	97.9	70-130				
<i>Surrogate: SURR: Toluene-d8</i>	9.07		"	10.0	90.7	81-117				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	9.52		"	10.0	95.2	79-122				



**Volatile Organic Compounds by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
<b>Batch BJ90297 - EPA 5030B</b>											
<b>LCS Dup (BJ90297-BSD2)</b>											
Prepared & Analyzed: 10/04/2019											
1,1,1,2-Tetrachloroethane	9.71		ug/L	10.0		97.1	82-126		4.43	30	
1,1,1-Trichloroethane	10.3		"	10.0		103	78-130		8.87	20	
1,1,2,2-Tetrachloroethane	9.03		"	10.0		90.3	76-129		1.32	20	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.3		"	10.0		103	70-130		9.93	20	
1,1,2-Trichloroethane	8.91		"	10.0		89.1	82-123		5.88	20	
1,1-Dichloroethane	10.4		"	10.0		104	82-129		6.53	20	
1,1-Dichloroethylene	10.1		"	10.0		101	70-130		8.92	20	
1,1-Dichloropropylene	10.1		"	10.0		101	83-133		8.79	30	
1,2,3-Trichlorobenzene	8.71		"	10.0		87.1	76-130		5.36	20	
1,2,3-Trichloropropane	8.85		"	10.0		88.5	77-128		0.453	30	
1,2,4-Trichlorobenzene	8.54		"	10.0		85.4	76-130		3.79	20	
1,2,4-Trimethylbenzene	8.73		"	10.0		87.3	82-132		4.59	20	
1,2-Dibromo-3-chloropropane	8.61		"	10.0		86.1	45-147		4.65	20	
1,2-Dibromoethane	9.31		"	10.0		93.1	83-124		3.48	20	
1,2-Dichlorobenzene	8.58		"	10.0		85.8	79-123		4.44	20	
1,2-Dichloroethane	10.0		"	10.0		100	73-130		4.58	20	
1,2-Dichloropropane	8.87		"	10.0		88.7	78-126		5.05	20	
1,3,5-Trimethylbenzene	8.69		"	10.0		86.9	80-131		5.81	30	
1,3-Dichlorobenzene	8.56		"	10.0		85.6	86-122	Low Bias	3.56	20	
1,3-Dichloropropane	9.16		"	10.0		91.6	81-125		2.48	30	
1,4-Dichlorobenzene	8.50		"	10.0		85.0	85-124		3.92	20	
2,2-Dichloropropane	10.4		"	10.0		104	56-150		8.49	30	
2-Chlorotoluene	8.64		"	10.0		86.4	79-130		4.97	30	
2-Hexanone	8.54		"	10.0		85.4	51-146		1.40	20	
4-Chlorotoluene	8.35		"	10.0		83.5	79-128		5.02	30	
Acetone	6.86		"	10.0		68.6	40-150		4.42	20	
Benzene	10.9		"	10.0		109	85-126		7.05	20	
Bromobenzene	8.44		"	10.0		84.4	78-129		3.72	30	
Bromochloromethane	10.6		"	10.0		106	77-128		2.23	20	
Bromodichloromethane	9.15		"	10.0		91.5	79-128		4.17	20	
Bromoform	9.22		"	10.0		92.2	78-130		5.18	20	
Bromomethane	9.89		"	10.0		98.9	43-160		0.507	20	
Carbon tetrachloride	10.9		"	10.0		109	77-130		8.54	20	
Chlorobenzene	9.14		"	10.0		91.4	88-120		5.53	20	
Chloroethane	11.0		"	10.0		110	65-136		5.63	20	
Chloroform	10.5		"	10.0		105	82-128		5.93	20	
Chloromethane	10.3		"	10.0		103	43-155		6.58	20	
cis-1,2-Dichloroethylene	10.3		"	10.0		103	83-129		7.69	20	
cis-1,3-Dichloropropylene	8.76		"	10.0		87.6	80-130		4.90	20	
Dibromochloromethane	9.42		"	10.0		94.2	80-130		6.37	20	
Dibromomethane	8.86		"	10.0		88.6	72-134		3.11	30	
Dichlorodifluoromethane	12.3		"	10.0		123	44-144		10.4	20	
Ethyl Benzene	9.40		"	10.0		94.0	80-130		6.88	20	
Hexachlorobutadiene	8.60		"	10.0		86.0	67-146		4.21	30	
Isopropylbenzene	8.58		"	10.0		85.8	76-130		6.32	20	
Methyl tert-butyl ether (MTBE)	10.2		"	10.0		102	76-130		2.89	20	
Methylene chloride	11.3		"	10.0		113	70-130		5.19	20	
Naphthalene	8.57		"	10.0		85.7	70-147		3.21	30	
n-Butylbenzene	8.67		"	10.0		86.7	79-132		4.40	30	
n-Propylbenzene	8.78		"	10.0		87.8	78-133		5.32	30	



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**


Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BJ90297 - EPA 5030B**

**LCS Dup (BJ90297-BSD2)**


Prepared & Analyzed: 10/04/2019

o-Xylene	9.26		ug/L	10.0		92.6	78-130		6.48	20	
p- & m- Xylenes	19.0		"	20.0		95.0	77-130		6.52	20	
p-Isopropyltoluene	9.05		"	10.0		90.5	81-136		5.17	30	
sec-Butylbenzene	9.29		"	10.0		92.9	79-137		5.85	30	
Styrene	9.46		"	10.0		94.6	70-130		5.25	20	
tert-Butylbenzene	8.71		"	10.0		87.1	77-138		6.01	30	
Tetrachloroethylene	7.74		"	10.0		77.4	82-130	Low Bias	7.82	20	
Toluene	9.30		"	10.0		93.0	80-127		7.05	20	
trans-1,2-Dichloroethylene	10.3		"	10.0		103	80-130		8.72	20	
trans-1,3-Dichloropropylene	8.71		"	10.0		87.1	78-130		4.93	20	
Trichloroethylene	8.74		"	10.0		87.4	82-128		7.70	20	
Trichlorofluoromethane	12.1		"	10.0		121	67-139		8.11	20	
Vinyl Chloride	10.0		"	10.0		100	70-130		8.94	20	
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>9.44</i>		<i>"</i>	<i>10.0</i>		<i>94.4</i>	<i>70-130</i>				
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.12</i>		<i>"</i>	<i>10.0</i>		<i>91.2</i>	<i>81-117</i>				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>9.81</i>		<i>"</i>	<i>10.0</i>		<i>98.1</i>	<i>79-122</i>				



### Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
19J0204-01	WQ100319: 1000 FRW-1	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
19J0204-02	WQ100319: 1005 FRW-3	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
19J0204-03	WQ100319: 1010 FRW-4	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
19J0204-04	WQ100319: 1020 NPI-1-2	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C



## Sample and Data Qualifiers Relating to This Work Order

- SCAL-E The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%).
- QL-02 This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
- CCV-E The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).

### Definitions and Other Explanations

- \* Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
- ND NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
- RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
- LOQ LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
- LOD LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW -846.
- MDL METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
- Reported to This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
- NR Not reported
- RPD Relative Percent Difference
- Wet The data has been reported on an as-received (wet weight) basis
- Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- Non-Dir. Non-dir. flag (Non-Directional Bias ) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.


If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.


Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.



For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

---





# Technical Report

prepared for:

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
**Attention: Mark Goldberg**

Report Date: 10/18/2019  
**Client Project ID: 31401451.000 Task01.00**  
York Project (SDG) No.: 19J0765

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE  
[www.YORKLAB.com](http://www.YORKLAB.com)

STRATFORD, CT 06615  
(203) 325-1371

132-02 89th AVENUE  
FAX (203) 357-0166

RICHMOND HILL, NY 11418  
[ClientServices@yorklab.com](mailto:ClientServices@yorklab.com)

Report Date: 10/18/2019  
Client Project ID: 31401451.000 Task01.00  
York Project (SDG) No.: 19J0765

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
Attention: Mark Goldberg

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on October 16, 2019 and listed below. The project was identified as your project: **31401451.000 Task01.00**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
19J0765-01	WQ0101519:1350 FRW-2	Water	10/15/2019	10/16/2019

## General Notes for York Project (SDG) No.: 19J0765

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

Approved By:



Benjamin Gulizia  
Laboratory Director

Date: 10/18/2019





### Sample Information

**Client Sample ID:** WQ0101519:1350 FRW-2

**York Sample ID:** 19J0765-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
19J0765	31401451.000 Task01.00	Water	October 15, 2019 1:50 pm	10/16/2019

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	10/17/2019 12:30	10/18/2019 06:02	RDS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS



### Sample Information

**Client Sample ID:** WQ0101519:1350 FRW-2

**York Sample ID:** 19J0765-01

<u>York Project (SDG) No.</u> 19J0765	<u>Client Project ID</u> 31401451.000 Task01.00	<u>Matrix</u> Water	<u>Collection Date/Time</u> October 15, 2019 1:50 pm	<u>Date Received</u> 10/16/2019
--	--	------------------------	---	------------------------------------

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
95-49-8	2-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
591-78-6	2-Hexanone	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
106-43-4	4-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
67-64-1	<b>Acetone</b>	<b>1.23</b>		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
108-86-1	Bromobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
74-97-5	Bromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
75-27-4	Bromodichloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
75-25-2	Bromoform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
74-83-9	Bromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
56-23-5	Carbon tetrachloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
108-90-7	Chlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
75-00-3	Chloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
67-66-3	Chloroform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
74-87-3	Chloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
156-59-2	<b>cis-1,2-Dichloroethylene</b>	<b>0.670</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
124-48-1	Dibromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
74-95-3	Dibromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS



### Sample Information

**Client Sample ID:** WQ0101519:1350 FRW-2

**York Sample ID:** 19J0765-01

<u>York Project (SDG) No.</u> 19J0765	<u>Client Project ID</u> 31401451.000 Task01.00	<u>Matrix</u> Water	<u>Collection Date/Time</u> October 15, 2019 1:50 pm	<u>Date Received</u> 10/16/2019
--	--	------------------------	---	------------------------------------

**Volatile Organics, 8260 List - Low Level**


**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
127-18-4	<b>Tetrachloroethylene</b>	<b>5.86</b>	CCV-E	ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
79-01-6	<b>Trichloroethylene</b>	<b>0.360</b>		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
75-01-4	Vinyl Chloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	10/17/2019 12:30	10/18/2019 06:02	RDS
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	10/17/2019 12:30	10/18/2019 06:02	RDS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	Surrogate: SURRE: 1,2-Dichloroethane-d4	95.3 %	69-130
2037-26-5	Surrogate: SURRE: Toluene-d8	100 %	81-117
460-00-4	Surrogate: SURRE: p-Bromofluorobenzene	105 %	79-122



## Analytical Batch Summary

**Batch ID:** BJ91066

**Preparation Method:** EPA 5030B

**Prepared By:** AB

YORK Sample ID	Client Sample ID	Preparation Date
19J0765-01	WQ0101519:1350 FRW-2	10/17/19
BJ91066-BLK1	Blank	10/17/19
BJ91066-BS1	LCS	10/17/19
BJ91066-BS2	LCS	10/17/19
BJ91066-BSD1	LCS Dup	10/17/19
BJ91066-BSD2	LCS Dup	10/17/19



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BJ91066 - EPA 5030B**

**Blank (BJ91066-BLK1)**

Prepared: 10/17/2019 Analyzed: 10/18/2019

1,1,1,2-Tetrachloroethane	ND	0.500	ug/L								
1,1,1-Trichloroethane	ND	0.500	"								
1,1,2,2-Tetrachloroethane	ND	0.500	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.500	"								
1,1,2-Trichloroethane	ND	0.500	"								
1,1-Dichloroethane	ND	0.500	"								
1,1-Dichloroethylene	ND	0.500	"								
1,1-Dichloropropylene	ND	0.500	"								
1,2,3-Trichlorobenzene	ND	0.500	"								
1,2,3-Trichloropropane	ND	0.500	"								
1,2,4-Trichlorobenzene	ND	0.500	"								
1,2,4-Trimethylbenzene	ND	0.500	"								
1,2-Dibromo-3-chloropropane	ND	0.500	"								
1,2-Dibromoethane	ND	0.500	"								
1,2-Dichlorobenzene	ND	0.500	"								
1,2-Dichloroethane	ND	0.500	"								
1,2-Dichloropropane	ND	0.500	"								
1,3,5-Trimethylbenzene	ND	0.500	"								
1,3-Dichlorobenzene	ND	0.500	"								
1,3-Dichloropropane	ND	0.500	"								
1,4-Dichlorobenzene	ND	0.500	"								
2,2-Dichloropropane	ND	0.500	"								
2-Chlorotoluene	ND	0.500	"								
2-Hexanone	ND	0.500	"								
4-Chlorotoluene	ND	0.500	"								
Acetone	ND	2.00	"								
Benzene	ND	0.500	"								
Bromobenzene	ND	0.500	"								
Bromochloromethane	ND	0.500	"								
Bromodichloromethane	ND	0.500	"								
Bromoform	ND	0.500	"								
Bromomethane	ND	0.500	"								
Carbon tetrachloride	ND	0.500	"								
Chlorobenzene	ND	0.500	"								
Chloroethane	ND	0.500	"								
Chloroform	ND	0.500	"								
Chloromethane	ND	0.500	"								
cis-1,2-Dichloroethylene	ND	0.500	"								
cis-1,3-Dichloropropylene	ND	0.500	"								
Dibromochloromethane	ND	0.500	"								
Dibromomethane	ND	0.500	"								
Dichlorodifluoromethane	ND	0.500	"								
Ethyl Benzene	ND	0.500	"								
Hexachlorobutadiene	ND	0.500	"								
Isopropylbenzene	ND	0.500	"								
Methyl tert-butyl ether (MTBE)	ND	0.500	"								
Methylene chloride	ND	2.00	"								
Naphthalene	ND	2.00	"								
n-Butylbenzene	ND	0.500	"								



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Units	Spike Level	Source*	%REC	%REC Limits	Flag	RPD	RPD	Flag
		Limit			Result					Limit	

**Batch BJ91066 - EPA 5030B**

**Blank (BJ91066-BLK1)**


Prepared: 10/17/2019 Analyzed: 10/18/2019

n-Propylbenzene	ND	0.500	ug/L								
o-Xylene	ND	0.500	"								
p- & m- Xylenes	ND	1.00	"								
p-Isopropyltoluene	ND	0.500	"								
sec-Butylbenzene	ND	0.500	"								
Styrene	ND	0.500	"								
tert-Butylbenzene	ND	0.500	"								
Tetrachloroethylene	ND	0.500	"								
Toluene	ND	0.500	"								
trans-1,2-Dichloroethylene	ND	0.500	"								
trans-1,3-Dichloropropylene	ND	0.500	"								
Trichloroethylene	ND	0.500	"								
Trichlorofluoromethane	ND	0.500	"								
Vinyl Chloride	ND	0.500	"								
Xylenes, Total	ND	1.50	"								
<hr/>											
Surrogate: SURR: 1,2-Dichloroethane-d4	9.95		"	10.0		99.5	70-130				
Surrogate: SURR: Toluene-d8	10.1		"	10.0		101	81-117				
Surrogate: SURR: p-Bromofluorobenzene	10.2		"	10.0		102	79-122				

**LCS (BJ91066-BS1)**

Prepared & Analyzed: 10/17/2019

1,1,1,2-Tetrachloroethane	10.1		ug/L	10.0		101	82-126				
1,1,1-Trichloroethane	11.1		"	10.0		111	78-130				
1,1,2,2-Tetrachloroethane	8.60		"	10.0		86.0	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.5		"	10.0		105	70-130				
1,1,2-Trichloroethane	9.78		"	10.0		97.8	82-123				
1,1-Dichloroethane	10.6		"	10.0		106	82-129				
1,1-Dichloroethylene	11.7		"	10.0		117	70-130				
1,1-Dichloropropylene	11.0		"	10.0		110	83-133				
1,2,3-Trichlorobenzene	9.06		"	10.0		90.6	76-130				
1,2,3-Trichloropropane	9.98		"	10.0		99.8	77-128				
1,2,4-Trichlorobenzene	9.31		"	10.0		93.1	76-130				
1,2,4-Trimethylbenzene	10.5		"	10.0		105	82-132				
1,2-Dibromo-3-chloropropane	9.67		"	10.0		96.7	45-147				
1,2-Dibromoethane	10.1		"	10.0		101	83-124				
1,2-Dichlorobenzene	9.73		"	10.0		97.3	79-123				
1,2-Dichloroethane	10.5		"	10.0		105	73-130				
1,2-Dichloropropane	10.1		"	10.0		101	78-126				
1,3,5-Trimethylbenzene	10.6		"	10.0		106	80-131				
1,3-Dichlorobenzene	9.82		"	10.0		98.2	86-122				
1,3-Dichloropropane	10.2		"	10.0		102	81-125				
1,4-Dichlorobenzene	9.77		"	10.0		97.7	85-124				
2,2-Dichloropropane	7.63		"	10.0		76.3	56-150				
2-Chlorotoluene	10.3		"	10.0		103	79-130				
2-Hexanone	10.0		"	10.0		100	51-146				
4-Chlorotoluene	10.0		"	10.0		100	79-128				
Acetone	7.22		"	10.0		72.2	40-150				
Benzene	10.8		"	10.0		108	85-126				
Bromobenzene	10.1		"	10.0		101	78-129				
Bromochloromethane	10.6		"	10.0		106	77-128				
Bromodichloromethane	10.3		"	10.0		103	79-128				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BJ91066 - EPA 5030B

LCS (BJ91066-BS1)

Prepared & Analyzed: 10/17/2019

Bromoform	9.70		ug/L	10.0		97.0	78-130				
Bromomethane	5.71		"	10.0		57.1	43-160				
Carbon tetrachloride	10.9		"	10.0		109	77-130				
Chlorobenzene	10.2		"	10.0		102	88-120				
Chloroethane	12.1		"	10.0		121	65-136				
Chloroform	10.5		"	10.0		105	82-128				
Chloromethane	10.5		"	10.0		105	43-155				
cis-1,2-Dichloroethylene	10.3		"	10.0		103	83-129				
cis-1,3-Dichloropropylene	9.98		"	10.0		99.8	80-130				
Dibromochloromethane	10.1		"	10.0		101	80-130				
Dibromomethane	10.1		"	10.0		101	72-134				
Dichlorodifluoromethane	15.8		"	10.0		158	44-144	High Bias			
Ethyl Benzene	10.7		"	10.0		107	80-130				
Hexachlorobutadiene	8.68		"	10.0		86.8	67-146				
Isopropylbenzene	10.4		"	10.0		104	76-130				
Methyl tert-butyl ether (MTBE)	10.6		"	10.0		106	76-130				
Methylene chloride	12.0		"	10.0		120	70-130				
Naphthalene	9.79		"	10.0		97.9	70-147				
n-Butylbenzene	8.54		"	10.0		85.4	79-132				
n-Propylbenzene	10.5		"	10.0		105	78-133				
o-Xylene	10.7		"	10.0		107	78-130				
p- & m- Xylenes	21.7		"	20.0		109	77-130				
p-Isopropyltoluene	10.8		"	10.0		108	81-136				
sec-Butylbenzene	11.3		"	10.0		113	79-137				
Styrene	10.8		"	10.0		108	70-130				
tert-Butylbenzene	10.4		"	10.0		104	77-138				
Tetrachloroethylene	6.49		"	10.0		64.9	82-130	Low Bias			
Toluene	10.6		"	10.0		106	80-127				
trans-1,2-Dichloroethylene	11.6		"	10.0		116	80-130				
trans-1,3-Dichloropropylene	9.51		"	10.0		95.1	78-130				
Trichloroethylene	11.4		"	10.0		114	82-128				
Trichlorofluoromethane	11.2		"	10.0		112	67-139				
Vinyl Chloride	11.1		"	10.0		111	70-130				
Surrogate: SURR: 1,2-Dichloroethane-d4	10.2		"	10.0		102	70-130				
Surrogate: SURR: Toluene-d8	9.80		"	10.0		98.0	81-117				
Surrogate: SURR: p-Bromofluorobenzene	10.1		"	10.0		101	79-122				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BJ91066 - EPA 5030B

LCS (BJ91066-BS2)

Prepared: 10/17/2019 Analyzed: 10/18/2019

1,1,1,2-Tetrachloroethane	10.1		ug/L	10.0		101	82-126				
1,1,1-Trichloroethane	11.2		"	10.0		112	78-130				
1,1,2,2-Tetrachloroethane	10.1		"	10.0		101	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.5		"	10.0		105	70-130				
1,1,2-Trichloroethane	9.53		"	10.0		95.3	82-123				
1,1-Dichloroethane	10.7		"	10.0		107	82-129				
1,1-Dichloroethylene	11.8		"	10.0		118	70-130				
1,1-Dichloropropylene	11.0		"	10.0		110	83-133				
1,2,3-Trichlorobenzene	9.03		"	10.0		90.3	76-130				
1,2,3-Trichloropropane	9.81		"	10.0		98.1	77-128				
1,2,4-Trichlorobenzene	8.82		"	10.0		88.2	76-130				
1,2,4-Trimethylbenzene	10.4		"	10.0		104	82-132				
1,2-Dibromo-3-chloropropane	9.50		"	10.0		95.0	45-147				
1,2-Dibromoethane	9.96		"	10.0		99.6	83-124				
1,2-Dichlorobenzene	9.70		"	10.0		97.0	79-123				
1,2-Dichloroethane	10.4		"	10.0		104	73-130				
1,2-Dichloropropane	10.1		"	10.0		101	78-126				
1,3,5-Trimethylbenzene	10.5		"	10.0		105	80-131				
1,3-Dichlorobenzene	9.82		"	10.0		98.2	86-122				
1,3-Dichloropropane	10.0		"	10.0		100	81-125				
1,4-Dichlorobenzene	9.80		"	10.0		98.0	85-124				
2,2-Dichloropropane	7.53		"	10.0		75.3	56-150				
2-Chlorotoluene	10.3		"	10.0		103	79-130				
2-Hexanone	9.76		"	10.0		97.6	51-146				
4-Chlorotoluene	10.0		"	10.0		100	79-128				
Acetone	7.17		"	10.0		71.7	40-150				
Benzene	10.9		"	10.0		109	85-126				
Bromobenzene	10.2		"	10.0		102	78-129				
Bromochloromethane	11.0		"	10.0		110	77-128				
Bromodichloromethane	10.1		"	10.0		101	79-128				
Bromoform	9.49		"	10.0		94.9	78-130				
Bromomethane	7.65		"	10.0		76.5	43-160				
Carbon tetrachloride	11.0		"	10.0		110	77-130				
Chlorobenzene	10.2		"	10.0		102	88-120				
Chloroethane	12.4		"	10.0		124	65-136				
Chloroform	10.7		"	10.0		107	82-128				
Chloromethane	11.0		"	10.0		110	43-155				
cis-1,2-Dichloroethylene	10.5		"	10.0		105	83-129				
cis-1,3-Dichloropropylene	9.67		"	10.0		96.7	80-130				
Dibromochloromethane	9.97		"	10.0		99.7	80-130				
Dibromomethane	9.91		"	10.0		99.1	72-134				
Dichlorodifluoromethane	15.8		"	10.0		158	44-144	High Bias			
Ethyl Benzene	10.8		"	10.0		108	80-130				
Hexachlorobutadiene	8.32		"	10.0		83.2	67-146				
Isopropylbenzene	10.4		"	10.0		104	76-130				
Methyl tert-butyl ether (MTBE)	10.5		"	10.0		105	76-130				
Methylene chloride	12.4		"	10.0		124	70-130				
Naphthalene	9.65		"	10.0		96.5	70-147				
n-Butylbenzene	9.30		"	10.0		93.0	79-132				
n-Propylbenzene	10.4		"	10.0		104	78-133				



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BJ91066 - EPA 5030B**

**LCS (BJ91066-BS2)**

Prepared: 10/17/2019 Analyzed: 10/18/2019

o-Xylene	10.6		ug/L	10.0		106	78-130				
p- & m- Xylenes	21.6		"	20.0		108	77-130				
p-Isopropyltoluene	10.6		"	10.0		106	81-136				
sec-Butylbenzene	11.3		"	10.0		113	79-137				
Styrene	10.6		"	10.0		106	70-130				
tert-Butylbenzene	10.5		"	10.0		105	77-138				
Tetrachloroethylene	6.43		"	10.0		64.3	82-130	Low Bias			
Toluene	10.6		"	10.0		106	80-127				
trans-1,2-Dichloroethylene	11.8		"	10.0		118	80-130				
trans-1,3-Dichloropropylene	9.16		"	10.0		91.6	78-130				
Trichloroethylene	10.1		"	10.0		101	82-128				
Trichlorofluoromethane	11.5		"	10.0		115	67-139				
Vinyl Chloride	11.3		"	10.0		113	70-130				
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>10.1</i>		<i>"</i>	<i>10.0</i>		<i>101</i>	<i>70-130</i>				
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.83</i>		<i>"</i>	<i>10.0</i>		<i>98.3</i>	<i>81-117</i>				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>10.1</i>		<i>"</i>	<i>10.0</i>		<i>101</i>	<i>79-122</i>				

**LCS Dup (BJ91066-BSD1)**

Prepared: 10/17/2019 Analyzed: 10/18/2019

1,1,1,2-Tetrachloroethane	9.86		ug/L	10.0		98.6	82-126		2.21	30	
1,1,1-Trichloroethane	10.6		"	10.0		106	78-130		4.25	20	
1,1,2,2-Tetrachloroethane	9.14		"	10.0		91.4	76-129		6.09	20	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.2		"	10.0		102	70-130		3.67	20	
1,1,2-Trichloroethane	9.61		"	10.0		96.1	82-123		1.75	20	
1,1-Dichloroethane	10.3		"	10.0		103	82-129		2.67	20	
1,1-Dichloroethylene	11.3		"	10.0		113	70-130		3.49	20	
1,1-Dichloropropylene	10.6		"	10.0		106	83-133		3.15	30	
1,2,3-Trichlorobenzene	9.05		"	10.0		90.5	76-130		0.110	20	
1,2,3-Trichloropropane	9.75		"	10.0		97.5	77-128		2.33	30	
1,2,4-Trichlorobenzene	8.96		"	10.0		89.6	76-130		3.83	20	
1,2,4-Trimethylbenzene	10.5		"	10.0		105	82-132		0.381	20	
1,2-Dibromo-3-chloropropane	9.36		"	10.0		93.6	45-147		3.26	20	
1,2-Dibromoethane	9.70		"	10.0		97.0	83-124		4.14	20	
1,2-Dichlorobenzene	9.57		"	10.0		95.7	79-123		1.66	20	
1,2-Dichloroethane	10.2		"	10.0		102	73-130		2.80	20	
1,2-Dichloropropane	9.82		"	10.0		98.2	78-126		2.71	20	
1,3,5-Trimethylbenzene	10.4		"	10.0		104	80-131		1.14	30	
1,3-Dichlorobenzene	9.73		"	10.0		97.3	86-122		0.921	20	
1,3-Dichloropropane	9.96		"	10.0		99.6	81-125		2.09	30	
1,4-Dichlorobenzene	9.71		"	10.0		97.1	85-124		0.616	20	
2,2-Dichloropropane	7.29		"	10.0		72.9	56-150		4.56	30	
2-Chlorotoluene	10.2		"	10.0		102	79-130		0.880	30	
2-Hexanone	9.69		"	10.0		96.9	51-146		3.55	20	
4-Chlorotoluene	9.85		"	10.0		98.5	79-128		1.91	30	
Acetone	6.56		"	10.0		65.6	40-150		9.58	20	
Benzene	10.6		"	10.0		106	85-126		2.43	20	
Bromobenzene	9.99		"	10.0		99.9	78-129		0.996	30	
Bromochloromethane	10.4		"	10.0		104	77-128		2.76	20	
Bromodichloromethane	9.97		"	10.0		99.7	79-128		2.96	20	
Bromoform	9.57		"	10.0		95.7	78-130		1.35	20	
Bromomethane	6.32		"	10.0		63.2	43-160		10.1	20	



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Spike	Source*	%REC	%REC	Limits	Flag	RPD	
		Limit							Units	Level

**Batch BJ91066 - EPA 5030B**

**LCS Dup (BJ91066-BSD1)**

Prepared: 10/17/2019 Analyzed: 10/18/2019

Carbon tetrachloride	10.5		ug/L	10.0	105	77-130			4.21	20
Chlorobenzene	9.98		"	10.0	99.8	88-120			2.67	20
Chloroethane	11.4		"	10.0	114	65-136			5.19	20
Chloroform	10.2		"	10.0	102	82-128			2.60	20
Chloromethane	10.2		"	10.0	102	43-155			2.69	20
cis-1,2-Dichloroethylene	10.1		"	10.0	101	83-129			2.35	20
cis-1,3-Dichloropropylene	9.65		"	10.0	96.5	80-130			3.36	20
Dibromochloromethane	9.84		"	10.0	98.4	80-130			2.71	20
Dibromomethane	9.54		"	10.0	95.4	72-134			5.90	30
Dichlorodifluoromethane	15.0		"	10.0	150	44-144	High Bias		5.46	20
Ethyl Benzene	10.5		"	10.0	105	80-130			2.55	20
Hexachlorobutadiene	8.26		"	10.0	82.6	67-146			4.96	30
Isopropylbenzene	10.2		"	10.0	102	76-130			2.04	20
Methyl tert-butyl ether (MTBE)	10.4		"	10.0	104	76-130			2.66	20
Methylene chloride	11.8		"	10.0	118	70-130			2.27	20
Naphthalene	9.58		"	10.0	95.8	70-147			2.17	30
n-Butylbenzene	9.55		"	10.0	95.5	79-132			11.2	30
n-Propylbenzene	10.4		"	10.0	104	78-133			1.72	30
o-Xylene	10.4		"	10.0	104	78-130			2.75	20
p- & m- Xylenes	21.0		"	20.0	105	77-130			3.37	20
p-Isopropyltoluene	10.6		"	10.0	106	81-136			2.15	30
sec-Butylbenzene	11.0		"	10.0	110	79-137			2.25	30
Styrene	10.5		"	10.0	105	70-130			3.00	20
tert-Butylbenzene	10.2		"	10.0	102	77-138			1.65	30
Tetrachloroethylene	6.27		"	10.0	62.7	82-130	Low Bias		3.45	20
Toluene	10.3		"	10.0	103	80-127			2.87	20
trans-1,2-Dichloroethylene	11.2		"	10.0	112	80-130			3.60	20
trans-1,3-Dichloropropylene	9.36		"	10.0	93.6	78-130			1.59	20
Trichloroethylene	10.7		"	10.0	107	82-128			6.42	20
Trichlorofluoromethane	10.7		"	10.0	107	67-139			3.93	20
Vinyl Chloride	10.7		"	10.0	107	70-130			3.85	20
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>10.0</i>		<i>"</i>	<i>10.0</i>	<i>100</i>	<i>70-130</i>				
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.87</i>		<i>"</i>	<i>10.0</i>	<i>98.7</i>	<i>81-117</i>				
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>10.2</i>		<i>"</i>	<i>10.0</i>	<i>102</i>	<i>79-122</i>				



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BJ91066 - EPA 5030B**

**LCS Dup (BJ91066-BSD2)**

Prepared: 10/17/2019 Analyzed: 10/18/2019

1,1,1,2-Tetrachloroethane	9.95		ug/L	10.0		99.5	82-126		1.10	30	
1,1,1-Trichloroethane	10.4		"	10.0		104	78-130		7.02	20	
1,1,2,2-Tetrachloroethane	10.5		"	10.0		105	76-129		3.97	20	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.96		"	10.0		99.6	70-130		5.28	20	
1,1,2-Trichloroethane	9.99		"	10.0		99.9	82-123		4.71	20	
1,1-Dichloroethane	10.2		"	10.0		102	82-129		4.86	20	
1,1-Dichloroethylene	11.1		"	10.0		111	70-130		5.85	20	
1,1-Dichloropropylene	10.5		"	10.0		105	83-133		4.76	30	
1,2,3-Trichlorobenzene	8.92		"	10.0		89.2	76-130		1.23	20	
1,2,3-Trichloropropane	10.3		"	10.0		103	77-128		4.97	30	
1,2,4-Trichlorobenzene	9.06		"	10.0		90.6	76-130		2.68	20	
1,2,4-Trimethylbenzene	10.1		"	10.0		101	82-132		3.22	20	
1,2-Dibromo-3-chloropropane	9.60		"	10.0		96.0	45-147		1.05	20	
1,2-Dibromoethane	10.2		"	10.0		102	83-124		2.28	20	
1,2-Dichlorobenzene	9.49		"	10.0		94.9	79-123		2.19	20	
1,2-Dichloroethane	10.6		"	10.0		106	73-130		1.52	20	
1,2-Dichloropropane	9.86		"	10.0		98.6	78-126		2.21	20	
1,3,5-Trimethylbenzene	10.1		"	10.0		101	80-131		3.78	30	
1,3-Dichlorobenzene	9.50		"	10.0		95.0	86-122		3.31	20	
1,3-Dichloropropane	10.2		"	10.0		102	81-125		1.97	30	
1,4-Dichlorobenzene	9.44		"	10.0		94.4	85-124		3.74	20	
2,2-Dichloropropane	7.03		"	10.0		70.3	56-150		6.87	30	
2-Chlorotoluene	9.86		"	10.0		98.6	79-130		4.66	30	
2-Hexanone	10.3		"	10.0		103	51-146		5.00	20	
4-Chlorotoluene	9.65		"	10.0		96.5	79-128		3.96	30	
Acetone	7.62		"	10.0		76.2	40-150		6.09	20	
Benzene	10.5		"	10.0		105	85-126		3.46	20	
Bromobenzene	9.88		"	10.0		98.8	78-129		2.70	30	
Bromochloromethane	10.6		"	10.0		106	77-128		3.61	20	
Bromodichloromethane	9.94		"	10.0		99.4	79-128		1.79	20	
Bromoform	9.46		"	10.0		94.6	78-130		0.317	20	
Bromomethane	7.01		"	10.0		70.1	43-160		8.73	20	
Carbon tetrachloride	10.5		"	10.0		105	77-130		5.02	20	
Chlorobenzene	9.98		"	10.0		99.8	88-120		2.28	20	
Chloroethane	11.6		"	10.0		116	65-136		6.08	20	
Chloroform	10.3		"	10.0		103	82-128		3.34	20	
Chloromethane	10.3		"	10.0		103	43-155		6.19	20	
cis-1,2-Dichloroethylene	10.1		"	10.0		101	83-129		3.90	20	
cis-1,3-Dichloropropylene	9.47		"	10.0		94.7	80-130		2.09	20	
Dibromochloromethane	9.88		"	10.0		98.8	80-130		0.907	20	
Dibromomethane	10.1		"	10.0		101	72-134		1.90	30	
Dichlorodifluoromethane	14.7		"	10.0		147	44-144	High Bias	7.10	20	
Ethyl Benzene	10.4		"	10.0		104	80-130		3.39	20	
Hexachlorobutadiene	7.94		"	10.0		79.4	67-146		4.67	30	
Isopropylbenzene	9.91		"	10.0		99.1	76-130		4.44	20	
Methyl tert-butyl ether (MTBE)	10.8		"	10.0		108	76-130		2.35	20	
Methylene chloride	12.2		"	10.0		122	70-130		1.54	20	
Naphthalene	10.1		"	10.0		101	70-147		4.36	30	
n-Butylbenzene	8.23		"	10.0		82.3	79-132		12.2	30	
n-Propylbenzene	10.0		"	10.0		100	78-133		4.11	30	



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BJ91066 - EPA 5030B

LCS Dup (BJ91066-BSD2)

Prepared: 10/17/2019 Analyzed: 10/18/2019

o-Xylene	10.4		ug/L	10.0		104	78-130		2.38	20	
p- & m- Xylenes	21.0		"	20.0		105	77-130		2.82	20	
p-Isopropyltoluene	10.1		"	10.0		101	81-136		5.00	30	
sec-Butylbenzene	10.6		"	10.0		106	79-137		5.93	30	
Styrene	10.5		"	10.0		105	70-130		1.14	20	
tert-Butylbenzene	9.90		"	10.0		99.0	77-138		5.69	30	
Tetrachloroethylene	6.10		"	10.0		61.0	82-130	Low Bias	5.27	20	
Toluene	10.3		"	10.0		103	80-127		3.06	20	
trans-1,2-Dichloroethylene	11.1		"	10.0		111	80-130		5.58	20	
trans-1,3-Dichloropropylene	9.19		"	10.0		91.9	78-130		0.327	20	
Trichloroethylene	9.62		"	10.0		96.2	82-128		4.77	20	
Trichlorofluoromethane	10.5		"	10.0		105	67-139		8.55	20	
Vinyl Chloride	10.5		"	10.0		105	70-130		7.24	20	
Surrogate: SURR: 1,2-Dichloroethane-d4	10.4		"	10.0		104	70-130				
Surrogate: SURR: Toluene-d8	9.88		"	10.0		98.8	81-117				
Surrogate: SURR: p-Bromofluorobenzene	10.1		"	10.0		101	79-122				



### Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
19J0765-01	WQ0101519:1350 FRW-2	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C



## Sample and Data Qualifiers Relating to This Work Order

- QL-02 This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
- CCV-E The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).

### Definitions and Other Explanations

- \* Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
- ND NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
- RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
- LOQ LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
- LOD LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
- MDL METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
- Reported to This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
- NR Not reported
- RPD Relative Percent Difference
- Wet The data has been reported on an as-received (wet weight) basis
- Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- Non-Dir. Non-dir. flag (Non-Directional Bias ) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.


If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.




For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

---



**APPENDIX III**  
**OCTOBER 2019 LABORATORY ANALYTICAL REPORT**  
**FOR AIR SAMPLES**



# Technical Report

prepared for:

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
**Attention: Mark Goldberg**

Report Date: 10/21/2019  
**Client Project ID: 31401451.000 Task 01.00**  
York Project (SDG) No.: 19J0766

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE  
[www.YORKLAB.com](http://www.YORKLAB.com)

STRATFORD, CT 06615  
(203) 325-1371



132-02 89th AVENUE  
FAX (203) 357-0166

RICHMOND HILL, NY 11418  
[ClientServices@yorklab.com](mailto:ClientServices@yorklab.com)

Report Date: 10/21/2019  
Client Project ID: 31401451.000 Task 01.00  
York Project (SDG) No.: 19J0766

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
Attention: Mark Goldberg

---

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on October 17, 2019 and listed below. The project was identified as your project: **31401451.000 Task 01.00**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
19J0766-01	NP4-1	Vapor Extraction	10/15/2019	10/17/2019
19J0766-02	NP4-3	Vapor Extraction	10/15/2019	10/17/2019

## **General Notes for York Project (SDG) No.: 19J0766**

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

**Approved By:**



Benjamin Gulizia  
Laboratory Director

**Date:** 10/21/2019





### Sample Information

**Client Sample ID:** NP4-1

**York Sample ID:** 19J0766-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
19J0766	31401451.000 Task 01.00	Vapor Extraction	October 15, 2019 8:12 am	10/17/2019

**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes: TO-VAC**

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	* 1,1,1,2-Tetrachloroethane	ND		ug/m <sup>3</sup>	0.94	1.374	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 21:16	AS
71-55-6	1,1,1-Trichloroethane	ND		ug/m <sup>3</sup>	0.75	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m <sup>3</sup>	0.94	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m <sup>3</sup>	1.1	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
79-00-5	1,1,2-Trichloroethane	ND		ug/m <sup>3</sup>	0.75	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
75-34-3	1,1-Dichloroethane	ND		ug/m <sup>3</sup>	0.56	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
75-35-4	1,1-Dichloroethylene	ND		ug/m <sup>3</sup>	0.14	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m <sup>3</sup>	1.0	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
95-63-6	<b>1,2,4-Trimethylbenzene</b>	<b>1.5</b>		ug/m <sup>3</sup>	0.68	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
106-93-4	1,2-Dibromoethane	ND		ug/m <sup>3</sup>	1.1	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
95-50-1	1,2-Dichlorobenzene	ND		ug/m <sup>3</sup>	0.83	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
107-06-2	1,2-Dichloroethane	ND		ug/m <sup>3</sup>	0.56	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
78-87-5	1,2-Dichloropropane	ND		ug/m <sup>3</sup>	0.63	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m <sup>3</sup>	0.96	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m <sup>3</sup>	0.68	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
106-99-0	1,3-Butadiene	ND		ug/m <sup>3</sup>	0.91	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
541-73-1	1,3-Dichlorobenzene	ND		ug/m <sup>3</sup>	0.83	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
142-28-9	* 1,3-Dichloropropane	ND		ug/m <sup>3</sup>	0.63	1.374	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 21:16	AS
106-46-7	1,4-Dichlorobenzene	ND		ug/m <sup>3</sup>	0.83	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
123-91-1	1,4-Dioxane	ND		ug/m <sup>3</sup>	0.99	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
78-93-3	<b>2-Butanone</b>	<b>6.3</b>		ug/m <sup>3</sup>	0.41	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
591-78-6	* 2-Hexanone	ND		ug/m <sup>3</sup>	1.1	1.374	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 21:16	AS



### Sample Information

**Client Sample ID:** NP4-1

**York Sample ID:** 19J0766-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0766

31401451.000 Task 01.00

Vapor Extraction

October 15, 2019 8:12 am

10/17/2019

**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes: TO-VAC**

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
107-05-1	3-Chloropropene	ND		ug/m <sup>3</sup>	2.2	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
108-10-1	4-Methyl-2-pentanone	ND		ug/m <sup>3</sup>	0.56	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
67-64-1	<b>Acetone</b>	<b>18</b>		ug/m <sup>3</sup>	0.65	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
107-13-1	Acrylonitrile	ND		ug/m <sup>3</sup>	0.30	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
71-43-2	<b>Benzene</b>	<b>2.3</b>		ug/m <sup>3</sup>	0.44	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
100-44-7	Benzyl chloride	ND		ug/m <sup>3</sup>	0.71	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
75-27-4	Bromodichloromethane	ND		ug/m <sup>3</sup>	0.92	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
75-25-2	Bromoform	ND		ug/m <sup>3</sup>	1.4	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
74-83-9	Bromomethane	ND		ug/m <sup>3</sup>	0.53	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
75-15-0	Carbon disulfide	ND		ug/m <sup>3</sup>	0.43	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
56-23-5	<b>Carbon tetrachloride</b>	<b>0.52</b>		ug/m <sup>3</sup>	0.22	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
108-90-7	Chlorobenzene	ND		ug/m <sup>3</sup>	0.63	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
75-00-3	Chloroethane	ND		ug/m <sup>3</sup>	0.36	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
67-66-3	Chloroform	ND		ug/m <sup>3</sup>	0.67	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
74-87-3	<b>Chloromethane</b>	<b>1.6</b>		ug/m <sup>3</sup>	0.28	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/m <sup>3</sup>	0.14	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m <sup>3</sup>	0.62	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
110-82-7	<b>Cyclohexane</b>	<b>1.2</b>		ug/m <sup>3</sup>	0.47	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
124-48-1	Dibromochloromethane	ND		ug/m <sup>3</sup>	1.2	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
75-71-8	<b>Dichlorodifluoromethane</b>	<b>2.7</b>		ug/m <sup>3</sup>	0.68	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
141-78-6	* Ethyl acetate	ND		ug/m <sup>3</sup>	0.99	1.374	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 21:16	AS
100-41-4	<b>Ethyl Benzene</b>	<b>1.3</b>		ug/m <sup>3</sup>	0.60	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
87-68-3	Hexachlorobutadiene	ND		ug/m <sup>3</sup>	1.5	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS



### Sample Information

**Client Sample ID:** NP4-1

**York Sample ID:** 19J0766-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0766

31401451.000 Task 01.00

Vapor Extraction

October 15, 2019 8:12 am

10/17/2019

**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes: TO-VAC**

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-63-0	Isopropanol	0.98		ug/m <sup>3</sup>	0.68	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
80-62-6	Methyl Methacrylate	ND		ug/m <sup>3</sup>	0.56	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m <sup>3</sup>	0.50	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
75-09-2	Methylene chloride	5.0		ug/m <sup>3</sup>	0.95	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
142-82-5	n-Heptane	ND		ug/m <sup>3</sup>	0.56	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
110-54-3	n-Hexane	7.6		ug/m <sup>3</sup>	0.48	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
95-47-6	o-Xylene	1.4		ug/m <sup>3</sup>	0.60	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
179601-23-1	p- & m- Xylenes	4.1		ug/m <sup>3</sup>	1.2	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
622-96-8	* p-Ethyltoluene	1.2		ug/m <sup>3</sup>	0.68	1.374	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 21:16	AS
115-07-1	* Propylene	ND		ug/m <sup>3</sup>	0.24	1.374	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 21:16	AS
100-42-5	Styrene	ND		ug/m <sup>3</sup>	0.59	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
127-18-4	Tetrachloroethylene	ND		ug/m <sup>3</sup>	0.23	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
109-99-9	* Tetrahydrofuran	ND		ug/m <sup>3</sup>	0.81	1.374	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 21:16	AS
108-88-3	Toluene	39		ug/m <sup>3</sup>	0.52	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m <sup>3</sup>	0.54	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m <sup>3</sup>	0.62	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
79-01-6	Trichloroethylene	ND		ug/m <sup>3</sup>	0.18	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
75-69-4	Trichlorofluoromethane (Freon 11)	1.8		ug/m <sup>3</sup>	0.77	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
108-05-4	Vinyl acetate	ND		ug/m <sup>3</sup>	0.48	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
593-60-2	Vinyl bromide	ND		ug/m <sup>3</sup>	0.60	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
75-01-4	Vinyl Chloride	ND		ug/m <sup>3</sup>	0.088	1.374	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 21:16	AS
	<b>Surrogate Recoveries</b>	<b>Result</b>					<b>Acceptance Range</b>			
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	90.5 %					70-130			



### Sample Information

**Client Sample ID:** NP4-3

**York Sample ID:** 19J0766-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0766

31401451.000 Task 01.00

Vapor Extraction

October 15, 2019 8:14 am

10/17/2019

**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes: TO-VAC**

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	* 1,1,1,2-Tetrachloroethane	ND		ug/m <sup>3</sup>	0.92	1.347	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 22:11	AS
71-55-6	<b>1,1,1-Trichloroethane</b>	<b>1.3</b>		ug/m <sup>3</sup>	0.73	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m <sup>3</sup>	0.92	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
76-13-1	<b>1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)</b>	<b>1.3</b>		ug/m <sup>3</sup>	1.0	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
79-00-5	1,1,2-Trichloroethane	ND		ug/m <sup>3</sup>	0.73	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
75-34-3	1,1-Dichloroethane	ND		ug/m <sup>3</sup>	0.55	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
75-35-4	1,1-Dichloroethylene	ND		ug/m <sup>3</sup>	0.13	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m <sup>3</sup>	1.0	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
95-63-6	<b>1,2,4-Trimethylbenzene</b>	<b>4.4</b>		ug/m <sup>3</sup>	0.66	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
106-93-4	1,2-Dibromoethane	ND		ug/m <sup>3</sup>	1.0	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
95-50-1	1,2-Dichlorobenzene	ND		ug/m <sup>3</sup>	0.81	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
107-06-2	1,2-Dichloroethane	ND		ug/m <sup>3</sup>	0.55	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
78-87-5	1,2-Dichloropropane	ND		ug/m <sup>3</sup>	0.62	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m <sup>3</sup>	0.94	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
108-67-8	<b>1,3,5-Trimethylbenzene</b>	<b>1.1</b>		ug/m <sup>3</sup>	0.66	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
106-99-0	1,3-Butadiene	ND		ug/m <sup>3</sup>	0.89	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
541-73-1	1,3-Dichlorobenzene	ND		ug/m <sup>3</sup>	0.81	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
142-28-9	* 1,3-Dichloropropane	ND		ug/m <sup>3</sup>	0.62	1.347	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 22:11	AS
106-46-7	1,4-Dichlorobenzene	ND		ug/m <sup>3</sup>	0.81	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
123-91-1	1,4-Dioxane	ND		ug/m <sup>3</sup>	0.97	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
78-93-3	<b>2-Butanone</b>	<b>1.8</b>		ug/m <sup>3</sup>	0.40	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
591-78-6	* 2-Hexanone	ND		ug/m <sup>3</sup>	1.1	1.347	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 22:11	AS
107-05-1	3-Chloropropene	ND		ug/m <sup>3</sup>	2.1	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS



### Sample Information

**Client Sample ID:** NP4-3

**York Sample ID:** 19J0766-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0766

31401451.000 Task 01.00

Vapor Extraction

October 15, 2019 8:14 am

10/17/2019

**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes: TO-VAC**

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
108-10-1	4-Methyl-2-pentanone	ND		ug/m <sup>3</sup>	0.55	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
67-64-1	Acetone	5.6		ug/m <sup>3</sup>	0.64	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
107-13-1	Acrylonitrile	ND		ug/m <sup>3</sup>	0.29	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
71-43-2	Benzene	4.8		ug/m <sup>3</sup>	0.43	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
100-44-7	Benzyl chloride	ND		ug/m <sup>3</sup>	0.70	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
75-27-4	Bromodichloromethane	ND		ug/m <sup>3</sup>	0.90	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
75-25-2	Bromoform	ND		ug/m <sup>3</sup>	1.4	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
74-83-9	Bromomethane	ND		ug/m <sup>3</sup>	0.52	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
75-15-0	Carbon disulfide	ND		ug/m <sup>3</sup>	0.42	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
56-23-5	Carbon tetrachloride	0.59		ug/m <sup>3</sup>	0.21	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
108-90-7	Chlorobenzene	ND		ug/m <sup>3</sup>	0.62	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
75-00-3	Chloroethane	ND		ug/m <sup>3</sup>	0.36	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
67-66-3	Chloroform	0.92		ug/m <sup>3</sup>	0.66	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
74-87-3	Chloromethane	1.3		ug/m <sup>3</sup>	0.28	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
156-59-2	cis-1,2-Dichloroethylene	2.9		ug/m <sup>3</sup>	0.13	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m <sup>3</sup>	0.61	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
110-82-7	Cyclohexane	3.7		ug/m <sup>3</sup>	0.46	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
124-48-1	Dibromochloromethane	ND		ug/m <sup>3</sup>	1.1	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
75-71-8	Dichlorodifluoromethane	2.6		ug/m <sup>3</sup>	0.67	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
141-78-6	* Ethyl acetate	ND		ug/m <sup>3</sup>	0.97	1.347	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 22:11	AS
100-41-4	Ethyl Benzene	4.0		ug/m <sup>3</sup>	0.58	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
87-68-3	Hexachlorobutadiene	ND		ug/m <sup>3</sup>	1.4	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
67-63-0	Isopropanol	0.70		ug/m <sup>3</sup>	0.66	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS



### Sample Information

**Client Sample ID:** NP4-3

**York Sample ID:** 19J0766-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

19J0766

31401451.000 Task 01.00

Vapor Extraction

October 15, 2019 8:14 am

10/17/2019


**Volatile Organics, EPA TO15 Full List**

**Log-in Notes:**

**Sample Notes: TO-VAC**

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
80-62-6	Methyl Methacrylate	ND		ug/m <sup>3</sup>	0.55	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m <sup>3</sup>	0.49	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
75-09-2	<b>Methylene chloride</b>	<b>3.6</b>		ug/m <sup>3</sup>	0.94	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
142-82-5	<b>n-Heptane</b>	<b>6.0</b>		ug/m <sup>3</sup>	0.55	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
110-54-3	<b>n-Hexane</b>	<b>17</b>		ug/m <sup>3</sup>	0.47	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
95-47-6	<b>o-Xylene</b>	<b>4.0</b>		ug/m <sup>3</sup>	0.58	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
179601-23-1	<b>p- &amp; m- Xylenes</b>	<b>12</b>		ug/m <sup>3</sup>	1.2	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
622-96-8	<b>* p-Ethyltoluene</b>	<b>4.2</b>		ug/m <sup>3</sup>	0.66	1.347	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 22:11	AS
115-07-1	* Propylene	ND		ug/m <sup>3</sup>	0.23	1.347	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 22:11	AS
100-42-5	Styrene	ND		ug/m <sup>3</sup>	0.57	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
127-18-4	Tetrachloroethylene	ND		ug/m <sup>3</sup>	0.23	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
109-99-9	* Tetrahydrofuran	ND		ug/m <sup>3</sup>	0.79	1.347	EPA TO-15 Certifications:	10/18/2019 07:00	10/18/2019 22:11	AS
108-88-3	<b>Toluene</b>	<b>42</b>		ug/m <sup>3</sup>	0.51	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m <sup>3</sup>	0.53	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m <sup>3</sup>	0.61	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
79-01-6	Trichloroethylene	ND		ug/m <sup>3</sup>	0.18	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
75-69-4	<b>Trichlorofluoromethane (Freon 11)</b>	<b>2.0</b>		ug/m <sup>3</sup>	0.76	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
108-05-4	Vinyl acetate	ND		ug/m <sup>3</sup>	0.47	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
593-60-2	Vinyl bromide	ND		ug/m <sup>3</sup>	0.59	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
75-01-4	Vinyl Chloride	ND		ug/m <sup>3</sup>	0.086	1.347	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-Queens	10/18/2019 07:00	10/18/2019 22:11	AS
	<b>Surrogate Recoveries</b>	<b>Result</b>		<b>Acceptance Range</b>						
460-00-4	Surrogate: SURRE: p-Bromofluorobenzene	90.3 %		70-130						



## Analytical Batch Summary

**Batch ID:** BJ91103

**Preparation Method:** EPA TO15 PREP

**Prepared By:** AS

YORK Sample ID	Client Sample ID	Preparation Date
19J0766-01	NP4-1	10/18/19
19J0766-02	NP4-3	10/18/19
BJ91103-BLK1	Blank	10/18/19
BJ91103-BS1	LCS	10/18/19
BJ91103-DUP1	Duplicate	10/18/19



Volatile Organic Compounds in Air by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BJ91103 - EPA TO15 PREP

Blank (BJ91103-BLK1)

Prepared & Analyzed: 10/18/2019

1,1,1,2-Tetrachloroethane	ND	0.69	ug/m <sup>3</sup>								
1,1,1-Trichloroethane	ND	0.55	"								
1,1,2,2-Tetrachloroethane	ND	0.69	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.77	"								
1,1,2-Trichloroethane	ND	0.55	"								
1,1-Dichloroethane	ND	0.40	"								
1,1-Dichloroethylene	ND	0.099	"								
1,2,4-Trichlorobenzene	ND	0.74	"								
1,2,4-Trimethylbenzene	ND	0.49	"								
1,2-Dibromoethane	ND	0.77	"								
1,2-Dichlorobenzene	ND	0.60	"								
1,2-Dichloroethane	ND	0.40	"								
1,2-Dichloropropane	ND	0.46	"								
1,2-Dichlorotetrafluoroethane	ND	0.70	"								
1,3,5-Trimethylbenzene	ND	0.49	"								
1,3-Butadiene	ND	0.66	"								
1,3-Dichlorobenzene	ND	0.60	"								
1,3-Dichloropropane	ND	0.46	"								
1,4-Dichlorobenzene	ND	0.60	"								
1,4-Dioxane	ND	0.72	"								
2-Butanone	ND	0.29	"								
2-Hexanone	ND	0.82	"								
3-Chloropropene	ND	1.6	"								
4-Methyl-2-pentanone	ND	0.41	"								
Acetone	ND	0.48	"								
Acrylonitrile	ND	0.22	"								
Benzene	ND	0.32	"								
Benzyl chloride	ND	0.52	"								
Bromodichloromethane	ND	0.67	"								
Bromoform	ND	1.0	"								
Bromomethane	ND	0.39	"								
Carbon disulfide	ND	0.31	"								
Carbon tetrachloride	ND	0.16	"								
Chlorobenzene	ND	0.46	"								
Chloroethane	ND	0.26	"								
Chloroform	ND	0.49	"								
Chloromethane	ND	0.21	"								
cis-1,2-Dichloroethylene	ND	0.099	"								
cis-1,3-Dichloropropylene	ND	0.45	"								
Cyclohexane	ND	0.34	"								
Dibromochloromethane	ND	0.85	"								
Dichlorodifluoromethane	ND	0.49	"								
Ethyl acetate	ND	0.72	"								
Ethyl Benzene	ND	0.43	"								
Hexachlorobutadiene	ND	1.1	"								
Isopropanol	ND	0.49	"								
Methyl Methacrylate	ND	0.41	"								
Methyl tert-butyl ether (MTBE)	ND	0.36	"								
Methylene chloride	ND	0.69	"								



**Volatile Organic Compounds in Air by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BJ91103 - EPA TO15 PREP**

**Blank (BJ91103-BLK1)**

Prepared & Analyzed: 10/18/2019

n-Heptane	ND	0.41	ug/m <sup>3</sup>								
n-Hexane	ND	0.35	"								
o-Xylene	ND	0.43	"								
p- & m- Xylenes	ND	0.87	"								
p-Ethyltoluene	ND	0.49	"								
Propylene	ND	0.17	"								
Styrene	ND	0.43	"								
Tetrachloroethylene	ND	0.17	"								
Tetrahydrofuran	ND	0.59	"								
Toluene	ND	0.38	"								
trans-1,2-Dichloroethylene	ND	0.40	"								
trans-1,3-Dichloropropylene	ND	0.45	"								
Trichloroethylene	ND	0.13	"								
Trichlorofluoromethane (Freon 11)	ND	0.56	"								
Vinyl acetate	ND	0.35	"								
Vinyl bromide	ND	0.44	"								
Vinyl Chloride	ND	0.064	"								
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	8.52		ppbv	10.0		85.2	70-130				

**LCS (BJ91103-BS1)**

Prepared & Analyzed: 10/18/2019

1,1,1,2-Tetrachloroethane	10.1		ppbv	10.0		101	70-130				
1,1,1-Trichloroethane	9.89		"	10.0		98.9	70-130				
1,1,2,2-Tetrachloroethane	9.82		"	10.0		98.2	70-130				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.74		"	10.0		97.4	70-130				
1,1,2-Trichloroethane	9.58		"	10.0		95.8	70-130				
1,1-Dichloroethane	9.75		"	10.0		97.5	70-130				
1,1-Dichloroethylene	9.13		"	10.0		91.3	70-130				
1,2,4-Trichlorobenzene	9.39		"	10.0		93.9	70-130				
1,2,4-Trimethylbenzene	9.41		"	10.0		94.1	70-130				
1,2-Dibromoethane	10.1		"	10.0		101	70-130				
1,2-Dichlorobenzene	10.8		"	10.0		108	70-130				
1,2-Dichloroethane	9.28		"	10.0		92.8	70-130				
1,2-Dichloropropane	9.30		"	10.0		93.0	70-130				
1,2-Dichlorotetrafluoroethane	9.70		"	10.0		97.0	70-130				
1,3,5-Trimethylbenzene	9.55		"	10.0		95.5	70-130				
1,3-Butadiene	11.2		"	10.0		112	70-130				
1,3-Dichlorobenzene	10.7		"	10.0		107	70-130				
1,3-Dichloropropane	9.74		"	10.0		97.4	70-130				
1,4-Dichlorobenzene	10.9		"	10.0		109	70-130				
1,4-Dioxane	9.94		"	10.0		99.4	70-130				
2-Butanone	9.67		"	10.0		96.7	70-130				
2-Hexanone	10.5		"	10.0		105	70-130				
3-Chloropropene	10.3		"	10.0		103	70-130				
4-Methyl-2-pentanone	9.47		"	10.0		94.7	70-130				
Acetone	9.73		"	10.0		97.3	70-130				
Acrylonitrile	8.85		"	10.0		88.5	70-130				
Benzene	9.23		"	10.0		92.3	70-130				
Benzyl chloride	11.9		"	10.0		119	70-130				
Bromodichloromethane	9.70		"	10.0		97.0	70-130				
Bromoform	11.2		"	10.0		112	70-130				



Volatile Organic Compounds in Air by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting	Units	Spike	Source*	%REC	Limits	Flag	RPD	RPD	Limit	Flag
		Limit			Result	%REC			Limit			

Batch BJ91103 - EPA TO15 PREP

LCS (BJ91103-BS1)

Prepared & Analyzed: 10/18/2019


Bromomethane	10.2		ppbv	10.0		102	70-130					
Carbon disulfide	10.2		"	10.0		102	70-130					
Carbon tetrachloride	9.07		"	10.0		90.7	70-130					
Chlorobenzene	10.1		"	10.0		101	70-130					
Chloroethane	10.1		"	10.0		101	70-130					
Chloroform	9.66		"	10.0		96.6	70-130					
Chloromethane	9.60		"	10.0		96.0	70-130					
cis-1,2-Dichloroethylene	8.85		"	10.0		88.5	70-130					
cis-1,3-Dichloropropylene	10.1		"	10.0		101	70-130					
Cyclohexane	9.54		"	10.0		95.4	70-130					
Dibromochloromethane	10.2		"	10.0		102	70-130					
Dichlorodifluoromethane	10.1		"	10.0		101	70-130					
Ethyl acetate	10.9		"	10.0		109	70-130					
Ethyl Benzene	9.46		"	10.0		94.6	70-130					
Hexachlorobutadiene	10.3		"	10.0		103	70-130					
Isopropanol	9.52		"	10.0		95.2	70-130					
Methyl Methacrylate	9.37		"	10.0		93.7	70-130					
Methyl tert-butyl ether (MTBE)	9.68		"	10.0		96.8	70-130					
Methylene chloride	10.5		"	10.0		105	70-130					
n-Heptane	10.6		"	10.0		106	70-130					
n-Hexane	9.76		"	10.0		97.6	70-130					
o-Xylene	9.37		"	10.0		93.7	70-130					
p- & m- Xylenes	16.7		"	20.0		83.4	70-130					
p-Ethyltoluene	9.93		"	10.0		99.3	70-130					
Propylene	10.2		"	10.0		102	70-130					
Styrene	9.72		"	10.0		97.2	70-130					
Tetrachloroethylene	11.0		"	10.0		110	70-130					
Tetrahydrofuran	9.92		"	10.0		99.2	70-130					
Toluene	11.0		"	10.0		110	70-130					
trans-1,2-Dichloroethylene	10.1		"	10.0		101	70-130					
trans-1,3-Dichloropropylene	9.35		"	10.0		93.5	70-130					
Trichloroethylene	9.01		"	10.0		90.1	70-130					
Trichlorofluoromethane (Freon 11)	9.82		"	10.0		98.2	70-130					
Vinyl acetate	9.24		"	10.0		92.4	70-130					
Vinyl bromide	10.7		"	10.0		107	70-130					
Vinyl Chloride	10.7		"	10.0		107	70-130					
Surrogate: SURR: p-Bromofluorobenzene	10.2		"	10.0		102	70-130					



Volatile Organic Compounds in Air by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag	
<b>Batch BJ91103 - EPA TO15 PREP</b>												
<b>Duplicate (BJ91103-DUP1)</b>	*Source sample: 19J0766-02 (NP4-3)						Prepared & Analyzed: 10/18/2019					
1,1,1,2-Tetrachloroethane	ND	0.92	ug/m <sup>3</sup>		ND					25		
1,1,1-Trichloroethane	1.2	0.73	"		1.3				5.71	25		
1,1,2,2-Tetrachloroethane	ND	0.92	"		ND					25		
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	1.2	1.0	"		1.3				8.00	25		
1,1,2-Trichloroethane	ND	0.73	"		ND					25		
1,1-Dichloroethane	ND	0.55	"		ND					25		
1,1-Dichloroethylene	ND	0.13	"		ND					25		
1,2,4-Trichlorobenzene	ND	1.0	"		ND					25		
1,2,4-Trimethylbenzene	4.6	0.66	"		4.4				4.38	25		
1,2-Dibromoethane	ND	1.0	"		ND					25		
1,2-Dichlorobenzene	ND	0.81	"		ND					25		
1,2-Dichloroethane	ND	0.55	"		ND					25		
1,2-Dichloropropane	ND	0.62	"		ND					25		
1,2-Dichlorotetrafluoroethane	ND	0.94	"		ND					25		
1,3,5-Trimethylbenzene	1.2	0.66	"		1.1				5.71	25		
1,3-Butadiene	ND	0.89	"		ND					25		
1,3-Dichlorobenzene	ND	0.81	"		ND					25		
1,3-Dichloropropane	ND	0.62	"		ND					25		
1,4-Dichlorobenzene	ND	0.81	"		ND					25		
1,4-Dioxane	ND	0.97	"		ND					25		
2-Butanone	1.9	0.40	"		1.8				4.26	25		
2-Hexanone	ND	1.1	"		ND					25		
3-Chloropropene	ND	2.1	"		ND					25		
4-Methyl-2-pentanone	ND	0.55	"		ND					25		
Acetone	5.8	0.64	"		5.6				2.25	25		
Acrylonitrile	ND	0.29	"		ND					25		
Benzene	4.8	0.43	"		4.8				0.897	25		
Benzyl chloride	ND	0.70	"		ND					25		
Bromodichloromethane	ND	0.90	"		ND					25		
Bromoform	ND	1.4	"		ND					25		
Bromomethane	ND	0.52	"		ND					25		
Carbon disulfide	ND	0.42	"		ND					25		
Carbon tetrachloride	0.59	0.21	"		0.59				0.00	25		
Chlorobenzene	ND	0.62	"		ND					25		
Chloroethane	ND	0.36	"		ND					25		
Chloroform	0.92	0.66	"		0.92				0.00	25		
Chloromethane	1.8	0.28	"		1.3				30.6	25	Non-dir.	
cis-1,2-Dichloroethylene	3.0	0.13	"		2.9				3.64	25		
cis-1,3-Dichloropropylene	ND	0.61	"		ND					25		
Cyclohexane	3.6	0.46	"		3.7				2.56	25		
Dibromochloromethane	ND	1.1	"		ND					25		
Dichlorodifluoromethane	2.5	0.67	"		2.6				2.60	25		
Ethyl acetate	ND	0.97	"		ND					25		
Ethyl Benzene	4.1	0.58	"		4.0				1.44	25		
Hexachlorobutadiene	ND	1.4	"		ND					25		
Isopropanol	0.70	0.66	"		0.70				0.00	25		
Methyl Methacrylate	ND	0.55	"		ND					25		
Methyl tert-butyl ether (MTBE)	ND	0.49	"		ND					25		
Methylene chloride	3.7	0.94	"		3.6				2.56	25		
n-Heptane	6.0	0.55	"		6.0				0.00	25		



**Volatile Organic Compounds in Air by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Units	Spike	Source*	%REC	%REC	Flag	RPD	RPD	Flag
		Limit		Level	Result	Limits	Limit				

**Batch BJ91103 - EPA TO15 PREP**

<b>Duplicate (BJ91103-DUP1)</b>	<b>*Source sample: 19J0766-02 (NP4-3)</b>				<b>Prepared &amp; Analyzed: 10/18/2019</b>				
n-Hexane	17	0.47	ug/m <sup>3</sup>	17				1.37	25
o-Xylene	4.1	0.58	"	4.0				1.44	25
p- & m- Xylenes	12	1.2	"	12				0.00	25
p-Ethyltoluene	4.2	0.66	"	4.2				0.00	25
Propylene	ND	0.23	"	ND					25
Styrene	ND	0.57	"	ND					25
Tetrachloroethylene	ND	0.23	"	ND					25
Tetrahydrofuran	ND	0.79	"	ND					25
Toluene	42	0.51	"	42				0.242	25
trans-1,2-Dichloroethylene	ND	0.53	"	ND					25
trans-1,3-Dichloropropylene	ND	0.61	"	ND					25
Trichloroethylene	ND	0.18	"	ND					25
Trichlorofluoromethane (Freon 11)	2.1	0.76	"	2.0				3.64	25
Vinyl acetate	ND	0.47	"	ND					25
Vinyl bromide	ND	0.59	"	ND					25
Vinyl Chloride	ND	0.086	"	ND					25
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>9.13</i>		<i>ppbv</i>	<i>10.0</i>			<i>91.3</i>	<i>70-130</i>	





## Sample and Data Qualifiers Relating to This Work Order

- TO-VAC The final vacuum in the canister was less than -2 inches Hg vacuum. The time integrated sampling may be affected and not reflect proper sampling over the time period. The data user should take note.
- QR-01 Analyses are not controlled on RPD values from sample concentrations less than 10 times the reporting limit. QC batch accepted based on LCS and/or LCSD QC results.

### Definitions and Other Explanations

- \* Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
- ND NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
- RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
- LOQ LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
- LOD LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
- MDL METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
- Reported to This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
- NR Not reported
- RPD Relative Percent Difference
- Wet The data has been reported on an as-received (wet weight) basis
- Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- Non-Dir. Non-dir. flag (Non-Directional Bias ) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.


If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.



For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

---

