

TABLE 2

**GROUNDWATER REMEDIAL ACTION  
ROWE INDUSTRIES SUPERFUND SITE  
SAG HARBOR, NEW YORK**

**Effluent Water Quality Results**

Date Sampled <sup>2/</sup>	pH <sup>1/</sup>	TDS <sup>4/</sup> (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	cis- 1,2-DCE (ug/l)	trans- 1,2-DCE (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Ethyl- benzene (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Naphthalene (ug/l)	Chloroform (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
<b>SPDES Limits</b>	<b>6.5 to 8.5</b>	<b>---</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>---</b>	<b>10</b>	<b>7</b>	<b>---</b>	<b>---</b>
2-Jul-19	6.0	145	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	1.82 C,Q,B	ND<0.5	0.766	ND<0.278
1-Aug-19	6.8	168	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.30	1.24
5-Sep-19	6.8	172	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.291	ND<0.278
3-Oct-19	6.5	165	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.612	ND<0.278
4-Nov-19	6.0	102	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	0.536	ND<0.278
5-Dec-19	6.8	129	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
7-Jan-20	6.8	175	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
4-Feb-20	7.0	122	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
2-Mar-20	7.0	137	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
2-Apr-20	7.0	161	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
7-May-20	7.0	299	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA
2-Jun-20	6.8	174	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	NA	NA

SPDES: State Pollutant Discharge Elimination System

mg/l: Milligrams per liter

ug/l: Micrograms per liter

---: Not established

J: Analyte detected below quantitation limits, value shown is a laboratory estimate.

B: Analyte was found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants.

ND: Not detected NA: Not Analyzed

C = CCV-E: The value reported is estimated. The value is estimated due to its behavior during continuing calibration verification.


Q = QL-02: This LCS analyte is outside Laboratory Recovery limits due to the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.

**Notes:**


- Based on the SPDES criteria from an NYSDEC letter dated on May 6, 2016, the allowable pH range for the Rowe Site is between 6.5 and 8.5. The effluent pH was 7.0 on June 18, 2020. Historic pH measurements from recovery wells indicate that natural background pH concentrations are less than 6.5.
- "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.
- Starting in October 2016, FSP&T system samples are collected monthly instead of once every two weeks. The pH of the effluent water is measured two times per month in accordance with the SPDES requirements.

**GRAPH 1**  
**GROUNDWATER REMEDIAL ACTION**  
**ROWE INDUSTRIES SUPERFUND SITE**  
**SAG HARBOR, NEW YORK**

**Effluent Flow Data**  
**(June 1, 2020 to June 30, 2020)**



**APPENDIX I**  
**JUNE 2020 LABORATORY ANALYTICAL REPORT**  
**FOR FSP&T SYSTEM**



# Technical Report

prepared for:

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
**Attention: Tunde Komuves-Sandor**

Report Date: 06/05/2020  
**Client Project ID: 31401451.000 Task 01.00 Rowe Industries**  
York Project (SDG) No.: 20F0072

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE  
[www.YORKLAB.com](http://www.YORKLAB.com)

STRATFORD, CT 06615  
(203) 325-1371

132-02 89th AVENUE  
FAX (203) 357-0166

RICHMOND HILL, NY 11418  
[ClientServices@yorklab.com](mailto:ClientServices@yorklab.com)

Report Date: 06/05/2020  
Client Project ID: 31401451.000 Task 01.00 Rowe Industries  
York Project (SDG) No.: 20F0072

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
Attention: Tunde Komuves-Sandor

---

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on June 02, 2020 and listed below. The project was identified as your project: **31401451.000 Task 01.00 Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
20F0072-01	WQ060220:0950 NP2-6	Water	06/02/2020	06/02/2020
20F0072-02	WQ060220:1000 NP2-10	Water	06/02/2020	06/02/2020

## **General Notes for York Project (SDG) No.: 20F0072**

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

**Approved By:**



Benjamin Gulizia  
Laboratory Director

**Date:** 06/05/2020





### Sample Information

**Client Sample ID:** WQ060220:0950 NP2-6

**York Sample ID:** 20F0072-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
20F0072	31401451.000 Task 01.00 Rowe Industries	Water	June 2, 2020 9:50 am	06/02/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	06/02/2020 12:30	06/03/2020 01:35	AB
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB



### Sample Information

**Client Sample ID:** WQ060220:0950 NP2-6

**York Sample ID:** 20F0072-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20F0072

31401451.000 Task 01.00 Rowe Industries

Water

June 2, 2020 9:50 am

06/02/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
95-49-8	2-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
591-78-6	2-Hexanone	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
106-43-4	4-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
67-64-1	Acetone	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
108-86-1	Bromobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
74-97-5	Bromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
75-27-4	Bromodichloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
75-25-2	Bromoform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
74-83-9	Bromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
56-23-5	Carbon tetrachloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
108-90-7	Chlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
75-00-3	Chloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
67-66-3	Chloroform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
74-87-3	Chloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
124-48-1	Dibromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
74-95-3	Dibromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
87-68-3	Hexachlorobutadiene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB



### Sample Information

**Client Sample ID:** WQ060220:0950 NP2-6

**York Sample ID:** 20F0072-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20F0072

31401451.000 Task 01.00 Rowe Industries

Water

June 2, 2020 9:50 am

06/02/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
127-18-4	Tetrachloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
79-01-6	Trichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
75-01-4	Vinyl Chloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 01:35	AB
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	06/02/2020 12:30	06/03/2020 01:35	AB
<b>Surrogate Recoveries</b>		<b>Result</b>	<b>Acceptance Range</b>								
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	98.1 %	69-130								
2037-26-5	Surrogate: SURR: Toluene-d8	102 %	81-117								
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	98.5 %	79-122								



### Sample Information

**Client Sample ID:** WQ060220:1000 NP2-10

**York Sample ID:** 20F0072-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20F0072

31401451.000 Task 01.00 Rowe Industries

Water

June 2, 2020 10:00 am

06/02/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	06/02/2020 12:30	06/03/2020 02:04	AB
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
95-49-8	2-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB



Sample Information

Client Sample ID: WQ060220:1000 NP2-10

York Sample ID: 20F0072-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20F0072

31401451.000 Task 01.00 Rowe Industries

Water

June 2, 2020 10:00 am

06/02/2020

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

Table with 13 columns: CAS No., Parameter, Result, Flag, Units, Reported to LOD/MDL, LOQ, Dilution, Reference Method, Date/Time Prepared, Date/Time Analyzed, Analyst. Rows list various chemical compounds like 2-Hexanone, 4-Chlorotoluene, Acetone, Benzene, Bromobenzene, Bromochloromethane, Bromodichloromethane, Bromoform, Bromomethane, Carbon tetrachloride, Chlorobenzene, Chloroethane, Chloroform, Chloromethane, cis-1,2-Dichloroethylene, cis-1,3-Dichloropropylene, Dibromochloromethane, Dibromomethane, Dichlorodifluoromethane, Ethyl Benzene, Hexachlorobutadiene, Isopropylbenzene, Methyl tert-butyl ether (MTBE).



### Sample Information

**Client Sample ID:** WQ060220:1000 NP2-10

**York Sample ID:** 20F0072-02

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20F0072

31401451.000 Task 01.00 Rowe Industries

Water

June 2, 2020 10:00 am

06/02/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**


Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
127-18-4	Tetrachloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
79-01-6	Trichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
75-01-4	Vinyl Chloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 02:04	AB
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	06/02/2020 12:30	06/03/2020 02:04	AB
	<b>Surrogate Recoveries</b>	<b>Result</b>			<b>Acceptance Range</b>						
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	92.4 %			69-130						
2037-26-5	Surrogate: SURR: Toluene-d8	98.6 %			81-117						
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	100 %			79-122						

**Total Dissolved Solids**

**Log-in Notes:**

**Sample Notes:**



Sample Information

Client Sample ID: WQ060220:1000 NP2-10

York Sample ID: 20F0072-02

York Project (SDG) No. 20F0072

Client Project ID 31401451.000 Task 01.00 Rowe Industries


Matrix Water

Collection Date/Time June 2, 2020 10:00 am

Date Received 06/02/2020

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	<b>Total Dissolved Solids</b>	<b>174</b>		mg/L	10.0	1	SM 2540C	06/04/2020 17:48	06/05/2020 12:23	TJM
							Certifications:	NELAC-NY10854,CTDOH,NJDEP,PADEP		



## Analytical Batch Summary

**Batch ID:** BF00098

**Preparation Method:** EPA 5030B

**Prepared By:** CLS2

YORK Sample ID	Client Sample ID	Preparation Date
20F0072-01	WQ060220:0950 NP2-6	06/02/20
20F0072-02	WQ060220:1000 NP2-10	06/02/20
BF00098-BLK1	Blank	06/02/20
BF00098-BS1	LCS	06/02/20
BF00098-BSD1	LCS Dup	06/02/20

**Batch ID:** BF00297

**Preparation Method:** % Solids Prep

**Prepared By:** AA

YORK Sample ID	Client Sample ID	Preparation Date
20F0072-02	WQ060220:1000 NP2-10	06/04/20
BF00297-BLK1	Blank	06/04/20



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BF00098 - EPA 5030B**

**Blank (BF00098-BLK1)**

Prepared & Analyzed: 06/02/2020

1,1,1,2-Tetrachloroethane	ND	0.500	ug/L								
1,1,1-Trichloroethane	ND	0.500	"								
1,1,2,2-Tetrachloroethane	ND	0.500	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.500	"								
1,1,2-Trichloroethane	ND	0.500	"								
1,1-Dichloroethane	ND	0.500	"								
1,1-Dichloroethylene	ND	0.500	"								
1,1-Dichloropropylene	ND	0.500	"								
1,2,3-Trichlorobenzene	ND	0.500	"								
1,2,3-Trichloropropane	ND	0.500	"								
1,2,4-Trichlorobenzene	ND	0.500	"								
1,2,4-Trimethylbenzene	ND	0.500	"								
1,2-Dibromo-3-chloropropane	ND	0.500	"								
1,2-Dibromoethane	ND	0.500	"								
1,2-Dichlorobenzene	ND	0.500	"								
1,2-Dichloroethane	ND	0.500	"								
1,2-Dichloropropane	ND	0.500	"								
1,3,5-Trimethylbenzene	ND	0.500	"								
1,3-Dichlorobenzene	ND	0.500	"								
1,3-Dichloropropane	ND	0.500	"								
1,4-Dichlorobenzene	ND	0.500	"								
2,2-Dichloropropane	ND	0.500	"								
2-Chlorotoluene	ND	0.500	"								
2-Hexanone	ND	0.500	"								
4-Chlorotoluene	ND	0.500	"								
Acetone	ND	2.00	"								
Benzene	ND	0.500	"								
Bromobenzene	ND	0.500	"								
Bromochloromethane	ND	0.500	"								
Bromodichloromethane	ND	0.500	"								
Bromoform	ND	0.500	"								
Bromomethane	ND	0.500	"								
Carbon tetrachloride	ND	0.500	"								
Chlorobenzene	ND	0.500	"								
Chloroethane	ND	0.500	"								
Chloroform	ND	0.500	"								
Chloromethane	ND	0.500	"								
cis-1,2-Dichloroethylene	ND	0.500	"								
cis-1,3-Dichloropropylene	ND	0.500	"								
Dibromochloromethane	ND	0.500	"								
Dibromomethane	ND	0.500	"								
Dichlorodifluoromethane	ND	0.500	"								
Ethyl Benzene	ND	0.500	"								
Hexachlorobutadiene	ND	0.500	"								
Isopropylbenzene	ND	0.500	"								
Methyl tert-butyl ether (MTBE)	ND	0.500	"								
Methylene chloride	ND	2.00	"								
Naphthalene	ND	2.00	"								
n-Butylbenzene	ND	0.500	"								



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Units	Spike	Source*	%REC	%REC	Limits	Flag	RPD	Flag
		Limit			Result					RPD	

**Batch BF00098 - EPA 5030B**

**Blank (BF00098-BLK1)**

Prepared & Analyzed: 06/02/2020

n-Propylbenzene	ND	0.500	ug/L								
o-Xylene	ND	0.500	"								
p- & m- Xylenes	ND	1.00	"								
p-Isopropyltoluene	ND	0.500	"								
sec-Butylbenzene	ND	0.500	"								
Styrene	ND	0.500	"								
tert-Butylbenzene	ND	0.500	"								
Tetrachloroethylene	ND	0.500	"								
Toluene	ND	0.500	"								
trans-1,2-Dichloroethylene	ND	0.500	"								
trans-1,3-Dichloropropylene	0.940	0.500	"								
Trichloroethylene	ND	0.500	"								
Trichlorofluoromethane	ND	0.500	"								
Vinyl Chloride	ND	0.500	"								
Xylenes, Total	ND	1.50	"								
<hr/>											
Surrogate: SURR: 1,2-Dichloroethane-d4	9.77		"	10.0		97.7	69-130				
Surrogate: SURR: Toluene-d8	9.95		"	10.0		99.5	81-117				
Surrogate: SURR: p-Bromofluorobenzene	10.1		"	10.0		101	79-122				

**LCS (BF00098-BS1)**

Prepared & Analyzed: 06/02/2020

1,1,1,2-Tetrachloroethane	10.1		ug/L	10.0		101	82-126				
1,1,1-Trichloroethane	10.8		"	10.0		108	78-136				
1,1,2,2-Tetrachloroethane	10.6		"	10.0		106	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11.6		"	10.0		116	54-165				
1,1,2-Trichloroethane	10.3		"	10.0		103	82-123				
1,1-Dichloroethane	10.8		"	10.0		108	82-129				
1,1-Dichloroethylene	11.5		"	10.0		115	68-138				
1,1-Dichloropropylene	10.9		"	10.0		109	83-133				
1,2,3-Trichlorobenzene	12.0		"	10.0		120	76-136				
1,2,3-Trichloropropane	10.3		"	10.0		103	77-128				
1,2,4-Trichlorobenzene	9.88		"	10.0		98.8	76-137				
1,2,4-Trimethylbenzene	10.0		"	10.0		100	82-132				
1,2-Dibromo-3-chloropropane	8.90		"	10.0		89.0	45-147				
1,2-Dibromoethane	10.6		"	10.0		106	83-124				
1,2-Dichlorobenzene	10.2		"	10.0		102	79-123				
1,2-Dichloroethane	11.0		"	10.0		110	73-132				
1,2-Dichloropropane	10.8		"	10.0		108	78-126				
1,3,5-Trimethylbenzene	10.5		"	10.0		105	80-131				
1,3-Dichlorobenzene	9.98		"	10.0		99.8	86-122				
1,3-Dichloropropane	11.0		"	10.0		110	81-125				
1,4-Dichlorobenzene	10.1		"	10.0		101	85-124				
2,2-Dichloropropane	10.2		"	10.0		102	56-150				
2-Chlorotoluene	9.85		"	10.0		98.5	79-130				
2-Hexanone	10.3		"	10.0		103	51-146				
4-Chlorotoluene	11.5		"	10.0		115	79-128				
Acetone	10.5		"	10.0		105	14-150				
Benzene	11.1		"	10.0		111	85-126				
Bromobenzene	9.73		"	10.0		97.3	78-129				
Bromochloromethane	11.2		"	10.0		112	77-128				
Bromodichloromethane	11.0		"	10.0		110	79-128				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting	Units	Spike	Source*	%REC	%REC	Limits	Flag	RPD	Flag
		Limit			Result					RPD	

Batch BF00098 - EPA 5030B

LCS (BF00098-BS1)

Prepared & Analyzed: 06/02/2020

Bromoform	10.4		ug/L	10.0		104	104	78-133			
Bromomethane	9.00		"	10.0		90.0	90.0	43-168			
Carbon tetrachloride	10.4		"	10.0		104	104	77-141			
Chlorobenzene	10.4		"	10.0		104	104	88-120			
Chloroethane	12.2		"	10.0		122	122	65-136			
Chloroform	10.7		"	10.0		107	107	82-128			
Chloromethane	10.6		"	10.0		106	106	43-155			
cis-1,2-Dichloroethylene	11.4		"	10.0		114	114	83-129			
cis-1,3-Dichloropropylene	11.0		"	10.0		110	110	80-131			
Dibromochloromethane	10.8		"	10.0		108	108	80-130			
Dibromomethane	11.2		"	10.0		112	112	72-134			
Dichlorodifluoromethane	10.7		"	10.0		107	107	44-144			
Ethyl Benzene	10.6		"	10.0		106	106	80-131			
Hexachlorobutadiene	11.2		"	10.0		112	112	67-146			
Isopropylbenzene	9.36		"	10.0		93.6	93.6	76-140			
Methyl tert-butyl ether (MTBE)	11.2		"	10.0		112	112	76-135			
Methylene chloride	12.8		"	10.0		128	128	55-137			
Naphthalene	10.4		"	10.0		104	104	70-147			
n-Butylbenzene	9.63		"	10.0		96.3	96.3	79-132			
n-Propylbenzene	9.68		"	10.0		96.8	96.8	78-133			
o-Xylene	10.4		"	10.0		104	104	78-130			
p- & m- Xylenes	20.0		"	20.0		100	100	77-133			
p-Isopropyltoluene	10.5		"	10.0		105	105	81-136			
sec-Butylbenzene	10.7		"	10.0		107	107	79-137			
Styrene	10.2		"	10.0		102	102	67-132			
tert-Butylbenzene	10.0		"	10.0		100	100	77-138			
Tetrachloroethylene	9.26		"	10.0		92.6	92.6	82-131			
Toluene	10.3		"	10.0		103	103	80-127			
trans-1,2-Dichloroethylene	12.2		"	10.0		122	122	80-132			
trans-1,3-Dichloropropylene	9.98		"	10.0		99.8	99.8	78-131			
Trichloroethylene	10.9		"	10.0		109	109	82-128			
Trichlorofluoromethane	10.2		"	10.0		102	102	67-139			
Vinyl Chloride	10.2		"	10.0		102	102	58-145			
Surrogate: Surr: 1,2-Dichloroethane-d4	9.85		"	10.0		98.5	98.5	69-130			
Surrogate: Surr: Toluene-d8	9.82		"	10.0		98.2	98.2	81-117			
Surrogate: Surr: p-Bromofluorobenzene	9.37		"	10.0		93.7	93.7	79-122			



**Volatile Organic Compounds by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting		Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	
		Limit	Units						RPD	Limit
<b>Batch BF00098 - EPA 5030B</b>										
<b>LCS Dup (BF00098-BSD1)</b>										
						Prepared & Analyzed: 06/02/2020				
1,1,1,2-Tetrachloroethane	9.80		ug/L	10.0		98.0	82-126		3.31	30
1,1,1-Trichloroethane	11.0		"	10.0		110	78-136		1.65	30
1,1,2,2-Tetrachloroethane	10.3		"	10.0		103	76-129		2.58	30
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11.7		"	10.0		117	54-165		0.945	30
1,1,2-Trichloroethane	10.3		"	10.0		103	82-123		0.195	30
1,1-Dichloroethane	10.6		"	10.0		106	82-129		1.41	30
1,1-Dichloroethylene	11.9		"	10.0		119	68-138		3.25	30
1,1-Dichloropropylene	11.0		"	10.0		110	83-133		0.365	30
1,2,3-Trichlorobenzene	10.8		"	10.0		108	76-136		10.8	30
1,2,3-Trichloropropane	10.2		"	10.0		102	77-128		0.783	30
1,2,4-Trichlorobenzene	10.0		"	10.0		100	76-137		1.51	30
1,2,4-Trimethylbenzene	10.0		"	10.0		100	82-132		0.00	30
1,2-Dibromo-3-chloropropane	10.2		"	10.0		102	45-147		13.1	30
1,2-Dibromoethane	10.3		"	10.0		103	83-124		2.79	30
1,2-Dichlorobenzene	10.4		"	10.0		104	79-123		1.85	30
1,2-Dichloroethane	10.2		"	10.0		102	73-132		7.37	30
1,2-Dichloropropane	10.7		"	10.0		107	78-126		1.21	30
1,3,5-Trimethylbenzene	10.2		"	10.0		102	80-131		2.71	30
1,3-Dichlorobenzene	9.99		"	10.0		99.9	86-122		0.100	30
1,3-Dichloropropane	10.7		"	10.0		107	81-125		3.03	30
1,4-Dichlorobenzene	9.91		"	10.0		99.1	85-124		1.60	30
2,2-Dichloropropane	9.86		"	10.0		98.6	56-150		3.10	30
2-Chlorotoluene	9.88		"	10.0		98.8	79-130		0.304	30
2-Hexanone	9.89		"	10.0		98.9	51-146		4.06	30
4-Chlorotoluene	9.79		"	10.0		97.9	79-128		15.8	30
Acetone	9.99		"	10.0		99.9	14-150		4.69	30
Benzene	11.0		"	10.0		110	85-126		0.633	30
Bromobenzene	9.67		"	10.0		96.7	78-129		0.619	30
Bromochloromethane	10.8		"	10.0		108	77-128		3.27	30
Bromodichloromethane	10.8		"	10.0		108	79-128		1.10	30
Bromoform	10.2		"	10.0		102	78-133		2.04	30
Bromomethane	8.82		"	10.0		88.2	43-168		2.02	30
Carbon tetrachloride	10.3		"	10.0		103	77-141		0.482	30
Chlorobenzene	10.5		"	10.0		105	88-120		1.44	30
Chloroethane	11.7		"	10.0		117	65-136		4.01	30
Chloroform	10.5		"	10.0		105	82-128		1.60	30
Chloromethane	10.2		"	10.0		102	43-155		4.05	30
cis-1,2-Dichloroethylene	11.4		"	10.0		114	83-129		0.877	30
cis-1,3-Dichloropropylene	10.6		"	10.0		106	80-131		3.88	30
Dibromochloromethane	10.9		"	10.0		109	80-130		0.553	30
Dibromomethane	11.1		"	10.0		111	72-134		0.269	30
Dichlorodifluoromethane	10.6		"	10.0		106	44-144		0.753	30
Ethyl Benzene	10.3		"	10.0		103	80-131		2.96	30
Hexachlorobutadiene	10.4		"	10.0		104	67-146		6.57	30
Isopropylbenzene	9.42		"	10.0		94.2	76-140		0.639	30
Methyl tert-butyl ether (MTBE)	10.7		"	10.0		107	76-135		4.66	30
Methylene chloride	12.7		"	10.0		127	55-137		1.25	30
Naphthalene	9.94		"	10.0		99.4	70-147		4.91	30
n-Butylbenzene	8.20		"	10.0		82.0	79-132		16.0	30
n-Propylbenzene	9.69		"	10.0		96.9	78-133		0.103	30



**Volatile Organic Compounds by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**


Analyte	Result	Reporting	Units	Spike Level	Source*	%REC	%REC Limits	Flag	RPD	
		Limit			Result				RPD	Limit

**Batch BF00098 - EPA 5030B**

**LCS Dup (BF00098-BSD1)**

Prepared & Analyzed: 06/02/2020

o-Xylene	10.2		ug/L	10.0		102	78-130		1.85	30
p- & m- Xylenes	19.7		"	20.0		98.4	77-133		1.66	30
p-Isopropyltoluene	10.3		"	10.0		103	81-136		1.83	30
sec-Butylbenzene	10.7		"	10.0		107	79-137		0.374	30
Styrene	9.95		"	10.0		99.5	67-132		2.87	30
tert-Butylbenzene	9.84		"	10.0		98.4	77-138		1.91	30
Tetrachloroethylene	9.23		"	10.0		92.3	82-131		0.325	30
Toluene	10.3		"	10.0		103	80-127		0.292	30
trans-1,2-Dichloroethylene	11.8		"	10.0		118	80-132		2.67	30
trans-1,3-Dichloropropylene	9.92		"	10.0		99.2	78-131		0.603	30
Trichloroethylene	10.4		"	10.0		104	82-128		4.31	30
Trichlorofluoromethane	9.88		"	10.0		98.8	67-139		3.19	30
Vinyl Chloride	10.0		"	10.0		100	58-145		2.27	30
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>9.74</i>		<i>"</i>	<i>10.0</i>		<i>97.4</i>	<i>69-130</i>			
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.89</i>		<i>"</i>	<i>10.0</i>		<i>98.9</i>	<i>81-117</i>			
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>9.60</i>		<i>"</i>	<i>10.0</i>		<i>96.0</i>	<i>79-122</i>			



Miscellaneous Physical Parameters - Quality Control Data

York Analytical Laboratories, Inc.


Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BF00297 - % Solids Prep**

**Blank (BF00297-BLK1)**


Prepared: 06/04/2020 Analyzed: 06/05/2020

Total Dissolved Solids	ND	10.0	mg/L								
------------------------	----	------	------	--	--	--	--	--	--	--	--



### Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
20F0072-01	WQ060220:0950 NP2-6	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
20F0072-02	WQ060220:1000 NP2-10	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C



## Sample and Data Qualifiers Relating to This Work Order

- CCV-E The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).
- B Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants.

### Definitions and Other Explanations

- \* Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
- ND NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
- RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
- LOQ LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
- LOD LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
- MDL METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
- Reported to This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
- NR Not reported
- RPD Relative Percent Difference
- Wet The data has been reported on an as-received (wet weight) basis
- Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- Non-Dir. Non-dir. flag (Non-Directional Bias ) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.


If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.





York Analytical Laboratories, Inc.  
 120 Research Drive 132-02 89th Ave  
 Stratford, CT 06615 Queens, NY 11418  
 clientservices@yorklab.com  
 www.yorklab.com

**YORK**  
 ANALYTICAL LABORATORIES INC

# Field Chain-of-Custody Record

YORK Project No.  
 20F0072

NOTE: YORK's Standard Terms & Conditions are listed on the back side of this document.  
 This document serves as your written authorization for YORK to proceed with the analyses requested below.  
 Your signature binds you to YORK's Standard Terms & Conditions.

Page 1 of 1


<b>YOUR Information</b>		<b>Report To:</b>		<b>Invoice To:</b>		<b>YOUR Project Number</b>		<b>Turn-Around Time</b>	
Company: WSP USA		Company: Same		Company: WSP USA Accounting		31401451.000 Task 01.00		RUSH - Next Day	
Address: 4 Research Drive, Suite 204 Shelton, CT 06484		Address:		Address:		<b>YOUR Project Name</b> Rowe Industries		RUSH - Two Day	
Phone.: 203-929-8555		Phone.:		Phone.:				RUSH - Three Day	
Contact: Tunde Komuves-Sandor		Contact:		Contact:		YOUR PO#: 31401451.000 Task 01.00		RUSH - Four Day	
E-mail: tunde.sandor@wsp.com		E-mail: ↓		E-mail:				Standard (5-7 Day) <input checked="" type="checkbox"/>	

Please print clearly and legibly. All information must be complete. Samples will not be logged in and the turn-around-time clock will not begin until any questions by YORK are resolved.  Samples Collected by: (print your name above and sign below)  <i>Scott Philbrick</i> <i>Scott Philbrick</i>	<b>Matrix Codes</b>	<b>Samples From</b>	<b>Report / EDD Type (circle selections)</b>			<b>YORK Reg. Comp.</b>
	S - soil / solid	New York	<input checked="" type="checkbox"/>	<u>Summary Report</u>	CT RCP	<u>Standard Excel EDD</u>
	GW - groundwater	New Jersey		<u>QA Report</u>	CT RCP DQA/DUE	EQuIS (Standard)
	DW - drinking water	Connecticut		NY ASP A Package	NJDEP Reduced Deliverables	NYSDEC EQuIS
	WW - wastewater	Pennsylvania		<u>NY ASP B Package</u>	NJDEP SRP HazSite	
O - Oil ; Other	Other			NJDKQP	Other:	

Sample Identification	Sample Matrix	Date/Time Sampled	Analysis Requested	Container Description
WQ 060220: 0950 NP2-6	GW	6-2-20 09:50	VOCs 8260 full list + freon 113	3 HCl VOA
WQ 060220: 1000 NP2-10	GW	6-2-20 10:00	VOCs 8260 full list + freon 113; TDS	3 HCl VOA; 1 plastic

<b>Comments:</b>				<b>Preservation: (check all that apply)</b>		<b>Special Instruction</b>
				HCl <input checked="" type="checkbox"/> MeOH ___ HNO <sub>3</sub> ___ H <sub>2</sub> SO <sub>4</sub> ___ NaOH ___ ZnAc ___		Field Filtered ___
				Ascorbic Acid ___ Other: <u>COOL</u>		Lab to Filter ___
Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time	
<i>Scott Philbrick</i>	6-2-20 13:55					
Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	
Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Received in LAB by	Date/Time	Temp. Received at Lab
				<i>K Blawie</i>	6/2/20 1355	11.8
						Degrees C

**APPENDIX II**  
**JUNE 2020 LABORATORY ANALYTICAL REPORTS**  
**FOR FSP&T RECOVERY WELL**



# Technical Report

prepared for:

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
**Attention: Tunde Komuves-Sandor**

Report Date: 06/03/2020  
**Client Project ID: 31401451.000 Task 01.00 Rowe Industries**  
York Project (SDG) No.: 20F0070

CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037



New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

120 RESEARCH DRIVE  
[www.YORKLAB.com](http://www.YORKLAB.com)

STRATFORD, CT 06615  
(203) 325-1371

132-02 89th AVENUE  
FAX (203) 357-0166

RICHMOND HILL, NY 11418  
[ClientServices@yorklab.com](mailto:ClientServices@yorklab.com)

**WSP USA, Inc. (Shelton)**  
4 Research Drive, Suite 204  
Shelton CT, 06484  
Attention: Tunde Komuves-Sandor

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on June 02, 2020 and listed below. The project was identified as your project: **31401451.000 Task 01.00 Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
20F0070-01	WQ060220: 1005 NP1-1-2	Water	06/02/2020	06/02/2020

## General Notes for York Project (SDG) No.: 20F0070

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

Approved By:



Benjamin Gulizia  
Laboratory Director

Date: 06/03/2020





### Sample Information

**Client Sample ID:** WQ060220: 1005 NP1-1-2

**York Sample ID:** 20F0070-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
20F0070	31401451.000 Task 01.00 Rowe Industries	Water	June 2, 2020 10:05 am	06/02/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
75-34-3	1,1-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP	06/02/2020 12:30	06/03/2020 00:38	AB
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
106-93-4	1,2-Dibromoethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
107-06-2	1,2-Dichloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
78-87-5	1,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
142-28-9	1,3-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
594-20-7	2,2-Dichloropropane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB



### Sample Information

**Client Sample ID:** WQ060220: 1005 NP1-1-2

**York Sample ID:** 20F0070-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20F0070

31401451.000 Task 01.00 Rowe Industries

Water

June 2, 2020 10:05 am

06/02/2020

**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
95-49-8	2-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
591-78-6	2-Hexanone	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
106-43-4	4-Chlorotoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
67-64-1	Acetone	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
108-86-1	Bromobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
74-97-5	Bromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
75-27-4	Bromodichloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
75-25-2	Bromoform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
74-83-9	Bromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
56-23-5	Carbon tetrachloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
108-90-7	Chlorobenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
75-00-3	Chloroethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
67-66-3	Chloroform	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
74-87-3	Chloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
124-48-1	Dibromochloromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
74-95-3	Dibromomethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
87-68-3	Hexachlorobutadiene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB



### Sample Information

**Client Sample ID:** WQ060220: 1005 NP1-1-2

**York Sample ID:** 20F0070-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20F0070

31401451.000 Task 01.00 Rowe Industries

Water

June 2, 2020 10:05 am

06/02/2020


**Volatile Organics, 8260 List - Low Level**

**Log-in Notes:**

**Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
75-09-2	Methylene chloride	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
100-42-5	Styrene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
127-18-4	Tetrachloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
79-01-6	Trichloroethylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
75-69-4	Trichlorofluoromethane	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
75-01-4	Vinyl Chloride	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	06/02/2020 12:30	06/03/2020 00:38	AB
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	06/02/2020 12:30	06/03/2020 00:38	AB
<b>Surrogate Recoveries</b>		<b>Result</b>	<b>Acceptance Range</b>								
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	92.0 %	69-130								
2037-26-5	Surrogate: SURR: Toluene-d8	100 %	81-117								
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	102 %	79-122								



## Analytical Batch Summary

**Batch ID:** BF00098

**Preparation Method:** EPA 5030B

**Prepared By:** CLS2

YORK Sample ID	Client Sample ID	Preparation Date
20F0070-01	WQ060220: 1005 NP1-1-2	06/02/20
BF00098-BLK1	Blank	06/02/20
BF00098-BS1	LCS	06/02/20
BF00098-BSD1	LCS Dup	06/02/20



**Volatile Organic Compounds by GC/MS - Quality Control Data**  
**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

**Batch BF00098 - EPA 5030B**

**Blank (BF00098-BLK1)**

Prepared & Analyzed: 06/02/2020

1,1,1,2-Tetrachloroethane	ND	0.500	ug/L								
1,1,1-Trichloroethane	ND	0.500	"								
1,1,2,2-Tetrachloroethane	ND	0.500	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.500	"								
1,1,2-Trichloroethane	ND	0.500	"								
1,1-Dichloroethane	ND	0.500	"								
1,1-Dichloroethylene	ND	0.500	"								
1,1-Dichloropropylene	ND	0.500	"								
1,2,3-Trichlorobenzene	ND	0.500	"								
1,2,3-Trichloropropane	ND	0.500	"								
1,2,4-Trichlorobenzene	ND	0.500	"								
1,2,4-Trimethylbenzene	ND	0.500	"								
1,2-Dibromo-3-chloropropane	ND	0.500	"								
1,2-Dibromoethane	ND	0.500	"								
1,2-Dichlorobenzene	ND	0.500	"								
1,2-Dichloroethane	ND	0.500	"								
1,2-Dichloropropane	ND	0.500	"								
1,3,5-Trimethylbenzene	ND	0.500	"								
1,3-Dichlorobenzene	ND	0.500	"								
1,3-Dichloropropane	ND	0.500	"								
1,4-Dichlorobenzene	ND	0.500	"								
2,2-Dichloropropane	ND	0.500	"								
2-Chlorotoluene	ND	0.500	"								
2-Hexanone	ND	0.500	"								
4-Chlorotoluene	ND	0.500	"								
Acetone	ND	2.00	"								
Benzene	ND	0.500	"								
Bromobenzene	ND	0.500	"								
Bromochloromethane	ND	0.500	"								
Bromodichloromethane	ND	0.500	"								
Bromoform	ND	0.500	"								
Bromomethane	ND	0.500	"								
Carbon tetrachloride	ND	0.500	"								
Chlorobenzene	ND	0.500	"								
Chloroethane	ND	0.500	"								
Chloroform	ND	0.500	"								
Chloromethane	ND	0.500	"								
cis-1,2-Dichloroethylene	ND	0.500	"								
cis-1,3-Dichloropropylene	ND	0.500	"								
Dibromochloromethane	ND	0.500	"								
Dibromomethane	ND	0.500	"								
Dichlorodifluoromethane	ND	0.500	"								
Ethyl Benzene	ND	0.500	"								
Hexachlorobutadiene	ND	0.500	"								
Isopropylbenzene	ND	0.500	"								
Methyl tert-butyl ether (MTBE)	ND	0.500	"								
Methylene chloride	ND	2.00	"								
Naphthalene	ND	2.00	"								
n-Butylbenzene	ND	0.500	"								



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
<b>Batch BF00098 - EPA 5030B</b>											
<b>Blank (BF00098-BLK1)</b>											
Prepared & Analyzed: 06/02/2020											
n-Propylbenzene	ND	0.500	ug/L								
o-Xylene	ND	0.500	"								
p- & m- Xylenes	ND	1.00	"								
p-Isopropyltoluene	ND	0.500	"								
sec-Butylbenzene	ND	0.500	"								
Styrene	ND	0.500	"								
tert-Butylbenzene	ND	0.500	"								
Tetrachloroethylene	ND	0.500	"								
Toluene	ND	0.500	"								
trans-1,2-Dichloroethylene	ND	0.500	"								
trans-1,3-Dichloropropylene	0.940	0.500	"								
Trichloroethylene	ND	0.500	"								
Trichlorofluoromethane	ND	0.500	"								
Vinyl Chloride	ND	0.500	"								
Xylenes, Total	ND	1.50	"								
<hr/>											
Surrogate: SURR: 1,2-Dichloroethane-d4	9.77		"	10.0		97.7	69-130				
Surrogate: SURR: Toluene-d8	9.95		"	10.0		99.5	81-117				
Surrogate: SURR: p-Bromofluorobenzene	10.1		"	10.0		101	79-122				
<hr/>											
<b>LCS (BF00098-BS1)</b>											
Prepared & Analyzed: 06/02/2020											
1,1,1,2-Tetrachloroethane	10.1		ug/L	10.0		101	82-126				
1,1,1-Trichloroethane	10.8		"	10.0		108	78-136				
1,1,2,2-Tetrachloroethane	10.6		"	10.0		106	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11.6		"	10.0		116	54-165				
1,1,2-Trichloroethane	10.3		"	10.0		103	82-123				
1,1-Dichloroethane	10.8		"	10.0		108	82-129				
1,1-Dichloroethylene	11.5		"	10.0		115	68-138				
1,1-Dichloropropylene	10.9		"	10.0		109	83-133				
1,2,3-Trichlorobenzene	12.0		"	10.0		120	76-136				
1,2,3-Trichloropropane	10.3		"	10.0		103	77-128				
1,2,4-Trichlorobenzene	9.88		"	10.0		98.8	76-137				
1,2,4-Trimethylbenzene	10.0		"	10.0		100	82-132				
1,2-Dibromo-3-chloropropane	8.90		"	10.0		89.0	45-147				
1,2-Dibromoethane	10.6		"	10.0		106	83-124				
1,2-Dichlorobenzene	10.2		"	10.0		102	79-123				
1,2-Dichloroethane	11.0		"	10.0		110	73-132				
1,2-Dichloropropane	10.8		"	10.0		108	78-126				
1,3,5-Trimethylbenzene	10.5		"	10.0		105	80-131				
1,3-Dichlorobenzene	9.98		"	10.0		99.8	86-122				
1,3-Dichloropropane	11.0		"	10.0		110	81-125				
1,4-Dichlorobenzene	10.1		"	10.0		101	85-124				
2,2-Dichloropropane	10.2		"	10.0		102	56-150				
2-Chlorotoluene	9.85		"	10.0		98.5	79-130				
2-Hexanone	10.3		"	10.0		103	51-146				
4-Chlorotoluene	11.5		"	10.0		115	79-128				
Acetone	10.5		"	10.0		105	14-150				
Benzene	11.1		"	10.0		111	85-126				
Bromobenzene	9.73		"	10.0		97.3	78-129				
Bromochloromethane	11.2		"	10.0		112	77-128				
Bromodichloromethane	11.0		"	10.0		110	79-128				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BF00098 - EPA 5030B

LCS (BF00098-BS1)

Prepared & Analyzed: 06/02/2020

Bromoform	10.4		ug/L	10.0		104	78-133				
Bromomethane	9.00		"	10.0		90.0	43-168				
Carbon tetrachloride	10.4		"	10.0		104	77-141				
Chlorobenzene	10.4		"	10.0		104	88-120				
Chloroethane	12.2		"	10.0		122	65-136				
Chloroform	10.7		"	10.0		107	82-128				
Chloromethane	10.6		"	10.0		106	43-155				
cis-1,2-Dichloroethylene	11.4		"	10.0		114	83-129				
cis-1,3-Dichloropropylene	11.0		"	10.0		110	80-131				
Dibromochloromethane	10.8		"	10.0		108	80-130				
Dibromomethane	11.2		"	10.0		112	72-134				
Dichlorodifluoromethane	10.7		"	10.0		107	44-144				
Ethyl Benzene	10.6		"	10.0		106	80-131				
Hexachlorobutadiene	11.2		"	10.0		112	67-146				
Isopropylbenzene	9.36		"	10.0		93.6	76-140				
Methyl tert-butyl ether (MTBE)	11.2		"	10.0		112	76-135				
Methylene chloride	12.8		"	10.0		128	55-137				
Naphthalene	10.4		"	10.0		104	70-147				
n-Butylbenzene	9.63		"	10.0		96.3	79-132				
n-Propylbenzene	9.68		"	10.0		96.8	78-133				
o-Xylene	10.4		"	10.0		104	78-130				
p- & m- Xylenes	20.0		"	20.0		100	77-133				
p-Isopropyltoluene	10.5		"	10.0		105	81-136				
sec-Butylbenzene	10.7		"	10.0		107	79-137				
Styrene	10.2		"	10.0		102	67-132				
tert-Butylbenzene	10.0		"	10.0		100	77-138				
Tetrachloroethylene	9.26		"	10.0		92.6	82-131				
Toluene	10.3		"	10.0		103	80-127				
trans-1,2-Dichloroethylene	12.2		"	10.0		122	80-132				
trans-1,3-Dichloropropylene	9.98		"	10.0		99.8	78-131				
Trichloroethylene	10.9		"	10.0		109	82-128				
Trichlorofluoromethane	10.2		"	10.0		102	67-139				
Vinyl Chloride	10.2		"	10.0		102	58-145				
Surrogate: SURR: 1,2-Dichloroethane-d4	9.85		"	10.0		98.5	69-130				
Surrogate: SURR: Toluene-d8	9.82		"	10.0		98.2	81-117				
Surrogate: SURR: p-Bromofluorobenzene	9.37		"	10.0		93.7	79-122				



**Volatile Organic Compounds by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**

Analyte	Result	Reporting	Spike	Source*	%REC	%REC	Limits	Flag	RPD	
		Limit							Units	Level
<b>Batch BF00098 - EPA 5030B</b>										
<b>LCS Dup (BF00098-BSD1)</b>										
Prepared & Analyzed: 06/02/2020										
1,1,1,2-Tetrachloroethane	9.80		ug/L	10.0	98.0	82-126			3.31	30
1,1,1-Trichloroethane	11.0		"	10.0	110	78-136			1.65	30
1,1,2,2-Tetrachloroethane	10.3		"	10.0	103	76-129			2.58	30
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11.7		"	10.0	117	54-165			0.945	30
1,1,2-Trichloroethane	10.3		"	10.0	103	82-123			0.195	30
1,1-Dichloroethane	10.6		"	10.0	106	82-129			1.41	30
1,1-Dichloroethylene	11.9		"	10.0	119	68-138			3.25	30
1,1-Dichloropropylene	11.0		"	10.0	110	83-133			0.365	30
1,2,3-Trichlorobenzene	10.8		"	10.0	108	76-136			10.8	30
1,2,3-Trichloropropane	10.2		"	10.0	102	77-128			0.783	30
1,2,4-Trichlorobenzene	10.0		"	10.0	100	76-137			1.51	30
1,2,4-Trimethylbenzene	10.0		"	10.0	100	82-132			0.00	30
1,2-Dibromo-3-chloropropane	10.2		"	10.0	102	45-147			13.1	30
1,2-Dibromoethane	10.3		"	10.0	103	83-124			2.79	30
1,2-Dichlorobenzene	10.4		"	10.0	104	79-123			1.85	30
1,2-Dichloroethane	10.2		"	10.0	102	73-132			7.37	30
1,2-Dichloropropane	10.7		"	10.0	107	78-126			1.21	30
1,3,5-Trimethylbenzene	10.2		"	10.0	102	80-131			2.71	30
1,3-Dichlorobenzene	9.99		"	10.0	99.9	86-122			0.100	30
1,3-Dichloropropane	10.7		"	10.0	107	81-125			3.03	30
1,4-Dichlorobenzene	9.91		"	10.0	99.1	85-124			1.60	30
2,2-Dichloropropane	9.86		"	10.0	98.6	56-150			3.10	30
2-Chlorotoluene	9.88		"	10.0	98.8	79-130			0.304	30
2-Hexanone	9.89		"	10.0	98.9	51-146			4.06	30
4-Chlorotoluene	9.79		"	10.0	97.9	79-128			15.8	30
Acetone	9.99		"	10.0	99.9	14-150			4.69	30
Benzene	11.0		"	10.0	110	85-126			0.633	30
Bromobenzene	9.67		"	10.0	96.7	78-129			0.619	30
Bromochloromethane	10.8		"	10.0	108	77-128			3.27	30
Bromodichloromethane	10.8		"	10.0	108	79-128			1.10	30
Bromoform	10.2		"	10.0	102	78-133			2.04	30
Bromomethane	8.82		"	10.0	88.2	43-168			2.02	30
Carbon tetrachloride	10.3		"	10.0	103	77-141			0.482	30
Chlorobenzene	10.5		"	10.0	105	88-120			1.44	30
Chloroethane	11.7		"	10.0	117	65-136			4.01	30
Chloroform	10.5		"	10.0	105	82-128			1.60	30
Chloromethane	10.2		"	10.0	102	43-155			4.05	30
cis-1,2-Dichloroethylene	11.4		"	10.0	114	83-129			0.877	30
cis-1,3-Dichloropropylene	10.6		"	10.0	106	80-131			3.88	30
Dibromochloromethane	10.9		"	10.0	109	80-130			0.553	30
Dibromomethane	11.1		"	10.0	111	72-134			0.269	30
Dichlorodifluoromethane	10.6		"	10.0	106	44-144			0.753	30
Ethyl Benzene	10.3		"	10.0	103	80-131			2.96	30
Hexachlorobutadiene	10.4		"	10.0	104	67-146			6.57	30
Isopropylbenzene	9.42		"	10.0	94.2	76-140			0.639	30
Methyl tert-butyl ether (MTBE)	10.7		"	10.0	107	76-135			4.66	30
Methylene chloride	12.7		"	10.0	127	55-137			1.25	30
Naphthalene	9.94		"	10.0	99.4	70-147			4.91	30
n-Butylbenzene	8.20		"	10.0	82.0	79-132			16.0	30
n-Propylbenzene	9.69		"	10.0	96.9	78-133			0.103	30



**Volatile Organic Compounds by GC/MS - Quality Control Data**

**York Analytical Laboratories, Inc.**


Analyte	Result	Reporting	Units	Spike Level	Source*	%REC	%REC Limits	Flag	RPD	
		Limit			Result				RPD	Limit

**Batch BF00098 - EPA 5030B**

**LCS Dup (BF00098-BSD1)**

Prepared & Analyzed: 06/02/2020

o-Xylene	10.2		ug/L	10.0		102	78-130		1.85	30
p- & m- Xylenes	19.7		"	20.0		98.4	77-133		1.66	30
p-Isopropyltoluene	10.3		"	10.0		103	81-136		1.83	30
sec-Butylbenzene	10.7		"	10.0		107	79-137		0.374	30
Styrene	9.95		"	10.0		99.5	67-132		2.87	30
tert-Butylbenzene	9.84		"	10.0		98.4	77-138		1.91	30
Tetrachloroethylene	9.23		"	10.0		92.3	82-131		0.325	30
Toluene	10.3		"	10.0		103	80-127		0.292	30
trans-1,2-Dichloroethylene	11.8		"	10.0		118	80-132		2.67	30
trans-1,3-Dichloropropylene	9.92		"	10.0		99.2	78-131		0.603	30
Trichloroethylene	10.4		"	10.0		104	82-128		4.31	30
Trichlorofluoromethane	9.88		"	10.0		98.8	67-139		3.19	30
Vinyl Chloride	10.0		"	10.0		100	58-145		2.27	30
<i>Surrogate: SURR: 1,2-Dichloroethane-d4</i>	<i>9.74</i>		<i>"</i>	<i>10.0</i>		<i>97.4</i>	<i>69-130</i>			
<i>Surrogate: SURR: Toluene-d8</i>	<i>9.89</i>		<i>"</i>	<i>10.0</i>		<i>98.9</i>	<i>81-117</i>			
<i>Surrogate: SURR: p-Bromofluorobenzene</i>	<i>9.60</i>		<i>"</i>	<i>10.0</i>		<i>96.0</i>	<i>79-122</i>			



### Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
20F0070-01	WQ060220: 1005 NP1-1-2	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C



## Sample and Data Qualifiers Relating to This Work Order

- CCV-E The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).
- B Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants.

### Definitions and Other Explanations

- \* Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
- ND NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
- RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
- LOQ LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
- LOD LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
- MDL METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
- Reported to This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
- NR Not reported
- RPD Relative Percent Difference
- Wet The data has been reported on an as-received (wet weight) basis
- Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
- Non-Dir. Non-dir. flag (Non-Directional Bias ) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.





York Analytical Laboratories, Inc.  
 120 Research Drive Stratford, CT 06615  
 132-02 89th Ave Queens, NY 11418  
 clientservices@yorklab.com  
 www.yorklab.com

# Field Chain-of-Custody Record

YORK Project No.  
20F0070  
 Page 1 of 1

**NOTE:** YORK's Standard Terms & Conditions are listed on the back side of this document. This document serves as your written authorization for YORK to proceed with the analyses requested below. Your signature binds you to YORK's Standard Terms & Conditions.

YOUR Information		Report To:		Invoice To:		YOUR Project Number		Turn-Around Time	
Company:	WSP USA	Company:	Same	Company:	WSP USA Accounting	31401451.000 Task 01.00		RUSH - Next Day	
Address:	4 Research Drive, Suite 204 Shelton, CT 06484	Address:		Address:		YOUR Project Name Rowe Industries		RUSH - Two Day	
Phone.:	203-929-8555	Phone.:		Phone.:				RUSH - Three Day	
Contact:	Tunde Komuves-Sandor	Contact:		Contact:		YOUR PO#: 31401451.000 Task 01.00		RUSH - Four Day	
E-mail:	tunde.sandor@wsp.com	E-mail:		E-mail:				Standard (5-7 Day)	X

*Please print clearly and legibly. All information must be complete. Samples will not be logged in and the turn-around-time clock will not begin until any questions by YORK are resolved.*

Signature: Scott Philbrick  
 Samples Collected by: (print your name above and sign below)  
Scott Philbrick

Matrix Codes	Samples From	Report / EDD Type (circle selections)			YORK Reg. Comp.
S - soil / solid	New York	<input checked="" type="checkbox"/> Summary Report	CT RCP	<input checked="" type="checkbox"/> Standard Excel EDD	Compared to the following Regulation(s): (please fill in)
GW - groundwater	New Jersey	<input checked="" type="checkbox"/> QA Report	CT RCP DQA/DUE	EQuIS (Standard)	
DW - drinking water	Connecticut	<input type="checkbox"/> NY ASP A Package	NJDEP Reduced Deliverables	NYSDEC EQuIS	
WW - wastewater	Pennsylvania	<input checked="" type="checkbox"/> NY ASP B Package	NJDEP SRP HazSite		
O - Oil ; Other	Other	<input type="checkbox"/>	NJDKQP	Other:	

Sample Identification	Sample Matrix	Date/Time Sampled	Analysis Requested	Container Description
<u>WA060220: 1005 NP1-1-2</u>	GW	<u>6-2-20 10:05</u>	VOCs 8260 full list + freon 113	3 HCl VOA
	↓			

Comments:	Preservation: (check all that apply)	Special Instruction
	HCl <input checked="" type="checkbox"/> MeOH ___ HNO <sub>3</sub> ___ H <sub>2</sub> SO <sub>4</sub> ___ NaOH ___ ZnAc ___ Ascorbic Acid ___ Other: <u>Cool</u>	Field Filtered ___ Lab to Filter ___

Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time
<u>Scott Philbrick</u>	<u>6-2-20 13:55</u>				
Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time
Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Received in LAB by	Temp. Received at Lab
				<u>KBlocker 6/12/20 135F</u>	<u>11.8</u> Degrees C