

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water
Origin: Distribution
Routine

Hampton Bays Water District

P.O. Box 1013

Hampton Bays, NY 11946

Attn To : Supt. McCuen

Federal ID : 5103704

Collected : 03/04/2020 08:15 AM

Point HB3

Received : 03/04/2020 04:30 PM

Location U.S.C.G.

Collected By CLIENT

Foster Ave.

Lab No. : 70123903001

Client Sample ID.: HB3

Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Ca Hardness as CaCO3 (SM 2340B	24.6		1	mg/L		03/11/2020 6:10 PM	001 BP4N1/1
Iron	0.077		1	mg/L	0.3	03/11/2020 6:10 PM	001 BP4N1/1
Manganese	<0.010		1	mg/L	0.3	03/11/2020 6:10 PM	001 BP4N1/1
Sodium	31.7		1	mg/L		03/11/2020 6:10 PM	001 BP4N1/1
Zinc	<0.020		1	mg/L	5	03/11/2020 6:10 PM	001 BP4N1/1

Analytical Method:EPA 200.8

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Antimony	<0.40		1	ug/L	6	03/11/2020 1:09 PM	001 BP4N1/1
Arsenic	<1.0		1	ug/L	10	03/11/2020 1:09 PM	001 BP4N1/1
Barium	0.025		1	mg/L	2	03/11/2020 1:09 PM	001 BP4N1/1
Beryllium	<0.30		1	ug/L	4	03/11/2020 1:09 PM	001 BP4N1/1
Cadmium	<1.0		1	ug/L	5	03/11/2020 1:09 PM	001 BP4N1/1
Chromium	<0.0070		1	mg/L	0.1	03/11/2020 1:09 PM	001 BP4N1/1
Lead	<1.0		1	ug/L	15	03/11/2020 1:09 PM	001 BP4N1/1
Mercury	<0.20		1	ug/L	2	03/11/2020 1:09 PM	001 BP4N1/1
Nickel	<0.00050		1	mg/L		03/11/2020 1:09 PM	001 BP4N1/1
Selenium	<2.0		1	ug/L	50	03/11/2020 1:09 PM	001 BP4N1/1
Silver	<0.0010		1	mg/L	0.1	03/11/2020 1:09 PM	001 BP4N1/1
Thallium	<0.30		1	ug/L	2	03/11/2020 1:09 PM	001 BP4N1/1

Analytical Method:EPA 300.0

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Fluoride	<0.10		1	mg/L	2.2	03/10/2020 6:08 AM	001 BP1U1/1
Sulfate	9.2		1	mg/L	250	03/10/2020 6:08 AM	001 BP1U1/1

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrate as N	1.4		1	mg/L	10	03/04/2020 11:36	001 BP1U1/1
Nitrate-Nitrite (as N)	1.4		1	mg/L		03/04/2020 11:36	001 BP1U1/1

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrite as N	<0.050		1	mg/L	1	03/04/2020 9:15 PM	001 BP1U1/1


Analytical Method:Field Method

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Field Temperature	17.2	N3	1	deg C		03/04/2020 8:15 AM	001 BP3C1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
ND - Not Detected at or above adjusted reporting limit.
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
U - Indicates the compound was analyzed for, but not detected
See qualifiers page for additional qualifier definitions.

Result(s) reported meet(s) NYS Regulatory Limit(s).
Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.



Kimberley Mack

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Hampton Bays Water District
 P.O. Box 1013
 Hampton Bays, NY 11946

Lab No. : 70123903001
 Client Sample ID.: HB3

Attn To : Supt. McCuen

Federal ID : 5103704

Collected : 03/04/2020 08:15 AM Point HB3
 Received : 03/04/2020 04:30 PM Location U.S.C.G.
 Collected By CLIENT Foster Ave.

Field pH	7.09	N3	1	Std. Units	03/04/2020 8:15 AM	001 BP3C1/1
----------	------	----	---	------------	--------------------	-------------

Analytical Method: SM22 2120B

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Apparent Color	<5.0		1	units		03/05/2020 11:13	001 BP1U1/1
pH	7.1		1	Std. Units		03/05/2020 11:13	001 BP1U1/1

Analytical Method: SM22 2150B

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Odor @ 60 Degrees C	1		1			03/04/2020 4:39 PM	001 BP1U1/1

Analytical Method: SM22 2510B

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Specific Conductance	240		1	umhos/cm		03/08/2020 8:03 AM	001 BP1U1/1

Analytical Method: SM22 4500 NH3 H

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrogen, Ammonia	<0.10		1	mg/L		03/10/2020 4:00 PM	001 BP1U1/1

Analytical Method: SM22 4500-CN-E Prep Method: SM20/22 4500-CN-C Prep Date: 03/10/2020 8:06 AM

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Cyanide	<10.0		1	ug/L	200	03/10/2020 2:54 PM	001 BP3C1/1

Analytical Method: SM22 4500-Cl-E

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Chloride	34.7		1	mg/L	250	03/10/2020 8:08 PM	001 BP1U1/1

Analytical Method: SM22 5540C Prep Method: SM22 5540C Prep Date: 03/05/2020 8:20 PM

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
LAS Molecular Weight, g/mol	320		1			03/05/2020 8:30 PM	001 BP1U1/1
MBAS, Calculated as LAS	<0.080		1	mg/L		03/05/2020 8:30 PM	001 BP1U1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected
 See qualifiers page for additional qualifier definitions.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Kimberly Mack

Kimberly Mack

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Laboratory Results

Results for the samples and analytes requested
The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water
Origin: Distribution
Routine

Hampton Bays Water District

P.O. Box 1013

Hampton Bays, NY 11946

Attn To : Supt. McCuen

Federal ID : 5103704

Collected : 03/04/2020 09:45 AM Point HB8

Received : 03/04/2020 04:30 PM Location B. McCormack

Collected By CLIENT Bittersweet Ave.

Lab No. : 70123903002

Client Sample ID.: HB8

Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Ca Hardness as CaCO3 (SM 2340B	22.6		1	mg/L		03/11/2020 6:11 PM	002 BP4N1/1
Iron	0.062		1	mg/L	0.3	03/11/2020 6:11 PM	002 BP4N1/1
Manganese	<0.010		1	mg/L	0.3	03/11/2020 6:11 PM	002 BP4N1/1
Sodium	41.1		1	mg/L		03/11/2020 6:11 PM	002 BP4N1/1
Zinc	<0.020		1	mg/L	5	03/11/2020 6:11 PM	002 BP4N1/1

Analytical Method:EPA 200.8

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Antimony	<0.40		1	ug/L	6	03/11/2020 1:10 PM	002 BP4N1/1
Arsenic	<1.0		1	ug/L	10	03/11/2020 1:10 PM	002 BP4N1/1
Barium	0.018		1	mg/L	2	03/11/2020 1:10 PM	002 BP4N1/1
Beryllium	<0.30		1	ug/L	4	03/11/2020 1:10 PM	002 BP4N1/1
Cadmium	<1.0		1	ug/L	5	03/11/2020 1:10 PM	002 BP4N1/1
Chromium	<0.0070		1	mg/L	0.1	03/11/2020 1:10 PM	002 BP4N1/1
Lead	<1.0		1	ug/L	15	03/11/2020 1:10 PM	002 BP4N1/1
Mercury	<0.20		1	ug/L	2	03/11/2020 1:10 PM	002 BP4N1/1
Nickel	<0.00050		1	mg/L		03/11/2020 1:10 PM	002 BP4N1/1
Selenium	<2.0		1	ug/L	50	03/11/2020 1:10 PM	002 BP4N1/1
Silver	<0.0010		1	mg/L	0.1	03/11/2020 1:10 PM	002 BP4N1/1
Thallium	<0.30		1	ug/L	2	03/11/2020 1:10 PM	002 BP4N1/1

Analytical Method:EPA 300.0

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Fluoride	<0.10		1	mg/L	2.2	03/10/2020 6:25 AM	002 BP1U1/1
Sulfate	7.6		1	mg/L	250	03/10/2020 6:25 AM	002 BP1U1/1

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrate as N	0.43		1	mg/L	10	03/04/2020 11:37	002 BP1U1/1
Nitrate-Nitrite (as N)	0.43		1	mg/L		03/04/2020 11:37	002 BP1U1/1

Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrite as N	<0.050		1	mg/L	1	03/04/2020 9:17 PM	002 BP1U1/1


Analytical Method:Field Method

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Field Temperature	9.92	N3	1	deg C		03/04/2020 9:45 AM	002 BP3C1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
ND - Not Detected at or above adjusted reporting limit.
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
U - Indicates the compound was analyzed for, but not detected
See qualifiers page for additional qualifier definitions.

Result(s) reported meet(s) NYS Regulatory Limit(s).
Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.



Kimberley Mack

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
 TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

Laboratory Results

Results for the samples and analytes requested
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

Sample Information:

Type: Drinking Water
 Origin: Distribution
 Routine

Hampton Bays Water District
 P.O. Box 1013
 Hampton Bays, NY 11946

Lab No. : 70123903002
 Client Sample ID.: HB8

Attn To : Supt. McCuen

Federal ID : 5103704

Collected : 03/04/2020 09:45 AM Point HB8
 Received : 03/04/2020 04:30 PM Location B. McCormack
 Collected By CLIENT Bittersweet Ave.

Field pH	7.19	N3	1	Std. Units		03/04/2020 9:45 AM	002 BP3C1/1
<u>Analytical Method:</u> SM22 2120B							
<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Apparent Color	<5.0		1	units		03/05/2020 11:14	002 BP1U1/1
pH	7.4		1	Std. Units		03/05/2020 11:14	002 BP1U1/1
<u>Analytical Method:</u> SM22 2150B							
<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Odor @ 60 Degrees C	No odor		1			03/04/2020 4:40 PM	002 BP1U1/1
<u>Analytical Method:</u> SM22 2510B							
<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Specific Conductance	286		1	umhos/cm		03/08/2020 8:04 AM	002 BP1U1/1
<u>Analytical Method:</u> SM22 4500 NH3 H							
<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Nitrogen, Ammonia	<0.10		1	mg/L		03/10/2020 4:01 PM	002 BP1U1/1
<u>Analytical Method:</u> SM22 4500-CN-E				<u>Prep Method:</u> SM20/22 4500-CN-C		<u>Prep Date:</u> 03/11/2020 8:16 AM	
<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Cyanide	<10.0		1	ug/L	200	03/11/2020 2:58 PM	002 BP3C1/1
<u>Analytical Method:</u> SM22 4500-Cl-E							
<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
Chloride	50.6		1	mg/L	250	03/10/2020 8:09 PM	002 BP1U1/1
<u>Analytical Method:</u> SM22 5540C				<u>Prep Method:</u> SM22 5540C		<u>Prep Date:</u> 03/05/2020 8:20 PM	
<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Limit</u>	<u>Analyzed:</u>	<u>Container:</u>
LAS Molecular Weight, g/mol	320		1			03/05/2020 8:30 PM	002 BP1U1/1
MBAS, Calculated as LAS	<0.080		1	mg/L		03/05/2020 8:30 PM	002 BP1U1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.
 ND - Not Detected at or above adjusted reporting limit.
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range
 U - Indicates the compound was analyzed for, but not detected
 See qualifiers page for additional qualifier definitions.

Result(s) reported meet(s) NYS Regulatory Limit(s).
 Result(s) flagged with * Exceed NYS Regulatory Limit(s). Limit Noted.

Kimberly Mack

Kimberly Mack

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Road, Melville, NY 11747
TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

WorkOrder :

70123903

Laboratory Certifications

Pace Analytical Services Long Island

575 Broad Hollow Rd, Melville, NY 11747
New York Certification #: 10478 Primary Accrediting Body
New Jersey Certification #: NY158
Pennsylvania Certification #: 68-00350
Connecticut Certification #: PH-0435
Maryland Certification #: 208
Rhode Island Certification #: LAO00340
Massachusetts Certification #: M-NY026
New Hampshire Certification #: 2987



575 Broad Hollow Road, Melville, NY 11747
TEL: (631) 694-3040 FAX: (631) 420-8436
www.pacelabs.com

WorkOrder :

70123903

Qualifiers

N3 - Accreditation is not offered by the relevant laboratory accrediting body for this parameter.

WO#: 70123903



CL

Name or Code: HAMPTON BAYS WATER DISTRICT
 Address: P.O. BOX 1013
HAMPTON BAYS, NEW YORK 11946
(631) 728-0179
 Phone #: _____
 Attn: _____
 Proj. # or (Name): _____
 Bill To: _____
 Copies To: _____

Sample Request Form

PUBLIC WATER SUPPLIER

Date: 3-4-20

Collected By: M. JUTHILL 3/4/20 ☐ WELL RUN TO SYSTEM

Accepted By: [Signature] 1355


Cooler Temp: 2.7 °C ☐ YES ☐ NO VOC'S PRESERVED WITH HCI

Back: 1630

Sample Types	Purpose	Origin	Treatment Types
PW - Potable Water	RO - Routine	D - Distribution	AST - Air Stripper
GW - Groundwater	RE - Resample	RW - Raw Well	GAC - Granular Activated Charcoal
SW - Surface Water	S - Special	TW - Treated Well	N - Nitrate Removal Plant
WW - Waste Water		T - Tank	FE - Iron Removal Plant
AQ - Aqueous		MW - Monitoring Well	O - Other
S - Soil		I - Influent	
		E - Effluent	

Sample Info:

Date/Time Collected:	Sample Type	Location	Origin	Treatment Type	Purpose	Field Readings Cl ₂ pH/Temp	Analysis	Lab No.
7:45AM 3-4-20	PW	#27	D	-	RO	1.63 7.13	BACT w/c	
8:00AM 3-4-20	PW	#2	D	-	RO	1.47 7.10	BACT w/c	
8:15AM 3-4-20	PW	#3	D	-	RO	1.39 7.07	BACT w/c, TOC's	001
8:30AM 3-4-20	PW	#4	D	-	RO	1.59 7.02	BACT w/c	
8:45AM 3-4-20	PW	#5	D	-	RO	1.36 7.01	BACT w/c	
9:00AM 3-4-20	PW	#6	D	-	RO	1.39 7.10	BACT w/c	
9:20AM 3-4-20	PW	#7	D	-	RO	1.47 7.15	BACT w/c	
9:45AM 3-4-20	PW	#8	D	-	RO	1.31 7.19	BACT w/c, TOC's	002
10:15AM 3-4-20	PW	#9	D	-	RO	1.51 7.11	BACT w/c	
10:30AM 3-4-20	PW	#10	D	-	RO	1.42 7.01	BACT w/c	
10:50AM 3-4-20	PW	#11	D	-	RO	1.46 7.21	BACT w/c	
Remarks:								



Sample Condition Upon Receipt

Client Name: HBW

Pr

WO#: 70123903

PM: KMM Due Date: 03/16/20

CLIENT: HBW

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☒ Pace ☐ Other

Tracking #: _____

Custody Seal on Cooler/Box Present: ☒ Yes ☐ No Seals intact: ☒ Yes ☐ NoTemperature Blank Present: ☐ Yes ☒ NoPacking Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ None ☐ OtherType of Ice: ☒ Wet ☐ Blue ☐ None

Thermometer Used: TH091

Correction Factor: +0.2☐ Samples on ice, cooling process has begunCooler Temperature (°C): 2.7Cooler Temperature Corrected (°C): 2.9

Date/Time 5035A kits placed in freezer _____

Temp should be above freezing to 6.0°C

USDA Regulated Soil (☐ N/A, water sample)Date and Initials of person examining contents 3/4/20Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ YES ☒ NODid samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

			COMMENTS:
Chain of Custody Present:	☒ Yes	☐ No	1.
Chain of Custody Filled Out:	☒ Yes	☐ No	2.
Chain of Custody Relinquished:	☒ Yes	☐ No	3.
Sampler Name & Signature on COC:	☒ Yes	☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes	☐ No	5.
Short Hold Time Analysis (<72hr):	☒ Yes	☐ No	6.
Rush Turn Around Time Requested:	☐ Yes	☒ No	7.
Sufficient Volume: (Triple volume provided for MS/MSD):	☒ Yes	☐ No	8.
Correct Containers Used:	☒ Yes	☐ No	9.
-Pace Containers Used:	☒ Yes	☐ No	
Containers Intact:	☒ Yes	☐ No	10.
Filtered volume received for Dissolved tests	☐ Yes	☐ No ☒ N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC:	☒ Yes	☐ No	12.
-Includes date/time/ID/Analysis Matrix SL WT OIL			
All containers needing preservation have been checked	☒ Yes	☐ No ☒ N/A	13. ☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
pH paper Lot #			Sample #
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, NAOH>12 Cyanide)	☐ Yes	☐ No ☒ N/A	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis			Initial when completed: Lot # of added preservative: Date/Time preservative added
Samples checked for dechlorination:	☐ Yes	☐ No ☒ N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #			
Residual chlorine strips Lot #			
Headspace in VOA Vials (>6mm):	☐ Yes	☐ No ☒ N/A	15.
Trip Blank Present:	☐ Yes	☐ No ☒ N/A	16.
Trip Blank Custody Seals Present	☐ Yes	☐ No ☒ N/A	
Pace Trip Blank Lot # (if applicable):			

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____

Date/Time: _____

Comments/ Resolution: _____