



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (516) 370-6000 FAX: (516) 886-5526  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

## Sample Information:

Type: Drinking Water  
 Origin: Distribution  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**

**Lab No. : 70255058001**  
**Client Sample ID.: HB3**

**Attn To : Supt. McCuen**  
 Federal ID : 5103704  
 Collected : 05/03/2023 08:30 AM Point HB3  
 Received : 05/03/2023 04:20 PM Location U.S.C.G.  
 Collected By CLIENT Foster Ave.

### Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Ca Hardness as CaCO3 (SM 2340B)	23.4		1	mg/L		05/05/2023 3:38 PM	001 BP4N1/1
Iron	0.028		1	mg/L	0.3	05/05/2023 3:38 PM	001 BP4N1/1
Manganese	<0.010		1	mg/L	0.3	05/05/2023 3:38 PM	001 BP4N1/1
Sodium	27.8		1	mg/L		05/05/2023 3:38 PM	001 BP4N1/1
Zinc	<0.020		1	mg/L	5	05/05/2023 3:38 PM	001 BP4N1/1

### Analytical Method:EPA 200.8

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Antimony	<0.40		1	ug/L	6	05/10/2023 8:04 PM	001 BP4N1/1
Arsenic	<1.0		1	ug/L	10	05/10/2023 8:04 PM	001 BP4N1/1
Barium	0.031		1	mg/L	2	05/10/2023 8:04 PM	001 BP4N1/1
Beryllium	<0.30		1	ug/L	4	05/10/2023 8:04 PM	001 BP4N1/1
Cadmium	<1.0		1	ug/L	5	05/10/2023 8:04 PM	001 BP4N1/1
Chromium	<0.0070		1	mg/L	0.1	05/10/2023 8:04 PM	001 BP4N1/1
Lead	<1.0		1	ug/L	15	05/10/2023 8:04 PM	001 BP4N1/1
Mercury	<0.20		1	ug/L	2	05/10/2023 8:04 PM	001 BP4N1/1
Nickel	<0.00050		1	mg/L		05/10/2023 8:04 PM	001 BP4N1/1
Selenium	<2.0		1	ug/L	50	05/10/2023 8:04 PM	001 BP4N1/1
Silver	<0.0010		1	mg/L	0.1	05/10/2023 8:04 PM	001 BP4N1/1
Thallium	<0.30		1	ug/L	2	05/10/2023 8:04 PM	001 BP4N1/1

### Analytical Method:EPA 300.0

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Chloride	37.3		1	mg/L	250	05/13/2023 1:53 AM	001 BP1U1/1
Fluoride	<0.10		1	mg/L	2.2	05/13/2023 1:53 AM	001 BP1U1/1
Sulfate	9.5		1	mg/L	250	05/13/2023 1:53 AM	001 BP1U1/1

### Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrate as N	1.2		5	mg/L	10	05/04/2023 11:46	001 BP4U1/1
Nitrate-Nitrite (as N)	1.2		5	mg/L		05/04/2023 11:46	001 BP4U1/1

### Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrite as N	<0.050		1	mg/L	1	05/04/2023 9:11 PM	001 BP4U1/1

### Analytical Method:Field Method

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:

#### Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected  
 See qualifiers page for additional qualifier definitions.

Kimberley Mack

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (516) 370-6000 FAX: (516) 886-5526  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

## Sample Information:

Type: Drinking Water  
 Origin: Distribution  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**

**Lab No. : 70255058001**  
**Client Sample ID.: HB3**

**Attn To :** Supt. McCuen  
 Federal ID : 5103704  
 Collected : 05/03/2023 08:30 AM Point HB3  
 Received : 05/03/2023 04:20 PM Location U.S.C.G.  
 Collected By CLIENT Foster Ave.

Field Temperature	14.3	N3	1	deg C		05/03/2023 8:30 AM	001 BP1U1/1
Field pH	7.6	N3	1	Std. Units		05/03/2023 8:30 AM	001 BP1U1/1

Analytical Method:SM22 2120B

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Apparent Color	<5.0		1	units		05/04/2023 9:11 PM	001 BP1U1/1
pH	6.3		1	Std. Units		05/04/2023 9:11 PM	001 BP1U1/1

Analytical Method:SM22 2150B

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Odor @ 60 Degrees C	No odor observed		1		3	05/03/2023 11:24	001 AG2U1/1

Analytical Method:SM22 2510B

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Specific Conductance	249		1	umhos/cm		05/08/2023 10:46	001 BP1U1/1

Analytical Method:SM22 4500 NH3 H

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrogen, Ammonia	<0.10		1	mg/L		05/07/2023 1:47 PM	001 BP1U1/1

Analytical Method:SM22 4500-CN-E

Prep Method: SM20/22 4500-CN-C

Prep Date: 05/09/2023 2:45 PM

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Cyanide	<10.0		1	ug/L	200	05/09/2023 5:19 PM	001 BP3C1/1

Analytical Method:SM22 5540C

Prep Method: SM22 5540C

Prep Date: 05/04/2023 11:54

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
LAS Molecular Weight, g/mol	320		1			05/05/2023 12:28	001 BP1U1/1
MBAS, Calculated as LAS	<0.080		1	mg/L		05/05/2023 12:28	001 BP1U1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected  
 See qualifiers page for additional qualifier definitions.

Kimberley Mack

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (516) 370-6000 FAX: (516) 886-5526  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

## Sample Information:

Type: Drinking Water  
 Origin: Distribution  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**

**Lab No. : 70255058002**  
**Client Sample ID.: HB8**

**Attn To :** Supt. McCuen  
 Federal ID : 5103704  
 Collected : 05/03/2023 10:00 AM Point HB8  
 Received : 05/03/2023 04:20 PM Location B. McCormack  
 Collected By CLIENT Bittersweet Ave.

### Analytical Method:EPA 200.7

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Ca Hardness as CaCO3 (SM 2340B)	46.7		1	mg/L		05/05/2023 3:40 PM	002 BP4N1/1
Iron	<0.020		1	mg/L	0.3	05/05/2023 3:40 PM	002 BP4N1/1
Manganese	<0.010		1	mg/L	0.3	05/05/2023 3:40 PM	002 BP4N1/1
Sodium	44.2		1	mg/L		05/05/2023 3:40 PM	002 BP4N1/1
Zinc	<0.020		1	mg/L	5	05/05/2023 3:40 PM	002 BP4N1/1

### Analytical Method:EPA 200.8

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Antimony	<0.40		1	ug/L	6	05/10/2023 8:09 PM	002 BP4N1/1
Arsenic	<1.0		1	ug/L	10	05/10/2023 8:09 PM	002 BP4N1/1
Barium	0.039		1	mg/L	2	05/10/2023 8:09 PM	002 BP4N1/1
Beryllium	<0.30		1	ug/L	4	05/10/2023 8:09 PM	002 BP4N1/1
Cadmium	<1.0		1	ug/L	5	05/10/2023 8:09 PM	002 BP4N1/1
Chromium	<0.0070		1	mg/L	0.1	05/10/2023 8:09 PM	002 BP4N1/1
Lead	<1.0		1	ug/L	15	05/10/2023 8:09 PM	002 BP4N1/1
Mercury	<0.20		1	ug/L	2	05/10/2023 8:09 PM	002 BP4N1/1
Nickel	<0.00050		1	mg/L		05/10/2023 8:09 PM	002 BP4N1/1
Selenium	<2.0		1	ug/L	50	05/10/2023 8:09 PM	002 BP4N1/1
Silver	<0.0010		1	mg/L	0.1	05/10/2023 8:09 PM	002 BP4N1/1
Thallium	<0.30		1	ug/L	2	05/10/2023 8:09 PM	002 BP4N1/1

### Analytical Method:EPA 300.0

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Chloride	73.8		1	mg/L	250	05/13/2023 2:06 AM	002 BP1U1/1
Fluoride	<0.10		1	mg/L	2.2	05/13/2023 2:06 AM	002 BP1U1/1
Sulfate	13.8		1	mg/L	250	05/13/2023 2:06 AM	002 BP1U1/1

### Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrate as N	3.2		5	mg/L	10	05/04/2023 11:55	002 BP1U1/1
Nitrate-Nitrite (as N)	3.2		5	mg/L		05/04/2023 11:55	002 BP1U1/1

### Analytical Method:EPA 353.2

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrite as N	<0.050		1	mg/L	1	05/04/2023 9:30 PM	002 BP1U1/1

### Analytical Method:Field Method

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:

#### Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected  
 See qualifiers page for additional qualifier definitions.

Kimberley Mack

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.



575 Broad Hollow Road, Melville, NY 11747  
 TEL: (516) 370-6000 FAX: (516) 886-5526  
[www.pacelabs.com](http://www.pacelabs.com)

# Laboratory Results

Results for the samples and analytes requested  
 The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests

## Sample Information:

Type: Drinking Water  
 Origin: Distribution  
 Routine

**Hampton Bays Water District**  
**P.O. Box 1013**  
**Hampton Bays, NY 11946**

**Lab No. : 70255058002**  
**Client Sample ID.: HB8**

**Attn To :** Supt. McCuen  
 Federal ID : 5103704  
 Collected : 05/03/2023 10:00 AM Point HB8  
 Received : 05/03/2023 04:20 PM Location B. McCormack  
 Collected By CLIENT Bittersweet Ave.

Field Temperature	13.9	N3	1	deg C		05/03/2023 10:00	002 BP1U1/1
Field pH	7.73	N3	1	Std. Units		05/03/2023 10:00	002 BP1U1/1

Analytical Method:SM22 2120B

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Apparent Color	<5.0		1	units		05/04/2023 9:22 PM	002 BP1U1/1
pH	6.6		1	Std. Units		05/04/2023 9:22 PM	002 BP1U1/1

Analytical Method:SM22 2150B

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Odor @ 60 Degrees C	No odor observed		1		3	05/03/2023 11:38	002 AG2U1/1

Analytical Method:SM22 2510B

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Specific Conductance	439		1	umhos/cm		05/08/2023 10:46	002 BP1U1/1

Analytical Method:SM22 4500 NH3 H

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Nitrogen, Ammonia	<0.10		1	mg/L		05/07/2023 1:48 PM	002 BP1U1/1

Analytical Method:SM22 4500-CN-E

Prep Method: SM20/22 4500-CN-C

Prep Date: 05/09/2023 2:45 PM

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
Cyanide	<10.0		1	ug/L	200	05/09/2023 5:20 PM	002 BP3C1/1

Analytical Method:SM22 5540C

Prep Method: SM22 5540C

Prep Date: 05/05/2023 12:08

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
LAS Molecular Weight, g/mol	320		1			05/05/2023 12:32	002 BP1U1/1
MBAS, Calculated as LAS	<0.080		1	mg/L		05/05/2023 12:32	002 BP1U1/1

Qualifiers:

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.  
 ND - Not Detected at or above adjusted reporting limit.  
 J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit. Estimated value - below calibration range  
 U - Indicates the compound was analyzed for, but not detected  
 See qualifiers page for additional qualifier definitions.

Kimberley Mack

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit Noted.



575 Broad Hollow Road, Melville, NY 11747  
TEL: (516) 370-6000 FAX: (516) 886-5526  
[www.pacelabs.com](http://www.pacelabs.com)

**WorkOrder :**  
70255058

## Laboratory Certifications

---

### **Pace Analytical Services Long Island**

575 Broad Hollow Rd, Melville, NY 11747  
Connecticut Certification #: PH-0435  
Delaware Certification # NY 10478  
Maryland Certification #: 208  
Massachusetts Certification #: M-NY026  
New Hampshire Certification #: 2987  
New Jersey Certification #: NY158  
New York Certification #: 10478 Primary Accrediting Body  
Pennsylvania Certification #: 68-00350  
Rhode Island Certification #: LAO00340  
Virginia Certification # 460302



575 Broad Hollow Road, Melville, NY 11747  
TEL: (516) 370-6000 FAX: (516) 886-5526  
[www.pacelabs.com](http://www.pacelabs.com)

**WorkOrder :**  
70255058

## **Additional Qualifiers**

---

N3 - Accreditation is not offered by the relevant laboratory accrediting body for this parameter.

# Sample Request Form PUBLIC WATER SUPPLIER

*Return to Lab  
5/3/23 1620*

**WO#: 70255058**  
  
 70255058

Date: 5/3/23  
 Collected By: G. Vakobine  
 Accepted By: [Signature] 5/3/23  
 Cooler Temp: 3.6 °C 14/30

WELL OFF LINE  
 WELL RUN TO SYSTEM

YES  NO VOC'S PRESERVED WITH HCl

Sample Types	Purpose	Origin	Treatment Types
PW - Potable Water	RO - Routine	D - Distribution	AST - Air Stripper
GW - Groundwater	RE - Resample	RW - Raw Well	GAC - Granular Activated Charcoal
SW - Surface Water	S - Special	TW - Treated Well	N - Nitrate Removal Plant
WW - Waste Water		T - Tank	FE - Iron Removal Plant
AQ - Aqueous		MW - Monitoring Well	O - Other
S - Soil		I - Influent	
		E - Effluent	

**Client Info:**  
 Name or Code: HAMPTON BAYS WATER DISTRICT  
 Address: P.O. BOX 1013  
HAMPTON BAYS, NEW YORK 11946  
(631) 723-0179  
 Phone #: \_\_\_\_\_  
 Attn: \_\_\_\_\_  
 Proj. # or (Name): \_\_\_\_\_  
 Bill To: \_\_\_\_\_  
 Copies To: \_\_\_\_\_

**Sample Info:**

Date/Time Collected:	Sample Type	Location	Origin	Treatment Type	Purpose	Field Readings C <sub>2</sub>	pH/Temp	Analysis	Lab No.
5/3/23/	PW	#9	D	-	RO	1.02	7.79	Bact w/ CC	
5/3/23/	PW	#2	D	-	RO	.66	7.49	Bact w/ CC	
5/3/23/	PW	#3	D	-	RO	.41	7.61/14.3°C	Bact w/ CC/TOC, T/m, N/W	001
5/3/23/	PW	#4	D	-	RO	.43	7.37	Bact w/ CC	
5/3/23/	PW	#5	D	-	RO	.40	7.52	Bact w/ CC	
5/3/23/	PW	#6	D	-	RO	.45	7.55	Bact w/ CC	
5/3/23/	PW	#27	D	-	RO	.60	7.62	Bact w/ CC	
5/3/23/	PW	#7	D	-	RO	.37	7.44	Bact w/ CC	
5/3/23/	PW	#8	D	-	RO	.79	7.73/13.9°C	Bact w/ CC/TOC	002
5/3/23/	PW	#10	D	-	RO	.76	7.85	Bact w/ CC	
5/3/23/	PW	#35	D	-	RO	.67	7.86	Bact w/ CC	
Remarks: 5/3/23/	GW	B.E. GAC	E	GAC/S	-	-	-	BACT N <sup>o</sup> CC	

*\* B.E. GAC Ran to waste \**

**WO#: 70255058**

**PM: KMM Due Date: 05/16/23**

**CLIENT: HBW**

Client: **HBW**

Profile #: **5223**

Work ID: **Foc** of **1** Add SCLOGFD to first sample for field charge

COC Line Item	Material	Matrix	Matrix
1	40mL unpress clear vial	WT	Water
2	40mL Ascorbic-HCl clear vial	SL	Solid
3	40mL HCl clear vial	NAL	Non-aqueous Liquid
4	40mL Sulfuric clear vial	OL	Oil
5	40mL Na Thiosulfate vial	WP	Wipe
6	40mL Citrate-Na Thiosulfate	DW	Drinking Water
7	40mL EDTA amber glass		
8	125mL Ascorbic-Maleic Acid 40mL		
9	Na Thio 80mL Vial		
10	Ammonium Cl/CuSO4 40mL		
11	1L Unpres Jar (Con Ed)		
12	8oz clear soil jar		
13	4oz clear soil jar		

Material	Matrix
BP1U	1L Unpreserved plastic
BP3N*	250mL HNO3 plastic
BP3C	250mL Sodium Hydroxide
AG2U	500mL unpres amber glass

Material	Matrix
BP1U	1L Unpreserved plastic
BP3N*	250mL HNO3 plastic
BP3C	250mL Sodium Hydroxide
AG2U	500mL unpres amber glass

\* Can also be a BP-4N

Material	Matrix
VG9T	40mL Na Thio amber vial
DG9A	40mL Ascorbic acid/maleic Acid vials
DG9Y	Citrate/Na Thiosulfate 40mL
DG6T	Na Thiosulfate 60mL vial
DG6M	MonoCl/Actel/Na Thio 60mL
AG3U	250mL unpres amber glass
AG3T	Na Thiosulfate 250mL bottle
BP1B	Na Thiosulfate Amber bottle
AG1T	Na Thiosulfate 1L Amber
AG1A	525.3 Chemical Blend

Sender initials \_\_\_\_\_

Additional Comments

Client Name: HBW

WO#: 70255058

PM: KMM

Due Date: 05/16/23

CLIENT: HBW

Courier:  FedEx  UPS  USPS  Client  Commercial  Pace  Other

Tracking #:

Custody Seal on Cooler/Box Present:  Yes  No / Seals intact:  Yes  No  N/A

Packing Material:  Bubble Wrap  Bubble Bags  Ziploc  None  Other

Thermometer Used: TH# TH148 Correction Factor: \_\_\_\_\_

Cooler Temperature(°C): 3.6 Cooler Temperature Corrected(°C): 3.3

Temp should be above freezing to 6.0°C

USDA Regulated Soil [  N/A, water sample ]

Date and Initials of person examining contents: 5/3/23 1620

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)?  Yes  No

Did samples originate from a foreign source including Hawaii and Puerto Rico?  Yes  No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for I):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
<del>Includes date/time/ID, Matrix, SI, W, Oil</del>		
All containers needing preservation have been checked?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>HC293085</u>		Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH > 9 Sulfide, NaOH > 12 Cyanide)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).		Initial when completed: _____ Lot # of added preservative: _____ Date/Time preservative added: _____
Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination: KI starch test strips Lot # <u>14-860</u>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
Residual chlorine strips Lot # <u>14-862</u>		
SM 4500 CN samples checked for sulfide?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15. Positive for Sulfide? Y N
Lead Acetate Strips Lot # <u>14-862</u>		
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution: