



Technical Report

for

Emerging Contaminants

prepared for:

Hampton Bays Water District
18B Ponquoque Ave
Hampton Bays NY, 11946
Attention: Keith Tuthill Jr.

Report Date: 02/23/2026
Client Project ID: PFAS 2/17/26
Project (SDG) No.: 26B0724

Revision No. 1.0

Report Date: 02/23/2026
Client Project ID: PFAS 2/17/26
Project (SDG) No.: 26B0724

Hampton Bays Water District
18B Ponquoque Ave
Hampton Bays NY, 11946
Attention: Keith Tuthill Jr.

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on February 17, 2026 and listed below. The project was identified as your project: **PFAS 2/17/26**.

The analyses were conducted utilizing appropriate EPA methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.


All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

Please contact Client Services at 203.325.1371 with any questions regarding this report or e-mail nastr.clientservices@alsglobal.com.

<u>Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
26B0724-01	WELL 2-1 ENTRY POINT	Drinking Water	02/17/2026	02/17/2026
26B0724-02	FB-WELL 2-1 ENTRY POINT	Drinking Water	02/17/2026	02/17/2026
26B0724-03	WELL 3-1 ENTRY POINT	Drinking Water	02/17/2026	02/17/2026
26B0724-04	FB-WELL 3-1 ENTRY POINT	Drinking Water	02/17/2026	02/17/2026
26B0724-05	WELL 3-1 + 3-3 ENTRY POINT	Drinking Water	02/17/2026	02/17/2026
26B0724-06	WELL 3-1 + 3-2 ENTRY POINT	Drinking Water	02/17/2026	02/17/2026
26B0724-07	WELL 4-2 ENTRY POINT POST IRON	Drinking Water	02/17/2026	02/17/2026
26B0724-08	FB-WELL 4-1 ENTRY POINT POST IRON	Drinking Water	02/17/2026	02/17/2026
26B0724-09	WELL 4-2 ENTRY POINT POST IRON	Drinking Water	02/17/2026	02/17/2026
26B0724-10	WELL 5-1 ENTRY POINT	Drinking Water	02/17/2026	02/17/2026
26B0724-11	FB-WELL 5-1 ENTRY POINT	Drinking Water	02/17/2026	02/17/2026

General Notes for Project (SDG) No.: 26B0724

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. ALS' liability for the above data is limited to the dollar value paid to ALS for the referenced project.
4. This report shall not be reproduced without the written approval of ALS, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by ALS.
8. Analyses conducted at ALS, Inc. Stratford, CT are indicated by NY Cert. No. 10854, NJ Cert No. CT005, PA Cert No. 68-04440, CT Cert No. PH-0723; those conducted at ALS, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058, NJ Cert No. NY037, CT Cert No. PH-0721, NH Cert No. 2097, EPA Cert No. NY01600.

Approved By: 

Cassie Mosher
Laboratory Manager - Stratford

Date: 02/23/2026



Sample Information

Client Sample ID: WELL 2-1 ENTRY POINT	Sample ID: 26B0724-01			
Project (SDG) No. 26B0724	Client Project ID PFAS 2/17/26	Matrix Drinking Water	Collection Date/Time February 17, 2026 7:40 am	Date Received 02/17/2026

Analyzed by: ALS-MDT

533 Analysis

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 533

CAS No.	Parameter	Result	Flag	Maximum Contaminant Level			LOQ	Reference Method	Date/Time Prep/Anal.	Analyst
				MCL	Units					
13252-13-6	HFPO-DA	See Attached		-	See Attachments:		EPA 533	02/19/2026 11:47 02/20/2026 01:06	DMG	
375-73-5	PFBS	See Attached		-	See Attachments:		EPA 533	02/19/2026 11:47 02/20/2026 01:06	DMG	
355-46-4	PFHxS	See Attached		-	See Attachments:		EPA 533	02/19/2026 11:47 02/20/2026 01:06	DMG	
375-95-1	PFNA	See Attached		-	See Attachments:		EPA 533	02/19/2026 11:47 02/20/2026 01:06	DMG	
335-67-1	PFOA	See Attached		-	See Attachments:		EPA 533	02/19/2026 11:47 02/20/2026 01:06	DMG	
1763-23-1	PFOS	See Attached		-	See Attachments:		EPA 533	02/19/2026 11:47 02/20/2026 01:06	DMG	

	Surrogate Recoveries	Result	Acceptance Range
13C2-4-2 FTSA	Surrogate: 13C2-4-2 FTSA	%	-
13C2-6-2 FTSA	Surrogate: 13C2-6-2 FTSA	%	-
13C2-8-2 FTSA	Surrogate: 13C2-8-2 FTSA	%	-
13C2-PFDoDA	Surrogate: 13C2-PFDoDA	%	-
13C3-HFPO-DA	Surrogate: 13C3-HFPO-DA	%	-
13C3-PFBS	Surrogate: 13C3-PFBS	%	-
13C3-PFHxS	Surrogate: 13C3-PFHxS	%	-
13C4-PFBA	Surrogate: 13C4-PFBA	%	-
13C4-PFHpA	Surrogate: 13C4-PFHpA	%	-
13C5-PFHxA	Surrogate: 13C5-PFHxA	%	-
13C5-PFPeA	Surrogate: 13C5-PFPeA	%	-
13C6-PFDA	Surrogate: 13C6-PFDA	%	-
13C7-PFUnDA	Surrogate: 13C7-PFUnDA	%	-
13C8-PFOA	Surrogate: 13C8-PFOA	%	-
13C8-PFOS	Surrogate: 13C8-PFOS	%	-
13C9-PFNA	Surrogate: 13C9-PFNA	%	-



Sample Information

Client Sample ID: FB-WELL 2-1 ENTRY POINT **Sample ID:** 26B0724-02

Project (SDG) No.: 26B0724 **Client Project ID:** PFAS 2/17/26 **Matrix:** Drinking Water **Collection Date/Time:** February 17, 2026 7:40 am **Date Received:** 02/17/2026

Analyzed by: ALS-MDT

533 Analysis

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 533

CAS No.	Parameter	Result	Flag	Maximum Contaminant Level		Units	LOQ	Reference Method	Date/Time Prep/Anal.	Analyst
				MCL						
13252-13-6	HFPO-DA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:17	DMG
375-73-5	PFBS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:17	DMG
355-46-4	PFHxS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:17	DMG
375-95-1	PFNA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:17	DMG
335-67-1	PFOA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:17	DMG
1763-23-1	PFOS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:17	DMG

Surrogate Recoveries

Result

Acceptance Range

13C2-4-2 FTSA	Surrogate: 13C2-4-2 FTSA	%	-
13C2-6-2 FTSA	Surrogate: 13C2-6-2 FTSA	%	-
13C2-8-2 FTSA	Surrogate: 13C2-8-2 FTSA	%	-
13C2-PFDoDA	Surrogate: 13C2-PFDoDA	%	-
13C3-HFPO-DA	Surrogate: 13C3-HFPO-DA	%	-
13C3-PFBS	Surrogate: 13C3-PFBS	%	-
13C3-PFHxS	Surrogate: 13C3-PFHxS	%	-
13C4-PFBA	Surrogate: 13C4-PFBA	%	-
13C4-PFHpA	Surrogate: 13C4-PFHpA	%	-
13C5-PFHxA	Surrogate: 13C5-PFHxA	%	-
13C5-PFPeA	Surrogate: 13C5-PFPeA	%	-
13C6-PFDA	Surrogate: 13C6-PFDA	%	-
13C7-PFUnDA	Surrogate: 13C7-PFUnDA	%	-
13C8-PFOA	Surrogate: 13C8-PFOA	%	-
13C8-PFOS	Surrogate: 13C8-PFOS	%	-
13C9-PFNA	Surrogate: 13C9-PFNA	%	-

Sample Information

Client Sample ID: WELL 3-1 ENTRY POINT **Sample ID:** 26B0724-03

Project (SDG) No.: 26B0724 **Client Project ID:** PFAS 2/17/26 **Matrix:** Drinking Water **Collection Date/Time:** February 17, 2026 8:25 am **Date Received:** 02/17/2026



Sample Information

Client Sample ID: WELL 3-1 ENTRY POINT **Sample ID:** 26B0724-03
Project (SDG) No.: 26B0724 **Client Project ID:** PFAS 2/17/26 **Matrix:** Drinking Water **Collection Date/Time:** February 17, 2026 8:25 am **Date Received:** 02/17/2026

Analyzed by: ALS-MDT

533 Analysis

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 533

CAS No.	Parameter	Result	Flag	Maximum Contaminant Level		Units	LOQ	Reference Method	Date/Time Prep/Anal.	Analyst
				MCL						
13252-13-6	HFPO-DA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:28	DMG
375-73-5	PFBS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:28	DMG
355-46-4	PFHxS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:28	DMG
375-95-1	PFNA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:28	DMG
335-67-1	PFOA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:28	DMG
1763-23-1	PFOS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:28	DMG

Surrogate Recoveries

Result

Acceptance Range

13C2-4-2 FTSA	Surrogate: 13C2-4-2 FTSA	%	-
13C2-6-2 FTSA	Surrogate: 13C2-6-2 FTSA	%	-
13C2-8-2 FTSA	Surrogate: 13C2-8-2 FTSA	%	-
13C2-PFDoDA	Surrogate: 13C2-PFDoDA	%	-
13C3-HFPO-DA	Surrogate: 13C3-HFPO-DA	%	-
13C3-PFBS	Surrogate: 13C3-PFBS	%	-
13C3-PFHxS	Surrogate: 13C3-PFHxS	%	-
13C4-PFBA	Surrogate: 13C4-PFBA	%	-
13C4-PFHpA	Surrogate: 13C4-PFHpA	%	-
13C5-PFHxA	Surrogate: 13C5-PFHxA	%	-
13C5-PFPeA	Surrogate: 13C5-PFPeA	%	-
13C6-PFDA	Surrogate: 13C6-PFDA	%	-
13C7-PFUnDA	Surrogate: 13C7-PFUnDA	%	-
13C8-PFOA	Surrogate: 13C8-PFOA	%	-
13C8-PFOS	Surrogate: 13C8-PFOS	%	-
13C9-PFNA	Surrogate: 13C9-PFNA	%	-

Sample Information

Client Sample ID: FB-WELL 3-1 ENTRY POINT **Sample ID:** 26B0724-04
Project (SDG) No.: 26B0724 **Client Project ID:** PFAS 2/17/26 **Matrix:** Drinking Water **Collection Date/Time:** February 17, 2026 8:25 am **Date Received:** 02/17/2026



Sample Information

Client Sample ID: FB-WELL 3-1 ENTRY POINT **Sample ID:** 26B0724-04
Project (SDG) No. 26B0724 Client Project ID PFAS 2/17/26 Matrix Drinking Water Collection Date/Time February 17, 2026 8:25 am Date Received 02/17/2026

Analyzed by: ALS-MDT

533 Analysis

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 533

CAS No.	Parameter	Result	Flag	Maximum Contaminant Level		Units	LOQ	Reference Method	Date/Time Prep/Anal.	Analyst
				MCL						
13252-13-6	HFPO-DA	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:39	DMG
375-73-5	PFBS	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:39	DMG
355-46-4	PFHxS	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:39	DMG
375-95-1	PFNA	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:39	DMG
335-67-1	PFOA	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:39	DMG
1763-23-1	PFOS	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 01:39	DMG

Surrogate Recoveries

Result

Acceptance Range

13C2-4-2 FTSA	Surrogate: 13C2-4-2 FTSA	%	-
13C2-6-2 FTSA	Surrogate: 13C2-6-2 FTSA	%	-
13C2-8-2 FTSA	Surrogate: 13C2-8-2 FTSA	%	-
13C2-PFDoDA	Surrogate: 13C2-PFDoDA	%	-
13C3-HFPO-DA	Surrogate: 13C3-HFPO-DA	%	-
13C3-PFBS	Surrogate: 13C3-PFBS	%	-
13C3-PFHxS	Surrogate: 13C3-PFHxS	%	-
13C4-PFBA	Surrogate: 13C4-PFBA	%	-
13C4-PFHpA	Surrogate: 13C4-PFHpA	%	-
13C5-PFHxA	Surrogate: 13C5-PFHxA	%	-
13C5-PFPeA	Surrogate: 13C5-PFPeA	%	-
13C6-PFDA	Surrogate: 13C6-PFDA	%	-
13C7-PFUnDA	Surrogate: 13C7-PFUnDA	%	-
13C8-PFOA	Surrogate: 13C8-PFOA	%	-
13C8-PFOS	Surrogate: 13C8-PFOS	%	-
13C9-PFNA	Surrogate: 13C9-PFNA	%	-

Sample Information

Client Sample ID: WELL 3-1 + 3-3 ENTRY POINT **Sample ID:** 26B0724-05
Project (SDG) No. 26B0724 Client Project ID PFAS 2/17/26 Matrix Drinking Water Collection Date/Time February 17, 2026 9:05 am Date Received 02/17/2026



Sample Information

Client Sample ID: WELL 3-1 + 3-3 ENTRY POINT **Sample ID:** 26B0724-05

Project (SDG) No. 26B0724 **Client Project ID** PFAS 2/17/26 **Matrix** Drinking Water **Collection Date/Time** February 17, 2026 9:05 am **Date Received** 02/17/2026

Analyzed by: ALS-MDT

533 Analysis

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 533

CAS No.	Parameter	Result	Flag	Maximum Contaminant Level		Units	LOQ	Reference Method	Date/Time Prep/Anal.	Analyst
				MCL						
13252-13-6	HFPO-DA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:01	DMG
375-73-5	PFBS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:01	DMG
355-46-4	PFHxS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:01	DMG
375-95-1	PFNA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:01	DMG
335-67-1	PFOA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:01	DMG
1763-23-1	PFOS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:01	DMG

Surrogate Recoveries

Result

Acceptance Range

13C2-4-2 FTSA	Surrogate: 13C2-4-2 FTSA	%	-
13C2-6-2 FTSA	Surrogate: 13C2-6-2 FTSA	%	-
13C2-8-2 FTSA	Surrogate: 13C2-8-2 FTSA	%	-
13C2-PFDoDA	Surrogate: 13C2-PFDoDA	%	-
13C3-HFPO-DA	Surrogate: 13C3-HFPO-DA	%	-
13C3-PFBS	Surrogate: 13C3-PFBS	%	-
13C3-PFHxS	Surrogate: 13C3-PFHxS	%	-
13C4-PFBA	Surrogate: 13C4-PFBA	%	-
13C4-PFHpA	Surrogate: 13C4-PFHpA	%	-
13C5-PFHxA	Surrogate: 13C5-PFHxA	%	-
13C5-PFPeA	Surrogate: 13C5-PFPeA	%	-
13C6-PFDA	Surrogate: 13C6-PFDA	%	-
13C7-PFUnDA	Surrogate: 13C7-PFUnDA	%	-
13C8-PFOA	Surrogate: 13C8-PFOA	%	-
13C8-PFOS	Surrogate: 13C8-PFOS	%	-
13C9-PFNA	Surrogate: 13C9-PFNA	%	-

Sample Information

Client Sample ID: WELL 3-1 + 3-2 ENTRY POINT **Sample ID:** 26B0724-06

Project (SDG) No. 26B0724 **Client Project ID** PFAS 2/17/26 **Matrix** Drinking Water **Collection Date/Time** February 17, 2026 8:50 am **Date Received** 02/17/2026



Sample Information

Client Sample ID: WELL 3-1 + 3-2 ENTRY POINT **Sample ID:** 26B0724-06

Project (SDG) No. 26B0724 **Client Project ID** PFAS 2/17/26 **Matrix** Drinking Water **Collection Date/Time** February 17, 2026 8:50 am **Date Received** 02/17/2026

Analyzed by: ALS-MDT

533 Analysis

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 533

CAS No.	Parameter	Result	Flag	Maximum Contaminant Level		Units	LOQ	Reference Method	Date/Time Prep/Anal.	Analyst
				MCL						
13252-13-6	HFPO-DA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:12	DMG
375-73-5	PFBS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:12	DMG
355-46-4	PFHxS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:12	DMG
375-95-1	PFNA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:12	DMG
335-67-1	PFOA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:12	DMG
1763-23-1	PFOS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:12	DMG

Surrogate Recoveries

Result

Acceptance Range

13C2-4-2 FTSA	Surrogate: 13C2-4-2 FTSA	%	-
13C2-6-2 FTSA	Surrogate: 13C2-6-2 FTSA	%	-
13C2-8-2 FTSA	Surrogate: 13C2-8-2 FTSA	%	-
13C2-PFDoDA	Surrogate: 13C2-PFDoDA	%	-
13C3-HFPO-DA	Surrogate: 13C3-HFPO-DA	%	-
13C3-PFBS	Surrogate: 13C3-PFBS	%	-
13C3-PFHxS	Surrogate: 13C3-PFHxS	%	-
13C4-PFBA	Surrogate: 13C4-PFBA	%	-
13C4-PFHpA	Surrogate: 13C4-PFHpA	%	-
13C5-PFHxA	Surrogate: 13C5-PFHxA	%	-
13C5-PFPeA	Surrogate: 13C5-PFPeA	%	-
13C6-PFDA	Surrogate: 13C6-PFDA	%	-
13C7-PFUnDA	Surrogate: 13C7-PFUnDA	%	-
13C8-PFOA	Surrogate: 13C8-PFOA	%	-
13C8-PFOS	Surrogate: 13C8-PFOS	%	-
13C9-PFNA	Surrogate: 13C9-PFNA	%	-

Sample Information

Client Sample ID: WELL 4-2 ENTRY POINT POST IRON **Sample ID:** 26B0724-07

Project (SDG) No. 26B0724 **Client Project ID** PFAS 2/17/26 **Matrix** Drinking Water **Collection Date/Time** February 17, 2026 9:35 am **Date Received** 02/17/2026



Sample Information

Client Sample ID: WELL 4-2 ENTRY POINT POST IRON **Sample ID:** 26B0724-07
Project (SDG) No. 26B0724 **Client Project ID** PFAS 2/17/26 **Matrix** Drinking Water **Collection Date/Time** February 17, 2026 9:35 am **Date Received** 02/17/2026

Analyzed by: ALS-MDT

533 Analysis

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 533

CAS No.	Parameter	Result	Flag	Maximum Contaminant Level		Units	LOQ	Reference Method	Date/Time Prep/Anal.	Analyst
				MCL						
13252-13-6	HFPO-DA	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:23	DMG
375-73-5	PFBS	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:23	DMG
355-46-4	PFHxS	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:23	DMG
375-95-1	PFNA	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:23	DMG
335-67-1	PFOA	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:23	DMG
1763-23-1	PFOS	See Attached		-		See Attachments	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:23	DMG

Surrogate Recoveries

Result

Acceptance Range

13C2-4-2 FTSA	Surrogate: 13C2-4-2 FTSA	%	-
13C2-6-2 FTSA	Surrogate: 13C2-6-2 FTSA	%	-
13C2-8-2 FTSA	Surrogate: 13C2-8-2 FTSA	%	-
13C2-PFDoDA	Surrogate: 13C2-PFDoDA	%	-
13C3-HFPO-DA	Surrogate: 13C3-HFPO-DA	%	-
13C3-PFBS	Surrogate: 13C3-PFBS	%	-
13C3-PFHxS	Surrogate: 13C3-PFHxS	%	-
13C4-PFBA	Surrogate: 13C4-PFBA	%	-
13C4-PFHpA	Surrogate: 13C4-PFHpA	%	-
13C5-PFHxA	Surrogate: 13C5-PFHxA	%	-
13C5-PFPeA	Surrogate: 13C5-PFPeA	%	-
13C6-PFDA	Surrogate: 13C6-PFDA	%	-
13C7-PFUnDA	Surrogate: 13C7-PFUnDA	%	-
13C8-PFOA	Surrogate: 13C8-PFOA	%	-
13C8-PFOS	Surrogate: 13C8-PFOS	%	-
13C9-PFNA	Surrogate: 13C9-PFNA	%	-

Sample Information

Client Sample ID: FB-WELL 4-1 ENTRY POINT POST IRON **Sample ID:** 26B0724-08
Project (SDG) No. 26B0724 **Client Project ID** PFAS 2/17/26 **Matrix** Drinking Water **Collection Date/Time** February 17, 2026 9:35 am **Date Received** 02/17/2026



Sample Information

Client Sample ID: FB-WELL 4-1 ENTRY POINT POST IRON **Sample ID:** 26B0724-08
Project (SDG) No. 26B0724 **Client Project ID** PFAS 2/17/26 **Matrix** Drinking Water **Collection Date/Time** February 17, 2026 9:35 am **Date Received** 02/17/2026

Analyzed by: ALS-MDT

533 Analysis

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 533

CAS No.	Parameter	Result	Flag	Maximum Contaminant Level		Units	LOQ	Reference Method	Date/Time Prep/Anal.	Analyst
				MCL						
13252-13-6	HFPO-DA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:34	DMG
375-73-5	PFBS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:34	DMG
355-46-4	PFHxS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:34	DMG
375-95-1	PFNA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:34	DMG
335-67-1	PFOA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:34	DMG
1763-23-1	PFOS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:34	DMG

Surrogate Recoveries

Result

Acceptance Range

13C2-4-2 FTSA	Surrogate: 13C2-4-2 FTSA	%	-
13C2-6-2 FTSA	Surrogate: 13C2-6-2 FTSA	%	-
13C2-8-2 FTSA	Surrogate: 13C2-8-2 FTSA	%	-
13C2-PFDoDA	Surrogate: 13C2-PFDoDA	%	-
13C3-HFPO-DA	Surrogate: 13C3-HFPO-DA	%	-
13C3-PFBS	Surrogate: 13C3-PFBS	%	-
13C3-PFHxS	Surrogate: 13C3-PFHxS	%	-
13C4-PFBA	Surrogate: 13C4-PFBA	%	-
13C4-PFHpA	Surrogate: 13C4-PFHpA	%	-
13C5-PFHxA	Surrogate: 13C5-PFHxA	%	-
13C5-PFPeA	Surrogate: 13C5-PFPeA	%	-
13C6-PFDA	Surrogate: 13C6-PFDA	%	-
13C7-PFUnDA	Surrogate: 13C7-PFUnDA	%	-
13C8-PFOA	Surrogate: 13C8-PFOA	%	-
13C8-PFOS	Surrogate: 13C8-PFOS	%	-
13C9-PFNA	Surrogate: 13C9-PFNA	%	-

Sample Information

Client Sample ID: WELL 4-2 ENTRY POINT POST IRON **Sample ID:** 26B0724-09
Project (SDG) No. 26B0724 **Client Project ID** PFAS 2/17/26 **Matrix** Drinking Water **Collection Date/Time** February 17, 2026 9:55 am **Date Received** 02/17/2026



Sample Information

Client Sample ID: WELL 4-2 ENTRY POINT POST IRON **Sample ID:** 26B0724-09
Project (SDG) No. 26B0724 Client Project ID PFAS 2/17/26 Matrix Drinking Water Collection Date/Time February 17, 2026 9:55 am Date Received 02/17/2026

Analyzed by: ALS-MDT

533 Analysis

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 533

CAS No.	Parameter	Result	Flag	Maximum Contaminant Level	Units	LOQ	Reference Method	Date/Time Prep/Anal.	Analyst
				MCL					
13252-13-6	HFPO-DA	See Attached		-	See Attached	See Attache Certifications:	EPA 533	02/19/2026 11:47 02/20/2026 02:45	DMG
375-73-5	PFBS	See Attached		-	See Attached	See Attache Certifications:	EPA 533	02/19/2026 11:47 02/20/2026 02:45	DMG
355-46-4	PFHxS	See Attached		-	See Attached	See Attache Certifications:	EPA 533	02/19/2026 11:47 02/20/2026 02:45	DMG
375-95-1	PFNA	See Attached		-	See Attached	See Attache Certifications:	EPA 533	02/19/2026 11:47 02/20/2026 02:45	DMG
335-67-1	PFOA	See Attached		-	See Attached	See Attache Certifications:	EPA 533	02/19/2026 11:47 02/20/2026 02:45	DMG
1763-23-1	PFOS	See Attached		-	See Attached	See Attache Certifications:	EPA 533	02/19/2026 11:47 02/20/2026 02:45	DMG

Surrogate Recoveries

Result

Acceptance Range

13C2-4-2 FTSA	Surrogate: 13C2-4-2 FTSA	%	-
13C2-6-2 FTSA	Surrogate: 13C2-6-2 FTSA	%	-
13C2-8-2 FTSA	Surrogate: 13C2-8-2 FTSA	%	-
13C2-PFDoDA	Surrogate: 13C2-PFDoDA	%	-
13C3-HFPO-DA	Surrogate: 13C3-HFPO-DA	%	-
13C3-PFBS	Surrogate: 13C3-PFBS	%	-
13C3-PFHxS	Surrogate: 13C3-PFHxS	%	-
13C4-PFBA	Surrogate: 13C4-PFBA	%	-
13C4-PFHpA	Surrogate: 13C4-PFHpA	%	-
13C5-PFHxA	Surrogate: 13C5-PFHxA	%	-
13C5-PFPeA	Surrogate: 13C5-PFPeA	%	-
13C6-PFDA	Surrogate: 13C6-PFDA	%	-
13C7-PFUnDA	Surrogate: 13C7-PFUnDA	%	-
13C8-PFOA	Surrogate: 13C8-PFOA	%	-
13C8-PFOS	Surrogate: 13C8-PFOS	%	-
13C9-PFNA	Surrogate: 13C9-PFNA	%	-

Sample Information

Client Sample ID: WELL 5-1 ENTRY POINT **Sample ID:** 26B0724-10
Project (SDG) No. 26B0724 Client Project ID PFAS 2/17/26 Matrix Drinking Water Collection Date/Time February 17, 2026 10:55 am Date Received 02/17/2026



Sample Information

Client Sample ID: WELL 5-1 ENTRY POINT **Sample ID:** 26B0724-10
Project (SDG) No. 26B0724 **Client Project ID** PFAS 2/17/26 **Matrix** Drinking Water **Collection Date/Time** February 17, 2026 10:55 am **Date Received** 02/17/2026

Analyzed by: ALS-MDT

533 Analysis

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 533

CAS No.	Parameter	Result	Flag	Maximum Contaminant Level		Units	LOQ	Reference Method	Date/Time Prep/Anal.	Analyst
				MCL						
13252-13-6	HFPO-DA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:56	DMG
375-73-5	PFBS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:56	DMG
355-46-4	PFHxS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:56	DMG
375-95-1	PFNA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:56	DMG
335-67-1	PFOA	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:56	DMG
1763-23-1	PFOS	See Attached		-		See Attached	See Attached	EPA 533	02/19/2026 11:47 02/20/2026 02:56	DMG

Surrogate Recoveries

Result

Acceptance Range

13C2-4-2 FTSA	Surrogate: 13C2-4-2 FTSA	%	-
13C2-6-2 FTSA	Surrogate: 13C2-6-2 FTSA	%	-
13C2-8-2 FTSA	Surrogate: 13C2-8-2 FTSA	%	-
13C2-PFDoDA	Surrogate: 13C2-PFDoDA	%	-
13C3-HFPO-DA	Surrogate: 13C3-HFPO-DA	%	-
13C3-PFBS	Surrogate: 13C3-PFBS	%	-
13C3-PFHxS	Surrogate: 13C3-PFHxS	%	-
13C4-PFBA	Surrogate: 13C4-PFBA	%	-
13C4-PFHpA	Surrogate: 13C4-PFHpA	%	-
13C5-PFHxA	Surrogate: 13C5-PFHxA	%	-
13C5-PFPeA	Surrogate: 13C5-PFPeA	%	-
13C6-PFDA	Surrogate: 13C6-PFDA	%	-
13C7-PFUnDA	Surrogate: 13C7-PFUnDA	%	-
13C8-PFOA	Surrogate: 13C8-PFOA	%	-
13C8-PFOS	Surrogate: 13C8-PFOS	%	-
13C9-PFNA	Surrogate: 13C9-PFNA	%	-

Sample Information

Client Sample ID: FB-WELL 5-1 ENTRY POINT **Sample ID:** 26B0724-11
Project (SDG) No. 26B0724 **Client Project ID** PFAS 2/17/26 **Matrix** Drinking Water **Collection Date/Time** February 17, 2026 10:55 am **Date Received** 02/17/2026



Sample Information

Client Sample ID: FB-WELL 5-1 ENTRY POINT

Sample ID: 26B0724-11

<u>Project (SDG) No.</u> 26B0724	<u>Client Project ID</u> PFAS 2/17/26	<u>Matrix</u> Drinking Water	<u>Collection Date/Time</u> February 17, 2026 10:55 am	<u>Date Received</u> 02/17/2026
-------------------------------------	--	---------------------------------	---	------------------------------------

Analyzed by: ALS-MDT

533 Analysis

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 533

CAS No.	Parameter	Result	Flag	Maximum Contaminant Level		Units	LOQ	Reference Method	Date/Time Prep/Anal.	Analyst
				MCL						
13252-13-6	HFPO-DA	See Attached		-		See Attached	See Attache	EPA 533	02/19/2026 11:47 02/20/2026 03:07	DMG
375-73-5	PFBS	See Attached		-		See Attached	See Attache	EPA 533	02/19/2026 11:47 02/20/2026 03:07	DMG
355-46-4	PFHxS	See Attached		-		See Attached	See Attache	EPA 533	02/19/2026 11:47 02/20/2026 03:07	DMG
375-95-1	PFNA	See Attached		-		See Attached	See Attache	EPA 533	02/19/2026 11:47 02/20/2026 03:07	DMG
335-67-1	PFOA	See Attached		-		See Attached	See Attache	EPA 533	02/19/2026 11:47 02/20/2026 03:07	DMG
1763-23-1	PFOS	See Attached		-		See Attached	See Attache	EPA 533	02/19/2026 11:47 02/20/2026 03:07	DMG

Surrogate Recoveries

Result

Acceptance Range

13C2-4-2 FTSA	Surrogate: 13C2-4-2 FTSA	%	-
13C2-6-2 FTSA	Surrogate: 13C2-6-2 FTSA	%	-
13C2-8-2 FTSA	Surrogate: 13C2-8-2 FTSA	%	-
13C2-PFDoDA	Surrogate: 13C2-PFDoDA	%	-
13C3-HFPO-DA	Surrogate: 13C3-HFPO-DA	%	-
13C3-PFBS	Surrogate: 13C3-PFBS	%	-
13C3-PFHxS	Surrogate: 13C3-PFHxS	%	-
13C4-PFBA	Surrogate: 13C4-PFBA	%	-
13C4-PFHpA	Surrogate: 13C4-PFHpA	%	-
13C5-PFHxA	Surrogate: 13C5-PFHxA	%	-
13C5-PFPeA	Surrogate: 13C5-PFPeA	%	-
13C6-PFDA	Surrogate: 13C6-PFDA	%	-
13C7-PFUnDA	Surrogate: 13C7-PFUnDA	%	-
13C8-PFOA	Surrogate: 13C8-PFOA	%	-
13C8-PFOS	Surrogate: 13C8-PFOS	%	-
13C9-PFNA	Surrogate: 13C9-PFNA	%	-



Analytical Batch Summary

Batch ID: 1523729

Preparation Method: EPA 533

Prepared By:

Sample ID	Client Sample ID	Preparation Date
26B0724-01	WELL 2-1 ENTRY POINT	02/19/26
26B0724-02	FB-WELL 2-1 ENTRY POINT	02/19/26
26B0724-03	WELL 3-1 ENTRY POINT	02/19/26
26B0724-04	FB-WELL 3-1 ENTRY POINT	02/19/26
26B0724-05	WELL 3-1 + 3-3 ENTRY POIN	02/19/26
26B0724-06	WELL 3-1 + 3-2 ENTRY POIN	02/19/26
26B0724-07	WELL 4-2 ENTRY POINT POI	02/19/26
26B0724-08	FB-WELL 4-1 ENTRY POINT	02/19/26
26B0724-09	WELL 4-2 ENTRY POINT POI	02/19/26
26B0724-10	WELL 5-1 ENTRY POINT	02/19/26
26B0724-11	FB-WELL 5-1 ENTRY POINT	02/19/26



Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------



Sample and Data Qualifiers Relating to This Work Order

U Indicates that the analyte was Not Detected (ND)

See Attach See Attached

J Indicates an estimated value between the MDL and the PQL

^ Analyte is not certified but the state of sample origination offer certification for the Analyte

Definitions and Other Explanations

* Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.

ND NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)

RL REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.

LOQ LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.

LOD LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.

MDL METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.

Reported to This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.

NR Not reported

RPD Relative Percent Difference

Wet The data has been reported on an as-received (wet weight) basis

Low Bias Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.

High Bias High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.

Non-Dir. Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

MCL This is the Maximum Contaminant Level in ng/L (ppt) established by the NYSDOH for these compounds where an MCL is reported. Exceedences are flagged accordingly.

Revision Description: This report has been revised to correct PFAS Hazard Index significant figures.



Field Chain-of-Custody Record

York Analytical Laboratories, Inc. (YORK)'s Standard Terms & Conditions are listed on the back side of this document. This document serves as your written authorization for YORK to proceed with the analyses requested below. Your signature binds you to YORK's Standard Terms & Conditions.

YORK Project No. **2680724**

120 Research Drive Stratford, CT 06615 132-02 89th Ave Queens, NY 11418 56 Church Hill Rd. #2 Newtown, CT 06470 clientservices@yorklab.com www.yorklab.com 800-306-YORK Page of

YOUR Information		Report To:		Invoice To:		YOUR Project Number		Turn-Around Time	
Company: HAMPTON BAYS WATER DISTRICT	Company:	Address:	Address:	Company:	Address:	Address:	Address:	RUSH - Next Day	
18B Pongogue Ave Hampton Bays, NY 11946	Address:	Phone:	Phone:					RUSH - Two Day	
631-728-0179	Phone:	Contact:	Contact:					RUSH - Three Day	
KEITH TUTHILL JR	Contact:	E-mail:	E-mail:					RUSH - Four Day	
ktuthilljr@southamptontownny.gov	E-mail:	YOUR PO#:		YOUR Project Name		YOUR Project Name		RUSH - Five Day	
								Standard (6-9 Day)	X
								PFAS Standard is 7-10 Days	

Report / EDD Type (circle selections)

Summary Report	CT RCP	EQulS (Standard)
QA Report	CT RCP DQ/DUE	NYSDEC EQUIS
CMDP	NJDEP Reduced	NJDKQP
Standard Excel EDD	Deliverables	NJDEP SRP HazSite
NY ASP B Package	Other:	

Sample Identification	Sample Matrix	Matrix Codes	Samples From	Report / EDD Type (circle selections)	Analyses Requested	Container Type	No.
WELL 2-1 ENTRY POINT/ FIELD BLANK	DW	S - soil / solid	New York	533/ FB			
WELL 3-1 ENTRY POINT/ FIELD BLANK	DW	GW - groundwater	New Jersey	533/ FB			
WELL 3-1 + 3-3 ENTRY POINT	DW	DW - drinking water	Connecticut	533			
WELL 3-1 + 3-2 ENTRY POINT	DW	WW - wastewater	Pennsylvania	533			
WELL 4-1 ENTRY POINT POST IRON/ FIELD BLANK	DW	O - Oil	Other:	533/ FB			
WELL 4-2 ENTRY POINT POST IRON	DW			533			
WELL 5-1 ENTRY POINT/ FIELD BLANK	DW			533/ FB			

Comments:

Samples ice/dichilled at time of lab pickup? circle Yes or No

HCl ___ MeOH ___ HNO3 ___ H2SO4 ___ NaOH ___

ZnAc ___ Ascorbic Acid ___ Other: ___

1. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

2. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

3. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

4. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

5. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

6. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

7. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

8. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

9. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

10. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

11. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

12. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

13. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

14. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

15. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

16. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

17. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

18. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

19. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

20. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

21. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

22. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

23. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

24. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

25. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

26. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

27. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

28. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

29. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

30. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

31. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

32. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

33. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

34. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

35. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

36. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

37. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

38. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

39. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

40. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

41. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

42. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

43. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

44. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

45. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

46. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

47. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

48. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

49. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

50. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

51. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

52. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

53. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

54. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

55. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

56. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

57. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

58. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

59. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

60. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

61. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

62. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

63. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

64. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

65. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

66. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

67. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

68. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

69. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

70. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

71. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

72. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

73. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

74. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

75. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

76. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

77. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

78. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

79. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

80. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

81. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

82. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

83. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

84. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

85. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

86. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

87. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

88. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

89. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

90. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

91. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

92. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

93. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

94. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

95. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

96. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

97. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

98. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

99. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM

100. Samples Relinquished by / Company: Keith Tuthill Date/Time: 2/17/26 11:50 AM



Main Site: 301 Fulling Mill Road | Middletown, PA 17057 | Phone: 717-944-5541 | www.alsglobal.com
 Associated Site: 20 Riverside Drive | Spring City, PA 19475 | Phone: 610-948-4903 |

NELAP Certifications: NJ PA010 , NY 11759 , PA 22-293 DoD ELAP: PJLA 74618
 State Certifications: FL E871113 , WA C999 , MD 128 , VA 460157 , WV DW 9961-C , WV 343, NJ PA101

Analytical Results Report For

York Analytical Laboratories, Inc.

Project 26B0724
 Workorder 3451496
 Report ID 496587 on 2/23/2026 (Revised report. See Project Notations Section.)

Certificate of Analysis

Enclosed are the analytical results for samples received by the laboratory on Feb 18, 2026.

The ALS Environmental laboratory in Middletown, Pennsylvania is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP.

If you have any questions regarding this certificate of analysis, please contact Stacey Welk (Project Coordinator) at (717) 944-5541.

Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state requirements. The test results meet requirements of the current NELAP standards or state requirements, where applicable. For a specific list of accredited analytes, refer to the certifications section of the ALS website at www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads.

This laboratory report may not be reproduced, except in full, without the written approval of ALS Global.
 ALS Middletown: 301 Fulling Mill Road, Middletown, PA 17057 : 717-944-5541.

Recipient(s):
 York Lab Reporting - York Analytical Reporting
 Rachel Driesen - ALS Straford
 Stacey Welk - ALS Environmental

Stacey Welk

Stacey Welk
 Project Coordinator

(ALS Digital Signature)

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.



Sample Summary

<u>Lab ID</u>	<u>Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>	<u>Collector</u>	<u>Collection Company</u>
3451496001	26B0724-01	NY Potable Water	02/17/2026 07:40	02/18/2026 20:05	C	
3451496002	26B0724-02	NY Potable Water	02/17/2026 07:40	02/18/2026 20:05	C	
3451496003	26B0724-03	NY Potable Water	02/17/2026 08:25	02/18/2026 20:05	C	
3451496004	26B0724-04	NY Potable Water	02/17/2026 08:25	02/18/2026 20:05	C	
3451496005	26B0724-05	NY Potable Water	02/17/2026 09:05	02/18/2026 20:05	C	
3451496006	26B0724-06	NY Potable Water	02/17/2026 08:50	02/18/2026 20:05	C	
3451496007	26B0724-07	NY Potable Water	02/17/2026 09:35	02/18/2026 20:05	C	
3451496008	26B0724-08	NY Potable Water	02/17/2026 09:35	02/18/2026 20:05	C	
3451496009	26B0724-09	NY Potable Water	02/17/2026 09:55	02/18/2026 20:05	C	
3451496010	26B0724-10	NY Potable Water	02/17/2026 10:55	02/18/2026 20:05	C	
3451496011	26B0724-11	NY Potable Water	02/17/2026 10:55	02/18/2026 20:05	C	



Reference

Notes

- Samples collected by ALS personnel are done so in accordance with the procedures set forth in the ALS Field Sampling Plan (20 - Field Services Sampling Plan).
- Except as qualified, Clean Water Act sample analyses are consistent with methodology requirements in 40 CFR Part 136, including but not limited to the following EPA Method reference revisions:
EPA 300.1 Rev. 1.0-1997
EPA 300.0 Rev. 2.1-1993
EPA 353.2 Rev. 2.0-1993
EPA 410.4 Rev. 1.0-1993
EPA 420.4 Rev. 1.0-1993
EPA 365.1 Rev. 2.0-1993
EPA 200.7 Rev. 4.4-1994
EPA 200.8 Rev. 5.4-1994
EPA 245.1 Rev. 3.0-1994
- Except as qualified, Safe Drinking Water Act sample analyses are consistent with methodology requirements in 40 CFR Part 141.
- The Chain of Custody document is included as part of this report.
- All Library Search analytes should be regarded as tentative identifications based on the presumptive evidence of the mass spectra. Concentrations reported are estimated values.
- Parameters identified as "analyze immediately" require analysis within 15 minutes of collection. Any "analyze immediately" parameters not listed under the header "Field Parameters" are performed in the laboratory and are therefore analyzed out of hold time.
- Method references listed on this report beginning with the prefix "S" followed by a method number (such as S2310B-97) refer to methods from "Standard Methods for the Examination of Water and Wastewater".
- For microbiological analyses, the "Prepared" value is the date/time into the incubator and the "Analyzed" value is the date/time out the incubator.
- An Analysis-Prep Method Cross Reference Table is included after Analytical Results & Qualifiers section in this report.
- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.

Standard Acronyms/Flags

J	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND) above the MDL
N	Indicates presumptive evidence of the presence of a compound
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Practical Quantitation Limit for this Project
ND	Not Detected - indicates that the analyte was Not Detected
Cntr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference
LOD	DoD Limit of Detection
LOQ	DoD Limit of Quantitation
DL	DoD Detection Limit
I	Indicates reported value is greater than or equal to the Method Detection Limit (MDL) but less than the Report Detection Limit (RDL)
(S)	Surrogate Compound
NC	Not Calculated
*	Result outside of QC limits
#	Please reference the result in the Results Section for analyte-level flags.



Project Notations

P1 Report modified to correct PFAS Hazard Index significant figures.

Sample Notations

Lab ID	Sample ID		
3451496001	26B0724-01	S1	PFAS Hazard Index calculated to be 0.1
3451496002	26B0724-02	S2	PFAS Hazard Index calculated to be 0
3451496003	26B0724-03	S3	PFAS Hazard Index calculated to be 0.2
3451496005	26B0724-05	S4	PFAS Hazard Index calculated to be 0.2
3451496006	26B0724-06	S5	PFAS Hazard Index calculated to be 0.1
3451496007	26B0724-07	S6	PFAS Hazard Index calculated to be 0.2
3451496009	26B0724-09	S7	PFAS Hazard Index calculated to be 0.2
3451496010	26B0724-10	S8	PFAS Hazard Index calculated to be 0.1

Result Notations

Notation Ref.



Compound Cross Reference Table

Per/Polyfluoroalkyl Substances

CAS Number	ALS Name	Common Name
13252-13-6	HFPO-DA	Hexafluoropropylene oxide dimer acid (HFPO-DA) (GenX)
375-73-5	PFBS	Perfluorobutanesulfonic acid (PFBS)
355-46-4	PFHxS	Perfluorohexanesulfonic acid (PFHxS)
375-95-1	PFNA	Perfluorononanoic acid (PFNA)
335-67-1	PFOA	Perfluorooctanoic acid (PFOA)
1763-23-1	PFOS	Perfluorooctanesulfonic acid (PFOS)



Project 26B0724
 Workorder 3451496

Detected Results Summary

Client Sample ID	26B0724-01	Collected	02/17/2026 07:40
Lab Sample ID	3451496001	Lab Receipt	02/18/2026 20:05

Compound	Result	Units	RDL	MDL	Method	Flag
Per/Polyfluoroalkyl Substances						
PFBS	1.370J	ng/L	1.882	0.179	EPA 533	#
PFHxS	1.389J	ng/L	1.882	0.179	EPA 533	#
PFOA	1.257J	ng/L	1.882	0.311	EPA 533	#
PFOS	0.437J	ng/L	1.882	0.282	EPA 533	#



Detected Results Summary

Client Sample ID	26B0724-02	Collected	02/17/2026 07:40
Lab Sample ID	3451496002	Lab Receipt	02/18/2026 20:05

<u>Compound</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>MDL</u>	<u>Method</u>	<u>Flag</u>
Per/Polyfluoroalkyl Substances						
PFOS	0.510J	ng/L	1.821	0.273	EPA 533	#



Detected Results Summary

Client Sample ID	26B0724-03	Collected	02/17/2026 08:25
Lab Sample ID	3451496003	Lab Receipt	02/18/2026 20:05

<u>Compound</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>MDL</u>	<u>Method</u>	<u>Flag</u>
Per/Polyfluoroalkyl Substances						
PFBS	1.026J	ng/L	1.819	0.173	EPA 533	#
PFHxS	2.128	ng/L	1.819	0.173	EPA 533	#
PFOA	0.691J	ng/L	1.819	0.300	EPA 533	#
PFOS	0.520J	ng/L	1.819	0.273	EPA 533	#



Detected Results Summary

Client Sample ID	26B0724-05	Collected	02/17/2026 09:05
Lab Sample ID	3451496005	Lab Receipt	02/18/2026 20:05

<u>Compound</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>MDL</u>	<u>Method</u>	<u>Flag</u>
Per/Polyfluoroalkyl Substances						
PFBS	1.092J	ng/L	1.821	0.173	EPA 533	#
PFHxS	2.112	ng/L	1.821	0.173	EPA 533	#
PFOA	0.645J	ng/L	1.821	0.300	EPA 533	#
PFOS	0.444J	ng/L	1.821	0.273	EPA 533	#



Detected Results Summary

Client Sample ID 26B0724-06 Collected 02/17/2026 08:50
Lab Sample ID 3451496006 Lab Receipt 02/18/2026 20:05

<u>Compound</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>MDL</u>	<u>Method</u>	<u>Flag</u>
Per/Polyfluoroalkyl Substances						
PFBS	0.562J	ng/L	1.790	0.170	EPA 533	#
PFHxS	1.128J	ng/L	1.790	0.170	EPA 533	#
PFOA	0.473J	ng/L	1.790	0.295	EPA 533	#



Detected Results Summary

Client Sample ID	26B0724-07	Collected	02/17/2026 09:35
Lab Sample ID	3451496007	Lab Receipt	02/18/2026 20:05

<u>Compound</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>MDL</u>	<u>Method</u>	<u>Flag</u>
Per/Polyfluoroalkyl Substances						
PFBS	1.059J	ng/L	1.802	0.171	EPA 533	#
PFHxS	2.223	ng/L	1.802	0.171	EPA 533	#
PFOA	0.620J	ng/L	1.802	0.297	EPA 533	#
PFOS	0.505J	ng/L	1.802	0.270	EPA 533	#



Detected Results Summary

Client Sample ID	26B0724-09	Collected	02/17/2026 09:55
Lab Sample ID	3451496009	Lab Receipt	02/18/2026 20:05

<u>Compound</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>MDL</u>	<u>Method</u>	<u>Flag</u>
Per/Polyfluoroalkyl Substances						
PFBS	0.976J	ng/L	1.808	0.172	EPA 533	#
PFHxS	2.097	ng/L	1.808	0.172	EPA 533	#
PFOA	0.597J	ng/L	1.808	0.298	EPA 533	#
PFOS	0.600J	ng/L	1.808	0.271	EPA 533	#



Detected Results Summary

Client Sample ID	26B0724-10	Collected	02/17/2026 10:55
Lab Sample ID	3451496010	Lab Receipt	02/18/2026 20:05

<u>Compound</u>	<u>Result</u>	<u>Units</u>	<u>RDL</u>	<u>MDL</u>	<u>Method</u>	<u>Flag</u>
Per/Polyfluoroalkyl Substances						
PFBS	1.130J	ng/L	1.804	0.171	EPA 533	#
PFHxS	0.949J	ng/L	1.804	0.171	EPA 533	#
PFOA	1.620J	ng/L	1.804	0.298	EPA 533	#
PFOS	3.150	ng/L	1.804	0.271	EPA 533	#



Results

Client Sample ID	26B0724-01	Collected	02/17/2026 07:40
Lab Sample ID	3451496001	Lab Receipt	02/18/2026 20:05

Per/Polyfluoroalkyl Substances

Compound	Result	Flag	Units	RDL	MDL	Method	Dilution	Analysis Date/Time	By	Cntr
HFPO-DA	0.151U	U,P1,S1	ng/L	1.882	0.151	EPA 533	1	02/20/2026 13:06	DMG	A
PFBS	1.370J	J,P1,S1	ng/L	1.882	0.179	EPA 533	1	02/20/2026 13:06	DMG	A
PFHxS	1.389J	J,P1,S1	ng/L	1.882	0.179	EPA 533	1	02/20/2026 13:06	DMG	A
PFNA	0.263U	U,P1,S1	ng/L	1.882	0.263	EPA 533	1	02/20/2026 13:06	DMG	A
PFOA	1.257J	J,P1,S1	ng/L	1.882	0.311	EPA 533	1	02/20/2026 13:06	DMG	A
PFOS	0.437J	J,P1,S1	ng/L	1.882	0.282	EPA 533	1	02/20/2026 13:06	DMG	A

SURROGATES

Compound	CAS No	Recovery	Limits(%)	Analysis Date/Time	Qualifiers
13C2-4-2 FTSA	13C2-4-2 FTSA	98.6%	50 - 200	02/20/2026 13:06	
13C2-6-2 FTSA	13C2-6-2 FTSA	91.4%	50 - 200	02/20/2026 13:06	
13C2-8-2 FTSA	13C2-8-2 FTSA	78.9%	50 - 200	02/20/2026 13:06	
13C2-PFDoDA	13C2-PFDoDA	78%	50 - 200	02/20/2026 13:06	
13C3-HFPO-DA	13C3-HFPO-DA	82.2%	50 - 200	02/20/2026 13:06	
13C3-PFBS	13C3-PFBS	87.7%	50 - 200	02/20/2026 13:06	
13C3-PFHxS	13C3-PFHxS	86%	50 - 200	02/20/2026 13:06	
13C4-PFBA	13C4-PFBA	79.2%	50 - 200	02/20/2026 13:06	
13C4-PFHpA	13C4-PFHpA	78.8%	50 - 200	02/20/2026 13:06	
13C5-PFHxA	13C5-PFHxA	80.3%	50 - 200	02/20/2026 13:06	
13C5-PFPeA	13C5-PFPeA	85%	50 - 200	02/20/2026 13:06	
13C6-PFDA	13C6-PFDA	76.2%	50 - 200	02/20/2026 13:06	
13C7-PFUnDA	13C7-PFUnDA	75.2%	50 - 200	02/20/2026 13:06	
13C8-PFOA	13C8-PFOA	78.2%	50 - 200	02/20/2026 13:06	
13C8-PFOS	13C8-PFOS	85.1%	50 - 200	02/20/2026 13:06	
13C9-PFNA	13C9-PFNA	77%	50 - 200	02/20/2026 13:06	



Results

Client Sample ID	26B0724-02	Collected	02/17/2026 07:40
Lab Sample ID	3451496002	Lab Receipt	02/18/2026 20:05

Per/Polyfluoroalkyl Substances

Compound	Result	Flag	Units	RDL	MDL	Method	Dilution	Analysis Date/Time	By	Cntr
HFPO-DA	0.146U	U,P1,S2	ng/L	1.821	0.146	EPA 533	1	02/20/2026 13:17	DMG	A
PFBS	0.173U	U,P1,S2	ng/L	1.821	0.173	EPA 533	1	02/20/2026 13:17	DMG	A
PFHxS	0.173U	U,P1,S2	ng/L	1.821	0.173	EPA 533	1	02/20/2026 13:17	DMG	A
PFNA	0.255U	U,P1,S2	ng/L	1.821	0.255	EPA 533	1	02/20/2026 13:17	DMG	A
PFOA	0.301U	U,P1,S2	ng/L	1.821	0.301	EPA 533	1	02/20/2026 13:17	DMG	A
PFOS	0.510J	J,P1,S2	ng/L	1.821	0.273	EPA 533	1	02/20/2026 13:17	DMG	A

SURROGATES

Compound	CAS No	Recovery	Limits(%)	Analysis Date/Time	Qualifiers
13C2-4-2 FTSA	13C2-4-2 FTSA	95%	50 - 200	02/20/2026 13:17	
13C2-6-2 FTSA	13C2-6-2 FTSA	109%	50 - 200	02/20/2026 13:17	
13C2-8-2 FTSA	13C2-8-2 FTSA	78.8%	50 - 200	02/20/2026 13:17	
13C2-PFDoDA	13C2-PFDoDA	70.2%	50 - 200	02/20/2026 13:17	
13C3-HFPO-DA	13C3-HFPO-DA	84.2%	50 - 200	02/20/2026 13:17	
13C3-PFBS	13C3-PFBS	87.6%	50 - 200	02/20/2026 13:17	
13C3-PFHxS	13C3-PFHxS	87.4%	50 - 200	02/20/2026 13:17	
13C4-PFBA	13C4-PFBA	80.6%	50 - 200	02/20/2026 13:17	
13C4-PFHpA	13C4-PFHpA	81.8%	50 - 200	02/20/2026 13:17	
13C5-PFHxA	13C5-PFHxA	81.6%	50 - 200	02/20/2026 13:17	
13C5-PFPeA	13C5-PFPeA	82.6%	50 - 200	02/20/2026 13:17	
13C6-PFDA	13C6-PFDA	77.4%	50 - 200	02/20/2026 13:17	
13C7-PFUnDA	13C7-PFUnDA	72.2%	50 - 200	02/20/2026 13:17	
13C8-PFOA	13C8-PFOA	82.5%	50 - 200	02/20/2026 13:17	
13C8-PFOS	13C8-PFOS	84%	50 - 200	02/20/2026 13:17	
13C9-PFNA	13C9-PFNA	82.2%	50 - 200	02/20/2026 13:17	



Results

Client Sample ID	26B0724-03	Collected	02/17/2026 08:25
Lab Sample ID	3451496003	Lab Receipt	02/18/2026 20:05

Per/Polyfluoroalkyl Substances

Compound	Result	Flag	Units	RDL	MDL	Method	Dilution	Analysis Date/Time	By	Cntr
HFPO-DA	0.146U	U,P1,S3	ng/L	1.819	0.146	EPA 533	1	02/20/2026 13:28	DMG	A
PFBS	1.026J	J,P1,S3	ng/L	1.819	0.173	EPA 533	1	02/20/2026 13:28	DMG	A
PFHxS	2.128	P1,S3	ng/L	1.819	0.173	EPA 533	1	02/20/2026 13:28	DMG	A
PFNA	0.255U	U,P1,S3	ng/L	1.819	0.255	EPA 533	1	02/20/2026 13:28	DMG	A
PFOA	0.691J	J,P1,S3	ng/L	1.819	0.300	EPA 533	1	02/20/2026 13:28	DMG	A
PFOS	0.520J	J,P1,S3	ng/L	1.819	0.273	EPA 533	1	02/20/2026 13:28	DMG	A

SURROGATES

Compound	CAS No	Recovery	Limits(%)	Analysis Date/Time	Qualifiers
13C2-4-2 FTSA	13C2-4-2 FTSA	98.5%	50 - 200	02/20/2026 13:28	
13C2-6-2 FTSA	13C2-6-2 FTSA	95.1%	50 - 200	02/20/2026 13:28	
13C2-8-2 FTSA	13C2-8-2 FTSA	79.8%	50 - 200	02/20/2026 13:28	
13C2-PFDoDA	13C2-PFDoDA	71.4%	50 - 200	02/20/2026 13:28	
13C3-HFPO-DA	13C3-HFPO-DA	80.7%	50 - 200	02/20/2026 13:28	
13C3-PFBS	13C3-PFBS	84.7%	50 - 200	02/20/2026 13:28	
13C3-PFHxS	13C3-PFHxS	83.9%	50 - 200	02/20/2026 13:28	
13C4-PFBA	13C4-PFBA	79.8%	50 - 200	02/20/2026 13:28	
13C4-PFHpA	13C4-PFHpA	78.2%	50 - 200	02/20/2026 13:28	
13C5-PFHxA	13C5-PFHxA	78.5%	50 - 200	02/20/2026 13:28	
13C5-PFPeA	13C5-PFPeA	81%	50 - 200	02/20/2026 13:28	
13C6-PFDA	13C6-PFDA	77.2%	50 - 200	02/20/2026 13:28	
13C7-PFUnDA	13C7-PFUnDA	75%	50 - 200	02/20/2026 13:28	
13C8-PFOA	13C8-PFOA	79.5%	50 - 200	02/20/2026 13:28	
13C8-PFOS	13C8-PFOS	83.2%	50 - 200	02/20/2026 13:28	
13C9-PFNA	13C9-PFNA	79%	50 - 200	02/20/2026 13:28	



Results

Client Sample ID	26B0724-04	Collected	02/17/2026 08:25
Lab Sample ID	3451496004	Lab Receipt	02/18/2026 20:05

Per/Polyfluoroalkyl Substances

Compound	Result	Flag	Units	RDL	MDL	Method	Dilution	Analysis Date/Time	By	Cntr
HFPO-DA	0.150U	U,P1	ng/L	1.870	0.150	EPA 533	1	02/20/2026 13:39	DMG	A
PFBS	0.178U	U,P1	ng/L	1.870	0.178	EPA 533	1	02/20/2026 13:39	DMG	A
PFHxS	0.178U	U,P1	ng/L	1.870	0.178	EPA 533	1	02/20/2026 13:39	DMG	A
PFNA	0.262U	U,P1	ng/L	1.870	0.262	EPA 533	1	02/20/2026 13:39	DMG	A
PFOA	0.309U	U,P1	ng/L	1.870	0.309	EPA 533	1	02/20/2026 13:39	DMG	A
PFOS	0.280U	U,P1	ng/L	1.870	0.280	EPA 533	1	02/20/2026 13:39	DMG	A

SURROGATES

Compound	CAS No	Recovery	Limits(%)	Analysis Date/Time	Qualifiers
13C2-4-2 FTSA	13C2-4-2 FTSA	94.5%	50 - 200	02/20/2026 13:39	
13C2-6-2 FTSA	13C2-6-2 FTSA	112%	50 - 200	02/20/2026 13:39	
13C2-8-2 FTSA	13C2-8-2 FTSA	83%	50 - 200	02/20/2026 13:39	
13C2-PFDoDA	13C2-PFDoDA	82.5%	50 - 200	02/20/2026 13:39	
13C3-HFPO-DA	13C3-HFPO-DA	89.4%	50 - 200	02/20/2026 13:39	
13C3-PFBS	13C3-PFBS	86.9%	50 - 200	02/20/2026 13:39	
13C3-PFHxS	13C3-PFHxS	85.5%	50 - 200	02/20/2026 13:39	
13C4-PFBA	13C4-PFBA	85.9%	50 - 200	02/20/2026 13:39	
13C4-PFHpA	13C4-PFHpA	85.3%	50 - 200	02/20/2026 13:39	
13C5-PFHxA	13C5-PFHxA	85.4%	50 - 200	02/20/2026 13:39	
13C5-PFPeA	13C5-PFPeA	88.6%	50 - 200	02/20/2026 13:39	
13C6-PFDA	13C6-PFDA	83.8%	50 - 200	02/20/2026 13:39	
13C7-PFUnDA	13C7-PFUnDA	81.7%	50 - 200	02/20/2026 13:39	
13C8-PFOA	13C8-PFOA	87.2%	50 - 200	02/20/2026 13:39	
13C8-PFOS	13C8-PFOS	84.1%	50 - 200	02/20/2026 13:39	
13C9-PFNA	13C9-PFNA	85.9%	50 - 200	02/20/2026 13:39	



Results

Client Sample ID	26B0724-05	Collected	02/17/2026 09:05
Lab Sample ID	3451496005	Lab Receipt	02/18/2026 20:05

Per/Polyfluoroalkyl Substances

Compound	Result	Flag	Units	RDL	MDL	Method	Dilution	Analysis Date/Time	By	Cntr
HFPO-DA	0.146U	U,P1,S4	ng/L	1.821	0.146	EPA 533	1	02/20/2026 14:01	DMG	A
PFBS	1.092J	J,P1,S4	ng/L	1.821	0.173	EPA 533	1	02/20/2026 14:01	DMG	A
PFHxS	2.112	P1,S4	ng/L	1.821	0.173	EPA 533	1	02/20/2026 14:01	DMG	A
PFNA	0.255U	U,P1,S4	ng/L	1.821	0.255	EPA 533	1	02/20/2026 14:01	DMG	A
PFOA	0.645J	J,P1,S4	ng/L	1.821	0.300	EPA 533	1	02/20/2026 14:01	DMG	A
PFOS	0.444J	J,P1,S4	ng/L	1.821	0.273	EPA 533	1	02/20/2026 14:01	DMG	A

SURROGATES

Compound	CAS No	Recovery	Limits(%)	Analysis Date/Time	Qualifiers
13C2-4-2 FTSA	13C2-4-2 FTSA	102%	50 - 200	02/20/2026 14:01	
13C2-6-2 FTSA	13C2-6-2 FTSA	99.8%	50 - 200	02/20/2026 14:01	
13C2-8-2 FTSA	13C2-8-2 FTSA	85.8%	50 - 200	02/20/2026 14:01	
13C2-PFD _o DA	13C2-PFD _o DA	78.7%	50 - 200	02/20/2026 14:01	
13C3-HFPO-DA	13C3-HFPO-DA	86%	50 - 200	02/20/2026 14:01	
13C3-PFBS	13C3-PFBS	85.2%	50 - 200	02/20/2026 14:01	
13C3-PFHxS	13C3-PFHxS	85.8%	50 - 200	02/20/2026 14:01	
13C4-PFBA	13C4-PFBA	83.9%	50 - 200	02/20/2026 14:01	
13C4-PFH _p A	13C4-PFH _p A	82.1%	50 - 200	02/20/2026 14:01	
13C5-PFHxA	13C5-PFHxA	82.9%	50 - 200	02/20/2026 14:01	
13C5-PFPeA	13C5-PFPeA	87.5%	50 - 200	02/20/2026 14:01	
13C6-PFDA	13C6-PFDA	79.9%	50 - 200	02/20/2026 14:01	
13C7-PFUnDA	13C7-PFUnDA	79.4%	50 - 200	02/20/2026 14:01	
13C8-PFOA	13C8-PFOA	83.3%	50 - 200	02/20/2026 14:01	
13C8-PFOS	13C8-PFOS	87%	50 - 200	02/20/2026 14:01	
13C9-PFNA	13C9-PFNA	80.9%	50 - 200	02/20/2026 14:01	



Results

Client Sample ID	26B0724-06	Collected	02/17/2026 08:50
Lab Sample ID	3451496006	Lab Receipt	02/18/2026 20:05

Per/Polyfluoroalkyl Substances

Compound	Result	Flag	Units	RDL	MDL	Method	Dilution	Analysis Date/Time	By	Cntr
HFPO-DA	0.143U	U,P1,S5	ng/L	1.790	0.143	EPA 533	1	02/20/2026 14:12	DMG	A
PFBS	0.562J	J,P1,S5	ng/L	1.790	0.170	EPA 533	1	02/20/2026 14:12	DMG	A
PFHxS	1.128J	J,P1,S5	ng/L	1.790	0.170	EPA 533	1	02/20/2026 14:12	DMG	A
PFNA	0.251U	U,P1,S5	ng/L	1.790	0.251	EPA 533	1	02/20/2026 14:12	DMG	A
PFOA	0.473J	J,P1,S5	ng/L	1.790	0.295	EPA 533	1	02/20/2026 14:12	DMG	A
PFOS	0.269U	U,P1,S5	ng/L	1.790	0.269	EPA 533	1	02/20/2026 14:12	DMG	A

SURROGATES

Compound	CAS No	Recovery	Limits(%)	Analysis Date/Time	Qualifiers
13C2-4-2 FTSA	13C2-4-2 FTSA	95.5%	50 - 200	02/20/2026 14:12	
13C2-6-2 FTSA	13C2-6-2 FTSA	93.4%	50 - 200	02/20/2026 14:12	
13C2-8-2 FTSA	13C2-8-2 FTSA	82.9%	50 - 200	02/20/2026 14:12	
13C2-PFDoDA	13C2-PFDoDA	74.1%	50 - 200	02/20/2026 14:12	
13C3-HFPO-DA	13C3-HFPO-DA	80.2%	50 - 200	02/20/2026 14:12	
13C3-PFBS	13C3-PFBS	82.7%	50 - 200	02/20/2026 14:12	
13C3-PFHxS	13C3-PFHxS	82.2%	50 - 200	02/20/2026 14:12	
13C4-PFBA	13C4-PFBA	76.7%	50 - 200	02/20/2026 14:12	
13C4-PFHpA	13C4-PFHpA	77.7%	50 - 200	02/20/2026 14:12	
13C5-PFHxA	13C5-PFHxA	77.6%	50 - 200	02/20/2026 14:12	
13C5-PFPeA	13C5-PFPeA	80.7%	50 - 200	02/20/2026 14:12	
13C6-PFDA	13C6-PFDA	76.3%	50 - 200	02/20/2026 14:12	
13C7-PFUnDA	13C7-PFUnDA	74%	50 - 200	02/20/2026 14:12	
13C8-PFOA	13C8-PFOA	78.8%	50 - 200	02/20/2026 14:12	
13C8-PFOS	13C8-PFOS	84.7%	50 - 200	02/20/2026 14:12	
13C9-PFNA	13C9-PFNA	76.9%	50 - 200	02/20/2026 14:12	



Results

Client Sample ID	26B0724-07	Collected	02/17/2026 09:35
Lab Sample ID	3451496007	Lab Receipt	02/18/2026 20:05

Per/Polyfluoroalkyl Substances

Compound	Result	Flag	Units	RDL	MDL	Method	Dilution	Analysis Date/Time	By	Cntr
HFPO-DA	0.144U	U,P1,S6	ng/L	1.802	0.144	EPA 533	1	02/20/2026 14:23	DMG	A
PFBS	1.059J	J,P1,S6	ng/L	1.802	0.171	EPA 533	1	02/20/2026 14:23	DMG	A
PFHxS	2.223	P1,S6	ng/L	1.802	0.171	EPA 533	1	02/20/2026 14:23	DMG	A
PFNA	0.252U	U,P1,S6	ng/L	1.802	0.252	EPA 533	1	02/20/2026 14:23	DMG	A
PFOA	0.620J	J,P1,S6	ng/L	1.802	0.297	EPA 533	1	02/20/2026 14:23	DMG	A
PFOS	0.505J	J,P1,S6	ng/L	1.802	0.270	EPA 533	1	02/20/2026 14:23	DMG	A

SURROGATES

Compound	CAS No	Recovery	Limits(%)	Analysis Date/Time	Qualifiers
13C2-4-2 FTSA	13C2-4-2 FTSA	100%	50 - 200	02/20/2026 14:23	
13C2-6-2 FTSA	13C2-6-2 FTSA	103%	50 - 200	02/20/2026 14:23	
13C2-8-2 FTSA	13C2-8-2 FTSA	84.7%	50 - 200	02/20/2026 14:23	
13C2-PFDoDA	13C2-PFDoDA	80.9%	50 - 200	02/20/2026 14:23	
13C3-HFPO-DA	13C3-HFPO-DA	81.8%	50 - 200	02/20/2026 14:23	
13C3-PFBS	13C3-PFBS	84.5%	50 - 200	02/20/2026 14:23	
13C3-PFHxS	13C3-PFHxS	84.3%	50 - 200	02/20/2026 14:23	
13C4-PFBA	13C4-PFBA	81.1%	50 - 200	02/20/2026 14:23	
13C4-PFHpA	13C4-PFHpA	80%	50 - 200	02/20/2026 14:23	
13C5-PFHxA	13C5-PFHxA	79.6%	50 - 200	02/20/2026 14:23	
13C5-PFPeA	13C5-PFPeA	83.7%	50 - 200	02/20/2026 14:23	
13C6-PFDA	13C6-PFDA	82.9%	50 - 200	02/20/2026 14:23	
13C7-PFUnDA	13C7-PFUnDA	80.8%	50 - 200	02/20/2026 14:23	
13C8-PFOA	13C8-PFOA	81.4%	50 - 200	02/20/2026 14:23	
13C8-PFOS	13C8-PFOS	84.2%	50 - 200	02/20/2026 14:23	
13C9-PFNA	13C9-PFNA	82%	50 - 200	02/20/2026 14:23	



Results

Client Sample ID	26B0724-08	Collected	02/17/2026 09:35
Lab Sample ID	3451496008	Lab Receipt	02/18/2026 20:05

Per/Polyfluoroalkyl Substances

Compound	Result	Flag	Units	RDL	MDL	Method	Dilution	Analysis Date/Time	By	Cntr
HFPO-DA	0.148U	U,P1	ng/L	1.853	0.148	EPA 533	1	02/20/2026 14:34	DMG	A
PFBS	0.176U	U,P1	ng/L	1.853	0.176	EPA 533	1	02/20/2026 14:34	DMG	A
PFHxS	0.176U	U,P1	ng/L	1.853	0.176	EPA 533	1	02/20/2026 14:34	DMG	A
PFNA	0.259U	U,P1	ng/L	1.853	0.259	EPA 533	1	02/20/2026 14:34	DMG	A
PFOA	0.306U	U,P1	ng/L	1.853	0.306	EPA 533	1	02/20/2026 14:34	DMG	A
PFOS	0.278U	U,P1	ng/L	1.853	0.278	EPA 533	1	02/20/2026 14:34	DMG	A

SURROGATES

Compound	CAS No	Recovery	Limits(%)	Analysis Date/Time	Qualifiers
13C2-4-2 FTSA	13C2-4-2 FTSA	94.5%	50 - 200	02/20/2026 14:34	
13C2-6-2 FTSA	13C2-6-2 FTSA	108%	50 - 200	02/20/2026 14:34	
13C2-8-2 FTSA	13C2-8-2 FTSA	80.8%	50 - 200	02/20/2026 14:34	
13C2-PFD _o DA	13C2-PFD _o DA	79.4%	50 - 200	02/20/2026 14:34	
13C3-HFPO-DA	13C3-HFPO-DA	83.2%	50 - 200	02/20/2026 14:34	
13C3-PFBS	13C3-PFBS	83%	50 - 200	02/20/2026 14:34	
13C3-PFHxS	13C3-PFHxS	81.1%	50 - 200	02/20/2026 14:34	
13C4-PFBA	13C4-PFBA	80.6%	50 - 200	02/20/2026 14:34	
13C4-PFH _p A	13C4-PFH _p A	77.4%	50 - 200	02/20/2026 14:34	
13C5-PFHxA	13C5-PFHxA	79.2%	50 - 200	02/20/2026 14:34	
13C5-PFPeA	13C5-PFPeA	84%	50 - 200	02/20/2026 14:34	
13C6-PFDA	13C6-PFDA	79.6%	50 - 200	02/20/2026 14:34	
13C7-PFUnDA	13C7-PFUnDA	78.5%	50 - 200	02/20/2026 14:34	
13C8-PFOA	13C8-PFOA	79.9%	50 - 200	02/20/2026 14:34	
13C8-PFOS	13C8-PFOS	81.5%	50 - 200	02/20/2026 14:34	
13C9-PFNA	13C9-PFNA	78.8%	50 - 200	02/20/2026 14:34	



Results

Client Sample ID	26B0724-09	Collected	02/17/2026 09:55
Lab Sample ID	3451496009	Lab Receipt	02/18/2026 20:05

Per/Polyfluoroalkyl Substances

Compound	Result	Flag	Units	RDL	MDL	Method	Dilution	Analysis Date/Time	By	Cntr
HFPO-DA	0.145U	U,P1,S7	ng/L	1.808	0.145	EPA 533	1	02/20/2026 14:45	DMG	A
PFBS	0.976J	J,P1,S7	ng/L	1.808	0.172	EPA 533	1	02/20/2026 14:45	DMG	A
PFHxS	2.097	P1,S7	ng/L	1.808	0.172	EPA 533	1	02/20/2026 14:45	DMG	A
PFNA	0.253U	U,P1,S7	ng/L	1.808	0.253	EPA 533	1	02/20/2026 14:45	DMG	A
PFOA	0.597J	J,P1,S7	ng/L	1.808	0.298	EPA 533	1	02/20/2026 14:45	DMG	A
PFOS	0.600J	J,P1,S7	ng/L	1.808	0.271	EPA 533	1	02/20/2026 14:45	DMG	A

SURROGATES

Compound	CAS No	Recovery	Limits(%)	Analysis Date/Time	Qualifiers
13C2-4-2 FTSA	13C2-4-2 FTSA	97.3%	50 - 200	02/20/2026 14:45	
13C2-6-2 FTSA	13C2-6-2 FTSA	96%	50 - 200	02/20/2026 14:45	
13C2-8-2 FTSA	13C2-8-2 FTSA	78.6%	50 - 200	02/20/2026 14:45	
13C2-PFD _o DA	13C2-PFD _o DA	72.1%	50 - 200	02/20/2026 14:45	
13C3-HFPO-DA	13C3-HFPO-DA	75%	50 - 200	02/20/2026 14:45	
13C3-PFBS	13C3-PFBS	80.9%	50 - 200	02/20/2026 14:45	
13C3-PFHxS	13C3-PFHxS	80%	50 - 200	02/20/2026 14:45	
13C4-PFBA	13C4-PFBA	73.3%	50 - 200	02/20/2026 14:45	
13C4-PFH _p A	13C4-PFH _p A	72.5%	50 - 200	02/20/2026 14:45	
13C5-PFHx _A	13C5-PFHx _A	72.1%	50 - 200	02/20/2026 14:45	
13C5-PFPe _A	13C5-PFPe _A	76.4%	50 - 200	02/20/2026 14:45	
13C6-PFDA	13C6-PFDA	75.5%	50 - 200	02/20/2026 14:45	
13C7-PFUn _{DA}	13C7-PFUn _{DA}	72.9%	50 - 200	02/20/2026 14:45	
13C8-PFOA	13C8-PFOA	74.4%	50 - 200	02/20/2026 14:45	
13C8-PFOS	13C8-PFOS	80%	50 - 200	02/20/2026 14:45	
13C9-PFNA	13C9-PFNA	75.7%	50 - 200	02/20/2026 14:45	



Results

Client Sample ID	26B0724-10	Collected	02/17/2026 10:55
Lab Sample ID	3451496010	Lab Receipt	02/18/2026 20:05

Per/Polyfluoroalkyl Substances

Compound	Result	Flag	Units	RDL	MDL	Method	Dilution	Analysis Date/Time	By	Cntr
HFPO-DA	0.144U	U,P1,S8	ng/L	1.804	0.144	EPA 533	1	02/20/2026 14:56	DMG	A
PFBS	1.130J	J,P1,S8	ng/L	1.804	0.171	EPA 533	1	02/20/2026 14:56	DMG	A
PFHxS	0.949J	J,P1,S8	ng/L	1.804	0.171	EPA 533	1	02/20/2026 14:56	DMG	A
PFNA	0.253U	U,P1,S8	ng/L	1.804	0.253	EPA 533	1	02/20/2026 14:56	DMG	A
PFOA	1.620J	J,P1,S8	ng/L	1.804	0.298	EPA 533	1	02/20/2026 14:56	DMG	A
PFOS	3.150	P1,S8	ng/L	1.804	0.271	EPA 533	1	02/20/2026 14:56	DMG	A

SURROGATES

Compound	CAS No	Recovery	Limits(%)	Analysis Date/Time	Qualifiers
13C2-4-2 FTSA	13C2-4-2 FTSA	101%	50 - 200	02/20/2026 14:56	
13C2-6-2 FTSA	13C2-6-2 FTSA	94.6%	50 - 200	02/20/2026 14:56	
13C2-8-2 FTSA	13C2-8-2 FTSA	79.6%	50 - 200	02/20/2026 14:56	
13C2-PFD _o DA	13C2-PFD _o DA	66%	50 - 200	02/20/2026 14:56	
13C3-HFPO-DA	13C3-HFPO-DA	74.6%	50 - 200	02/20/2026 14:56	
13C3-PFBS	13C3-PFBS	85.6%	50 - 200	02/20/2026 14:56	
13C3-PFHxS	13C3-PFHxS	82.6%	50 - 200	02/20/2026 14:56	
13C4-PFBA	13C4-PFBA	72.3%	50 - 200	02/20/2026 14:56	
13C4-PFH _p A	13C4-PFH _p A	72.6%	50 - 200	02/20/2026 14:56	
13C5-PFHxA	13C5-PFHxA	72%	50 - 200	02/20/2026 14:56	
13C5-PFPeA	13C5-PFPeA	76.5%	50 - 200	02/20/2026 14:56	
13C6-PFDA	13C6-PFDA	68.7%	50 - 200	02/20/2026 14:56	
13C7-PFUnDA	13C7-PFUnDA	66.2%	50 - 200	02/20/2026 14:56	
13C8-PFOA	13C8-PFOA	73.6%	50 - 200	02/20/2026 14:56	
13C8-PFOS	13C8-PFOS	83.9%	50 - 200	02/20/2026 14:56	
13C9-PFNA	13C9-PFNA	70.6%	50 - 200	02/20/2026 14:56	



Results

Client Sample ID	26B0724-11	Collected	02/17/2026 10:55
Lab Sample ID	3451496011	Lab Receipt	02/18/2026 20:05

Per/Polyfluoroalkyl Substances

Compound	Result	Flag	Units	RDL	MDL	Method	Dilution	Analysis Date/Time	By	Cntr
HFPO-DA	0.148U	U,P1	ng/L	1.855	0.148	EPA 533	1	02/20/2026 15:07	DMG	A
PFBS	0.176U	U,P1	ng/L	1.855	0.176	EPA 533	1	02/20/2026 15:07	DMG	A
PFHxS	0.176U	U,P1	ng/L	1.855	0.176	EPA 533	1	02/20/2026 15:07	DMG	A
PFNA	0.260U	U,P1	ng/L	1.855	0.260	EPA 533	1	02/20/2026 15:07	DMG	A
PFOA	0.306U	U,P1	ng/L	1.855	0.306	EPA 533	1	02/20/2026 15:07	DMG	A
PFOS	0.278U	U,P1	ng/L	1.855	0.278	EPA 533	1	02/20/2026 15:07	DMG	A

SURROGATES

Compound	CAS No	Recovery	Limits(%)	Analysis Date/Time	Qualifiers
13C2-4-2 FTSA	13C2-4-2 FTSA	97.9%	50 - 200	02/20/2026 15:07	
13C2-6-2 FTSA	13C2-6-2 FTSA	111%	50 - 200	02/20/2026 15:07	
13C2-8-2 FTSA	13C2-8-2 FTSA	83.6%	50 - 200	02/20/2026 15:07	
13C2-PFD _o DA	13C2-PFD _o DA	83.9%	50 - 200	02/20/2026 15:07	
13C3-HFPO-DA	13C3-HFPO-DA	90.3%	50 - 200	02/20/2026 15:07	
13C3-PFBS	13C3-PFBS	89.3%	50 - 200	02/20/2026 15:07	
13C3-PFHxS	13C3-PFHxS	86.8%	50 - 200	02/20/2026 15:07	
13C4-PFBA	13C4-PFBA	84.9%	50 - 200	02/20/2026 15:07	
13C4-PFH _p A	13C4-PFH _p A	84.2%	50 - 200	02/20/2026 15:07	
13C5-PFHx _A	13C5-PFHx _A	84.9%	50 - 200	02/20/2026 15:07	
13C5-PFPe _A	13C5-PFPe _A	86.9%	50 - 200	02/20/2026 15:07	
13C6-PFDA	13C6-PFDA	83.9%	50 - 200	02/20/2026 15:07	
13C7-PFUn _{DA}	13C7-PFUn _{DA}	82.7%	50 - 200	02/20/2026 15:07	
13C8-PFOA	13C8-PFOA	84.8%	50 - 200	02/20/2026 15:07	
13C8-PFOS	13C8-PFOS	86.8%	50 - 200	02/20/2026 15:07	
13C9-PFNA	13C9-PFNA	83.8%	50 - 200	02/20/2026 15:07	



Sample - Method Cross Reference Table

Lab ID	Sample ID	Analysis Method	Preparation Method	Leachate Method
3451496001	26B0724-01	EPA 533	EPA 533	
3451496002	26B0724-02	EPA 533	EPA 533	
3451496003	26B0724-03	EPA 533	EPA 533	
3451496004	26B0724-04	EPA 533	EPA 533	
3451496005	26B0724-05	EPA 533	EPA 533	
3451496006	26B0724-06	EPA 533	EPA 533	
3451496007	26B0724-07	EPA 533	EPA 533	
3451496008	26B0724-08	EPA 533	EPA 533	
3451496009	26B0724-09	EPA 533	EPA 533	
3451496010	26B0724-10	EPA 533	EPA 533	
3451496011	26B0724-11	EPA 533	EPA 533	



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Lab ID	Sample ID	Preparation Method	Prep Batch	Prep Date/Time	By	Analysis Method	Anly Batch
3451496001	26B0724-01	EPA 533	1523654	02/19/2026 11:47	DEC	EPA 533	1523729
3451496002	26B0724-02	EPA 533	1523654	02/19/2026 11:47	DEC	EPA 533	1523729
3451496003	26B0724-03	EPA 533	1523654	02/19/2026 11:47	DEC	EPA 533	1523729
3451496004	26B0724-04	EPA 533	1523654	02/19/2026 11:47	DEC	EPA 533	1523729
3451496005	26B0724-05	EPA 533	1523654	02/19/2026 11:47	DEC	EPA 533	1523729
3451496006	26B0724-06	EPA 533	1523654	02/19/2026 11:47	DEC	EPA 533	1523729
3451496007	26B0724-07	EPA 533	1523654	02/19/2026 11:47	DEC	EPA 533	1523729
3451496008	26B0724-08	EPA 533	1523654	02/19/2026 11:47	DEC	EPA 533	1523729
3451496009	26B0724-09	EPA 533	1523654	02/19/2026 11:47	DEC	EPA 533	1523729
3451496010	26B0724-10	EPA 533	1523654	02/19/2026 11:47	DEC	EPA 533	1523729
3451496011	26B0724-11	EPA 533	1523654	02/19/2026 11:47	DEC	EPA 533	1523729



SUBCONTRACT Notification, Purchase Order and Chain-Project No.: 26B0724



3451496
Logged By: GRD
P#: STM



This information is being sent to inform you that ALS-Stratford intends to subcontract certain samples to another licensed laboratory for specific parameters that we cannot perform in-house. The specific parameters that will be subcontracted are detailed below. Do not contact the subcontract laboratory directly. Please contact your project manager for further information.

E-mail lab reports to: USAEnviro.Stratford@alsglobal.com **Sample confirmations to:** NASTR.Subcontract@alsglobal.com
Mail Hard Copies to: The address below

SENDING LABORATORY:

ALS Environmental - Stratford
120 Research Dr
Stratford, CT 06615
Phone: 203.325.1371

RECEIVING LABORATORY:

ALS-Middletown
301 Fulling Mill Road
Middletown, PA 17057
Phone : (717) 944-5541

Sample ID: WELL 2-1 ENTRY POINT

ALS Ref: 26B0724-01

Analysis Needed	Date Due	Matrix:	Drinking Water	Date Sampled :	Comments
Q_P_PFAS, EPA 533 Target List	02/26/2026 19:00		Holding Time Expires	02/17/2026 07:40	

Containers Supplied:

10_250mL HDPE Ammonium Acetate, PFAS Fre 10_250mL HDPE Ammonium Acetate, PFAS Fre

Sample ID: FB-WELL 2-1 ENTRY POINT

ALS Ref: 26B0724-02

Analysis Needed	Date Due	Matrix:	Drinking Water	Date Sampled :	Comments
Q_P_PFAS, EPA 533 Target List	02/26/2026 19:00		Holding Time Expires	02/17/2026 07:40	

Containers Supplied:

10_250mL HDPE Ammonium Acetate, PFAS Fre

Chain-of-Custody Information

Released By	ALS-Stratford Sample Control	Date	Received By	Date
Noah C Soriano		2/17/2026	Noah C Soriano	2/18/2026
Received By Reimundusky		10:36 AM	Received By Soriano	2/18/2026
Received By Anderson		02/18/2026	Received By Subcontract Lab	2/18/2026

Samples from State of: NY
Collected by: Keith Turhill Jr.

Purchase Order No.: 26B0724


Deliverables required:

EDDs required:

Data Pkg DUE:

Special Info:

Reporting level: MDL/LOD



2/17/2026

SUBCONTRACT Notification, Purchase Order and Chain-of-Custody Project No.: 26B0724

This information is being sent to inform you that ALS-Stratford intends to subcontract certain samples to another licensed laboratory for specific parameters that we cannot perform in-house. The specific parameters that will be subcontracted are detailed below. Do not contact the subcontract laboratory directly. Please contact your project manager for further information.

E-mail lab reports to: USAEnviro.Stratford@alsglobal.com **Sample confirmations to:** NASTR.Subcontract@alsglobal.com
Mail Hard Copies to: The address below

Sample ID: WELL 3-1 ENTRY POINT

ALS Ref: 26B0724-03

<u>Analysis Needed</u>	<u>Date Due</u>	<u>Matrix:</u>	<u>Drinking Water</u>	<u>Date Sampled :</u>	<u>Comments</u>
Q_P_PFAS, EPA 533 Target List	02/26/2026 19:00		Holding Time Expires	03/17/2026 08:25	

Containers Supplied:

10_250mL HDPE Ammonium Acetate, PFAS Fre 10_250mL HDPE Ammonium Acetate, PFAS Fre

Sample ID: FB-WELL 3-1 ENTRY POINT

ALS Ref: 26B0724-04

<u>Analysis Needed</u>	<u>Date Due</u>	<u>Matrix:</u>	<u>Drinking Water</u>	<u>Date Sampled :</u>	<u>Comments</u>
Q_P_PFAS, EPA 533 Target List	02/26/2026 19:00		Holding Time Expires	03/17/2026 08:25	

Containers Supplied:

10_250mL HDPE Ammonium Acetate, PFAS Fre

Sample ID: WELL 3-1 + 3-3 ENTRY POINT

ALS Ref: 26B0724-05

<u>Analysis Needed</u>	<u>Date Due</u>	<u>Matrix:</u>	<u>Drinking Water</u>	<u>Date Sampled :</u>	<u>Comments</u>
Q_P_PFAS, EPA 533 Target List	02/26/2026 19:00		Holding Time Expires	03/17/2026 09:05	

Containers Supplied:

10_250mL HDPE Ammonium Acetate, PFAS Fre 10_250mL HDPE Ammonium Acetate, PFAS Fre

Purchase Order No.: 26B0724

Samples from State of NY
Collected by: Keith Tuthill Jr.

Deliverables required:

EDDs required:

Data Pkg DUE:
Special Info:
Reporting level: MDL/LOD

Chain-of-Custody Information


Noah C Soriano 2/17/2026

Released By ALS-Stratford Sample Control Date

Received By

Date

Released By: *Michelle Soriano* Date: *2/18/2026 10:36AM*
 Received By: *Denise* Date: *02/18/2026 10:36*
 Received in-Subcontract Lab By: *WPTA* Date: *2/18/2026 2005*



2/17/2026

SUBCONTRACT Notification, Purchase Order and Chain-of-Custody Project No.: 26B0724

This information is being sent to inform you that ALS-Stratford intends to subcontract certain samples to another licensed laboratory for specific parameters that we cannot perform in-house. The specific parameters that will be subcontracted are detailed below. Do not contact the subcontract laboratory directly. Please contact your project manager for further information.

E-mail lab reports to: USAEnviro.Stratford@alsglobal.com **Sample confirmations to:** NASTR.Subcontract@alsglobal.com
Mail Hard Copies to: The address below

Sample ID: WELL 3-1 + 3-2 ENTRY POINT **ALS Ref:** 26B0724-06

Analysis Needed: **Date Due:** **Matrix:** **Drinking Water** **Date Sampled:** 02/17/2026 08:50
Holding Time Expires **Comments:**

Q_P_PFAS, EPA 533 Target List 02/26/2026 19:00 03/17/2026 08:50

Containers Supplied:

10_250mL HDPE Ammonium Acetate, PFAS Fre 10_250mL HDPE Ammonium Acetate, PFAS Fre

Sample ID: WELL 4-2 ENTRY POINT POST IRON **ALS Ref:** 26B0724-07

Analysis Needed: **Date Due:** **Matrix:** **Drinking Water** **Date Sampled:** 02/17/2026 09:35
Holding Time Expires **Comments:**

Q_P_PFAS, EPA 533 Target List 02/26/2026 19:00 03/17/2026 09:35

Containers Supplied:

10_250mL HDPE Ammonium Acetate, PFAS Fre 10_250mL HDPE Ammonium Acetate, PFAS Fre

Sample ID: FB-WELL 4-1 ENTRY POINT POST IRON **ALS Ref:** 26B0724-08

Analysis Needed: **Date Due:** **Matrix:** **Drinking Water** **Date Sampled:** 02/17/2026 09:35
Holding Time Expires **Comments:**

Q_P_PFAS, EPA 533 Target List 02/26/2026 19:00 03/17/2026 09:35

Containers Supplied:

10_250mL HDPE Ammonium Acetate, PFAS Fre

Purchase Order No.: 26B0724 **Samples from State of:** NY
Deliverables required: **Collected by:** Keith Turrell Jr.
EDDs required: **Data Pkg DUE:**
Special Info:
Reporting level: MDL/LOD


Chain-of-Custody Information

Noah C Soriano 2/17/2026 → Received By: *Med M* 2/18/26 8:04am

Released By: ALS-Stratford Sample Control Date: Received By: Date: Received in Subcontract Lab By: Date: Page 3 of 4

Med M 2/18/26 10:36am → *Domica* 02/18/26 10:35

Rec Services 02/18/26 13:19 → *Let Omk* *WRTR* 2/18/26 2:05



2/17/2026

SUBCONTRACT Notification, Purchase Order and Chain-of-Custody

Project No.: 26B0724

This information is being sent to inform you that ALS-Stratford intends to subcontract certain samples to another licensed laboratory for specific parameters that we cannot perform in-house. The specific parameters that will be subcontracted are detailed below. Do not contact the subcontract laboratory directly. Please contact your project manager for further information.

E-mail lab reports to: USAEnviro.Stratford@alsglobal.com Sample confirmations to: NASTR.Subcontract@alsglobal.com
Mail Hard Copies to: The address below

Sample ID: WELL 4-2 ENTRY POINT POST IRON

ALS Ref: 26B0724-09

Analysis Needed	Date Due	Drinking Water	Date Sampled :	Comments
Q_P_PFAS, EPA 533 Target List	02/26/2026 19:00		02/17/2026 09:55	

Containers Supplied:

10_250mL HDPE Ammonium Acetate, PFAS Fre 10_250mL HDPE Ammonium Acetate, PFAS Fre

Sample ID: WELL 5-1 ENTRY POINT

ALS Ref: 26B0724-10

Analysis Needed	Date Due	Drinking Water	Date Sampled :	Comments
Q_P_PFAS, EPA 533 Target List	02/26/2026 19:00		02/17/2026 10:55	

Containers Supplied:

10_250mL HDPE Ammonium Acetate, PFAS Fre 10_250mL HDPE Ammonium Acetate, PFAS Fre

Sample ID: FB-WELL 5-1 ENTRY POINT

ALS Ref: 26B0724-11

Analysis Needed	Date Due	Drinking Water	Date Sampled :	Comments
Q_P_PFAS, EPA 533 Target List	02/26/2026 19:00		02/17/2026 10:55	

Containers Supplied:

10_250mL HDPE Ammonium Acetate, PFAS Fre

Purchase Order No.: 26B0724
Deliverables required:
EDDs required:

Samples from State of: NY
Collected by: Keith Tuhill Jr.

Chain-of-Custody Information

Released By: *Noah C Soriano* Date: 2/17/2026

Received By: *Noah C Soriano* Date: 2/18/2026 10:36

2/23/2026 11:59 AM

Received By: *Retina* Date: 02/18/2026 13:45

Received in Subcontract Lab By: *Retina* Date: 02/18/2026 13:45

Received By: *Retina* Date: 02/18/2026 13:45



Middletown Sample Condition Form

Client

York

Workorder

3451496

Temp °C

6

Therm ID

649

Ice?

Y

N

N/A

Initials & Date

DAE 2/19/26

Fedex

UPS

Client

ALS

Other

Tracking #

Yes No¹ N/A Comments

Cooler Custody Seals present & intact			<input checked="" type="checkbox"/>	
Sample Custody Seals present & intact				
Chain-of-Custody present				
Sample collector name present <i>If not present, must contact PM/client to request name.</i>	<input checked="" type="checkbox"/>			
COC/bottle labels complete & in agreement		<input checked="" type="checkbox"/>		
• Sample location				
• Date and time of sample collection				
• Type(s) of preservation	<input checked="" type="checkbox"/>			
• Number of containers				
• Composite or grab		<input checked="" type="checkbox"/>		
• Matrix	<input checked="" type="checkbox"/>			
Proper containers, preservation, and volume per method		<input checked="" type="checkbox"/>		
Received within hold time		<input checked="" type="checkbox"/>		
Containers intact		<input checked="" type="checkbox"/>		
Trip blanks present (EPA 504, EPA 524)			<input checked="" type="checkbox"/>	
Field blanks present (Hg 1631, PFAS)	<input checked="" type="checkbox"/>			
NJ ≤ 4 Days				
CR6 Samples Filtered				
OP Samples Filtered				
WV Containers 0-6°C				
SDWA compliance reporting				

¹ If No, provide comment

Rad Screen (uCi)

PM - PM to contact client

N/A - Not Applicable

UC - Updated coc with missing information

Review Comments:

