TABLE 2

GROUNDWATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

Effluent Water Quality Results


Date Sampled [2/]	pH [1/]	TDS (mg/l)	PCE (ug/l)	1,1,1-TCA (ug/l)	TCE (ug/l)	1,1-DCA (ug/l)	1,1-DCE (ug/l)	cis-1,2-DCE (ug/l)	trans-1,2-DCE (ug/l)	Xylene (ug/l)	Toluene (ug/l)	Ethyl-benzene (ug/l)	Methylene Chloride (ug/l)	Freon 113 (ug/l)	Naphthalene (ug/l)	Chloroform (ug/l)	Total Iron (mg/l)	Dissolved Iron (mg/l)
SPDES Limits	**5.0 to 8.5**	**---**	**5**	**5**	**5**	**5**	**5**	**5**	**5**	**5**	**5**	**5**	**5**	**---**	**10**	**7**	**---**	**---**
3-Mar-15	6.8	162	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	3.48	0.117
17-Mar-15	7.0	174	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<2	ND<0.5	ND<0.5	ND<0.5	1.24	0.050

SPDES: State Pollutant Discharge Elimination System
mg/l: Milligrams per liter
ug/l: Micrograms per liter
----: Not established
NM: Not Measured
TDS: Total dissolved solids
PCE: Tetrachloroethylene
1,1,1-TCA: 1,1,1-Trichloroethane
TCE: Trichloroethene
1,1-DCA: 1,1-Dichlorothane
1,1-DCE: 1,1-Dichloroethene
cis-1,2-DCE: cis-1,2-Dichloroethene
trans-1,2,-DCE: trans-1,2-Dichloroethene
J: Analyte detected below quantitation limits, value shown is a laboratory estimate.
B: Analyte was found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants.
ND: Not detected

Notes:
1. Based on the SPDES criteria from an NYSDEC letter dated on October 21, 2011, the new allowable pH range for the Rowe Site is between 5.0 and 8.5.
2. "Effluent" samples were collected from sample port labeled NP2-10 unless otherwise noted.

GRAPH 1
GROUNDWATER REMEDIAL ACTION
ROWE INDUSTRIES SUPERFUND SITE
SAG HARBOR, NEW YORK

Effluent Flow Data
(March 1, 2015 to March 31, 2015)



APPENDIX I
MARCH 2015 LABORATORY ANALYTICAL REPORTS
FOR FSP&T SYSTEM

Technical Report

prepared for:

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Report Date: 03/10/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0112

Report Date: 03/10/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0112

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on March 04, 2015 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

York Sample ID	Client Sample ID	Matrix	Date Collected	Date Received
15C0112-01	WQ030315: 1200NP2-6	Water	03/03/2015	03/04/2015
15C0112-02	WQ030315: 1205NP2-7	Water	03/03/2015	03/04/2015
15C0113-01	WQ030315:1210NP2-10	Water	03/03/2015	03/04/2015

General Notes for York Project (SDG) No.: 15C0112

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By: 

Date: 03/10/2015

Benjamin Gulizia
Laboratory Director

Sample Information

Client Sample ID: WQ030315: 1200NP2-6 **York Sample ID:** 15C0112-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0112	Rowe Industries	Water	March 3, 2015 12:00 pm	03/04/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS

Sample Information

Client Sample ID: WQ030315: 1200NP2-6 **York Sample ID:** 15C0112-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0112	Rowe Industries	Water	March 3, 2015 12:00 pm	03/04/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
156-59-2	**cis-1,2-Dichloroethylene**	**0.69**		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
127-18-4	**Tetrachloroethylene**	**3.9**		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
79-01-6	**Trichloroethylene**	**0.47**	J	ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C	03/06/2015 17:00	03/07/2015 09:40	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*107 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*96.0 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*99.0 %*	*81-117*

Sample Information

Client Sample ID: WQ030315: 1200NP2-6 **York Sample ID:** 15C0112-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0112	Rowe Industries	Water	March 3, 2015 12:00 pm	03/04/2015

Iron by EPA 200.7

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	**Iron**	**6.04**		mg/L	0.0146	0.0200	1	EPA 200.7	03/06/2015 13:47	03/06/2015 22:00	MW

Iron, Dissolved by EPA 6010

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	Iron	ND		mg/L	0.0200	0.0200	1	EPA 6010C	03/06/2015 13:33	03/06/2015 18:42	MW

Sample Information

Client Sample ID: WQ030315: 1205NP2-7 **York Sample ID:** 15C0112-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0112	Rowe Industries	Water	March 3, 2015 12:05 pm	03/04/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS

Sample Information

Client Sample ID: WQ030315: 1205NP2-7 **York Sample ID:** 15C0112-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0112	Rowe Industries	Water	March 3, 2015 12:05 pm	03/04/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
67-64-1	**Acetone**	**1.1**	SCAL-E, J, B	ug/L	1.0	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS

Sample Information

Client Sample ID: WQ030315: 1205NP2-7 **York Sample ID:** 15C0112-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0112	Rowe Industries	Water	March 3, 2015 12:05 pm	03/04/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:12	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*106 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*94.6 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*92.0 %*	*81-117*

Iron by EPA 200.7

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	**Iron**	**4.09**		mg/L	0.0146	0.0200	1	EPA 200.7	03/06/2015 13:47	03/06/2015 22:04	MW

Iron, Dissolved by EPA 6010

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	**Iron**	**0.0929**		mg/L	0.0200	0.0200	1	EPA 6010C	03/06/2015 13:33	03/06/2015 18:47	MW

Sample Information

Client Sample ID: WQ030315:1210NP2-10 **York Sample ID:** 15C0113-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0113	Rowe Industries	Water	March 3, 2015 12:10 pm	03/04/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes: **Sample Notes:**

Sample Information

Client Sample ID: WQ030315:1210NP2-10 **York Sample ID:** 15C0113-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0113	Rowe Industries	Water	March 3, 2015 12:10 pm	03/04/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS

Sample Information

Client Sample ID: WQ030315:1210NP2-10 **York Sample ID:** 15C0113-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0113	Rowe Industries	Water	March 3, 2015 12:10 pm	03/04/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C	03/06/2015 17:00	03/07/2015 10:44	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*103 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*98.8 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.2 %*	*81-117*

Sample Information

Client Sample ID: WQ030315:1210NP2-10 **York Sample ID:** 15C0113-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0113	Rowe Industries	Water	March 3, 2015 12:10 pm	03/04/2015

Iron by EPA 200.7

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	**Iron**	**3.48**		mg/L	0.0146	0.0200	1	EPA 200.7	03/06/2015 13:47	03/06/2015 22:09	MW

Iron, Dissolved by EPA 6010

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	**Iron**	**0.117**		mg/L	0.0200	0.0200	1	EPA 6010C	03/06/2015 13:33	03/06/2015 18:53	MW

Total Dissolved Solids

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	Total Dissolved Solids	**162**		mg/L	10.0	10.0	1	SM 2540C	03/04/2015 17:48	03/05/2015 19:18	AA

Analytical Batch Summary

Batch ID: BC50147 **Preparation Method:** % Solids Prep **Prepared By:** AA

YORK Sample ID	Client Sample ID	Preparation Date
15C0113-01	WQ030315:1210NP2-10	03/04/15
BC50147-BLK1	Blank	03/04/15

Batch ID: BC50227 **Preparation Method:** EPA 3010A **Prepared By:** MW

YORK Sample ID	Client Sample ID	Preparation Date
15C0112-01	WQ030315: 1200NP2-6	03/06/15
15C0112-02	WQ030315: 1205NP2-7	03/06/15
15C0113-01	WQ030315:1210NP2-10	03/06/15
BC50227-BLK1	Blank	03/06/15
BC50227-SRM1	Reference	03/06/15

Batch ID: BC50229 **Preparation Method:** EPA 3010A **Prepared By:** MW

YORK Sample ID	Client Sample ID	Preparation Date
15C0112-01	WQ030315: 1200NP2-6	03/06/15
15C0112-02	WQ030315: 1205NP2-7	03/06/15
15C0113-01	WQ030315:1210NP2-10	03/06/15
BC50229-BLK1	Blank	03/06/15
BC50229-SRM1	Reference	03/06/15

Batch ID: BC50239 **Preparation Method:** EPA 5030B **Prepared By:** BGS

YORK Sample ID	Client Sample ID	Preparation Date
15C0112-01	WQ030315: 1200NP2-6	03/06/15
15C0112-02	WQ030315: 1205NP2-7	03/06/15
15C0113-01	WQ030315:1210NP2-10	03/06/15
BC50239-BLK1	Blank	03/06/15
BC50239-BS1	LCS	03/06/15
BC50239-BSD1	LCS Dup	03/06/15

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50239 - EPA 5030B											
Blank (BC50239-BLK1)											
Prepared: 03/06/2015 Analyzed: 03/07/2015											
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.69	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	0.53	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	2.0	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	0.20	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	2.9	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	0.22	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	ND	2.0	"								
n-Butylbenzene	ND	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								

Volatile Organic Compounds by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50239 - EPA 5030B											
Blank (BC50239-BLK1)								Prepared: 03/06/2015 Analyzed: 03/07/2015			
p- & m- Xylenes	ND	1.0	ug/L								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	ND	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*10.6*		*"*	*10.0*		*106*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.92*		*"*	*10.0*		*99.2*	*79-122*				
Surrogate: Toluene-d8	*9.59*		*"*	*10.0*		*95.9*	*81-117*				
LCS (BC50239-BS1)								Prepared: 03/06/2015 Analyzed: 03/07/2015			
1,1,1,2-Tetrachloroethane	10.3		ug/L	10.0		103	82-126				
1,1,1-Trichloroethane	10.1		"	10.0		101	78-136				
1,1,2,2-Tetrachloroethane	10.6		"	10.0		106	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.34		"	10.0		93.4	54-165				
1,1,2-Trichloroethane	10.5		"	10.0		105	82-123				
1,1-Dichloroethane	10.6		"	10.0		106	82-129				
1,1-Dichloroethylene	9.71		"	10.0		97.1	68-138				
1,1-Dichloropropylene	9.94		"	10.0		99.4	83-133				
1,2,3-Trichlorobenzene	7.88		"	10.0		78.8	76-136				
1,2,3-Trichloropropane	9.85		"	10.0		98.5	77-128				
1,2,4-Trichlorobenzene	9.03		"	10.0		90.3	76-137				
1,2,4-Trimethylbenzene	10.2		"	10.0		102	82-132				
1,2-Dibromo-3-chloropropane	10.6		"	10.0		106	45-147				
1,2-Dibromoethane	10.6		"	10.0		106	83-124				
1,2-Dichlorobenzene	10.1		"	10.0		101	79-123				
1,2-Dichloroethane	10.1		"	10.0		101	73-132				
1,2-Dichloropropane	9.93		"	10.0		99.3	78-126				
1,3,5-Trimethylbenzene	10.7		"	10.0		107	80-131				
1,3-Dichlorobenzene	9.62		"	10.0		96.2	86-122				
1,3-Dichloropropane	10.7		"	10.0		107	81-125				
1,4-Dichlorobenzene	10.1		"	10.0		101	85-124				
2,2-Dichloropropane	7.09		"	10.0		70.9	56-150				
2-Chlorotoluene	10.1		"	10.0		101	79-130				
2-Hexanone	10.4		"	10.0		104	51-146				
4-Chlorotoluene	9.97		"	10.0		99.7	79-128				
Acetone	11.2		"	10.0		112	14-150				
Benzene	10.2		"	10.0		102	85-126				
Bromobenzene	10.1		"	10.0		101	78-129				
Bromochloromethane	10.0		"	10.0		100	77-128				
Bromodichloromethane	10.5		"	10.0		105	79-128				
Bromoform	11.3		"	10.0		113	78-133				
Bromomethane	8.89		"	10.0		88.9	43-168				
Carbon tetrachloride	10.6		"	10.0		106	77-141				
Chlorobenzene	10.4		"	10.0		104	88-120				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50239 - EPA 5030B											
LCS (BC50239-BS1)									Prepared: 03/06/2015 Analyzed: 03/07/2015		
Chloroethane	9.86		ug/L	10.0		98.6	65-136				
Chloroform	10.5		"	10.0		105	82-128				
Chloromethane	7.30		"	10.0		73.0	43-155				
cis-1,2-Dichloroethylene	10.8		"	10.0		108	83-129				
cis-1,3-Dichloropropylene	9.78		"	10.0		97.8	80-131				
Dibromochloromethane	10.4		"	10.0		104	80-130				
Dibromomethane	10.4		"	10.0		104	72-134				
Dichlorodifluoromethane	9.73		"	10.0		97.3	44-144				
Ethyl Benzene	9.94		"	10.0		99.4	80-131				
Hexachlorobutadiene	9.61		"	10.0		96.1	67-146				
Isopropylbenzene	11.0		"	10.0		110	76-140				
Methyl tert-butyl ether (MTBE)	11.1		"	10.0		111	76-135				
Methylene chloride	9.14		"	10.0		91.4	55-137				
Naphthalene	8.57		"	10.0		85.7	70-147				
n-Butylbenzene	9.39		"	10.0		93.9	79-132				
n-Propylbenzene	9.93		"	10.0		99.3	78-133				
o-Xylene	9.64		"	10.0		96.4	78-130				
p- & m- Xylenes	19.8		"	20.0		99.2	77-133				
p-Isopropyltoluene	9.86		"	10.0		98.6	81-136				
sec-Butylbenzene	9.84		"	10.0		98.4	79-137				
Styrene	9.77		"	10.0		97.7	67-132				
tert-Butylbenzene	10.5		"	10.0		105	77-138				
Tetrachloroethylene	10.6		"	10.0		106	82-131				
Toluene	10.0		"	10.0		100	80-127				
trans-1,2-Dichloroethylene	10.0		"	10.0		100	80-132				
trans-1,3-Dichloropropylene	9.85		"	10.0		98.5	78-131				
Trichloroethylene	10.1		"	10.0		101	82-128				
Trichlorofluoromethane	9.22		"	10.0		92.2	67-139				
Vinyl Chloride	9.51		"	10.0		95.1	58-145				
Surrogate: 1,2-Dichloroethane-d4	*9.57*		*"*	*10.0*		*95.7*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.4*		*"*	*10.0*		*104*	*79-122*				
Surrogate: Toluene-d8	*9.74*		*"*	*10.0*		*97.4*	*81-117*				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50239 - EPA 5030B											
LCS Dup (BC50239-BSD1)								Prepared: 03/06/2015 Analyzed: 03/07/2015			
1,1,1,2-Tetrachloroethane	10.9		ug/L	10.0		109	82-126		5.46	30	
1,1,1-Trichloroethane	11.2		"	10.0		112	78-136		10.8	30	
1,1,2,2-Tetrachloroethane	11.2		"	10.0		112	76-129		5.44	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.98		"	10.0		99.8	54-165		6.63	30	
1,1,2-Trichloroethane	11.3		"	10.0		113	82-123		8.07	30	
1,1-Dichloroethane	11.0		"	10.0		110	82-129		3.71	30	
1,1-Dichloroethylene	10.5		"	10.0		105	68-138		8.20	30	
1,1-Dichloropropylene	10.5		"	10.0		105	83-133		5.76	30	
1,2,3-Trichlorobenzene	9.54		"	10.0		95.4	76-136		19.1	30	
1,2,3-Trichloropropane	10.5		"	10.0		105	77-128		6.10	30	
1,2,4-Trichlorobenzene	10.2		"	10.0		102	76-137		12.7	30	
1,2,4-Trimethylbenzene	9.74		"	10.0		97.4	82-132		4.22	30	
1,2-Dibromo-3-chloropropane	10.4		"	10.0		104	45-147		1.90	30	
1,2-Dibromoethane	10.7		"	10.0		107	83-124		1.69	30	
1,2-Dichlorobenzene	10.8		"	10.0		108	79-123		6.24	30	
1,2-Dichloroethane	10.4		"	10.0		104	73-132		2.64	30	
1,2-Dichloropropane	10.1		"	10.0		101	78-126		1.30	30	
1,3,5-Trimethylbenzene	10.2		"	10.0		102	80-131		4.80	30	
1,3-Dichlorobenzene	10.7		"	10.0		107	86-122		10.3	30	
1,3-Dichloropropane	10.9		"	10.0		109	81-125		1.94	30	
1,4-Dichlorobenzene	10.1		"	10.0		101	85-124		0.297	30	
2,2-Dichloropropane	7.54		"	10.0		75.4	56-150		6.15	30	
2-Chlorotoluene	10.1		"	10.0		101	79-130		0.495	30	
2-Hexanone	10.9		"	10.0		109	51-146		4.88	30	
4-Chlorotoluene	9.45		"	10.0		94.5	79-128		5.36	30	
Acetone	11.3		"	10.0		113	14-150		0.709	30	
Benzene	10.1		"	10.0		101	85-126		0.691	30	
Bromobenzene	10.0		"	10.0		100	78-129		1.09	30	
Bromochloromethane	10.4		"	10.0		104	77-128		3.43	30	
Bromodichloromethane	10.9		"	10.0		109	79-128		3.37	30	
Bromoform	11.3		"	10.0		113	78-133		0.0888	30	
Bromomethane	9.26		"	10.0		92.6	43-168		4.08	30	
Carbon tetrachloride	11.0		"	10.0		110	77-141		4.26	30	
Chlorobenzene	11.1		"	10.0		111	88-120		6.04	30	
Chloroethane	10.2		"	10.0		102	65-136		3.29	30	
Chloroform	11.3		"	10.0		113	82-128		7.98	30	
Chloromethane	7.42		"	10.0		74.2	43-155		1.63	30	
cis-1,2-Dichloroethylene	11.6		"	10.0		116	83-129		7.68	30	
cis-1,3-Dichloropropylene	9.64		"	10.0		96.4	80-131		1.44	30	
Dibromochloromethane	11.1		"	10.0		111	80-130		6.61	30	
Dibromomethane	10.9		"	10.0		109	72-134		5.17	30	
Dichlorodifluoromethane	10.4		"	10.0		104	44-144		6.85	30	
Ethyl Benzene	10.4		"	10.0		104	80-131		4.81	30	
Hexachlorobutadiene	10.2		"	10.0		102	67-146		5.56	30	
Isopropylbenzene	10.8		"	10.0		108	76-140		1.93	30	
Methyl tert-butyl ether (MTBE)	11.8		"	10.0		118	76-135		6.03	30	
Methylene chloride	10.3		"	10.0		103	55-137		11.6	30	
Naphthalene	9.58		"	10.0		95.8	70-147		11.1	30	
n-Butylbenzene	9.89		"	10.0		98.9	79-132		5.19	30	
n-Propylbenzene	10.3		"	10.0		103	78-133		3.56	30	
o-Xylene	9.81		"	10.0		98.1	78-130		1.75	30	

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50239 - EPA 5030B											
LCS Dup (BC50239-BSD1)									Prepared: 03/06/2015 Analyzed: 03/07/2015		
p- & m- Xylenes	20.0		ug/L	20.0		99.8	77-133		0.603	30	
p-Isopropyltoluene	10.3		"	10.0		103	81-136		4.17	30	
sec-Butylbenzene	10.4		"	10.0		104	79-137		5.34	30	
Styrene	9.91		"	10.0		99.1	67-132		1.42	30	
tert-Butylbenzene	10.2		"	10.0		102	77-138		3.38	30	
Tetrachloroethylene	10.7		"	10.0		107	82-131		0.941	30	
Toluene	10.2		"	10.0		102	80-127		1.39	30	
trans-1,2-Dichloroethylene	10.5		"	10.0		105	80-132		4.58	30	
trans-1,3-Dichloropropylene	9.84		"	10.0		98.4	78-131		0.102	30	
Trichloroethylene	10.2		"	10.0		102	82-128		0.394	30	
Trichlorofluoromethane	10.2		"	10.0		102	67-139		9.99	30	
Vinyl Chloride	9.86		"	10.0		98.6	58-145		3.61	30	
Surrogate: 1,2-Dichloroethane-d4	*10.0*		*"*	*10.0*		*100*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.42*		*"*	*10.0*		*94.2*	*79-122*				
Surrogate: Toluene-d8	*9.95*		*"*	*10.0*		*99.5*	*81-117*				

Metals by ICP - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50227 - EPA 3010A											
Blank (BC50227-BLK1)									Prepared & Analyzed: 03/06/2015		
Iron - Dissolved	ND	0.0200	mg/L								
Reference (BC50227-SRM1)									Prepared & Analyzed: 03/06/2015		
Iron - Dissolved	1.35	0.0200	mg/L	1.32		102	84.8-115				
Batch BC50229 - EPA 3010A											
Blank (BC50229-BLK1)									Prepared & Analyzed: 03/06/2015		
Iron	ND	0.0200	mg/L								
Reference (BC50229-SRM1)									Prepared & Analyzed: 03/06/2015		
Iron	1.36	0.0200	mg/L	1.32		103	84.8-115				

Miscellaneous Physical Parameters - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50147 - % Solids Prep											
Blank (BC50147-BLK1)											Prepared: 03/04/2015 Analyzed: 03/05/2015
Total Dissolved Solids	ND	10.0	mg/L								

Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
15C0112-01	WQ030315: 1200NP2-6	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0112-02	WQ030315: 1205NP2-7	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0113-01	WQ030315:1210NP2-10	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C

Notes and Definitions

SCAL-E	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%).
J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL/LOD) or in the case of a TIC, the result is an estimated concentration.
B	Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants. Data users should consider anything <10x the blank value as artifact.

---

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two.
For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

YORK
ANALYTICAL LABORATORIES, INC.

120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document.
This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 15C0112

YOUR Information
Company: LBG
Address: 4 Research Dr, Suite 301 Shelton, CT 06484
Phone No. 203-929-8555
Contact Person. Tunde Sandor
E-Mail Address: TSandor@LBGLT.com

Report To:
Company Same
Address:
Phone No.
Attention:
E-Mail Address.

Invoice To:
Company: Same
Address:
Phone No.
Attention:
E-Mail Address

YOUR Project ID
Rowe Industries.

Purchase Order No.
HABSA6.

Samples from: CT__ NY X NJ__

Turn-Around Time
RUSH - Same Day ☐
RUSH - Next Day ☐
RUSH - Two Day ☐
RUSH - Three Day ☐
RUSH - Four Day ☐
Standard(5-7 Days) ☒

Report Type
Summary Report X, pdf
Summary w/ QA Summary X, pdf
CT RCP Package
CTRCP DQA/DUE Pkg
NY ASP A Package
NY ASP B Package NP2-10 only, pdf.
NJDEP Red. Deliv.

Electronic Data Deliverables (EDD)
Simple Excel X
NYSDEC EQuIS
EQuIS (std)
EZ-EDD (EQuIS)
NJDEP SRP HazSite EDD
GIS/KEY (std)
Other
York Regulatory Comparison
Excel Spreadsheet
Compare to the following Regs. (please fill in):

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)
STEPHEN ITNATI
Name (printed)

Matrix Codes
S - soil
Other - specify(oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part360-Routine	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part360-Routine	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part360-Routine	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv.Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Sewer	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Sample Identification	Date Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
WQ030315 1200 NP2-6	3/3/15 1200	GW	Fe by EPA 200.7 / Fe, Dissolved by EPA 6010 (SW846-6010B) / VOCs, 8260 List (EPA SW846-8260B) plus from 113	3 x 2P
WQ030315 1205 NP2-7	" 1205	GW	↓	3 x 2P
WQ030315 1210 NP2-10	" 1210	GW	Fe by EPA 200.7 / Fe, Dissolved by EPA 6010 (SW846-6010B) / VOCs 8260 List (EPA SW846-8260A) plus from 113 / TDS (SM 2540C)	3 x 3P

Comments

Preservation Check those Applicable: 4°C____ Frozen____ HCl____ MeOH____ HNO3____ H2SO4____ NaOH____ ZnAc____ Ascorbic Acid____ Other____

Special Instructions
Field Filtered ☐
Lab to Filter ☐

Samples Relinquished By — 3/4/15 1030 Date/Time
Samples Relinquished By — Date/Time
Samples Received By — WBG Fridge 3/4/15 1030 Date/Time
Samples Received in LAB by — Hugh Keeler 3/4/15 1935 Date/Time

Temperature on Receipt ____ °C

YORK
ANALYTICAL LABORATORIES, INC.
120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document.
This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 15C0113

YOUR Information
Company: LBG
Address: 4 Research Dr, Suite 301, Shelton, CT 06484
Phone No. 203-929-8555
Contact Person. Tunde Sandor
E-Mail Address: TSandor@LBGCT.com

Report To:
Company Same
Address:
Phone No.
Attention:
E-Mail Address.

Invoice To:
Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

YOUR Project ID
Rowe Industries.

Purchase Order No.
NABSAG.

Samples from: CT__ NY X NJ__

Turn-Around Time
RUSH - Same Day ☐
RUSH - Next Day ☐
RUSH - Two Day ☐
RUSH - Three Day ☐
RUSH - Four Day ☐
Standard(5-7 Days) ☒

Report Type
Summary Report X, pdf
Summary w/ QA Summary X, pdf
CT RCP Package
CTRCP DQA/DUE Pkg
NY ASP A Package
NY ASP B Package NP2-10 only, pdf.
NJDEP Red. Deliv.

Electronic Data Deliverables (EDD)
Simple Excel X
NYSDEC EQuIS
EQuIS (std)
EZ-EDD (EQuIS)
NJDEP SRP HazSite EDD
GIS/KEY (std)
Other
York Regulatory Comparison
Excel Spreadsheet
Compare to the following Regs. (please fill in):

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)
STEPHEN HNAT
Name (printed)

Matrix Codes
S - soil
Other - specify(oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part360-Baseline	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part360-Expanded	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part360-Expanded	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv.Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Sewer	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Sample Identification	Date Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
NQ030315-1200NP2-6	3/3/15 1200	GW	Fe by EPA 200.7 / Fe, Dissolved by EPA 6010 (SW846-6010B) / VOCs, 8260 List (EPA SW846-8260B) plus from 113	3v 2P
NQ030315-1205NP2-7	" 1205	GW	↓	3v 2P
NQ030315-1210NP2-10	" 1210	GW	Fe by EPA 200.7 / Fe, Dissolved by EPA 6010 (SW846-6010B) / VOCs 8260 List (EPA SW846-8260B) plus from 113 / TDS (SM 2540C)	3v 3P

Comments

Preservation
Check those Applicable
Special Instructions
Field Filtered ☐
Lab to Filter ☐

4°C__ Frozen__ HCl__ MeOH__ HNO3__ H2SO4__ NaOH__
ZnAc Ascorbic Acid Other

Samples Relinquished By	3/4/15 1030	WBG Fridge	3/4/15 1030
Samples Relinquished By	Date/Time	Samples Received By	Date/Time
		Hugh Faller	3/4/15 1235
Samples Relinquished By	Date/Time	Samples Received in LAB by	Date/Time
		3/4/15 1500	4.3

Temperature on Receipt __°C

Technical Report

prepared for:

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Report Date: 03/26/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0581

Report Date: 03/26/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0581

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on March 19, 2015 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

York Sample ID	Client Sample ID	Matrix	Date Collected	Date Received
15C0581-01	WQ031715:1100NP2-6	Water	03/17/2015	03/19/2015
15C0581-02	WQ031715:1105NP2-7	Water	03/17/2015	03/19/2015
15C0587-01	WQ031715:1110NP2-10	Water	03/17/2015	03/19/2015

General Notes for York Project (SDG) No.: 15C0581

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By: 

Date: 03/26/2015

Benjamin Gulizia
Laboratory Director

Sample Information

Client Sample ID: WQ031715:1100NP2-6 **York Sample ID:** 15C0581-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0581	Rowe Industries	Water	March 17, 2015 11:00 am	03/19/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS

Sample Information

Client Sample ID: WQ031715:1100NP2-6 **York Sample ID:** 15C0581-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0581	Rowe Industries	Water	March 17, 2015 11:00 am	03/19/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
156-59-2	**cis-1,2-Dichloroethylene**	**0.53**		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
127-18-4	**Tetrachloroethylene**	**6.5**	ICV-E	ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
79-01-6	**Trichloroethylene**	**0.51**		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C	03/25/2015 16:42	03/25/2015 22:24	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*104 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*92.7 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*103 %*	*81-117*

Sample Information

Client Sample ID: WQ031715:1100NP2-6 **York Sample ID:** 15C0581-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0581	Rowe Industries	Water	March 17, 2015 11:00 am	03/19/2015

Iron by EPA 200.7

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	**Iron**	**1.25**		mg/L	0.0146	0.0200	1	EPA 200.7	03/20/2015 12:24	03/20/2015 21:40	MW

Iron, Dissolved by EPA 6010

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	Iron	ND		mg/L	0.0200	0.0200	1	EPA 6010C	03/20/2015 12:21	03/20/2015 20:29	MW

Sample Information

Client Sample ID: WQ031715:1105NP2-7 **York Sample ID:** 15C0581-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0581	Rowe Industries	Water	March 17, 2015 11:05 am	03/19/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS

Sample Information

Client Sample ID: WQ031715:1105NP2-7 **York Sample ID:** 15C0581-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0581	Rowe Industries	Water	March 17, 2015 11:05 am	03/19/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
67-64-1	**Acetone**	**1.5**	CCV-E, SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS

Sample Information

Client Sample ID: WQ031715:1105NP2-7 **York Sample ID:** 15C0581-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0581	Rowe Industries	Water	March 17, 2015 11:05 am	03/19/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C	03/23/2015 16:35	03/24/2015 04:12	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*110 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*104 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*97.0 %*	*81-117*

Iron by EPA 200.7

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	**Iron**	**1.64**		mg/L	0.0146	0.0200	1	EPA 200.7	03/20/2015 12:24	03/20/2015 21:45	MW

Iron, Dissolved by EPA 6010

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	**Iron**	**0.0220**		mg/L	0.0200	0.0200	1	EPA 6010C	03/20/2015 12:21	03/20/2015 20:34	MW

Sample Information

Client Sample ID: WQ031715:1110NP2-10 **York Sample ID:** 15C0587-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0587	Rowe Industries	Water	March 17, 2015 11:10 am	03/19/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes: **Sample Notes:**

Sample Information

Client Sample ID: WQ031715:1110NP2-10 **York Sample ID:** 15C0587-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0587	Rowe Industries	Water	March 17, 2015 11:10 am	03/19/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
67-64-1	**Acetone**	**1.5**	CCV-E, SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS

Sample Information

Client Sample ID: WQ031715:1110NP2-10 **York Sample ID:** 15C0587-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0587	Rowe Industries	Water	March 17, 2015 11:10 am	03/19/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C	03/23/2015 08:37	03/23/2015 20:10	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*102 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*109 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*99.4 %*	*81-117*

Sample Information

Client Sample ID: WQ031715:1110NP2-10 **York Sample ID:** 15C0587-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0587	Rowe Industries	Water	March 17, 2015 11:10 am	03/19/2015

Iron by EPA 200.7

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	**Iron**	**1.24**		mg/L	0.0146	0.0200	1	EPA 200.7	03/20/2015 12:24	03/20/2015 21:50	MW

Iron, Dissolved by EPA 6010

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3010A

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-89-6	**Iron**	**0.0503**		mg/L	0.0200	0.0200	1	EPA 6010C	03/20/2015 12:21	03/20/2015 20:40	MW

Total Dissolved Solids

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	Total Dissolved Solids	**174**		mg/L	10.0	10.0	1	SM 2540C	03/19/2015 18:25	03/20/2015 12:23	AA

Analytical Batch Summary

Batch ID: BC50760 **Preparation Method:** % Solids Prep **Prepared By:** AA

YORK Sample ID	Client Sample ID	Preparation Date
15C0587-01	WQ031715:1110NP2-10	03/19/15
BC50760-BLK1	Blank	03/19/15
BC50760-DUP2	Duplicate	03/19/15

Batch ID: BC50798 **Preparation Method:** EPA 3010A **Prepared By:** MW

YORK Sample ID	Client Sample ID	Preparation Date
15C0581-01	WQ031715:1100NP2-6	03/20/15
15C0581-02	WQ031715:1105NP2-7	03/20/15
15C0587-01	WQ031715:1110NP2-10	03/20/15
BC50798-BLK1	Blank	03/20/15
BC50798-DUP1	Duplicate	03/20/15
BC50798-MS1	Matrix Spike	03/20/15
BC50798-SRM1	Reference	03/20/15

Batch ID: BC50799 **Preparation Method:** EPA 3010A **Prepared By:** MW

YORK Sample ID	Client Sample ID	Preparation Date
15C0581-01	WQ031715:1100NP2-6	03/20/15
15C0581-02	WQ031715:1105NP2-7	03/20/15
15C0587-01	WQ031715:1110NP2-10	03/20/15
BC50799-BLK1	Blank	03/20/15
BC50799-DUP1	Duplicate	03/20/15
BC50799-MS1	Matrix Spike	03/20/15
BC50799-SRM1	Reference	03/20/15

Batch ID: BC50870 **Preparation Method:** EPA 5030B **Prepared By:** BGS

YORK Sample ID	Client Sample ID	Preparation Date
15C0587-01	WQ031715:1110NP2-10	03/23/15
BC50870-BLK1	Blank	03/23/15
BC50870-BS1	LCS	03/23/15
BC50870-BSD1	LCS Dup	03/23/15

Batch ID: BC50878 **Preparation Method:** EPA 5030B **Prepared By:** BGS

YORK Sample ID	Client Sample ID	Preparation Date
15C0581-02	WQ031715:1105NP2-7	03/23/15
BC50878-BLK1	Blank	03/23/15
BC50878-BS1	LCS	03/23/15
BC50878-BSD1	LCS Dup	03/23/15

Batch ID: BC50988 **Preparation Method:** EPA 5030B **Prepared By:** BGS

YORK Sample ID	Client Sample ID	Preparation Date
15C0581-01	WQ031715:1100NP2-6	03/25/15
BC50988-BLK1	Blank	03/25/15
BC50988-BS1	LCS	03/25/15
BC50988-BSD1	LCS Dup	03/25/15

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50870 - EPA 5030B											
Blank (BC50870-BLK1)											Prepared & Analyzed: 03/23/2015
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.29	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	0.45	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	0.28	0.50	"								
Hexachlorobutadiene	0.40	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	ND	2.0	"								
n-Butylbenzene	0.29	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50870 - EPA 5030B											
Blank (BC50870-BLK1)								Prepared & Analyzed: 03/23/2015			
p- & m- Xylenes	ND	1.0	ug/L								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	ND	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	0.53	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*10.8*		*"*	*10.0*		*108*	*69-130*				
Surrogate: p-Bromofluorobenzene	*11.0*		*"*	*10.0*		*110*	*79-122*				
Surrogate: Toluene-d8	*9.81*		*"*	*10.0*		*98.1*	*81-117*				
LCS (BC50870-BS1)								Prepared & Analyzed: 03/23/2015			
1,1,1,2-Tetrachloroethane	10.2		ug/L	10.0		102	82-126				
1,1,1-Trichloroethane	11.8		"	10.0		118	78-136				
1,1,2,2-Tetrachloroethane	10.4		"	10.0		104	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	12.5		"	10.0		125	54-165				
1,1,2-Trichloroethane	9.65		"	10.0		96.5	82-123				
1,1-Dichloroethane	11.3		"	10.0		113	82-129				
1,1-Dichloroethylene	12.8		"	10.0		128	68-138				
1,1-Dichloropropylene	12.1		"	10.0		121	83-133				
1,2,3-Trichlorobenzene	8.83		"	10.0		88.3	76-136				
1,2,3-Trichloropropane	10.2		"	10.0		102	77-128				
1,2,4-Trichlorobenzene	9.07		"	10.0		90.7	76-137				
1,2,4-Trimethylbenzene	11.1		"	10.0		111	82-132				
1,2-Dibromo-3-chloropropane	8.91		"	10.0		89.1	45-147				
1,2-Dibromoethane	9.84		"	10.0		98.4	83-124				
1,2-Dichlorobenzene	9.96		"	10.0		99.6	79-123				
1,2-Dichloroethane	10.2		"	10.0		102	73-132				
1,2-Dichloropropane	10.7		"	10.0		107	78-126				
1,3,5-Trimethylbenzene	11.6		"	10.0		116	80-131				
1,3-Dichlorobenzene	10.6		"	10.0		106	86-122				
1,3-Dichloropropane	10.1		"	10.0		101	81-125				
1,4-Dichlorobenzene	10.3		"	10.0		103	85-124				
2,2-Dichloropropane	13.2		"	10.0		132	56-150				
2-Chlorotoluene	11.5		"	10.0		115	79-130				
2-Hexanone	9.62		"	10.0		96.2	51-146				
4-Chlorotoluene	11.4		"	10.0		114	79-128				
Acetone	7.29		"	10.0		72.9	14-150				
Benzene	11.1		"	10.0		111	85-126				
Bromobenzene	11.1		"	10.0		111	78-129				
Bromochloromethane	10.6		"	10.0		106	77-128				
Bromodichloromethane	10.6		"	10.0		106	79-128				
Bromoform	9.75		"	10.0		97.5	78-133				
Bromomethane	12.7		"	10.0		127	43-168				
Carbon tetrachloride	12.1		"	10.0		121	77-141				
Chlorobenzene	10.4		"	10.0		104	88-120				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50870 - EPA 5030B											
LCS (BC50870-BS1)								Prepared & Analyzed: 03/23/2015			
Chloroethane	11.0		ug/L	10.0		110	65-136				
Chloroform	10.8		"	10.0		108	82-128				
Chloromethane	11.2		"	10.0		112	43-155				
cis-1,2-Dichloroethylene	11.5		"	10.0		115	83-129				
cis-1,3-Dichloropropylene	11.1		"	10.0		111	80-131				
Dibromochloromethane	10.3		"	10.0		103	80-130				
Dibromomethane	10.5		"	10.0		105	72-134				
Dichlorodifluoromethane	11.3		"	10.0		113	44-144				
Ethyl Benzene	10.9		"	10.0		109	80-131				
Hexachlorobutadiene	10.5		"	10.0		105	67-146				
Isopropylbenzene	11.9		"	10.0		119	76-140				
Methyl tert-butyl ether (MTBE)	9.74		"	10.0		97.4	76-135				
Methylene chloride	10.7		"	10.0		107	55-137				
Naphthalene	8.76		"	10.0		87.6	70-147				
n-Butylbenzene	11.6		"	10.0		116	79-132				
n-Propylbenzene	11.9		"	10.0		119	78-133				
o-Xylene	10.7		"	10.0		107	78-130				
p- & m- Xylenes	21.6		"	20.0		108	77-133				
p-Isopropyltoluene	11.6		"	10.0		116	81-136				
sec-Butylbenzene	11.9		"	10.0		119	79-137				
Styrene	10.7		"	10.0		107	67-132				
tert-Butylbenzene	11.8		"	10.0		118	77-138				
Tetrachloroethylene	10.8		"	10.0		108	82-131				
Toluene	10.6		"	10.0		106	80-127				
trans-1,2-Dichloroethylene	11.8		"	10.0		118	80-132				
trans-1,3-Dichloropropylene	10.4		"	10.0		104	78-131				
Trichloroethylene	11.3		"	10.0		113	82-128				
Trichlorofluoromethane	12.3		"	10.0		123	67-139				
Vinyl Chloride	12.8		"	10.0		128	58-145				
Surrogate: 1,2-Dichloroethane-d4	*9.81*		*"*	*10.0*		*98.1*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.8*		*"*	*10.0*		*108*	*79-122*				
Surrogate: Toluene-d8	*10.2*		*"*	*10.0*		*102*	*81-117*				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50870 - EPA 5030B											
LCS Dup (BC50870-BSD1)							Prepared & Analyzed: 03/23/2015				
1,1,1,2-Tetrachloroethane	10.8		ug/L	10.0		108	82-126		5.15	30	
1,1,1-Trichloroethane	12.2		"	10.0		122	78-136		3.32	30	
1,1,2,2-Tetrachloroethane	10.9		"	10.0		109	76-129		4.62	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	12.9		"	10.0		129	54-165		3.00	30	
1,1,2-Trichloroethane	10.4		"	10.0		104	82-123		7.10	30	
1,1-Dichloroethane	11.8		"	10.0		118	82-129		3.73	30	
1,1-Dichloroethylene	12.9		"	10.0		129	68-138		0.233	30	
1,1-Dichloropropylene	12.5		"	10.0		125	83-133		3.09	30	
1,2,3-Trichlorobenzene	8.91		"	10.0		89.1	76-136		0.902	30	
1,2,3-Trichloropropane	10.8		"	10.0		108	77-128		5.98	30	
1,2,4-Trichlorobenzene	9.25		"	10.0		92.5	76-137		1.97	30	
1,2,4-Trimethylbenzene	10.7		"	10.0		107	82-132		3.12	30	
1,2-Dibromo-3-chloropropane	9.88		"	10.0		98.8	45-147		10.3	30	
1,2-Dibromoethane	10.8		"	10.0		108	83-124		9.58	30	
1,2-Dichlorobenzene	10.0		"	10.0		100	79-123		0.900	30	
1,2-Dichloroethane	11.2		"	10.0		112	73-132		9.40	30	
1,2-Dichloropropane	11.2		"	10.0		112	78-126		4.46	30	
1,3,5-Trimethylbenzene	11.2		"	10.0		112	80-131		3.85	30	
1,3-Dichlorobenzene	10.4		"	10.0		104	86-122		1.43	30	
1,3-Dichloropropane	10.8		"	10.0		108	81-125		7.09	30	
1,4-Dichlorobenzene	10.4		"	10.0		104	85-124		1.35	30	
2,2-Dichloropropane	13.3		"	10.0		133	56-150		0.982	30	
2-Chlorotoluene	11.0		"	10.0		110	79-130		4.17	30	
2-Hexanone	10.7		"	10.0		107	51-146		11.0	30	
4-Chlorotoluene	11.0		"	10.0		110	79-128		3.40	30	
Acetone	7.97		"	10.0		79.7	14-150		8.91	30	
Benzene	11.4		"	10.0		114	85-126		3.11	30	
Bromobenzene	11.1		"	10.0		111	78-129		0.270	30	
Bromochloromethane	11.4		"	10.0		114	77-128		7.54	30	
Bromodichloromethane	11.4		"	10.0		114	79-128		8.09	30	
Bromoform	11.1		"	10.0		111	78-133		12.6	30	
Bromomethane	12.9		"	10.0		129	43-168		1.95	30	
Carbon tetrachloride	12.4		"	10.0		124	77-141		2.77	30	
Chlorobenzene	10.7		"	10.0		107	88-120		2.56	30	
Chloroethane	11.7		"	10.0		117	65-136		6.16	30	
Chloroform	11.4		"	10.0		114	82-128		5.68	30	
Chloromethane	11.5		"	10.0		115	43-155		2.47	30	
cis-1,2-Dichloroethylene	11.8		"	10.0		118	83-129		2.06	30	
cis-1,3-Dichloropropylene	11.6		"	10.0		116	80-131		4.75	30	
Dibromochloromethane	11.1		"	10.0		111	80-130		7.76	30	
Dibromomethane	11.0		"	10.0		110	72-134		4.47	30	
Dichlorodifluoromethane	11.0		"	10.0		110	44-144		2.96	30	
Ethyl Benzene	11.0		"	10.0		110	80-131		1.19	30	
Hexachlorobutadiene	10.1		"	10.0		101	67-146		3.49	30	
Isopropylbenzene	11.5		"	10.0		115	76-140		4.02	30	
Methyl tert-butyl ether (MTBE)	11.2		"	10.0		112	76-135		14.3	30	
Methylene chloride	11.4		"	10.0		114	55-137		6.18	30	
Naphthalene	9.29		"	10.0		92.9	70-147		5.87	30	
n-Butylbenzene	11.1		"	10.0		111	79-132		4.76	30	
n-Propylbenzene	11.3		"	10.0		113	78-133		5.00	30	
o-Xylene	10.9		"	10.0		109	78-130		1.86	30	

Volatile Organic Compounds by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50870 - EPA 5030B											
LCS Dup (BC50870-BSD1)								Prepared & Analyzed: 03/23/2015			
p- & m- Xylenes	21.6		ug/L	20.0		108	77-133		0.0926	30	
p-Isopropyltoluene	11.0		"	10.0		110	81-136		4.79	30	
sec-Butylbenzene	11.4		"	10.0		114	79-137		4.73	30	
Styrene	11.0		"	10.0		110	67-132		3.13	30	
tert-Butylbenzene	11.2		"	10.0		112	77-138		5.29	30	
Tetrachloroethylene	10.7		"	10.0		107	82-131		0.835	30	
Toluene	10.7		"	10.0		107	80-127		0.935	30	
trans-1,2-Dichloroethylene	12.0		"	10.0		120	80-132		2.10	30	
trans-1,3-Dichloropropylene	11.4		"	10.0		114	78-131		9.26	30	
Trichloroethylene	11.2		"	10.0		112	82-128		0.713	30	
Trichlorofluoromethane	12.5		"	10.0		125	67-139		1.13	30	
Vinyl Chloride	12.6		"	10.0		126	58-145		1.65	30	
Surrogate: 1,2-Dichloroethane-d4	*10.6*		*"*	*10.0*		*106*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.4*		*"*	*10.0*		*104*	*79-122*				
Surrogate: Toluene-d8	*9.95*		*"*	*10.0*		*99.5*	*81-117*				
Batch BC50878 - EPA 5030B											
Blank (BC50878-BLK1)								Prepared & Analyzed: 03/23/2015			
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.49	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	ND	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50878 - EPA 5030B											
Blank (BC50878-BLK1)											Prepared & Analyzed: 03/23/2015
Chlorobenzene	ND	0.50	ug/L								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	0.35	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	ND	2.0	"								
n-Butylbenzene	0.25	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								
p- & m- Xylenes	ND	1.0	"								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	ND	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*11.0*		*"*	*10.0*		*110*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.7*		*"*	*10.0*		*107*	*79-122*				
Surrogate: Toluene-d8	*9.98*		*"*	*10.0*		*99.8*	*81-117*				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50878 - EPA 5030B											
LCS (BC50878-BS1)								Prepared & Analyzed: 03/23/2015			
1,1,1,2-Tetrachloroethane	10.2		ug/L	10.0		102	82-126				
1,1,1-Trichloroethane	10.9		"	10.0		109	78-136				
1,1,2,2-Tetrachloroethane	10.8		"	10.0		108	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11.4		"	10.0		114	54-165				
1,1,2-Trichloroethane	9.83		"	10.0		98.3	82-123				
1,1-Dichloroethane	11.5		"	10.0		115	82-129				
1,1-Dichloroethylene	11.9		"	10.0		119	68-138				
1,1-Dichloropropylene	11.4		"	10.0		114	83-133				
1,2,3-Trichlorobenzene	9.10		"	10.0		91.0	76-136				
1,2,3-Trichloropropane	10.4		"	10.0		104	77-128				
1,2,4-Trichlorobenzene	9.09		"	10.0		90.9	76-137				
1,2,4-Trimethylbenzene	10.3		"	10.0		103	82-132				
1,2-Dibromo-3-chloropropane	9.58		"	10.0		95.8	45-147				
1,2-Dibromoethane	10.3		"	10.0		103	83-124				
1,2-Dichlorobenzene	9.84		"	10.0		98.4	79-123				
1,2-Dichloroethane	10.6		"	10.0		106	73-132				
1,2-Dichloropropane	10.7		"	10.0		107	78-126				
1,3,5-Trimethylbenzene	10.6		"	10.0		106	80-131				
1,3-Dichlorobenzene	9.94		"	10.0		99.4	86-122				
1,3-Dichloropropane	10.6		"	10.0		106	81-125				
1,4-Dichlorobenzene	9.88		"	10.0		98.8	85-124				
2,2-Dichloropropane	10.4		"	10.0		104	56-150				
2-Chlorotoluene	10.6		"	10.0		106	79-130				
2-Hexanone	10.6		"	10.0		106	51-146				
4-Chlorotoluene	10.5		"	10.0		105	79-128				
Acetone	7.35		"	10.0		73.5	14-150				
Benzene	10.8		"	10.0		108	85-126				
Bromobenzene	10.7		"	10.0		107	78-129				
Bromochloromethane	11.0		"	10.0		110	77-128				
Bromodichloromethane	10.7		"	10.0		107	79-128				
Bromoform	10.6		"	10.0		106	78-133				
Bromomethane	7.17		"	10.0		71.7	43-168				
Carbon tetrachloride	11.4		"	10.0		114	77-141				
Chlorobenzene	10.2		"	10.0		102	88-120				
Chloroethane	10.4		"	10.0		104	65-136				
Chloroform	10.8		"	10.0		108	82-128				
Chloromethane	9.85		"	10.0		98.5	43-155				
cis-1,2-Dichloroethylene	11.0		"	10.0		110	83-129				
cis-1,3-Dichloropropylene	10.9		"	10.0		109	80-131				
Dibromochloromethane	10.7		"	10.0		107	80-130				
Dibromomethane	10.7		"	10.0		107	72-134				
Dichlorodifluoromethane	9.81		"	10.0		98.1	44-144				
Ethyl Benzene	10.4		"	10.0		104	80-131				
Hexachlorobutadiene	9.71		"	10.0		97.1	67-146				
Isopropylbenzene	10.8		"	10.0		108	76-140				
Methyl tert-butyl ether (MTBE)	10.8		"	10.0		108	76-135				
Methylene chloride	10.3		"	10.0		103	55-137				
Naphthalene	9.18		"	10.0		91.8	70-147				
n-Butylbenzene	10.6		"	10.0		106	79-132				
n-Propylbenzene	10.7		"	10.0		107	78-133				
o-Xylene	10.4		"	10.0		104	78-130				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50878 - EPA 5030B											
LCS (BC50878-BS1)							Prepared & Analyzed: 03/23/2015				
p- & m- Xylenes	20.5		ug/L	20.0		102	77-133				
p-Isopropyltoluene	10.6		"	10.0		106	81-136				
sec-Butylbenzene	10.7		"	10.0		107	79-137				
Styrene	10.5		"	10.0		105	67-132				
tert-Butylbenzene	10.7		"	10.0		107	77-138				
Tetrachloroethylene	10.1		"	10.0		101	82-131				
Toluene	10.2		"	10.0		102	80-127				
trans-1,2-Dichloroethylene	11.1		"	10.0		111	80-132				
trans-1,3-Dichloropropylene	10.6		"	10.0		106	78-131				
Trichloroethylene	10.7		"	10.0		107	82-128				
Trichlorofluoromethane	11.4		"	10.0		114	67-139				
Vinyl Chloride	11.4		"	10.0		114	58-145				
Surrogate: 1,2-Dichloroethane-d4	*10.3*		*"*	*10.0*		*103*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.5*		*"*	*10.0*		*105*	*79-122*				
Surrogate: Toluene-d8	*9.99*		*"*	*10.0*		*99.9*	*81-117*				
LCS Dup (BC50878-BSD1)							Prepared & Analyzed: 03/23/2015				
1,1,1,2-Tetrachloroethane	10.6		ug/L	10.0		106	82-126		3.46	30	
1,1,1-Trichloroethane	12.0		"	10.0		120	78-136		9.72	30	
1,1,2,2-Tetrachloroethane	11.4		"	10.0		114	76-129		5.33	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	12.2		"	10.0		122	54-165		6.67	30	
1,1,2-Trichloroethane	10.2		"	10.0		102	82-123		3.40	30	
1,1-Dichloroethane	11.7		"	10.0		117	82-129		1.90	30	
1,1-Dichloroethylene	12.6		"	10.0		126	68-138		5.72	30	
1,1-Dichloropropylene	12.2		"	10.0		122	83-133		6.35	30	
1,2,3-Trichlorobenzene	9.56		"	10.0		95.6	76-136		4.93	30	
1,2,3-Trichloropropane	10.7		"	10.0		107	77-128		2.27	30	
1,2,4-Trichlorobenzene	9.47		"	10.0		94.7	76-137		4.09	30	
1,2,4-Trimethylbenzene	10.6		"	10.0		106	82-132		2.98	30	
1,2-Dibromo-3-chloropropane	9.53		"	10.0		95.3	45-147		0.523	30	
1,2-Dibromoethane	10.9		"	10.0		109	83-124		5.96	30	
1,2-Dichlorobenzene	10.1		"	10.0		101	79-123		2.31	30	
1,2-Dichloroethane	11.2		"	10.0		112	73-132		4.77	30	
1,2-Dichloropropane	11.0		"	10.0		110	78-126		2.49	30	
1,3,5-Trimethylbenzene	10.9		"	10.0		109	80-131		2.97	30	
1,3-Dichlorobenzene	10.3		"	10.0		103	86-122		3.65	30	
1,3-Dichloropropane	10.9		"	10.0		109	81-125		3.35	30	
1,4-Dichlorobenzene	10.1		"	10.0		101	85-124		1.81	30	
2,2-Dichloropropane	11.0		"	10.0		110	56-150		5.32	30	
2-Chlorotoluene	11.0		"	10.0		110	79-130		3.25	30	
2-Hexanone	10.6		"	10.0		106	51-146		0.566	30	
4-Chlorotoluene	10.8		"	10.0		108	79-128		2.72	30	
Acetone	7.63		"	10.0		76.3	14-150		3.74	30	
Benzene	11.4		"	10.0		114	85-126		6.22	30	
Bromobenzene	11.1		"	10.0		111	78-129		3.75	30	
Bromochloromethane	11.3		"	10.0		113	77-128		3.41	30	
Bromodichloromethane	11.2		"	10.0		112	79-128		4.57	30	
Bromoform	10.7		"	10.0		107	78-133		1.69	30	
Bromomethane	8.41		"	10.0		84.1	43-168		15.9	30	
Carbon tetrachloride	12.0		"	10.0		120	77-141		4.44	30	
Chlorobenzene	10.6		"	10.0		106	88-120		3.66	30	
Chloroethane	11.4		"	10.0		114	65-136		9.81	30	

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50878 - EPA 5030B											
LCS Dup (BC50878-BSD1)								Prepared & Analyzed: 03/23/2015			
Chloroform	11.2		ug/L	10.0		112	82-128		3.18	30	
Chloromethane	9.79		"	10.0		97.9	43-155		0.611	30	
cis-1,2-Dichloroethylene	11.7		"	10.0		117	83-129		5.98	30	
cis-1,3-Dichloropropylene	11.3		"	10.0		113	80-131		3.78	30	
Dibromochloromethane	11.2		"	10.0		112	80-130		4.49	30	
Dibromomethane	10.8		"	10.0		108	72-134		0.560	30	
Dichlorodifluoromethane	9.77		"	10.0		97.7	44-144		0.409	30	
Ethyl Benzene	10.8		"	10.0		108	80-131		3.67	30	
Hexachlorobutadiene	10.4		"	10.0		104	67-146		6.67	30	
Isopropylbenzene	11.1		"	10.0		111	76-140		3.01	30	
Methyl tert-butyl ether (MTBE)	11.3		"	10.0		113	76-135		4.52	30	
Methylene chloride	10.9		"	10.0		109	55-137		5.64	30	
Naphthalene	9.69		"	10.0		96.9	70-147		5.41	30	
n-Butylbenzene	10.8		"	10.0		108	79-132		2.43	30	
n-Propylbenzene	11.1		"	10.0		111	78-133		3.50	30	
o-Xylene	10.8		"	10.0		108	78-130		4.34	30	
p- & m- Xylenes	21.3		"	20.0		107	77-133		3.92	30	
p-Isopropyltoluene	10.8		"	10.0		108	81-136		1.87	30	
sec-Butylbenzene	11.1		"	10.0		111	79-137		3.49	30	
Styrene	10.8		"	10.0		108	67-132		2.91	30	
tert-Butylbenzene	11.1		"	10.0		111	77-138		3.49	30	
Tetrachloroethylene	10.6		"	10.0		106	82-131		4.44	30	
Toluene	10.5		"	10.0		105	80-127		3.48	30	
trans-1,2-Dichloroethylene	11.9		"	10.0		119	80-132		6.43	30	
trans-1,3-Dichloropropylene	11.0		"	10.0		110	78-131		2.87	30	
Trichloroethylene	10.8		"	10.0		108	82-128		1.30	30	
Trichlorofluoromethane	12.1		"	10.0		121	67-139		6.29	30	
Vinyl Chloride	12.3		"	10.0		123	58-145		7.33	30	
Surrogate: 1,2-Dichloroethane-d4	*10.4*		*"*	*10.0*		*104*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.5*		*"*	*10.0*		*105*	*79-122*				
Surrogate: Toluene-d8	*10.1*		*"*	*10.0*		*101*	*81-117*				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50988 - EPA 5030B											
Blank (BC50988-BLK1)											Prepared & Analyzed: 03/25/2015
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.71	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	0.51	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	0.29	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	ND	2.0	"								
n-Butylbenzene	ND	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50988 - EPA 5030B											
Blank (BC50988-BLK1)								Prepared & Analyzed: 03/25/2015			
p- & m- Xylenes	ND	1.0	ug/L								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	ND	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*11.5*		*"*	*10.0*		*115*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.66*		*"*	*10.0*		*96.6*	*79-122*				
Surrogate: Toluene-d8	*9.03*		*"*	*10.0*		*90.3*	*81-117*				
LCS (BC50988-BS1)								Prepared & Analyzed: 03/25/2015			
1,1,1,2-Tetrachloroethane	11.2		ug/L	10.0		112	82-126				
1,1,1-Trichloroethane	11.0		"	10.0		110	78-136				
1,1,2,2-Tetrachloroethane	10.4		"	10.0		104	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.5		"	10.0		105	54-165				
1,1,2-Trichloroethane	11.6		"	10.0		116	82-123				
1,1-Dichloroethane	10.9		"	10.0		109	82-129				
1,1-Dichloroethylene	11.6		"	10.0		116	68-138				
1,1-Dichloropropylene	10.8		"	10.0		108	83-133				
1,2,3-Trichlorobenzene	8.40		"	10.0		84.0	76-136				
1,2,3-Trichloropropane	10.3		"	10.0		103	77-128				
1,2,4-Trichlorobenzene	9.31		"	10.0		93.1	76-137				
1,2,4-Trimethylbenzene	9.92		"	10.0		99.2	82-132				
1,2-Dibromo-3-chloropropane	11.1		"	10.0		111	45-147				
1,2-Dibromoethane	11.1		"	10.0		111	83-124				
1,2-Dichlorobenzene	10.5		"	10.0		105	79-123				
1,2-Dichloroethane	11.4		"	10.0		114	73-132				
1,2-Dichloropropane	10.7		"	10.0		107	78-126				
1,3,5-Trimethylbenzene	9.96		"	10.0		99.6	80-131				
1,3-Dichlorobenzene	9.98		"	10.0		99.8	86-122				
1,3-Dichloropropane	11.3		"	10.0		113	81-125				
1,4-Dichlorobenzene	9.51		"	10.0		95.1	85-124				
2,2-Dichloropropane	9.80		"	10.0		98.0	56-150				
2-Chlorotoluene	10.3		"	10.0		103	79-130				
2-Hexanone	11.7		"	10.0		117	51-146				
4-Chlorotoluene	10.4		"	10.0		104	79-128				
Acetone	9.04		"	10.0		90.4	14-150				
Benzene	10.2		"	10.0		102	85-126				
Bromobenzene	10.2		"	10.0		102	78-129				
Bromochloromethane	11.3		"	10.0		113	77-128				
Bromodichloromethane	11.5		"	10.0		115	79-128				
Bromoform	10.7		"	10.0		107	78-133				
Bromomethane	10.6		"	10.0		106	43-168				
Carbon tetrachloride	11.2		"	10.0		112	77-141				
Chlorobenzene	11.2		"	10.0		112	88-120				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50988 - EPA 5030B											
LCS (BC50988-BS1)								Prepared & Analyzed: 03/25/2015			
Chloroethane	11.9		ug/L	10.0		119	65-136				
Chloroform	11.4		"	10.0		114	82-128				
Chloromethane	9.24		"	10.0		92.4	43-155				
cis-1,2-Dichloroethylene	11.1		"	10.0		111	83-129				
cis-1,3-Dichloropropylene	11.2		"	10.0		112	80-131				
Dibromochloromethane	11.4		"	10.0		114	80-130				
Dibromomethane	11.3		"	10.0		113	72-134				
Dichlorodifluoromethane	11.8		"	10.0		118	44-144				
Ethyl Benzene	10.8		"	10.0		108	80-131				
Hexachlorobutadiene	10.2		"	10.0		102	67-146				
Isopropylbenzene	10.4		"	10.0		104	76-140				
Methyl tert-butyl ether (MTBE)	7.86		"	10.0		78.6	76-135				
Methylene chloride	10.8		"	10.0		108	55-137				
Naphthalene	8.54		"	10.0		85.4	70-147				
n-Butylbenzene	10.5		"	10.0		105	79-132				
n-Propylbenzene	10.4		"	10.0		104	78-133				
o-Xylene	10.7		"	10.0		107	78-130				
p- & m- Xylenes	21.6		"	20.0		108	77-133				
p-Isopropyltoluene	9.74		"	10.0		97.4	81-136				
sec-Butylbenzene	11.2		"	10.0		112	79-137				
Styrene	10.4		"	10.0		104	67-132				
tert-Butylbenzene	10.3		"	10.0		103	77-138				
Tetrachloroethylene	10.6		"	10.0		106	82-131				
Toluene	10.5		"	10.0		105	80-127				
trans-1,2-Dichloroethylene	10.8		"	10.0		108	80-132				
trans-1,3-Dichloropropylene	11.3		"	10.0		113	78-131				
Trichloroethylene	10.5		"	10.0		105	82-128				
Trichlorofluoromethane	11.0		"	10.0		110	67-139				
Vinyl Chloride	12.0		"	10.0		120	58-145				
Surrogate: 1,2-Dichloroethane-d4	*10.4*		*"*	*10.0*		*104*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.39*		*"*	*10.0*		*93.9*	*79-122*				
Surrogate: Toluene-d8	*10.4*		*"*	*10.0*		*104*	*81-117*				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50988 - EPA 5030B											
LCS Dup (BC50988-BSD1)								Prepared & Analyzed: 03/25/2015			
1,1,1,2-Tetrachloroethane	10.9		ug/L	10.0		109	82-126		2.44	30	
1,1,1-Trichloroethane	11.0		"	10.0		110	78-136		0.546	30	
1,1,2,2-Tetrachloroethane	11.0		"	10.0		110	76-129		5.22	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.2		"	10.0		102	54-165		3.18	30	
1,1,2-Trichloroethane	11.1		"	10.0		111	82-123		4.48	30	
1,1-Dichloroethane	11.2		"	10.0		112	82-129		2.53	30	
1,1-Dichloroethylene	11.3		"	10.0		113	68-138		2.27	30	
1,1-Dichloropropylene	11.2		"	10.0		112	83-133		2.82	30	
1,2,3-Trichlorobenzene	8.58		"	10.0		85.8	76-136		2.12	30	
1,2,3-Trichloropropane	10.9		"	10.0		109	77-128		5.86	30	
1,2,4-Trichlorobenzene	9.22		"	10.0		92.2	76-137		0.971	30	
1,2,4-Trimethylbenzene	10.1		"	10.0		101	82-132		2.00	30	
1,2-Dibromo-3-chloropropane	11.2		"	10.0		112	45-147		0.539	30	
1,2-Dibromoethane	11.1		"	10.0		111	83-124		0.270	30	
1,2-Dichlorobenzene	10.6		"	10.0		106	79-123		1.23	30	
1,2-Dichloroethane	11.0		"	10.0		110	73-132		3.66	30	
1,2-Dichloropropane	11.3		"	10.0		113	78-126		5.47	30	
1,3,5-Trimethylbenzene	10.6		"	10.0		106	80-131		6.70	30	
1,3-Dichlorobenzene	9.71		"	10.0		97.1	86-122		2.74	30	
1,3-Dichloropropane	11.7		"	10.0		117	81-125		3.13	30	
1,4-Dichlorobenzene	10.2		"	10.0		102	85-124		6.51	30	
2,2-Dichloropropane	10.2		"	10.0		102	56-150		3.80	30	
2-Chlorotoluene	10.4		"	10.0		104	79-130		0.873	30	
2-Hexanone	11.2		"	10.0		112	51-146		3.85	30	
4-Chlorotoluene	10.7		"	10.0		107	79-128		2.27	30	
Acetone	10.3		"	10.0		103	14-150		12.9	30	
Benzene	10.5		"	10.0		105	85-126		2.71	30	
Bromobenzene	10.6		"	10.0		106	78-129		4.43	30	
Bromochloromethane	11.2		"	10.0		112	77-128		0.621	30	
Bromodichloromethane	11.8		"	10.0		118	79-128		2.83	30	
Bromoform	10.8		"	10.0		108	78-133		0.557	30	
Bromomethane	10.6		"	10.0		106	43-168		0.849	30	
Carbon tetrachloride	11.1		"	10.0		111	77-141		0.629	30	
Chlorobenzene	10.9		"	10.0		109	88-120		2.26	30	
Chloroethane	11.8		"	10.0		118	65-136		1.02	30	
Chloroform	11.0		"	10.0		110	82-128		3.85	30	
Chloromethane	9.63		"	10.0		96.3	43-155		4.13	30	
cis-1,2-Dichloroethylene	11.5		"	10.0		115	83-129		4.16	30	
cis-1,3-Dichloropropylene	11.2		"	10.0		112	80-131		0.0891	30	
Dibromochloromethane	11.5		"	10.0		115	80-130		1.31	30	
Dibromomethane	11.5		"	10.0		115	72-134		1.84	30	
Dichlorodifluoromethane	11.9		"	10.0		119	44-144		1.18	30	
Ethyl Benzene	11.2		"	10.0		112	80-131		3.00	30	
Hexachlorobutadiene	9.60		"	10.0		96.0	67-146		5.77	30	
Isopropylbenzene	10.6		"	10.0		106	76-140		1.24	30	
Methyl tert-butyl ether (MTBE)	7.86		"	10.0		78.6	76-135		0.00	30	
Methylene chloride	10.9		"	10.0		109	55-137		0.920	30	
Naphthalene	8.57		"	10.0		85.7	70-147		0.351	30	
n-Butylbenzene	10.4		"	10.0		104	79-132		1.53	30	
n-Propylbenzene	10.8		"	10.0		108	78-133		3.41	30	
o-Xylene	10.6		"	10.0		106	78-130		1.69	30	

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50988 - EPA 5030B											
LCS Dup (BC50988-BSD1)								Prepared & Analyzed: 03/25/2015			
p- & m- Xylenes	22.6		ug/L	20.0		113	77-133		4.39	30	
p-Isopropyltoluene	9.62		"	10.0		96.2	81-136		1.24	30	
sec-Butylbenzene	10.9		"	10.0		109	79-137		2.26	30	
Styrene	10.3		"	10.0		103	67-132		0.675	30	
tert-Butylbenzene	10.5		"	10.0		105	77-138		2.02	30	
Tetrachloroethylene	11.3		"	10.0		113	82-131		5.83	30	
Toluene	11.0		"	10.0		110	80-127		5.01	30	
trans-1,2-Dichloroethylene	11.2		"	10.0		112	80-132		3.28	30	
trans-1,3-Dichloropropylene	11.2		"	10.0		112	78-131		0.975	30	
Trichloroethylene	10.9		"	10.0		109	82-128		3.74	30	
Trichlorofluoromethane	11.0		"	10.0		110	67-139		0.637	30	
Vinyl Chloride	12.0		"	10.0		120	58-145		0.666	30	
Surrogate: 1,2-Dichloroethane-d4	*10.4*		*"*	*10.0*		*104*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.98*		*"*	*10.0*		*99.8*	*79-122*				
Surrogate: Toluene-d8	*10.4*		*"*	*10.0*		*104*	*81-117*				

Metals by ICP - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50798 - EPA 3010A											
Blank (BC50798-BLK1)								Prepared & Analyzed: 03/20/2015			
Iron - Dissolved	ND	0.0200	mg/L								
Duplicate (BC50798-DUP1)	*Source sample: 15C0587-01 (WQ031715:1110NP2-10)							Prepared & Analyzed: 03/20/2015			
Iron - Dissolved	0.0440	0.0200	mg/L		0.0503				13.3	20	
Matrix Spike (BC50798-MS1)	*Source sample: 15C0587-01 (WQ031715:1110NP2-10)							Prepared & Analyzed: 03/20/2015			
Iron - Dissolved	1.11	0.0200	mg/L	1.00	0.0503	106	75-125				
Reference (BC50798-SRM1)								Prepared & Analyzed: 03/20/2015			
Iron - Dissolved	1.40	0.0200	mg/L	1.32		106	84.8-115				
Batch BC50799 - EPA 3010A											
Blank (BC50799-BLK1)								Prepared & Analyzed: 03/20/2015			
Iron	ND	0.0200	mg/L								
Duplicate (BC50799-DUP1)	*Source sample: 15C0587-01 (WQ031715:1110NP2-10)							Prepared & Analyzed: 03/20/2015			
Iron	1.23	0.0200	mg/L		1.24				0.907	20	
Matrix Spike (BC50799-MS1)	*Source sample: 15C0587-01 (WQ031715:1110NP2-10)							Prepared & Analyzed: 03/20/2015			
Iron	2.31	0.0200	mg/L	1.00	1.24	107	75-125				
Reference (BC50799-SRM1)								Prepared & Analyzed: 03/20/2015			
Iron	1.36	0.0200	mg/L	1.32		103	84.8-115				

Miscellaneous Physical Parameters - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50760 - % Solids Prep											
Blank (BC50760-BLK1)									Prepared: 03/19/2015 Analyzed: 03/20/2015		
Total Dissolved Solids	ND	10.0	mg/L								
Duplicate (BC50760-DUP2)	*Source sample: 15C0587-01 (WQ031715:1110NP2-10)								Prepared: 03/19/2015 Analyzed: 03/20/2015		
Total Dissolved Solids	177	10.0	mg/L		174				1.71	15	

Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
15C0581-01	WQ031715:1100NP2-6	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0581-02	WQ031715:1105NP2-7	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0587-01	WQ031715:1110NP2-10	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C

Notes and Definitions

SCAL-E	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%).
J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL/LOD) or in the case of a TIC, the result is an estimated concentration.
ICV-E	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 30% of expected value).
CCV-E	The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).
B	Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants. Data users should consider anything <10x the blank value as artifact.

---

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

YORK
ANALYTICAL LABORATORIES, INC.

120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document.
This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 15C0581

YOUR Information
Company: LBG
Address: 4 Research Dr Suite 301 Shelton, CT 06484
Phone No. 203-929-8555
Contact Person: Tunde Sandor
E-Mail Address: TSandor@LBGCT.com

Report To:
Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

Invoice To:
Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

YOUR Project ID
Rowe Industries.

Purchase Order No.
NABSAG.

Samples from: CT ___ NY X NJ ___

Turn-Around Time
RUSH - Same Day ☐
RUSH - Next Day ☐
RUSH - Two Day ☐
RUSH - Three Day ☐
RUSH - Four Day ☐
Standard (5-7 Days) ☒

Report Type
Summary Report X, pdf
Summary w/ QA Summary X, pdf
CT RCP Package
CTRCP DQA/DUE Pkg
NY ASP A Package
NY ASP B Package NP2-10 only, pdf.
NJDEP Red. Deliv.

Electronic Data Deliverables (EDD)
Simple Excel X
NYSDEC EQuIS
EQuIS (std)
EZ-EDD (EQuIS)
NJDEP SRP HazSite EDD
GIS/KEY (std)
Other
York Regulatory Comparison
Excel Spreadsheet
Compare to the following Regs. (please fill in):

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around-time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)

STEPHEN HNAT
Name (printed)

Matrix Codes
S - soil
Other - specify (oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part360-Baseline	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part360-Expanded	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part360-Expanded	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Sewer	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Sample Identification	Date Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
W2031715:1100NP2-6	3/2/15 1100	GW	Fe by EPA 200.7 / Fe, Dissolved by EPA 6010 (SW846-6010B) / VOCs, 8260 List (EPA SW846-8260B) plus from 113	3x 2P
W2031715:1105NP2-7	1105	GW	↓	3x 2P
W2031715:1110NP2-10	1100	GW	Fe by EPA 200.7 / Fe, Dissolved by EPA 6010 (SW846-6010B) / VOCs 8260 List (EPA SW846-8260B) plus from 113 / TDS (SM 2540c)	3x 3P

Comments

Preservation
Check those Applicable
Special Instructions
Field Filtered ☐
Lab to Filter ☐

4°C ___ Frozen ___ HCl ___ MeOH ___ HNO3 ___ H2SO4 ___ NaOH ___
ZnAc ___ Ascorbic Acid ___ Other ___

Samples Relinquished By	3/18/15 1645 Date/Time	4°C Fridge	3/18/15 1645 Date/Time
Samples Relinquished By	3/18/15 1230 Date/Time	Samples Received By	3/19/15 1553 Date/Time
		Samples Received in LAB by	Date/Time

Temperature on Receipt 3.7°C

PC 1st 3/19/15 17:30

YORK
ANALYTICAL LABORATORIES, INC.

120 Research Dr. Stratford, CT 06615
(203) 325-1371 Fax (203) 357-0166

Field Chain-of-Custody Record

15C0587

NOTE: York's Std. Terms & Conditions are listed on the back side of this document.
This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. [illegible] (JC)

YOUR Information	Report To:	Invoice To:	YOUR Project ID	Turn-Around Time	Report Type
Company: LBG	Company: Same	Company: Same	Rowe Industries.	RUSH - Same Day ☐	Summary Report X, pdf
Address: 4 Research Dr Suite 301 Shelton, CT 06484	Address:	Address:	Purchase Order No. HABSAG.	RUSH - Next Day ☐	Summary w/ QA Summary X, pdf
Phone No. 203-929-8555	Phone No.	Phone No.		RUSH - Two Day ☐	CT RCP Package
Contact Person: Tunde Sandor	Attention:	Attention:		RUSH - Three Day ☐	CTRCP DQA/DUE Pkg
E-Mail Address: TSandor@LBGCT.com	E-Mail Address:	E-Mail Address:	Samples from: CT ___ NY X NJ ___	RUSH - Four Day ☐	NY ASP A Package
				Standard(5-7 Days) X	NY ASP B Package NP2-10 only, pdf.
					NJDEP Red. Deliv.

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around-time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)

STEPHEN HNAT
Name (printed)

Matrix Codes
S - soil
Other - specify (oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part 360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part 360-Baseline	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part 360-Expanded (Includes Pesticides)	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part 360-Expanded (Full List)	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv.Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Surface Water	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Electronic Data Deliverables (EDD)
Simple Excel X
NYSDEC EQuIS
EQuIS (std)
EZ-EDD (EQuIS)
NJDEP SRP HazSite EDD
GIS/KEY (std)
Other
York Regulatory Comparison
Excel Spreadsheet
Compare to the following Regs. (please fill in):

Sample Identification	Date Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
WQ031715:1100NP2-6	3/17/15 1100	GW	Fe by EPA 200.7 / Fe, Dissolved by EPA 6010 (SW846-6010B) / VOCs, 8260 List (EPA SW846-8260B) plus freon 113	3x 2P
WQ031715:1105NP2-7	↓ 1105	GW	↓	3x 2P
WQ031715:1110NP2-10	↓ 1110	GW	Fe by EPA 200.7 / Fe, Dissolved by EPA 6010 (SW846-6010B) / VOCs 8260 List (EPA SW846-8260A) plus freon 113 / TDS (SM 2540C)	3x 3P

Comments

Preservation Check those Applicable
4°C ___ Frozen ___ HCl ___ MeOH ___ HNO3 ___ H2SO4 ___ NaOH ___
ZnAc ___ Ascorbic Acid ___ Other ___

Special Instructions
Field Filtered ☐
Lab to Filter ☐

Samples Relinquished By	Date/Time	Samples Received By	Date/Time
[illegible]	3/18/15 1645	LBG Fridge	3/18/15 1645
[illegible]	3/18/15 1230	[illegible]	3/19/15 1553
[illegible]	Date/Time	Samples Received in LAB by	Date/Time
DAC 1st	3/19/15 12:30		

Temperature on Receipt 3.7°C

APPENDIX II
MARCH 2015 LABORATORY ANALYTICAL REPORTS
FOR FSP&T AND FP&T RECOVERY WELLS

Technical Report

prepared for:

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Report Date: 04/06/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0939

Report Date: 04/06/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0939

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on March 27, 2015 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

York Sample ID	Client Sample ID	Matrix	Date Collected	Date Received
15C0939-01	RW-1	Water	03/26/2015	03/27/2015
15C0939-02	RW-2	Water	03/26/2015	03/27/2015
15C0939-03	RW-3	Water	03/26/2015	03/27/2015
15C0939-04	RW-4	Water	03/25/2015	03/27/2015
15C0939-05	RW-5	Water	03/26/2015	03/27/2015
15C0939-06	RW-6	Water	03/26/2015	03/27/2015
15C0939-07	RW-7	Water	03/26/2015	03/27/2015
15C0939-08	RW-8	Water	03/26/2015	03/27/2015
15C0939-09	RW-9	Water	03/26/2015	03/27/2015

General Notes for York Project (SDG) No.: 15C0939

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By: 

Date: 04/06/2015

Benjamin Gulizia
Laboratory Director

Sample Information

Client Sample ID: RW-1 **York Sample ID:** 15C0939-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 9:32 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS

Sample Information

Client Sample ID: RW-1 **York Sample ID:** 15C0939-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 9:32 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
67-66-3	**Chloroform**	**1.2**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:18	SS

Sample Information

Client Sample ID: **RW-1** **York Sample ID:** **15C0939-01**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 9:32 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:29	04/03/2015 15:18	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:29	04/03/2015 15:18	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH,NJDEP	04/03/2015 08:29	04/03/2015 15:18	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*100 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*102 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.4 %*	*81-117*

Sample Information

Client Sample ID: **RW-2** **York Sample ID:** **15C0939-02**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 4:50 pm	03/27/2015

Sample Information

Client Sample ID: RW-2 **York Sample ID:** 15C0939-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 4:50 pm	03/27/2015

Volatile Organics, 8260 List - Low Level **Log-in Notes:** **Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
71-55-6	1,1,1-Trichloroethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
79-00-5	1,1,2-Trichloroethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
75-34-3	1,1-Dichloroethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
75-35-4	1,1-Dichloroethylene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
563-58-6	1,1-Dichloropropylene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
87-61-6	1,2,3-Trichlorobenzene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
96-18-4	1,2,3-Trichloropropane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
120-82-1	**1,2,4-Trichlorobenzene**	**0.35**	J, IS-LO, B	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
95-63-6	**1,2,4-Trimethylbenzene**	**1.4**	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
106-93-4	1,2-Dibromoethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
95-50-1	1,2-Dichlorobenzene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
107-06-2	1,2-Dichloroethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
78-87-5	1,2-Dichloropropane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
108-67-8	**1,3,5-Trimethylbenzene**	**0.38**	J, IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
541-73-1	1,3-Dichlorobenzene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
142-28-9	1,3-Dichloropropane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
106-46-7	1,4-Dichlorobenzene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
594-20-7	2,2-Dichloropropane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
95-49-8	2-Chlorotoluene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS

Sample Information

Client Sample ID: **RW-2** **York Sample ID:** **15C0939-02**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 4:50 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
591-78-6	2-Hexanone	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
106-43-4	4-Chlorotoluene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
67-64-1	**Acetone**	**11**	IS-LO	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
71-43-2	Benzene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
108-86-1	Bromobenzene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
74-97-5	Bromochloromethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
75-27-4	Bromodichloromethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
75-25-2	Bromoform	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
74-83-9	Bromomethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
56-23-5	Carbon tetrachloride	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
108-90-7	Chlorobenzene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
75-00-3	Chloroethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
67-66-3	Chloroform	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
74-87-3	Chloromethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
156-59-2	cis-1,2-Dichloroethylene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
10061-01-5	cis-1,3-Dichloropropylene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
124-48-1	Dibromochloromethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
74-95-3	Dibromomethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
75-71-8	Dichlorodifluoromethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
100-41-4	**Ethyl Benzene**	**0.65**	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
87-68-3	Hexachlorobutadiene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
98-82-8	Isopropylbenzene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:44	SS

Sample Information

Client Sample ID: **RW-2** **York Sample ID:** **15C0939-02**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 4:50 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-09-2	Methylene chloride	ND	IS-LO	ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
91-20-3	**Naphthalene**	**1.7**	J, IS-LO	ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
104-51-8	**n-Butylbenzene**	**0.26**	J, IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
103-65-1	**n-Propylbenzene**	**0.29**	J, IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
95-47-6	**o-Xylene**	**0.50**	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:29	04/03/2015 15:44	SS
179601-23-1	**p- & m- Xylenes**	**2.1**	IS-LO	ug/L	0.50	1.0	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:29	04/03/2015 15:44	SS
99-87-6	p-Isopropyltoluene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
135-98-8	**sec-Butylbenzene**	**0.24**	J, IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
100-42-5	Styrene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
98-06-6	tert-Butylbenzene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
127-18-4	Tetrachloroethylene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
108-88-3	**Toluene**	**0.55**	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
156-60-5	trans-1,2-Dichloroethylene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
10061-02-6	trans-1,3-Dichloropropylene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
79-01-6	Trichloroethylene	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
75-69-4	Trichlorofluoromethane	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
75-01-4	Vinyl Chloride	ND	IS-LO	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS
1330-20-7	*** Xylenes, Total**	**2.6**	IS-LO	ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH,NJDEP	04/03/2015 08:29	04/03/2015 15:44	SS

	Surrogate Recoveries	Result		Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*44.1 %*	S-08	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*81.6 %*		*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*128 %*	S-08	*81-117*

Sample Information

Client Sample ID: RW-3 **York Sample ID:** 15C0939-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 8:32 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS

Sample Information

Client Sample ID: **RW-3** **York Sample ID:** **15C0939-03**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 8:32 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:13	SS

Sample Information

Client Sample ID: **RW-3** **York Sample ID:** **15C0939-03**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 8:32 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 16:13	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 16:13	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
79-01-6	**Trichloroethylene**	**0.21**	J	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:13	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NJDEP	04/03/2015 16:13	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*106 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*100 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*94.7 %*	*81-117*

Sample Information

Client Sample ID: **RW-4** **York Sample ID:** **15C0939-04**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 25, 2015 2:56 pm	03/27/2015

Sample Information

Client Sample ID: RW-4 **York Sample ID:** 15C0939-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 25, 2015 2:56 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS

Sample Information

Client Sample ID: **RW-4** **York Sample ID:** **15C0939-04**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 25, 2015 2:56 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 16:42	SS

Sample Information

Client Sample ID: **RW-4** **York Sample ID:** **15C0939-04**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 25, 2015 2:56 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 16:42	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 16:42	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
108-88-3	**Toluene**	**0.27**	J	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:42	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NJDEP	04/03/2015 16:42	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*102 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*103 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.2 %*	*81-117*

Sample Information

Client Sample ID: **RW-5** **York Sample ID:** **15C0939-05**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 10:45 am	03/27/2015

Sample Information

Client Sample ID: RW-5 **York Sample ID:** 15C0939-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 10:45 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS

Sample Information

Client Sample ID: **RW-5** **York Sample ID:** **15C0939-05**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 10:45 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:11	SS

Sample Information

Client Sample ID: **RW-5** **York Sample ID:** **15C0939-05**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 10:45 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 17:11	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 17:11	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:11	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NJDEP	04/03/2015 17:11	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*104 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*101 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*95.3 %*	*81-117*

Sample Information

Client Sample ID: **RW-6** **York Sample ID:** **15C0939-06**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 1:15 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **RW-6** **York Sample ID:** **15C0939-06**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 1:15 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS

Sample Information

Client Sample ID: **RW-6** **York Sample ID:** **15C0939-06**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 1:15 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
67-66-3	**Chloroform**	**0.55**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS

Sample Information

Client Sample ID: RW-6 **York Sample ID:** 15C0939-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 1:15 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 17:40	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 17:40	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:40	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NJDEP	04/03/2015 17:40	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*104 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.3 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*95.2 %*	*81-117*

Sample Information

Client Sample ID: RW-7 **York Sample ID:** 15C0939-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:09 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **RW-7** **York Sample ID:** **15C0939-07**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:09 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
71-55-6	**1,1,1-Trichloroethane**	**0.46**	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
75-34-3	**1,1-Dichloroethane**	**0.34**	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:09	SS

Sample Information

Client Sample ID: **RW-7** **York Sample ID:** **15C0939-07**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:09 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
67-66-3	**Chloroform**	**0.25**	J	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS

Sample Information

Client Sample ID: RW-7 **York Sample ID:** 15C0939-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:09 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 18:09	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 18:09	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
127-18-4	**Tetrachloroethylene**	**0.20**	J	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:09	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NJDEP	04/03/2015 18:09	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*104 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*98.4 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*95.4 %*	*81-117*

Sample Information

Client Sample ID: RW-8 **York Sample ID:** 15C0939-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:51 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **RW-8** **York Sample ID:** **15C0939-08**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:51 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
71-55-6	**1,1,1-Trichloroethane**	**0.62**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
75-34-3	**1,1-Dichloroethane**	**0.72**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 18:39	SS

Sample Information

Client Sample ID: RW-8 **York Sample ID:** 15C0939-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:51 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS

Sample Information

Client Sample ID: RW-8 **York Sample ID:** 15C0939-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:51 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 18:39	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 18:39	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 18:39	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NJDEP	04/03/2015 18:39	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*105 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.7 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.4 %*	*81-117*

Sample Information

Client Sample ID: RW-9 **York Sample ID:** 15C0939-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:55 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **RW-9** **York Sample ID:** **15C0939-09**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:55 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS

Sample Information

Client Sample ID: RW-9 **York Sample ID:** 15C0939-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:55 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS

Sample Information

Client Sample ID: RW-9 **York Sample ID:** 15C0939-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0939	Rowe Industries	Water	March 26, 2015 2:55 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 19:08	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 19:08	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 19:08	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NJDEP	04/03/2015 19:08	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*108 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*100 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*93.9 %*	*81-117*

Analytical Batch Summary

Batch ID: BD50168 **Preparation Method:** EPA 5030B **Prepared By:** BGS

YORK Sample ID	Client Sample ID	Preparation Date
15C0939-01	RW-1	04/03/15
15C0939-02	RW-2	04/03/15
15C0939-03	RW-3	04/03/15
15C0939-04	RW-4	04/03/15
15C0939-05	RW-5	04/03/15
15C0939-06	RW-6	04/03/15
15C0939-07	RW-7	04/03/15
15C0939-08	RW-8	04/03/15
15C0939-09	RW-9	04/03/15
BD50168-BLK1	Blank	04/03/15
BD50168-BS1	LCS	04/03/15
BD50168-BSD1	LCS Dup	04/03/15

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50168 - EPA 5030B											
Blank (BD50168-BLK1)											Prepared & Analyzed: 04/03/2015
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.90	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	0.67	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	0.23	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	1.6	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	0.59	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	1.1	2.0	"								
n-Butylbenzene	0.29	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50168 - EPA 5030B											
Blank (BD50168-BLK1)								Prepared & Analyzed: 04/03/2015			
p- & m- Xylenes	ND	1.0	ug/L								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	0.20	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*9.82*		*"*	*10.0*		*98.2*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.4*		*"*	*10.0*		*104*	*79-122*				
Surrogate: Toluene-d8	*9.73*		*"*	*10.0*		*97.3*	*81-117*				
LCS (BD50168-BS1)								Prepared & Analyzed: 04/03/2015			
1,1,1,2-Tetrachloroethane	10.9		ug/L	10.0		109	82-126				
1,1,1-Trichloroethane	12.5		"	10.0		125	78-136				
1,1,2,2-Tetrachloroethane	10.5		"	10.0		105	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	13.6		"	10.0		136	54-165				
1,1,2-Trichloroethane	10.8		"	10.0		108	82-123				
1,1-Dichloroethane	12.0		"	10.0		120	82-129				
1,1-Dichloroethylene	12.4		"	10.0		124	68-138				
1,1-Dichloropropylene	12.8		"	10.0		128	83-133				
1,2,3-Trichlorobenzene	10.8		"	10.0		108	76-136				
1,2,3-Trichloropropane	10.0		"	10.0		100	77-128				
1,2,4-Trichlorobenzene	10.9		"	10.0		109	76-137				
1,2,4-Trimethylbenzene	11.4		"	10.0		114	82-132				
1,2-Dibromo-3-chloropropane	9.47		"	10.0		94.7	45-147				
1,2-Dibromoethane	10.5		"	10.0		105	83-124				
1,2-Dichlorobenzene	10.8		"	10.0		108	79-123				
1,2-Dichloroethane	11.0		"	10.0		110	73-132				
1,2-Dichloropropane	10.6		"	10.0		106	78-126				
1,3,5-Trimethylbenzene	13.0		"	10.0		130	80-131				
1,3-Dichlorobenzene	11.1		"	10.0		111	86-122				
1,3-Dichloropropane	10.4		"	10.0		104	81-125				
1,4-Dichlorobenzene	10.8		"	10.0		108	85-124				
2,2-Dichloropropane	14.8		"	10.0		148	56-150				
2-Chlorotoluene	11.2		"	10.0		112	79-130				
2-Hexanone	9.50		"	10.0		95.0	51-146				
4-Chlorotoluene	11.1		"	10.0		111	79-128				
Acetone	7.82		"	10.0		78.2	14-150				
Benzene	12.1		"	10.0		121	85-126				
Bromobenzene	10.4		"	10.0		104	78-129				
Bromochloromethane	11.2		"	10.0		112	77-128				
Bromodichloromethane	10.7		"	10.0		107	79-128				
Bromoform	10.7		"	10.0		107	78-133				
Bromomethane	10.3		"	10.0		103	43-168				
Carbon tetrachloride	12.8		"	10.0		128	77-141				
Chlorobenzene	11.2		"	10.0		112	88-120				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50168 - EPA 5030B											
LCS (BD50168-BS1)								Prepared & Analyzed: 04/03/2015			
Chloroethane	9.47		ug/L	10.0		94.7	65-136				
Chloroform	11.8		"	10.0		118	82-128				
Chloromethane	11.3		"	10.0		113	43-155				
cis-1,2-Dichloroethylene	12.1		"	10.0		121	83-129				
cis-1,3-Dichloropropylene	11.2		"	10.0		112	80-131				
Dibromochloromethane	10.8		"	10.0		108	80-130				
Dibromomethane	10.6		"	10.0		106	72-134				
Dichlorodifluoromethane	13.5		"	10.0		135	44-144				
Ethyl Benzene	11.6		"	10.0		116	80-131				
Hexachlorobutadiene	12.0		"	10.0		120	67-146				
Isopropylbenzene	11.7		"	10.0		117	76-140				
Methyl tert-butyl ether (MTBE)	11.2		"	10.0		112	76-135				
Methylene chloride	9.93		"	10.0		99.3	55-137				
Naphthalene	10.4		"	10.0		104	70-147				
n-Butylbenzene	11.8		"	10.0		118	79-132				
n-Propylbenzene	11.8		"	10.0		118	78-133				
o-Xylene	11.2		"	10.0		112	78-130				
p- & m- Xylenes	23.7		"	20.0		119	77-133				
p-Isopropyltoluene	11.8		"	10.0		118	81-136				
sec-Butylbenzene	12.0		"	10.0		120	79-137				
Styrene	11.3		"	10.0		113	67-132				
tert-Butylbenzene	11.7		"	10.0		117	77-138				
Tetrachloroethylene	11.8		"	10.0		118	82-131				
Toluene	11.5		"	10.0		115	80-127				
trans-1,2-Dichloroethylene	11.9		"	10.0		119	80-132				
trans-1,3-Dichloropropylene	10.8		"	10.0		108	78-131				
Trichloroethylene	11.2		"	10.0		112	82-128				
Trichlorofluoromethane	13.4		"	10.0		134	67-139				
Vinyl Chloride	12.6		"	10.0		126	58-145				
Surrogate: 1,2-Dichloroethane-d4	*9.99*		*"*	*10.0*		*99.9*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.96*		*"*	*10.0*		*99.6*	*79-122*				
Surrogate: Toluene-d8	*9.84*		*"*	*10.0*		*98.4*	*81-117*				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50168 - EPA 5030B											
LCS Dup (BD50168-BSD1)								Prepared & Analyzed: 04/03/2015			
1,1,1,2-Tetrachloroethane	10.6		ug/L	10.0		106	82-126		2.79	30	
1,1,1-Trichloroethane	12.0		"	10.0		120	78-136		3.83	30	
1,1,2,2-Tetrachloroethane	10.1		"	10.0		101	76-129		3.90	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	12.9		"	10.0		129	54-165		5.20	30	
1,1,2-Trichloroethane	10.6		"	10.0		106	82-123		1.97	30	
1,1-Dichloroethane	11.6		"	10.0		116	82-129		3.38	30	
1,1-Dichloroethylene	11.9		"	10.0		119	68-138		3.62	30	
1,1-Dichloropropylene	12.2		"	10.0		122	83-133		5.27	30	
1,2,3-Trichlorobenzene	10.9		"	10.0		109	76-136		1.10	30	
1,2,3-Trichloropropane	9.92		"	10.0		99.2	77-128		0.903	30	
1,2,4-Trichlorobenzene	10.9		"	10.0		109	76-137		0.0920	30	
1,2,4-Trimethylbenzene	11.2		"	10.0		112	82-132		1.86	30	
1,2-Dibromo-3-chloropropane	9.63		"	10.0		96.3	45-147		1.68	30	
1,2-Dibromoethane	10.2		"	10.0		102	83-124		3.48	30	
1,2-Dichlorobenzene	10.9		"	10.0		109	79-123		0.923	30	
1,2-Dichloroethane	11.6		"	10.0		116	73-132		5.15	30	
1,2-Dichloropropane	10.4		"	10.0		104	78-126		2.29	30	
1,3,5-Trimethylbenzene	12.7		"	10.0		127	80-131		1.95	30	
1,3-Dichlorobenzene	10.9		"	10.0		109	86-122		2.01	30	
1,3-Dichloropropane	10.3		"	10.0		103	81-125		1.64	30	
1,4-Dichlorobenzene	10.7		"	10.0		107	85-124		0.928	30	
2,2-Dichloropropane	14.6		"	10.0		146	56-150		1.57	30	
2-Chlorotoluene	11.0		"	10.0		110	79-130		2.25	30	
2-Hexanone	9.49		"	10.0		94.9	51-146		0.105	30	
4-Chlorotoluene	10.8		"	10.0		108	79-128		1.92	30	
Acetone	7.06		"	10.0		70.6	14-150		10.2	30	
Benzene	11.8		"	10.0		118	85-126		2.42	30	
Bromobenzene	10.3		"	10.0		103	78-129		1.07	30	
Bromochloromethane	10.7		"	10.0		107	77-128		4.73	30	
Bromodichloromethane	10.4		"	10.0		104	79-128		3.03	30	
Bromoform	10.4		"	10.0		104	78-133		2.37	30	
Bromomethane	10.4		"	10.0		104	43-168		0.579	30	
Carbon tetrachloride	12.6		"	10.0		126	77-141		2.13	30	
Chlorobenzene	10.8		"	10.0		108	88-120		3.73	30	
Chloroethane	9.07		"	10.0		90.7	65-136		4.32	30	
Chloroform	11.5		"	10.0		115	82-128		2.66	30	
Chloromethane	10.6		"	10.0		106	43-155		5.66	30	
cis-1,2-Dichloroethylene	11.7		"	10.0		117	83-129		3.12	30	
cis-1,3-Dichloropropylene	10.8		"	10.0		108	80-131		4.18	30	
Dibromochloromethane	10.5		"	10.0		105	80-130		3.19	30	
Dibromomethane	10.6		"	10.0		106	72-134		0.376	30	
Dichlorodifluoromethane	12.6		"	10.0		126	44-144		7.13	30	
Ethyl Benzene	11.1		"	10.0		111	80-131		3.87	30	
Hexachlorobutadiene	12.1		"	10.0		121	67-146		0.828	30	
Isopropylbenzene	11.4		"	10.0		114	76-140		2.42	30	
Methyl tert-butyl ether (MTBE)	11.1		"	10.0		111	76-135		1.17	30	
Methylene chloride	9.74		"	10.0		97.4	55-137		1.93	30	
Naphthalene	10.6		"	10.0		106	70-147		1.81	30	
n-Butylbenzene	11.8		"	10.0		118	79-132		0.593	30	
n-Propylbenzene	11.5		"	10.0		115	78-133		2.48	30	
o-Xylene	10.8		"	10.0		108	78-130		3.35	30	

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50168 - EPA 5030B											
LCS Dup (BD50168-BSD1)								Prepared & Analyzed: 04/03/2015			
p- & m- Xylenes	22.7		ug/L	20.0		113	77-133		4.48	30	
p-Isopropyltoluene	11.8		"	10.0		118	81-136		0.0845	30	
sec-Butylbenzene	11.8		"	10.0		118	79-137		1.76	30	
Styrene	11.0		"	10.0		110	67-132		2.87	30	
tert-Butylbenzene	11.4		"	10.0		114	77-138		2.07	30	
Tetrachloroethylene	11.2		"	10.0		112	82-131		4.69	30	
Toluene	10.8		"	10.0		108	80-127		5.91	30	
trans-1,2-Dichloroethylene	11.3		"	10.0		113	80-132		5.27	30	
trans-1,3-Dichloropropylene	10.4		"	10.0		104	78-131		3.48	30	
Trichloroethylene	10.7		"	10.0		107	82-128		4.73	30	
Trichlorofluoromethane	12.5		"	10.0		125	67-139		7.17	30	
Vinyl Chloride	12.2		"	10.0		122	58-145		3.38	30	
Surrogate: 1,2-Dichloroethane-d4	*9.78*		*"*	*10.0*		*97.8*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.82*		*"*	*10.0*		*98.2*	*79-122*				
Surrogate: Toluene-d8	*9.62*		*"*	*10.0*		*96.2*	*81-117*				

Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
15C0939-01	RW-1	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0939-02	RW-2	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0939-03	RW-3	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0939-04	RW-4	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0939-05	RW-5	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0939-06	RW-6	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0939-07	RW-7	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0939-08	RW-8	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0939-09	RW-9	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C

Notes and Definitions

S-08	The recovery of this surrogate was outside of QC limits.
J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL/LOD) or in the case of a TIC, the result is an estimated concentration.
IS-LO	The internal std associated with this target compound did not meet acceptance criteria (area <50% CCV) at the stated dilution due to matrix effects. Sample was rerun to confirm matrix effects.
B	Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants. Data users should consider anything <10x the blank value as artifact.

---

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two.
For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

YORK ANALYTICAL LABORATORIES
120 RESEARCH DR.
STRATFORD, CT 06615
(203) 325-1371
FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document.
This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 15C0939

YOUR Information

Company: LBG
Address: 4 Research Dr Suite 204 Shelton CT 06484
Phone No. 203-929-8555
Contact Person: Tunde Sandor
E-Mail Address: TSandor@LBGCT.com

Report To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

Invoice To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

YOUR Project ID

Rowe Industries

Purchase Order No.

Nabsag

Samples from: CT ___ NY X NJ ___

Turn-Around Time

- RUSH - Same Day ☐
- RUSH - Next Day ☐
- RUSH - Two Day ☐
- RUSH - Three Day ☐
- RUSH - Four Day ☐
- Standard(5-7 Days) X

Report Type

- Summary Report X, pdf
- Summary w/ QA Summary X, pdf
- CT RCP Package ___
- CTRCP DQA/DUE Pkg ___
- NY ASP A Package ___
- NY ASP B Package X, pdf
- NJDEP Red. Deliv. ___

Electronic Data Deliverables (EDD)

- Simple Excel X
- NYSDEC EQuIS ___
- EQuIS (std) ___
- EZ-EDD (EQuIS) ___
- NJDEP SRP HazSite EDD ___
- GIS/KEY (std) ___
- Other ___
- **York Regulatory Comparison**
- **Excel Spreadsheet**

Compare to the following Regs. (please fill in):

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)

Tunde Komuves-Sandor
Name (printed)

Matrix Codes
S - soil
Other - specify(oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec.	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part 360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part 360-Baseline	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part 360-Expanded No Dioxins, Furans	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part 360-Expanded Full List	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv. Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Sewer	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Sample Identification	Date/Time Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
RW-1	3-26-15 / 0932	GW	VOC 8260 full list (EPA SW846-8260B) plus freon 113	3V
RW-2	1650			
RW-3	0832			
RW-4	3-25-15 / 1456			
RW-5	3-26-15 / 1045			
RW-6	/ 1315			
RW-7	1409			
RW-8	1451			
RW-9	1455			

Comments
Please prepare Separate lab report & Invoice for these samples

Preservation Check those Applicable
Special Instructions
Field Filtered ☐
Lab to Filter ☐

4°C ___ Frozen ___ HCl ✓ MeOH ___ HNO_3 ___ H_2SO_4 ___ NaOH ___
ZnAc ___ Ascorbic Acid ___ Other ___

Samples Relinquished By — Date/Time: 3/27/15 16:45
Samples Relinquished By — Date/Time:

Samples Received By — Date/Time:
Samples Received in LAB by: Grace — Date/Time: 3-27-15 1645

Temperature on Receipt 5.8 °C

Technical Report

prepared for:

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Report Date: 04/03/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0942

Report Date: 04/03/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0942

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on March 27, 2015 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

York Sample ID	Client Sample ID	Matrix	Date Collected	Date Received
15C0942-01	WQ032715:0800FRW-1	Water	03/27/2015	03/27/2015
15C0942-02	WQ032715:0805FRW-3	Water	03/27/2015	03/27/2015
15C0942-03	WQ032715:0810FRW-2	Water	03/27/2015	03/27/2015
15C0942-04	WQ032715:0815FRW-4	Water	03/27/2015	03/27/2015

General Notes for York Project (SDG) No.: 15C0942

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By: 

Date: 04/03/2015

Benjamin Gulizia
Laboratory Director

Sample Information

Client Sample ID: WQ032715:0800FRW-1 **York Sample ID:** 15C0942-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:00 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
71-55-6	**1,1,1-Trichloroethane**	**2.6**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 10:53	SS

Sample Information

Client Sample ID: WQ032715:0800FRW-1 **York Sample ID:** 15C0942-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:00 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
156-59-2	**cis-1,2-Dichloroethylene**	**1.2**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS

Sample Information

Client Sample ID: WQ032715:0800FRW-1 **York Sample ID:** 15C0942-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:00 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 10:53	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 10:53	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
127-18-4	**Tetrachloroethylene**	**210**		ug/L	4.0	10	20	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:53	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
79-01-6	**Trichloroethylene**	**1.3**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 10:53	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NJDEP	04/03/2015 10:53	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*113 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*98.2 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*102 %*	*81-117*

Sample Information

Client Sample ID: WQ032715:0805FRW-3 **York Sample ID:** 15C0942-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:05 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
71-55-6	**1,1,1-Trichloroethane**	**1.2**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS

Sample Information

Client Sample ID: WQ032715:0805FRW-3 **York Sample ID:** 15C0942-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:05 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
156-59-2	**cis-1,2-Dichloroethylene**	**81**		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:23	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:22	SS

Sample Information

Client Sample ID: WQ032715:0805FRW-3 **York Sample ID:** 15C0942-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:05 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:35	04/03/2015 11:22	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:35	04/03/2015 11:22	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
127-18-4	**Tetrachloroethylene**	**110**		ug/L	2.0	5.0	10	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 13:23	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
79-01-6	**Trichloroethylene**	**13**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
75-01-4	**Vinyl Chloride**	**0.89**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH,NJDEP	04/03/2015 08:35	04/03/2015 11:22	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*104 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*91.1 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.0 %*	*81-117*

Sample Information

Client Sample ID: WQ032715:0810FRW-2 **York Sample ID:** 15C0942-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:10 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS

Sample Information

Client Sample ID: WQ032715:0810FRW-2 **York Sample ID:** 15C0942-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:10 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
67-64-1	**Acetone**	**1.4**	CCV-E, SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
156-59-2	**cis-1,2-Dichloroethylene**	**13**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 11:55	SS

Sample Information

Client Sample ID: WQ032715:0810FRW-2 **York Sample ID:** 15C0942-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:10 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:35	04/03/2015 11:55	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:35	04/03/2015 11:55	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
127-18-4	**Tetrachloroethylene**	**41**		ug/L	1.0	2.5	5	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 13:52	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
79-01-6	**Trichloroethylene**	**2.6**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH,NJDEP	04/03/2015 08:35	04/03/2015 11:55	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*109 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*97.4 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*99.5 %*	*81-117*

Sample Information

Client Sample ID: WQ032715:0815FRW-4 **York Sample ID:** 15C0942-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:15 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 12:24	SS

Sample Information

Client Sample ID: WQ032715:0815FRW-4 **York Sample ID:** 15C0942-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:15 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
156-59-2	**cis-1,2-Dichloroethylene**	**3.1**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 12:24	SS

Sample Information

Client Sample ID: WQ032715:0815FRW-4 **York Sample ID:** 15C0942-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0942	Rowe Industries	Water	March 27, 2015 8:15 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 12:24	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 12:24	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
127-18-4	**Tetrachloroethylene**	**34**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
79-01-6	**Trichloroethylene**	**2.1**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 12:24	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NJDEP	04/03/2015 12:24	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*108 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*95.2 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.3 %*	*81-117*

Analytical Batch Summary

Batch ID: BD50164 **Preparation Method:** EPA 5030B **Prepared By:** BK

YORK Sample ID	Client Sample ID	Preparation Date
15C0942-01	WQ032715:0800FRW-1	04/03/15
15C0942-01RE1	WQ032715:0800FRW-1	04/03/15
15C0942-02	WQ032715:0805FRW-3	04/03/15
15C0942-02RE1	WQ032715:0805FRW-3	04/03/15
15C0942-03	WQ032715:0810FRW-2	04/03/15
15C0942-03RE1	WQ032715:0810FRW-2	04/03/15
15C0942-04	WQ032715:0815FRW-4	04/03/15
BD50164-BLK1	Blank	04/03/15
BD50164-BS1	LCS	04/03/15
BD50164-BSD1	LCS Dup	04/03/15

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
Blank (BD50164-BLK1)											Prepared & Analyzed: 04/03/2015
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.81	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	0.71	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	0.44	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	ND	2.0	"								
n-Butylbenzene	ND	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								

Volatile Organic Compounds by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
Blank (BD50164-BLK1)								Prepared & Analyzed: 04/03/2015			
p- & m- Xylenes	ND	1.0	ug/L								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	ND	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*11.0*		*"*	*10.0*		*110*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.92*		*"*	*10.0*		*99.2*	*79-122*				
Surrogate: Toluene-d8	*9.76*		*"*	*10.0*		*97.6*	*81-117*				
LCS (BD50164-BS1)								Prepared & Analyzed: 04/03/2015			
1,1,1,2-Tetrachloroethane	10.2		ug/L	10.0		102	82-126				
1,1,1-Trichloroethane	10.1		"	10.0		101	78-136				
1,1,2,2-Tetrachloroethane	9.64		"	10.0		96.4	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.99		"	10.0		99.9	54-165				
1,1,2-Trichloroethane	9.71		"	10.0		97.1	82-123				
1,1-Dichloroethane	9.33		"	10.0		93.3	82-129				
1,1-Dichloroethylene	9.63		"	10.0		96.3	68-138				
1,1-Dichloropropylene	10.3		"	10.0		103	83-133				
1,2,3-Trichlorobenzene	7.67		"	10.0		76.7	76-136				
1,2,3-Trichloropropane	10.4		"	10.0		104	77-128				
1,2,4-Trichlorobenzene	9.00		"	10.0		90.0	76-137				
1,2,4-Trimethylbenzene	10.2		"	10.0		102	82-132				
1,2-Dibromo-3-chloropropane	9.19		"	10.0		91.9	45-147				
1,2-Dibromoethane	10.0		"	10.0		100	83-124				
1,2-Dichlorobenzene	10.7		"	10.0		107	79-123				
1,2-Dichloroethane	9.48		"	10.0		94.8	73-132				
1,2-Dichloropropane	9.59		"	10.0		95.9	78-126				
1,3,5-Trimethylbenzene	10.3		"	10.0		103	80-131				
1,3-Dichlorobenzene	10.4		"	10.0		104	86-122				
1,3-Dichloropropane	9.85		"	10.0		98.5	81-125				
1,4-Dichlorobenzene	10.7		"	10.0		107	85-124				
2,2-Dichloropropane	9.59		"	10.0		95.9	56-150				
2-Chlorotoluene	10.1		"	10.0		101	79-130				
2-Hexanone	9.19		"	10.0		91.9	51-146				
4-Chlorotoluene	10.1		"	10.0		101	79-128				
Acetone	7.25		"	10.0		72.5	14-150				
Benzene	9.61		"	10.0		96.1	85-126				
Bromobenzene	10.0		"	10.0		100	78-129				
Bromochloromethane	9.27		"	10.0		92.7	77-128				
Bromodichloromethane	9.81		"	10.0		98.1	79-128				
Bromoform	10.5		"	10.0		105	78-133				
Bromomethane	8.70		"	10.0		87.0	43-168				
Carbon tetrachloride	10.5		"	10.0		105	77-141				
Chlorobenzene	10.5		"	10.0		105	88-120				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
LCS (BD50164-BS1)								Prepared & Analyzed: 04/03/2015			
Chloroethane	8.46		ug/L	10.0		84.6	65-136				
Chloroform	10.0		"	10.0		100	82-128				
Chloromethane	7.18		"	10.0		71.8	43-155				
cis-1,2-Dichloroethylene	9.95		"	10.0		99.5	83-129				
cis-1,3-Dichloropropylene	9.90		"	10.0		99.0	80-131				
Dibromochloromethane	10.2		"	10.0		102	80-130				
Dibromomethane	9.65		"	10.0		96.5	72-134				
Dichlorodifluoromethane	10.5		"	10.0		105	44-144				
Ethyl Benzene	9.50		"	10.0		95.0	80-131				
Hexachlorobutadiene	10.2		"	10.0		102	67-146				
Isopropylbenzene	11.0		"	10.0		110	76-140				
Methyl tert-butyl ether (MTBE)	7.45		"	10.0		74.5	76-135	Low Bias			
Methylene chloride	9.28		"	10.0		92.8	55-137				
Naphthalene	7.67		"	10.0		76.7	70-147				
n-Butylbenzene	10.2		"	10.0		102	79-132				
n-Propylbenzene	10.5		"	10.0		105	78-133				
o-Xylene	9.49		"	10.0		94.9	78-130				
p- & m- Xylenes	19.0		"	20.0		95.0	77-133				
p-Isopropyltoluene	10.5		"	10.0		105	81-136				
sec-Butylbenzene	10.6		"	10.0		106	79-137				
Styrene	9.59		"	10.0		95.9	67-132				
tert-Butylbenzene	10.3		"	10.0		103	77-138				
Tetrachloroethylene	10.3		"	10.0		103	82-131				
Toluene	9.92		"	10.0		99.2	80-127				
trans-1,2-Dichloroethylene	9.70		"	10.0		97.0	80-132				
trans-1,3-Dichloropropylene	10.0		"	10.0		100	78-131				
Trichloroethylene	9.84		"	10.0		98.4	82-128				
Trichlorofluoromethane	9.01		"	10.0		90.1	67-139				
Vinyl Chloride	7.82		"	10.0		78.2	58-145				
Surrogate: 1,2-Dichloroethane-d4	*9.30*		*"*	*10.0*		*93.0*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.4*		*"*	*10.0*		*104*	*79-122*				
Surrogate: Toluene-d8	*9.61*		*"*	*10.0*		*96.1*	*81-117*				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
LCS Dup (BD50164-BSD1)								Prepared & Analyzed: 04/03/2015			
1,1,1,2-Tetrachloroethane	10.3		ug/L	10.0		103	82-126		1.46	30	
1,1,1-Trichloroethane	11.5		"	10.0		115	78-136		13.4	30	
1,1,2,2-Tetrachloroethane	9.59		"	10.0		95.9	76-129		0.520	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11.3		"	10.0		113	54-165		12.4	30	
1,1,2-Trichloroethane	10.7		"	10.0		107	82-123		9.70	30	
1,1-Dichloroethane	11.2		"	10.0		112	82-129		18.0	30	
1,1-Dichloroethylene	11.2		"	10.0		112	68-138		15.0	30	
1,1-Dichloropropylene	10.6		"	10.0		106	83-133		3.64	30	
1,2,3-Trichlorobenzene	8.39		"	10.0		83.9	76-136		8.97	30	
1,2,3-Trichloropropane	9.19		"	10.0		91.9	77-128		12.0	30	
1,2,4-Trichlorobenzene	9.29		"	10.0		92.9	76-137		3.17	30	
1,2,4-Trimethylbenzene	11.0		"	10.0		110	82-132		7.08	30	
1,2-Dibromo-3-chloropropane	10.3		"	10.0		103	45-147		11.4	30	
1,2-Dibromoethane	10.8		"	10.0		108	83-124		7.48	30	
1,2-Dichlorobenzene	10.7		"	10.0		107	79-123		0.655	30	
1,2-Dichloroethane	10.4		"	10.0		104	73-132		9.06	30	
1,2-Dichloropropane	10.3		"	10.0		103	78-126		7.14	30	
1,3,5-Trimethylbenzene	9.82		"	10.0		98.2	80-131		5.06	30	
1,3-Dichlorobenzene	10.6		"	10.0		106	86-122		2.28	30	
1,3-Dichloropropane	9.61		"	10.0		96.1	81-125		2.47	30	
1,4-Dichlorobenzene	10.3		"	10.0		103	85-124		3.53	30	
2,2-Dichloropropane	10.9		"	10.0		109	56-150		13.1	30	
2-Chlorotoluene	10.4		"	10.0		104	79-130		2.84	30	
2-Hexanone	9.74		"	10.0		97.4	51-146		5.81	30	
4-Chlorotoluene	9.86		"	10.0		98.6	79-128		2.21	30	
Acetone	8.11		"	10.0		81.1	14-150		11.2	30	
Benzene	10.7		"	10.0		107	85-126		10.5	30	
Bromobenzene	9.85		"	10.0		98.5	78-129		2.01	30	
Bromochloromethane	10.4		"	10.0		104	77-128		11.9	30	
Bromodichloromethane	10.7		"	10.0		107	79-128		8.68	30	
Bromoform	10.4		"	10.0		104	78-133		0.766	30	
Bromomethane	11.0		"	10.0		110	43-168		22.9	30	
Carbon tetrachloride	11.1		"	10.0		111	77-141		5.09	30	
Chlorobenzene	10.5		"	10.0		105	88-120		0.286	30	
Chloroethane	10.2		"	10.0		102	65-136		18.6	30	
Chloroform	11.2		"	10.0		112	82-128		11.0	30	
Chloromethane	8.25		"	10.0		82.5	43-155		13.9	30	
cis-1,2-Dichloroethylene	11.0		"	10.0		110	83-129		10.1	30	
cis-1,3-Dichloropropylene	11.0		"	10.0		110	80-131		10.3	30	
Dibromochloromethane	10.6		"	10.0		106	80-130		4.71	30	
Dibromomethane	10.4		"	10.0		104	72-134		7.77	30	
Dichlorodifluoromethane	11.7		"	10.0		117	44-144		10.9	30	
Ethyl Benzene	9.90		"	10.0		99.0	80-131		4.12	30	
Hexachlorobutadiene	10.4		"	10.0		104	67-146		2.13	30	
Isopropylbenzene	9.89		"	10.0		98.9	76-140		10.2	30	
Methyl tert-butyl ether (MTBE)	8.62		"	10.0		86.2	76-135		14.6	30	
Methylene chloride	10.4		"	10.0		104	55-137		11.7	30	
Naphthalene	7.84		"	10.0		78.4	70-147		2.19	30	
n-Butylbenzene	10.5		"	10.0		105	79-132		3.28	30	
n-Propylbenzene	10.5		"	10.0		105	78-133		0.666	30	
o-Xylene	10.1		"	10.0		101	78-130		6.62	30	

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
LCS Dup (BD50164-BSD1)								Prepared & Analyzed: 04/03/2015			
p- & m- Xylenes	20.7		ug/L	20.0		104	77-133		8.66	30	
p-Isopropyltoluene	10.7		"	10.0		107	81-136		1.51	30	
sec-Butylbenzene	10.7		"	10.0		107	79-137		0.655	30	
Styrene	10.4		"	10.0		104	67-132		7.62	30	
tert-Butylbenzene	10.5		"	10.0		105	77-138		1.25	30	
Tetrachloroethylene	10.7		"	10.0		107	82-131		3.80	30	
Toluene	10.2		"	10.0		102	80-127		3.08	30	
trans-1,2-Dichloroethylene	11.6		"	10.0		116	80-132		17.6	30	
trans-1,3-Dichloropropylene	11.1		"	10.0		111	78-131		10.4	30	
Trichloroethylene	10.2		"	10.0		102	82-128		3.89	30	
Trichlorofluoromethane	10.8		"	10.0		108	67-139		17.7	30	
Vinyl Chloride	9.08		"	10.0		90.8	58-145		14.9	30	
Surrogate: 1,2-Dichloroethane-d4	*10.3*		*"*	*10.0*		*103*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.67*		*"*	*10.0*		*96.7*	*79-122*				
Surrogate: Toluene-d8	*9.97*		*"*	*10.0*		*99.7*	*81-117*				

Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
15C0942-01	WQ032715:0800FRW-1	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0942-02	WQ032715:0805FRW-3	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0942-03	WQ032715:0810FRW-2	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0942-04	WQ032715:0815FRW-4	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C

Notes and Definitions

SCAL-E	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%).
QL-02	This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL/LOD) or in the case of a TIC, the result is an estimated concentration.
CCV-E	The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).
B	Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants. Data users should consider anything <10x the blank value as artifact.

---

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two.
For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

YORK ANALYTICAL LABORATORIES
120 RESEARCH DR.
STRATFORD, CT 06615
(203) 325-1371
FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 1520942

YOUR Information

Company: LBG
Address: 4 Research Dr. Suite 204 Shelton CT 06484
Phone No. 203.929.8555
Contact Person: Tunde Sandor
E-Mail Address: TSandor

Report To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

Invoice To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

YOUR Project ID

Rowe Industries

Purchase Order No.

NABSAG

Samples from: CT ___ NY X NJ ___

Turn-Around Time

- RUSH - Same Day ☐
- RUSH - Next Day ☐
- RUSH - Two Day ☐
- RUSH - Three Day ☐
- RUSH - Four Day ☐
- Standard(5-7 Days) ☒

Report Type

- Summary Report X, pdf
- Summary w/ QA Summary X, pdf
- CT RCP Package
- CTRCP DQA/DUE Pkg
- NY ASP A Package
- NY ASP B Package X, pdf.
- NJDEP Red. Deliv.

Electronic Data Deliverables (EDD)

- Simple Excel X
- NYSDEC EQuIS
- EQuIS (std)
- EZ-EDD (EQuIS)
- NJDEP SRP HazSite EDD
- GIS/KEY (std)
- Other

York Regulatory Comparison
Excel Spreadsheet
Compare to the following Regs. (please fill in):

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)

Tunde Komuves-Sandor
Name (printed)

Matrix Codes
S - soil
Other - specify(oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec.	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part 360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part 360-Baseline	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part 360-Expanded No Dioxins/Furans	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part 360-Expanded Full List	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv. Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Sewer	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Sample Identification	Date/Time Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
WQ032715:0800 FRW-1	3-27-15 0800	GW	VOC 8260 full list (EPA SW846-8260B) plus freon 113	3V
WQ032715:0805 FRW-3	0805			
WQ032715:0810 FRW-2	0810			
WQ032715:0815 FRW-4	0815			

Preservation Check those Applicable: 4°C ___ Frozen ___ HCl ✓ MeOH ___ HNO_3 ___ H_2SO_4 ___ NaOH ___ ZnAc ___ Ascorbic Acid ___ Other ___

Special Instructions
Field Filtered ☐
Lab to Filter ☐

Comments
Please prepare separate labreport & invoice for these samples

Samples Relinquished By	Date/Time	Samples Received By	Date/Time
[signature]	3/27/15 1645		
Samples Relinquished By	Date/Time	Samples Received in LAB by	Date/Time
		[signature]	3-27-15 1645

Temperature on Receipt 3.8 °C

APPENDIX III

MARCH 2015 LABORATORY ANALYTICAL REPORTS FOR AIR SAMPLES

Technical Report

prepared for:

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Report Date: 03/24/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0580

Report Date: 03/24/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0580

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on March 19, 2015 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

York Sample ID	Client Sample ID	Matrix	Date Collected	Date Received
15C0580-01	AQ031715:1200NP4-1	Vapor Extraction	03/17/2015	03/19/2015
15C0580-02	AQ031715:1205NP4-2	Vapor Extraction	03/17/2015	03/19/2015
15C0580-03	AQ031715:1210NP4-3	Vapor Extraction	03/17/2015	03/19/2015

General Notes for York Project (SDG) No.: 15C0580

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By: 

Date: 03/24/2015

Benjamin Gulizia
Laboratory Director

Sample Information

Client Sample ID: AQ031715:1200NP4-1

York Sample ID: 15C0580-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0580	Rowe Industries	Vapor Extraction	March 17, 2015 12:00 pm	03/19/2015

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	* 1,1,1,2-Tetrachloroethane	ND		ug/m³	0.59	1.2	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
71-55-6	1,1,1-Trichloroethane	ND		ug/m³	0.93	0.93	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m³	1.2	1.2	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m³	1.3	1.3	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
79-00-5	1,1,2-Trichloroethane	ND		ug/m³	0.93	0.93	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
75-34-3	1,1-Dichloroethane	ND		ug/m³	0.69	0.69	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
75-35-4	1,1-Dichloroethylene	ND		ug/m³	0.68	0.68	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m³	1.3	1.3	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
95-63-6	**1,2,4-Trimethylbenzene**	**6.5**		ug/m³	0.84	0.84	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
106-93-4	1,2-Dibromoethane	ND		ug/m³	1.3	1.3	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
95-50-1	1,2-Dichlorobenzene	ND		ug/m³	1.0	1.0	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
107-06-2	1,2-Dichloroethane	ND		ug/m³	0.69	0.69	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
78-87-5	1,2-Dichloropropane	ND		ug/m³	0.79	0.79	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m³	1.2	1.2	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
108-67-8	**1,3,5-Trimethylbenzene**	**1.8**		ug/m³	0.84	0.84	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
106-99-0	1,3-Butadiene	ND		ug/m³	0.74	0.74	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
541-73-1	1,3-Dichlorobenzene	ND		ug/m³	1.0	1.0	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
142-28-9	* 1,3-Dichloropropane	ND		ug/m³	0.79	0.79	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
106-46-7	1,4-Dichlorobenzene	ND		ug/m³	1.0	1.0	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
123-91-1	1,4-Dioxane	ND		ug/m³	0.62	0.62	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
78-93-3	**2-Butanone**	**2.4**		ug/m³	0.50	0.50	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
591-78-6	* 2-Hexanone	ND		ug/m³	1.4	1.4	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
107-05-1	* 3-Chloropropene	ND		ug/m³	0.53	0.53	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
108-10-1	4-Methyl-2-pentanone	ND		ug/m³	0.70	0.70	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
67-64-1	**Acetone**	**10**		ug/m³	0.41	0.41	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
107-13-1	* Acrylonitrile	ND		ug/m³	0.37	0.37	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
71-43-2	**Benzene**	**0.82**		ug/m³	0.55	0.55	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
100-44-7	Benzyl chloride	ND		ug/m³	0.88	0.88	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
75-27-4	Bromodichloromethane	ND		ug/m³	1.1	1.1	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
75-25-2	Bromoform	ND		ug/m³	1.8	1.8	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
74-83-9	Bromomethane	ND		ug/m³	0.66	0.66	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
75-15-0	Carbon disulfide	ND		ug/m³	0.53	0.53	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
56-23-5	Carbon tetrachloride	ND		ug/m³	0.27	0.27	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
108-90-7	Chlorobenzene	ND		ug/m³	0.79	0.79	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD

Sample Information

Client Sample ID: AQ031715:1200NP4-1 **York Sample ID:** 15C0580-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0580	Rowe Industries	Vapor Extraction	March 17, 2015 12:00 pm	03/19/2015

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-00-3	Chloroethane	ND		ug/m³	0.45	0.45	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
67-66-3	Chloroform	ND		ug/m³	0.83	0.83	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
74-87-3	**Chloromethane**	**1.8**		ug/m³	0.35	0.35	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
156-59-2	cis-1,2-Dichloroethylene	ND		ug/m³	0.68	0.68	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m³	0.78	0.78	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
110-82-7	Cyclohexane	ND		ug/m³	0.59	0.59	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
124-48-1	Dibromochloromethane	ND		ug/m³	1.4	1.4	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
75-71-8	**Dichlorodifluoromethane**	**2.3**		ug/m³	0.84	0.84	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
141-78-6	* Ethyl acetate	ND		ug/m³	1.2	1.2	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
100-41-4	**Ethyl Benzene**	**2.6**		ug/m³	0.74	0.74	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
87-68-3	Hexachlorobutadiene	ND		ug/m³	1.8	1.8	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
67-63-0	**Isopropanol**	**1.0**		ug/m³	0.84	0.84	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
80-62-6	Methyl Methacrylate	ND		ug/m³	0.70	0.70	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m³	0.61	0.61	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
75-09-2	Methylene chloride	ND		ug/m³	1.2	1.2	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
142-82-5	**n-Heptane**	**0.98**		ug/m³	0.70	0.70	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
110-54-3	**n-Hexane**	**1.5**		ug/m³	0.60	0.60	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
95-47-6	**o-Xylene**	**2.5**		ug/m³	0.74	0.74	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
179601-23-1	**p- & m- Xylenes**	**7.8**		ug/m³	1.5	1.5	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
622-96-8	*** p-Ethyltoluene**	**5.2**		ug/m³	0.84	0.84	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
115-07-1	* Propylene	ND		ug/m³	0.29	0.29	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
100-42-5	Styrene	ND		ug/m³	0.73	0.73	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
127-18-4	Tetrachloroethylene	ND		ug/m³	0.29	0.29	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
109-99-9	* Tetrahydrofuran	ND		ug/m³	0.50	0.50	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
108-88-3	**Toluene**	**4.1**		ug/m³	0.64	0.64	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m³	0.68	0.68	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m³	0.78	0.78	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
79-01-6	Trichloroethylene	ND		ug/m³	0.23	0.23	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
75-69-4	**Trichlorofluoromethane (Freon 11)**	**1.2**		ug/m³	0.96	0.96	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
108-05-4	Vinyl acetate	ND		ug/m³	0.60	0.60	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
593-60-2	Vinyl bromide	ND		ug/m³	0.75	0.75	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD
75-01-4	Vinyl Chloride	ND		ug/m³	0.11	0.11	1.708	EPA TO-15	03/23/2015 07:09	03/23/2015 20:35	ALD

	Surrogate Recoveries	Result	Acceptance Range
460-00-4	*Surrogate: p-Bromofluorobenzene*	*105 %*	*72-118*

Sample Information

Client Sample ID: AQ031715:1205NP4-2 **York Sample ID:** 15C0580-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0580	Rowe Industries	Vapor Extraction	March 17, 2015 12:05 pm	03/19/2015

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	* 1,1,1,2-Tetrachloroethane	ND		ug/m³	0.65	1.3	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
71-55-6	**1,1,1-Trichloroethane**	**1.5**		ug/m³	1.0	1.0	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m³	1.3	1.3	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m³	1.5	1.5	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
79-00-5	1,1,2-Trichloroethane	ND		ug/m³	1.0	1.0	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
75-34-3	1,1-Dichloroethane	ND		ug/m³	0.77	0.77	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
75-35-4	1,1-Dichloroethylene	ND		ug/m³	0.75	0.75	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m³	1.4	1.4	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
95-63-6	**1,2,4-Trimethylbenzene**	**1.8**		ug/m³	0.94	0.94	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
106-93-4	1,2-Dibromoethane	ND		ug/m³	1.5	1.5	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
95-50-1	1,2-Dichlorobenzene	ND		ug/m³	1.1	1.1	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
107-06-2	1,2-Dichloroethane	ND		ug/m³	0.77	0.77	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
78-87-5	1,2-Dichloropropane	ND		ug/m³	0.88	0.88	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m³	1.3	1.3	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m³	0.94	0.94	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
106-99-0	1,3-Butadiene	ND		ug/m³	0.82	0.82	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
541-73-1	1,3-Dichlorobenzene	ND		ug/m³	1.1	1.1	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
142-28-9	* 1,3-Dichloropropane	ND		ug/m³	0.88	0.88	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
106-46-7	1,4-Dichlorobenzene	ND		ug/m³	1.1	1.1	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
123-91-1	1,4-Dioxane	ND		ug/m³	0.69	0.69	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
78-93-3	**2-Butanone**	**6.8**		ug/m³	0.56	0.56	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
591-78-6	* 2-Hexanone	ND		ug/m³	1.6	1.6	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
107-05-1	* 3-Chloropropene	ND		ug/m³	0.60	0.60	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
108-10-1	4-Methyl-2-pentanone	ND		ug/m³	0.78	0.78	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
67-64-1	**Acetone**	**27**		ug/m³	0.45	0.45	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
107-13-1	* Acrylonitrile	ND		ug/m³	0.41	0.41	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
71-43-2	**Benzene**	**2.1**		ug/m³	0.61	0.61	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
100-44-7	Benzyl chloride	ND		ug/m³	0.98	0.98	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
75-27-4	Bromodichloromethane	ND		ug/m³	1.2	1.2	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
75-25-2	Bromoform	ND		ug/m³	2.0	2.0	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
74-83-9	Bromomethane	ND		ug/m³	0.74	0.74	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
75-15-0	Carbon disulfide	ND		ug/m³	0.59	0.59	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
56-23-5	Carbon tetrachloride	ND		ug/m³	0.30	0.30	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
108-90-7	Chlorobenzene	ND		ug/m³	0.88	0.88	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
75-00-3	Chloroethane	ND		ug/m³	0.50	0.50	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
67-66-3	Chloroform	ND		ug/m³	0.93	0.93	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD

Sample Information

Client Sample ID: AQ031715:1205NP4-2 **York Sample ID:** 15C0580-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0580	Rowe Industries	Vapor Extraction	March 17, 2015 12:05 pm	03/19/2015

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-87-3	**Chloromethane**	**1.7**		ug/m³	0.39	0.39	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
156-59-2	**cis-1,2-Dichloroethylene**	**2.1**		ug/m³	0.75	0.75	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m³	0.86	0.86	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
110-82-7	Cyclohexane	ND		ug/m³	0.65	0.65	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
124-48-1	Dibromochloromethane	ND		ug/m³	1.5	1.5	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
75-71-8	**Dichlorodifluoromethane**	**2.3**		ug/m³	0.94	0.94	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
141-78-6	* Ethyl acetate	ND		ug/m³	1.4	1.4	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
100-41-4	Ethyl Benzene	ND		ug/m³	0.83	0.83	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
87-68-3	Hexachlorobutadiene	ND		ug/m³	2.0	2.0	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
67-63-0	**Isopropanol**	**1.7**		ug/m³	0.94	0.94	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
80-62-6	Methyl Methacrylate	ND		ug/m³	0.78	0.78	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m³	0.68	0.68	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
75-09-2	**Methylene chloride**	**1.7**		ug/m³	1.3	1.3	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
142-82-5	n-Heptane	ND		ug/m³	0.78	0.78	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
110-54-3	**n-Hexane**	**0.87**		ug/m³	0.67	0.67	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
95-47-6	o-Xylene	ND		ug/m³	0.83	0.83	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
179601-23-1	**p- & m- Xylenes**	**2.6**		ug/m³	1.7	1.7	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
622-96-8	*** p-Ethyltoluene**	**1.9**		ug/m³	0.94	0.94	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
115-07-1	* Propylene	ND		ug/m³	0.33	0.33	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
100-42-5	Styrene	ND		ug/m³	0.81	0.81	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
127-18-4	**Tetrachloroethylene**	**5.2**		ug/m³	0.32	0.32	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
109-99-9	* Tetrahydrofuran	ND		ug/m³	0.56	0.56	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
108-88-3	**Toluene**	**1.2**		ug/m³	0.72	0.72	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m³	0.75	0.75	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m³	0.86	0.86	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
79-01-6	Trichloroethylene	ND		ug/m³	0.26	0.26	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
75-69-4	**Trichlorofluoromethane (Freon 11)**	**1.1**		ug/m³	1.1	1.1	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
108-05-4	Vinyl acetate	ND		ug/m³	0.67	0.67	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
593-60-2	Vinyl bromide	ND		ug/m³	0.83	0.83	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD
75-01-4	Vinyl Chloride	ND		ug/m³	0.12	0.12	1.902	EPA TO-15	03/23/2015 07:09	03/23/2015 22:30	ALD

	Surrogate Recoveries	Result	Acceptance Range
460-00-4	*Surrogate: p-Bromofluorobenzene*	*104 %*	*72-118*

Sample Information

Client Sample ID: AQ031715:1210NP4-3 **York Sample ID:** 15C0580-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0580	Rowe Industries	Vapor Extraction	March 17, 2015 12:10 pm	03/19/2015

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	* 1,1,1,2-Tetrachloroethane	ND		ug/m³	0.60	1.2	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
71-55-6	**1,1,1-Trichloroethane**	**3.1**		ug/m³	0.95	0.95	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m³	1.2	1.2	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m³	1.3	1.3	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
79-00-5	1,1,2-Trichloroethane	ND		ug/m³	0.95	0.95	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
75-34-3	1,1-Dichloroethane	ND		ug/m³	0.70	0.70	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
75-35-4	1,1-Dichloroethylene	ND		ug/m³	0.69	0.69	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m³	1.3	1.3	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
95-63-6	**1,2,4-Trimethylbenzene**	**1.4**		ug/m³	0.85	0.85	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
106-93-4	1,2-Dibromoethane	ND		ug/m³	1.3	1.3	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
95-50-1	1,2-Dichlorobenzene	ND		ug/m³	1.0	1.0	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
107-06-2	1,2-Dichloroethane	ND		ug/m³	0.70	0.70	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
78-87-5	1,2-Dichloropropane	ND		ug/m³	0.80	0.80	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m³	1.2	1.2	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m³	0.85	0.85	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
106-99-0	1,3-Butadiene	ND		ug/m³	0.75	0.75	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
541-73-1	1,3-Dichlorobenzene	ND		ug/m³	1.0	1.0	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
142-28-9	* 1,3-Dichloropropane	ND		ug/m³	0.80	0.80	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
106-46-7	1,4-Dichlorobenzene	ND		ug/m³	1.0	1.0	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
123-91-1	1,4-Dioxane	ND		ug/m³	0.63	0.63	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
78-93-3	**2-Butanone**	**6.2**		ug/m³	0.51	0.51	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
591-78-6	* 2-Hexanone	ND		ug/m³	1.4	1.4	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
107-05-1	* 3-Chloropropene	ND		ug/m³	0.54	0.54	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
108-10-1	4-Methyl-2-pentanone	ND		ug/m³	0.71	0.71	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
67-64-1	**Acetone**	**20**		ug/m³	0.41	0.41	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
107-13-1	* Acrylonitrile	ND		ug/m³	0.38	0.38	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
71-43-2	**Benzene**	**1.1**		ug/m³	0.56	0.56	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
100-44-7	Benzyl chloride	ND		ug/m³	0.90	0.90	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
75-27-4	Bromodichloromethane	ND		ug/m³	1.1	1.1	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
75-25-2	Bromoform	ND		ug/m³	1.8	1.8	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
74-83-9	Bromomethane	ND		ug/m³	0.67	0.67	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
75-15-0	Carbon disulfide	ND		ug/m³	0.54	0.54	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
56-23-5	Carbon tetrachloride	ND		ug/m³	0.27	0.27	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
108-90-7	Chlorobenzene	ND		ug/m³	0.80	0.80	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
75-00-3	Chloroethane	ND		ug/m³	0.46	0.46	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
67-66-3	Chloroform	ND		ug/m³	0.85	0.85	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD

Sample Information

Client Sample ID: AQ031715:1210NP4-3 **York Sample ID:** 15C0580-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0580	Rowe Industries	Vapor Extraction	March 17, 2015 12:10 pm	03/19/2015

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	LOD/MDL	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-87-3	**Chloromethane**	**1.1**		ug/m³	0.36	0.36	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
156-59-2	**cis-1,2-Dichloroethylene**	**1.4**		ug/m³	0.69	0.69	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m³	0.79	0.79	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
110-82-7	**Cyclohexane**	**4.6**		ug/m³	0.60	0.60	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
124-48-1	Dibromochloromethane	ND		ug/m³	1.4	1.4	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
75-71-8	**Dichlorodifluoromethane**	**2.2**		ug/m³	0.86	0.86	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
141-78-6	* Ethyl acetate	ND		ug/m³	1.3	1.3	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
100-41-4	Ethyl Benzene	ND		ug/m³	0.75	0.75	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
87-68-3	Hexachlorobutadiene	ND		ug/m³	1.9	1.9	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
67-63-0	Isopropanol	ND		ug/m³	0.85	0.85	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
80-62-6	Methyl Methacrylate	ND		ug/m³	0.71	0.71	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m³	0.63	0.63	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
75-09-2	**Methylene chloride**	**4.0**		ug/m³	1.2	1.2	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
142-82-5	n-Heptane	ND		ug/m³	0.71	0.71	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
110-54-3	**n-Hexane**	**4.7**		ug/m³	0.61	0.61	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
95-47-6	o-Xylene	ND		ug/m³	0.75	0.75	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
179601-23-1	**p- & m- Xylenes**	**2.6**		ug/m³	1.5	1.5	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
622-96-8	*** p-Ethyltoluene**	**1.4**		ug/m³	0.85	0.85	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
115-07-1	* Propylene	ND		ug/m³	0.30	0.30	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
100-42-5	Styrene	ND		ug/m³	0.74	0.74	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
127-18-4	**Tetrachloroethylene**	**2.4**		ug/m³	0.29	0.29	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
109-99-9	* Tetrahydrofuran	ND		ug/m³	0.51	0.51	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
108-88-3	Toluene	ND		ug/m³	0.65	0.65	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m³	0.69	0.69	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m³	0.79	0.79	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
79-01-6	Trichloroethylene	ND		ug/m³	0.23	0.23	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
75-69-4	**Trichlorofluoromethane (Freon 11)**	**1.1**		ug/m³	0.98	0.98	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
108-05-4	Vinyl acetate	ND		ug/m³	0.61	0.61	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
593-60-2	Vinyl bromide	ND		ug/m³	0.76	0.76	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD
75-01-4	Vinyl Chloride	ND		ug/m³	0.11	0.11	1.738	EPA TO-15	03/23/2015 07:09	03/23/2015 23:27	ALD

	Surrogate Recoveries	Result	Acceptance Range
460-00-4	*Surrogate: p-Bromofluorobenzene*	*103 %*	*72-118*

Analytical Batch Summary

Batch ID: BC50859 **Preparation Method:** EPA TO15 PREP **Prepared By:** ALD

YORK Sample ID	Client Sample ID	Preparation Date
15C0580-01	AQ031715:1200NP4-1	03/23/15
15C0580-02	AQ031715:1205NP4-2	03/23/15
15C0580-03	AQ031715:1210NP4-3	03/23/15
BC50859-BLK1	Blank	03/23/15
BC50859-BLK2	Blank	03/24/15
BC50859-BS1	LCS	03/23/15
BC50859-BS2	LCS	03/24/15
BC50859-DUP1	Duplicate	03/23/15

Volatile Organic Compounds in Air by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50859 - EPA TO15 PREP											
Blank (BC50859-BLK1)											Prepared & Analyzed: 03/23/2015
1,1,1,2-Tetrachloroethane	ND	0.69	ug/m³								
1,1,1-Trichloroethane	ND	0.55	"								
1,1,2,2-Tetrachloroethane	ND	0.69	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.77	"								
1,1,2-Trichloroethane	ND	0.55	"								
1,1-Dichloroethane	ND	0.40	"								
1,1-Dichloroethylene	ND	0.40	"								
1,2,4-Trichlorobenzene	ND	0.74	"								
1,2,4-Trimethylbenzene	ND	0.49	"								
1,2-Dibromoethane	ND	0.77	"								
1,2-Dichlorobenzene	ND	0.60	"								
1,2-Dichloroethane	ND	0.40	"								
1,2-Dichloropropane	ND	0.46	"								
1,2-Dichlorotetrafluoroethane	ND	0.70	"								
1,3,5-Trimethylbenzene	ND	0.49	"								
1,3-Butadiene	ND	0.43	"								
1,3-Dichlorobenzene	ND	0.60	"								
1,3-Dichloropropane	ND	0.46	"								
1,4-Dichlorobenzene	ND	0.60	"								
1,4-Dioxane	ND	0.36	"								
2-Butanone	ND	0.29	"								
2-Hexanone	ND	0.82	"								
3-Chloropropene	ND	0.31	"								
4-Methyl-2-pentanone	ND	0.41	"								
Acetone	ND	0.24	"								
Acrylonitrile	ND	0.22	"								
Benzene	ND	0.32	"								
Benzyl chloride	ND	0.52	"								
Bromodichloromethane	ND	0.62	"								
Bromoform	ND	1.0	"								
Bromomethane	ND	0.39	"								
Carbon disulfide	ND	0.31	"								
Carbon tetrachloride	ND	0.16	"								
Chlorobenzene	ND	0.46	"								
Chloroethane	ND	0.26	"								
Chloroform	ND	0.49	"								
Chloromethane	ND	0.21	"								
cis-1,2-Dichloroethylene	ND	0.40	"								
cis-1,3-Dichloropropylene	ND	0.45	"								
Cyclohexane	ND	0.34	"								
Dibromochloromethane	ND	0.80	"								
Dichlorodifluoromethane	ND	0.49	"								
Ethyl acetate	ND	0.72	"								
Ethyl Benzene	ND	0.43	"								
Hexachlorobutadiene	ND	1.1	"								
Isopropanol	ND	0.49	"								
Methyl Methacrylate	ND	0.41	"								
Methyl tert-butyl ether (MTBE)	ND	0.36	"								
Methylene chloride	ND	0.69	"								
n-Heptane	ND	0.41	"								
n-Hexane	ND	0.35	"								

Volatile Organic Compounds in Air by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50859 - EPA TO15 PREP											
Blank (BC50859-BLK1)									Prepared & Analyzed: 03/23/2015		
o-Xylene	ND	0.43	ug/m³								
p- & m- Xylenes	ND	0.87	"								
p-Ethyltoluene	ND	0.49	"								
Propylene	ND	0.17	"								
Styrene	ND	0.43	"								
Tetrachloroethylene	ND	0.17	"								
Tetrahydrofuran	ND	0.29	"								
Toluene	ND	0.38	"								
trans-1,2-Dichloroethylene	ND	0.40	"								
trans-1,3-Dichloropropylene	ND	0.45	"								
Trichloroethylene	ND	0.13	"								
Trichlorofluoromethane (Freon 11)	ND	0.56	"								
Vinyl acetate	ND	0.35	"								
Vinyl bromide	ND	0.44	"								
Vinyl Chloride	ND	0.064	"								
Surrogate: p-Bromofluorobenzene	*10.3*		*ppbv*	*10.4*		*99.1*	*72-118*				
Blank (BC50859-BLK2)									Prepared & Analyzed: 03/24/2015		
1,1,1,2-Tetrachloroethane	ND	0.69	ug/m³								
1,1,1-Trichloroethane	ND	0.55	"								
1,1,2,2-Tetrachloroethane	ND	0.69	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.77	"								
1,1,2-Trichloroethane	ND	0.55	"								
1,1-Dichloroethane	ND	0.40	"								
1,1-Dichloroethylene	ND	0.40	"								
1,2,4-Trichlorobenzene	ND	0.74	"								
1,2,4-Trimethylbenzene	ND	0.49	"								
1,2-Dibromoethane	ND	0.77	"								
1,2-Dichlorobenzene	ND	0.60	"								
1,2-Dichloroethane	ND	0.40	"								
1,2-Dichloropropane	ND	0.46	"								
1,2-Dichlorotetrafluoroethane	ND	0.70	"								
1,3,5-Trimethylbenzene	ND	0.49	"								
1,3-Butadiene	ND	0.43	"								
1,3-Dichlorobenzene	ND	0.60	"								
1,3-Dichloropropane	ND	0.46	"								
1,4-Dichlorobenzene	ND	0.60	"								
1,4-Dioxane	ND	0.36	"								
2-Butanone	ND	0.29	"								
2-Hexanone	ND	0.82	"								
3-Chloropropene	ND	0.31	"								
4-Methyl-2-pentanone	ND	0.41	"								
Acetone	ND	0.24	"								
Acrylonitrile	ND	0.22	"								
Benzene	ND	0.32	"								
Benzyl chloride	ND	0.52	"								
Bromodichloromethane	ND	0.62	"								
Bromoform	ND	1.0	"								
Bromomethane	ND	0.39	"								
Carbon disulfide	ND	0.31	"								
Carbon tetrachloride	ND	0.16	"								
Chlorobenzene	ND	0.46	"								

Volatile Organic Compounds in Air by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.


Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50859 - EPA TO15 PREP											
Blank (BC50859-BLK2)											Prepared & Analyzed: 03/24/2015
Chloroethane	ND	0.26	ug/m³								
Chloroform	ND	0.49	"								
Chloromethane	ND	0.21	"								
cis-1,2-Dichloroethylene	ND	0.40	"								
cis-1,3-Dichloropropylene	ND	0.45	"								
Cyclohexane	ND	0.34	"								
Dibromochloromethane	ND	0.80	"								
Dichlorodifluoromethane	ND	0.49	"								
Ethyl acetate	ND	0.72	"								
Ethyl Benzene	ND	0.43	"								
Hexachlorobutadiene	ND	1.1	"								
Isopropanol	ND	0.49	"								
Methyl Methacrylate	ND	0.41	"								
Methyl tert-butyl ether (MTBE)	ND	0.36	"								
Methylene chloride	ND	0.69	"								
n-Heptane	ND	0.41	"								
n-Hexane	ND	0.35	"								
o-Xylene	ND	0.43	"								
p- & m- Xylenes	ND	0.87	"								
p-Ethyltoluene	ND	0.49	"								
Propylene	ND	0.17	"								
Styrene	ND	0.43	"								
Tetrachloroethylene	ND	0.17	"								
Tetrahydrofuran	ND	0.29	"								
Toluene	ND	0.38	"								
trans-1,2-Dichloroethylene	ND	0.40	"								
trans-1,3-Dichloropropylene	ND	0.45	"								
Trichloroethylene	ND	0.13	"								
Trichlorofluoromethane (Freon 11)	ND	0.56	"								
Vinyl acetate	ND	0.35	"								
Vinyl bromide	ND	0.44	"								
Vinyl Chloride	ND	0.064	"								
Surrogate: p-Bromofluorobenzene	*10.3*		*ppbv*	*10.4*		*99.2*	*72-118*				



Volatile Organic Compounds in Air by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50859 - EPA TO15 PREP											
LCS (BC50859-BS1)								Prepared & Analyzed: 03/23/2015			
1,1,1,2-Tetrachloroethane	9.89		ppbv	10.5		94.2	82-126				
1,1,1-Trichloroethane	9.45		"	10.2		92.6	70-130				
1,1,2,2-Tetrachloroethane	10.7		"	10.3		104	70-130				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.48		"	10.4		91.2	70-130				
1,1,2-Trichloroethane	11.1		"	10.3		107	70-130				
1,1-Dichloroethane	9.95		"	10.2		97.5	70-130				
1,1-Dichloroethylene	9.98		"	10.4		96.0	70-130				
1,2,4-Trichlorobenzene	9.52		"	9.00		106	70-130				
1,2,4-Trimethylbenzene	10.8		"	10.2		106	70-130				
1,2-Dibromoethane	11.1		"	10.4		107	70-130				
1,2-Dichlorobenzene	10.3		"	10.1		102	70-130				
1,2-Dichloroethane	10.1		"	10.2		98.6	70-130				
1,2-Dichloropropane	11.4		"	10.2		112	70-130				
1,2-Dichlorotetrafluoroethane	10.3		"	9.80		105	70-130				
1,3,5-Trimethylbenzene	10.2		"	10.0		102	70-130				
1,3-Butadiene	12.0		"	10.1		118	70-130				
1,3-Dichlorobenzene	10.4		"	10.2		102	70-130				
1,3-Dichloropropane	11.4		"	10.5		108	70-130				
1,4-Dichlorobenzene	10.4		"	10.1		103	70-130				
1,4-Dioxane	11.8		"	10.2		115	70-130				
2-Butanone	10.9		"	10.4		105	70-130				
2-Hexanone	14.7		"	10.5		140	70-130	High Bias			
3-Chloropropene	10.4		"	10.7		97.3	70-130				
4-Methyl-2-pentanone	13.4		"	10.2		131	70-130	High Bias			
Acetone	10.2		"	10.6		95.9	70-130				
Acrylonitrile	8.28		"	10.3		80.4	70-130				
Benzene	9.40		"	10.3		91.3	70-130				
Benzyl chloride	8.45		"	10.2		82.8	70-130				
Bromodichloromethane	11.4		"	10.2		111	70-130				
Bromoform	9.80		"	10.1		97.0	70-130				
Bromomethane	8.63		"	9.50		90.8	70-130				
Carbon disulfide	10.5		"	10.5		99.6	70-130				
Carbon tetrachloride	9.14		"	10.2		89.6	70-130				
Chlorobenzene	9.76		"	10.5		93.0	70-130				
Chloroethane	8.91		"	9.40		94.8	70-130				
Chloroform	9.35		"	10.4		89.9	70-130				
Chloromethane	10.1		"	9.80		103	70-130				
cis-1,2-Dichloroethylene	10.0		"	10.2		98.5	70-130				
cis-1,3-Dichloropropylene	11.8		"	11.0		108	70-130				
Cyclohexane	9.77		"	10.3		94.9	70-130				
Dibromochloromethane	11.3		"	10.6		107	70-130				
Dichlorodifluoromethane	10.2		"	9.80		104	70-130				
Ethyl acetate	10.9		"	10.4		105	70-130				
Ethyl Benzene	10.3		"	10.4		98.8	70-130				
Hexachlorobutadiene	9.67		"	9.10		106	70-130				
Isopropanol	9.50		"	10.0		95.0	70-130				
Methyl Methacrylate	12.0		"	9.80		122	70-130				
Methyl tert-butyl ether (MTBE)	9.56		"	10.3		92.8	70-130				
Methylene chloride	10.2		"	10.4		98.6	70-130				
n-Heptane	10.6		"	10.5		101	70-130				
n-Hexane	10.0		"	10.5		95.2	70-130				



Volatile Organic Compounds in Air by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50859 - EPA TO15 PREP											
LCS (BC50859-BS1)								Prepared & Analyzed: 03/23/2015			
o-Xylene	10.7		ppbv	10.3		104	70-130				
p- & m- Xylenes	21.3		"	20.2		105	70-130				
p-Ethyltoluene	10.4		"	10.0		104	70-130				
Propylene	10.5		"	10.6		98.8	70-130				
Styrene	10.6		"	10.2		104	70-130				
Tetrachloroethylene	9.61		"	9.90		97.1	70-130				
Tetrahydrofuran	10.7		"	10.6		101	70-130				
Toluene	11.1		"	10.5		106	70-130				
trans-1,2-Dichloroethylene	9.74		"	10.1		96.4	70-130				
trans-1,3-Dichloropropylene	11.2		"	10.3		109	70-130				
Trichloroethylene	10.8		"	10.2		106	70-130				
Trichlorofluoromethane (Freon 11)	9.49		"	9.90		95.9	70-130				
Vinyl acetate	10.9		"	10.7		102	70-130				
Vinyl bromide	9.21		"	10.5		87.7	70-130				
Vinyl Chloride	12.0		"	9.90		121	70-130				
Surrogate: p-Bromofluorobenzene	*10.5*		*"*	*10.4*		*101*	*72-118*				
LCS (BC50859-BS2)								Prepared & Analyzed: 03/24/2015			
1,1,1,2-Tetrachloroethane	9.10		ppbv	10.5		86.7	82-126				
1,1,1-Trichloroethane	8.75		"	10.2		85.8	70-130				
1,1,2,2-Tetrachloroethane	9.70		"	10.3		94.2	70-130				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	8.84		"	10.4		85.0	70-130				
1,1,2-Trichloroethane	9.92		"	10.3		96.3	70-130				
1,1-Dichloroethane	9.20		"	10.2		90.2	70-130				
1,1-Dichloroethylene	9.18		"	10.4		88.3	70-130				
1,2,4-Trichlorobenzene	8.44		"	9.00		93.8	70-130				
1,2,4-Trimethylbenzene	9.77		"	10.2		95.8	70-130				
1,2-Dibromoethane	9.95		"	10.4		95.7	70-130				
1,2-Dichlorobenzene	9.29		"	10.1		92.0	70-130				
1,2-Dichloroethane	9.21		"	10.2		90.3	70-130				
1,2-Dichloropropane	10.2		"	10.2		100	70-130				
1,2-Dichlorotetrafluoroethane	9.32		"	9.80		95.1	70-130				
1,3,5-Trimethylbenzene	9.27		"	10.0		92.7	70-130				
1,3-Butadiene	8.46		"	10.1		83.8	70-130				
1,3-Dichlorobenzene	9.39		"	10.2		92.1	70-130				
1,3-Dichloropropane	10.2		"	10.5		96.7	70-130				
1,4-Dichlorobenzene	9.43		"	10.1		93.4	70-130				
1,4-Dioxane	10.5		"	10.2		103	70-130				
2-Butanone	9.99		"	10.4		96.1	70-130				
2-Hexanone	12.7		"	10.5		121	70-130				
3-Chloropropene	9.50		"	10.7		88.8	70-130				
4-Methyl-2-pentanone	11.7		"	10.2		115	70-130				
Acetone	9.39		"	10.6		88.6	70-130				
Acrylonitrile	7.66		"	10.3		74.4	70-130				
Benzene	8.70		"	10.3		84.5	70-130				
Benzyl chloride	7.68		"	10.2		75.3	70-130				
Bromodichloromethane	10.1		"	10.2		99.4	70-130				
Bromoform	8.99		"	10.1		89.0	70-130				
Bromomethane	7.96		"	9.50		83.8	70-130				
Carbon disulfide	9.69		"	10.5		92.3	70-130				
Carbon tetrachloride	8.48		"	10.2		83.1	70-130				
Chlorobenzene	9.01		"	10.5		85.8	70-130				

Volatile Organic Compounds in Air by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50859 - EPA TO15 PREP											
LCS (BC50859-BS2)								Prepared & Analyzed: 03/24/2015			
Chloroethane	8.24		ppbv	9.40		87.7	70-130				
Chloroform	8.63		"	10.4		83.0	70-130				
Chloromethane	8.30		"	9.80		84.7	70-130				
cis-1,2-Dichloroethylene	9.27		"	10.2		90.9	70-130				
cis-1,3-Dichloropropylene	10.7		"	11.0		97.0	70-130				
Cyclohexane	8.99		"	10.3		87.3	70-130				
Dibromochloromethane	10.1		"	10.6		95.7	70-130				
Dichlorodifluoromethane	9.40		"	9.80		95.9	70-130				
Ethyl acetate	10.0		"	10.4		96.6	70-130				
Ethyl Benzene	9.39		"	10.4		90.3	70-130				
Hexachlorobutadiene	8.51		"	9.10		93.5	70-130				
Isopropanol	8.67		"	10.0		86.7	70-130				
Methyl Methacrylate	10.7		"	9.80		109	70-130				
Methyl tert-butyl ether (MTBE)	8.87		"	10.3		86.1	70-130				
Methylene chloride	9.42		"	10.4		90.6	70-130				
n-Heptane	9.62		"	10.5		91.6	70-130				
n-Hexane	9.23		"	10.5		87.9	70-130				
o-Xylene	9.72		"	10.3		94.4	70-130				
p- & m- Xylenes	19.3		"	20.2		95.7	70-130				
p-Ethyltoluene	9.47		"	10.0		94.7	70-130				
Propylene	9.66		"	10.6		91.1	70-130				
Styrene	9.63		"	10.2		94.4	70-130				
Tetrachloroethylene	8.72		"	9.90		88.1	70-130				
Tetrahydrofuran	9.86		"	10.6		93.0	70-130				
Toluene	9.96		"	10.5		94.9	70-130				
trans-1,2-Dichloroethylene	8.98		"	10.1		88.9	70-130				
trans-1,3-Dichloropropylene	10.0		"	10.3		97.2	70-130				
Trichloroethylene	9.82		"	10.2		96.3	70-130				
Trichlorofluoromethane (Freon 11)	8.79		"	9.90		88.8	70-130				
Vinyl acetate	9.86		"	10.7		92.1	70-130				
Vinyl bromide	8.57		"	10.5		81.6	70-130				
Vinyl Chloride	8.97		"	9.90		90.6	70-130				
Surrogate: p-Bromofluorobenzene	*10.4*		*"*	*10.4*		*99.6*	*72-118*				

Volatile Organic Compounds in Air by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50859 - EPA TO15 PREP											
Duplicate (BC50859-DUP1)	*Source sample: 15C0580-01 (AQ031715:1200NP4-1)								Prepared & Analyzed: 03/23/2015		
1,1,1,2-Tetrachloroethane	ND	1.2	ug/m³		ND					200	
1,1,1-Trichloroethane	ND	0.93	"		ND					25	
1,1,2,2-Tetrachloroethane	ND	1.2	"		ND					25	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	1.3	"		ND					25	
1,1,2-Trichloroethane	ND	0.93	"		ND					25	
1,1-Dichloroethane	ND	0.69	"		ND					25	
1,1-Dichloroethylene	ND	0.68	"		ND					25	
1,2,4-Trichlorobenzene	ND	1.3	"		ND					25	
1,2,4-Trimethylbenzene	6.3	0.84	"		6.5				3.92	25	
1,2-Dibromoethane	ND	1.3	"		ND					25	
1,2-Dichlorobenzene	ND	1.0	"		ND					25	
1,2-Dichloroethane	ND	0.69	"		ND					25	
1,2-Dichloropropane	ND	0.79	"		ND					25	
1,2-Dichlorotetrafluoroethane	ND	1.2	"		ND					25	
1,3,5-Trimethylbenzene	1.8	0.84	"		1.8				0.00	25	
1,3-Butadiene	ND	0.74	"		ND					25	
1,3-Dichlorobenzene	ND	1.0	"		ND					25	
1,3-Dichloropropane	ND	0.79	"		ND					25	
1,4-Dichlorobenzene	ND	1.0	"		ND					25	
1,4-Dioxane	ND	0.62	"		ND					25	
2-Butanone	2.5	0.50	"		2.4				2.06	25	
2-Hexanone	ND	1.4	"		ND					25	
3-Chloropropene	ND	0.53	"		ND					25	
4-Methyl-2-pentanone	ND	0.70	"		ND					25	
Acetone	11	0.41	"		10				0.387	25	
Acrylonitrile	ND	0.37	"		ND					25	
Benzene	0.82	0.55	"		0.82				0.00	25	
Benzyl chloride	ND	0.88	"		ND					25	
Bromodichloromethane	ND	1.1	"		ND					25	
Bromoform	ND	1.8	"		ND					25	
Bromomethane	ND	0.66	"		ND					25	
Carbon disulfide	ND	0.53	"		ND					25	
Carbon tetrachloride	ND	0.27	"		ND					25	
Chlorobenzene	ND	0.79	"		ND					25	
Chloroethane	ND	0.45	"		ND					25	
Chloroform	ND	0.83	"		ND					25	
Chloromethane	1.8	0.35	"		1.8				1.98	25	
cis-1,2-Dichloroethylene	ND	0.68	"		ND					25	
cis-1,3-Dichloropropylene	ND	0.78	"		ND					25	
Cyclohexane	ND	0.59	"		ND					25	
Dibromochloromethane	ND	1.4	"		ND					25	
Dichlorodifluoromethane	2.2	0.84	"		2.3				3.77	25	
Ethyl acetate	ND	1.2	"		ND					25	
Ethyl Benzene	2.6	0.74	"		2.6				0.00	25	
Hexachlorobutadiene	ND	1.8	"		ND					25	
Isopropanol	1.0	0.84	"		1.0				4.08	25	
Methyl Methacrylate	ND	0.70	"		ND					25	
Methyl tert-butyl ether (MTBE)	ND	0.61	"		ND					25	
Methylene chloride	ND	1.2	"		ND					25	
n-Heptane	1.1	0.70	"		0.98				6.90	25	
n-Hexane	1.6	0.60	"		1.5				3.92	25	

Volatile Organic Compounds in Air by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BC50859 - EPA TO15 PREP											
Duplicate (BC50859-DUP1)	*Source sample: 15C0580-01 (AQ031715:1200NP4-1)								Prepared & Analyzed: 03/23/2015		
o-Xylene	2.5	0.74	ug/m³		2.5				0.00	25	
p- & m- Xylenes	7.8	1.5	"		7.8				0.00	25	
p-Ethyltoluene	5.1	0.84	"		5.2				1.63	25	
Propylene	ND	0.29	"		ND					25	
Styrene	ND	0.73	"		ND					25	
Tetrachloroethylene	ND	0.29	"		ND					25	
Tetrahydrofuran	0.91	0.50	"		ND					25	
Toluene	4.1	0.64	"		4.1				0.00	25	
trans-1,2-Dichloroethylene	ND	0.68	"		ND					25	
trans-1,3-Dichloropropylene	ND	0.78	"		ND					25	
Trichloroethylene	ND	0.23	"		ND					25	
Trichlorofluoromethane (Freon 11)	1.2	0.96	"		1.2				0.00	25	
Vinyl acetate	ND	0.60	"		ND					25	
Vinyl bromide	ND	0.75	"		ND					25	
Vinyl Chloride	ND	0.11	"		ND					25	
Surrogate: p-Bromofluorobenzene	*10.8*		*ppbv*	*10.4*		*104*	*72-118*				

Notes and Definitions

QL-03 This LCS analyte recovered outside of acceptance limits. The LCS contains approximately 70 compounds, a limited number of which may be outside acceptance windows.

---

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two.
For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

YORK
ANALYTICAL LABORATORIES, INC.
120 RESEARCH DR. STRATFORD, CT 06615
(203) 325-1371 FAX (203) 357-0166

Field Chain-of-Custody Record - AIR

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions unless superseded by written contract.

York Project No. 15C0580

YOUR Information	Report To:	Invoice To:	YOUR Project ID	Turn-Around Time	Report Type/Deliverables
Company: LBG	Company: Same	Company: Same	Rowe Industries	RUSH - Same Day ☐	Summary Report X, pdf
Address: 4 Research Dr, Suite 301 Shelton, CT 06484	Address:	Address:	Purchase Order No. NABSAG	RUSH - Next Day ☐	Summary w/ QA Summary X, pdf
Phone No. 203-929-8555	Phone No.	Phone No.		RUSH - Two Day ☐	CT RCP Package
Contact Person: Tunde Sandor	Attention:	Attention:		RUSH - Three Day ☐	NY ASP A Package
E-Mail Address: TSandor@LBGCT.com	E-Mail Address:	E-Mail Address:	Samples from: CT__ NY X NJ__	RUSH - Four Day ☐	NY ASP B/CLP Pkg X, pdf
				Standard(5-7 Days) ☒	NJDEP Reduced
					Electronic Deliverables:
					EDD (Specify Type)
					Standard Excel X
					Regulatory Comparison Excel

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)

STEPHEN HYATT
Name (printed)

Air Matrix Codes

AI -	INDOOR Ambient Air
AO-	OUTDOOR Amb. Air
AE-	Vapor Extraction Well/ Process Gas/Effluent
AS-	SOIL Vapor/Sub-Slab

TO15 Volatiles and Other Gas Analyses

EPA TO-15 List	EPA TO-14A List
NYSDEC VI list	Tentatively Identified Compounds
NYSDEC STARS List	Air VPH
Project Specific List by TO-15	Helium
NJDEP Target List	Methane
CTDEP RCP Target List	OTHER

Detection Limits Required

- ≤ 1 ug/m³
- NYSDEC VI Limits (VI = vapor intrusion)
- NJDEP low level
- Routine Survey
- Other

Special Instructions

Sample Identification	Date Sampled	AIR Matrix	Canister Vacuum Before Sampling (in. Hg)	Canister Vacuum After Sampling (in. Hg)	Choose Analyses Needed from the Menu Above and Enter Below	Sampling Media
AQ031715: 1200NP4-1	3/17/15 1200	AE			EPA TO-15 List	6 Liter Summa canister / Tedlar Bag
AQ031715: 1205NP4-2	1205	AE				6 Liter Summa canister / Tedlar Bag
AQ031715: 1210NP4-3	1210	AE				6 Liter Summa canister / Tedlar Bag
						6 Liter Summa canister / Tedlar Bag
						6 Liter Summa canister / Tedlar Bag
						6 Liter Summa canister / Tedlar Bag
						6 Liter Summa canister / Tedlar Bag
						6 Liter Summa canister / Tedlar Bag
						6 Liter Summa canister / Tedlar Bag
						6 Liter Summa canister / Tedlar Bag

Comments

Samples Relinquished By	3/18/15 1645 Date/Time	LBG Fridge Samples Received By	3/18/15 1645 Date/Time
Samples Relinquished By	3/19/15 123 Date/Time	Samples Received in LAB by	3/19/15 3.7 Date/Time

Rec'd 3/19/15 12:30

APPENDIX IV

MARCH 2015 LABORATORY ANALYTICAL REPORTS FOR MONITOR WELLS

Technical Report

prepared for:

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Report Date: 04/07/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0938

Report Date: 04/07/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0938

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on March 27, 2015 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

York Sample ID	Client Sample ID	Matrix	Date Collected	Date Received
15C0938-01	MW-98-01A	Water	03/25/2015	03/27/2015
15C0938-02	MW-98-04	Water	03/26/2015	03/27/2015
15C0938-03	MW-98-05A	Water	03/25/2015	03/27/2015
15C0938-04	MW-98-05B	Water	03/25/2015	03/27/2015
15C0938-05	N-1B	Water	03/26/2015	03/27/2015
15C0938-06	N-2B	Water	03/26/2015	03/27/2015
15C0938-07	N-16	Water	03/25/2015	03/27/2015
15C0938-08	N-32	Water	03/26/2015	03/27/2015
15C0938-09	MW-28A	Water	03/26/2015	03/27/2015
15C0938-10	MW-28B	Water	03/26/2015	03/27/2015
15C0938-11	MW-43A	Water	03/25/2015	03/27/2015
15C0938-12	MW-43B	Water	03/25/2015	03/27/2015
15C0938-13	MW-43C	Water	03/25/2015	03/27/2015
15C0938-14	MW-44A	Water	03/26/2015	03/27/2015
15C0938-15	MW-44B	Water	03/27/2015	03/27/2015
15C0938-16	MW-44C	Water	03/26/2015	03/27/2015
15C0938-17	MW-46A	Water	03/25/2015	03/27/2015
15C0938-18	MW-46B	Water	03/25/2015	03/27/2015
15C0938-19	MW-47A	Water	03/25/2015	03/27/2015
15C0938-20	MW-47B	Water	03/25/2015	03/27/2015
15C0938-21	MW-48A	Water	03/26/2015	03/27/2015
15C0938-22	MW-48B	Water	03/26/2015	03/27/2015
15C0938-23	MW-49A	Water	03/26/2015	03/27/2015

York Sample ID	Client Sample ID	Matrix	Date Collected	Date Received
15C0938-24	MW-49B	Water	03/26/2015	03/27/2015
15C0938-25	MW-49C	Water	03/26/2015	03/27/2015
15C0938-26	MW-50A	Water	03/27/2015	03/27/2015
15C0938-27	MW-50B	Water	03/27/2015	03/27/2015
15C0938-28	MW-50C	Water	03/27/2015	03/27/2015
15C0938-29	MW-52A	Water	03/26/2015	03/27/2015
15C0938-30	MW-53	Water	03/26/2015	03/27/2015
15C0938-31	MW-54	Water	03/26/2015	03/27/2015
15C0938-32	MW-A	Water	03/25/2015	03/27/2015
15C0938-33	MW-B	Water	03/26/2015	03/27/2015
15C0938-34	MW-B1	Water	03/25/2015	03/27/2015
15C0938-35	FB-TS	Water	03/26/2015	03/27/2015
15C0938-36	FB-AM	Water	03/27/2015	03/27/2015
15C0938-37	FB-JS	Water	03/27/2015	03/27/2015
15C0938-38	TB-TS	Water	03/27/2015	03/27/2015
15C0938-39	TB-AM	Water	03/27/2015	03/27/2015
15C0938-40	TB-JS	Water	03/27/2015	03/27/2015

General Notes for York Project (SDG) No.: 15C0938

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By: 

Date: 04/07/2015

Benjamin Gulizia
Laboratory Director

Sample Information

Client Sample ID: MW-98-01A

York Sample ID: 15C0938-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 5:30 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
71-55-6	**1,1,1-Trichloroethane**	**0.57**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:22	SS

Sample Information

Client Sample ID: MW-98-01A **York Sample ID:** 15C0938-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 5:30 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
67-64-1	**Acetone**	**1.4**	CCV-E, SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS

Sample Information

Client Sample ID: MW-98-01A **York Sample ID:** 15C0938-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 5:30 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 14:22	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 14:22	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
127-18-4	**Tetrachloroethylene**	**24**	ICV-E	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:22	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NJDEP	04/03/2015 14:22	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*109 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*104 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*103 %*	*81-117*

Sample Information

Client Sample ID: MW-98-04 **York Sample ID:** 15C0938-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 12:50 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
79-00-5	**1,1,2-Trichloroethane**	**1.1**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS

Sample Information

Client Sample ID: MW-98-04 **York Sample ID:** 15C0938-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 12:50 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:51	SS

Sample Information

Client Sample ID: MW-98-04 **York Sample ID:** 15C0938-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 12:50 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:35	04/03/2015 14:51	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:35	04/03/2015 14:51	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
127-18-4	**Tetrachloroethylene**	**21**	ICV-E	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH,NJDEP	04/03/2015 08:35	04/03/2015 14:51	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*106 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*98.2 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*97.2 %*	*81-117*

Sample Information

Client Sample ID: MW-98-05A **York Sample ID:** 15C0938-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 4:08 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	8.0	20	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
95-49-8	2-Chlorotoluene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
591-78-6	2-Hexanone	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS

Sample Information

Client Sample ID: **MW-98-05A** **York Sample ID:** **15C0938-03**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 4:08 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
67-64-1	**Acetone**	**12**	CCV-E, SCAL-E, J	ug/L	10	20	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
71-43-2	Benzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
108-86-1	Bromobenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
74-97-5	Bromochloromethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
75-27-4	Bromodichloromethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
75-25-2	Bromoform	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
74-83-9	Bromomethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
56-23-5	Carbon tetrachloride	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
108-90-7	Chlorobenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
75-00-3	Chloroethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
67-66-3	Chloroform	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
74-87-3	Chloromethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
124-48-1	Dibromochloromethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
74-95-3	Dibromomethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
100-41-4	Ethyl Benzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
98-82-8	Isopropylbenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
75-09-2	Methylene chloride	ND		ug/L	10	20	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS

Sample Information

Client Sample ID: MW-98-05A **York Sample ID:** 15C0938-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 4:08 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	ND		ug/L	10	20	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
104-51-8	n-Butylbenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
103-65-1	n-Propylbenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
95-47-6	o-Xylene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 15:21	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	5.0	10	10	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 15:21	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
135-98-8	sec-Butylbenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
100-42-5	Styrene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
98-06-6	tert-Butylbenzene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
127-18-4	Tetrachloroethylene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
108-88-3	**Toluene**	**220**		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
79-01-6	Trichloroethylene	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
75-01-4	Vinyl Chloride	ND		ug/L	2.0	5.0	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:21	SS
1330-20-7	* Xylenes, Total	ND		ug/L	6.0	15	10	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NJDEP	04/03/2015 15:21	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*104 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*98.3 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*105 %*	*81-117*

Sample Information

Client Sample ID: MW-98-05B **York Sample ID:** 15C0938-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 4:42 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS

Sample Information

Client Sample ID: MW-98-05B **York Sample ID:** 15C0938-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 4:42 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
67-64-1	**Acetone**	**17**	CCV-E, SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
156-59-2	**cis-1,2-Dichloroethylene**	**28**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 15:50	SS

Sample Information

Client Sample ID: MW-98-05B **York Sample ID:** 15C0938-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 4:42 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:35	04/03/2015 15:50	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:35	04/03/2015 15:50	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
127-18-4	**Tetrachloroethylene**	**23**	ICV-E	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
79-01-6	**Trichloroethylene**	**6.1**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH,NJDEP	04/03/2015 08:35	04/03/2015 15:50	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*112 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*101 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*98.3 %*	*81-117*

Sample Information

Client Sample ID: N-1B

York Sample ID: 15C0938-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 1:05 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS

Sample Information

Client Sample ID: N-1B

York Sample ID: 15C0938-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 1:05 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:20	SS

Sample Information

Client Sample ID: N-1B **York Sample ID:** 15C0938-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 1:05 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:35	04/03/2015 16:20	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications: NELAC-NY10854	04/03/2015 08:35	04/03/2015 16:20	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications: CTDOH,NJDEP	04/03/2015 08:35	04/03/2015 16:20	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*105 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*104 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*94.5 %*	*81-117*

Sample Information

Client Sample ID: N-2B **York Sample ID:** 15C0938-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 1:58 pm	03/27/2015

Sample Information

Client Sample ID: N-2B

York Sample ID: 15C0938-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 1:58 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS

Sample Information

Client Sample ID: N-2B **York Sample ID:** 15C0938-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 1:58 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
67-66-3	**Chloroform**	**0.92**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS

Sample Information

Client Sample ID: N-2B **York Sample ID:** 15C0938-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 1:58 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 16:49	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 16:49	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:49	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NJDEP	04/03/2015 16:49	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*108 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*98.0 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*101 %*	*81-117*

Sample Information

Client Sample ID: N-16 **York Sample ID:** 15C0938-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 2:13 pm	03/27/2015

Sample Information

Client Sample ID: N-16 **York Sample ID:** 15C0938-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 2:13 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS

Sample Information

Client Sample ID: N-16 **York Sample ID:** 15C0938-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 2:13 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
67-64-1	**Acetone**	**1.4**	CCV-E, SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS

Sample Information

Client Sample ID: N-16 **York Sample ID:** 15C0938-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 2:13 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B


CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 17:18	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:35 NELAC-NY10854	04/03/2015 17:18	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 17:18	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:35 CTDOH,NJDEP	04/03/2015 17:18	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*111 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*93.0 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.9 %*	*81-117*

Sample Information

Client Sample ID: N-32 **York Sample ID:** 15C0938-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 2:10 pm	03/27/2015



Sample Information

Client Sample ID: N-32 **York Sample ID:** 15C0938-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 2:10 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS

Sample Information

Client Sample ID: N-32 **York Sample ID:** 15C0938-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 2:10 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
67-64-1	**Acetone**	**1.1**	SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 20:44	SS

Sample Information

Client Sample ID: N-32 **York Sample ID:** 15C0938-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 2:10 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 20:44	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 20:44	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 20:44	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/03/2015 20:44	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*114 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*105 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.0 %*	*81-117*

Sample Information

Client Sample ID: MW-28A **York Sample ID:** 15C0938-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 9:55 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-28A **York Sample ID:** 15C0938-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 9:55 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS

Sample Information

Client Sample ID: MW-28A

York Sample ID: 15C0938-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 9:55 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS

Sample Information

Client Sample ID: MW-28A **York Sample ID:** 15C0938-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 9:55 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 21:13	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 21:13	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:13	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/03/2015 21:13	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*105 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.3 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*100 %*	*81-117*

Sample Information

Client Sample ID: MW-28B **York Sample ID:** 15C0938-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 10:35 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-28B** **York Sample ID:** **15C0938-10**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 10:35 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS

Sample Information

Client Sample ID: MW-28B **York Sample ID:** 15C0938-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 10:35 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS

Sample Information

Client Sample ID: MW-28B **York Sample ID:** 15C0938-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 10:35 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 21:43	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 21:43	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 21:43	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/03/2015 21:43	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*107 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*95.8 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.3 %*	*81-117*

Sample Information

Client Sample ID: MW-43A **York Sample ID:** 15C0938-11

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:34 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-43A** **York Sample ID:** **15C0938-11**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:34 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS

Sample Information

Client Sample ID: MW-43A **York Sample ID:** 15C0938-11

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:34 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS

Sample Information

Client Sample ID: MW-43A **York Sample ID:** 15C0938-11

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:34 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 22:12	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 22:12	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:12	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/03/2015 22:12	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*110 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.3 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*90.2 %*	*81-117*

Sample Information

Client Sample ID: MW-43B **York Sample ID:** 15C0938-12

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:01 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-43B **York Sample ID:** 15C0938-12

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:01 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS

Sample Information

Client Sample ID: MW-43B **York Sample ID:** 15C0938-12

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:01 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	**Acetone**	**1.6**	SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 22:41	SS

Sample Information

Client Sample ID: MW-43B **York Sample ID:** 15C0938-12

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:01 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 22:41	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 22:41	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 22:41	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/03/2015 22:41	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*113 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*106 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*95.8 %*	*81-117*

Sample Information

Client Sample ID: MW-43C **York Sample ID:** 15C0938-13

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 11:05 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-43C **York Sample ID:** 15C0938-13

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 11:05 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS

Sample Information

Client Sample ID: MW-43C

York Sample ID: 15C0938-13

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 11:05 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	**Acetone**	**1.4**	SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/03/2015 23:10	SS

Sample Information

Client Sample ID: MW-43C **York Sample ID:** 15C0938-13

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 11:05 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 23:10	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 23:10	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:10	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/03/2015 23:10	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*102 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*97.1 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*97.3 %*	*81-117*

Sample Information

Client Sample ID: MW-44A **York Sample ID:** 15C0938-14

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 3:30 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-44A **York Sample ID:** 15C0938-14

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 3:30 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS

Sample Information

Client Sample ID: MW-44A **York Sample ID:** 15C0938-14

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 3:30 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS

Sample Information

Client Sample ID: MW-44A **York Sample ID:** 15C0938-14

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 3:30 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 23:39	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/03/2015 23:39	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 23:39	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/03/2015 23:39	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*108 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*101 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.5 %*	*81-117*

Sample Information

Client Sample ID: MW-44B **York Sample ID:** 15C0938-15

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 9:45 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-44B** **York Sample ID:** **15C0938-15**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 9:45 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS

Sample Information

Client Sample ID: MW-44B

York Sample ID: 15C0938-15

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 9:45 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS

Sample Information

Client Sample ID: MW-44B **York Sample ID:** 15C0938-15

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 9:45 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 00:09	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 00:09	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:09	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/04/2015 00:09	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*114 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*89.9 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*91.8 %*	*81-117*

Sample Information

Client Sample ID: MW-44C **York Sample ID:** 15C0938-16

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:25 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-44C **York Sample ID:** 15C0938-16

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:25 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS

Sample Information

Client Sample ID: MW-44C **York Sample ID:** 15C0938-16

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:25 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	**Acetone**	**1.1**	SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 00:38	SS

Sample Information

Client Sample ID: MW-44C **York Sample ID:** 15C0938-16

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:25 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 00:38	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 00:38	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 00:38	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/04/2015 00:38	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*117 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*97.6 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.3 %*	*81-117*

Sample Information

Client Sample ID: MW-46A **York Sample ID:** 15C0938-17

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:55 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-46A **York Sample ID:** 15C0938-17

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:55 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS

Sample Information

Client Sample ID: MW-46A **York Sample ID:** 15C0938-17

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:55 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	**Acetone**	**1.3**	SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:07	SS

Sample Information

Client Sample ID: MW-46A **York Sample ID:** 15C0938-17

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:55 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 01:07	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 01:07	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:07	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/04/2015 01:07	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*109 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*97.2 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*105 %*	*81-117*

Sample Information

Client Sample ID: MW-46B **York Sample ID:** 15C0938-18

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 2:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-46B** **York Sample ID:** **15C0938-18**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 2:40 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS

Sample Information

Client Sample ID: MW-46B **York Sample ID:** 15C0938-18

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 2:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	**Acetone**	**1.8**	SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 16:52	04/04/2015 01:37	SS

Sample Information

Client Sample ID: MW-46B **York Sample ID:** 15C0938-18

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 2:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 01:37	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 01:37	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 01:37	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/04/2015 01:37	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*110 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*96.2 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*95.3 %*	*81-117*

Sample Information

Client Sample ID: MW-47A **York Sample ID:** 15C0938-19

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:05 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-47A **York Sample ID:** 15C0938-19

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:05 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS

Sample Information

Client Sample ID: MW-47A **York Sample ID:** 15C0938-19

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:05 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS

Sample Information

Client Sample ID: MW-47A **York Sample ID:** 15C0938-19

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:05 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 02:06	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 02:06	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:06	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/04/2015 02:06	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*116 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*97.2 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*95.8 %*	*81-117*

Sample Information

Client Sample ID: MW-47B **York Sample ID:** 15C0938-20

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-47B** **York Sample ID:** **15C0938-20**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:40 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS

Sample Information

Client Sample ID: MW-47B **York Sample ID:** 15C0938-20

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS

Sample Information

Client Sample ID: MW-47B **York Sample ID:** 15C0938-20

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 12:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 02:36	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 02:36	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 02:36	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/04/2015 02:36	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*110 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.8 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*102 %*	*81-117*

Sample Information

Client Sample ID: MW-48A **York Sample ID:** 15C0938-21

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-48A **York Sample ID:** 15C0938-21

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:40 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS

Sample Information

Client Sample ID: MW-48A **York Sample ID:** 15C0938-21

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS

Sample Information

Client Sample ID: MW-48A **York Sample ID:** 15C0938-21

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 03:05	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 03:05	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:05	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/04/2015 03:05	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*111 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*100 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*100 %*	*81-117*

Sample Information

Client Sample ID: MW-48B **York Sample ID:** 15C0938-22

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 3:58 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-48B** **York Sample ID:** **15C0938-22**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 3:58 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS

Sample Information

Client Sample ID: MW-48B

York Sample ID: 15C0938-22

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 3:58 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS

Sample Information

Client Sample ID: MW-48B **York Sample ID:** 15C0938-22

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 3:58 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 03:34	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 03:34	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 03:34	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/04/2015 03:34	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*109 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*94.3 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*97.8 %*	*81-117*

Sample Information

Client Sample ID: MW-49A **York Sample ID:** 15C0938-23

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 12:10 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-49A** **York Sample ID:** **15C0938-23**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 12:10 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS

Sample Information

Client Sample ID: MW-49A

York Sample ID: 15C0938-23

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 12:10 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS

Sample Information

Client Sample ID: MW-49A **York Sample ID:** 15C0938-23

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 12:10 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 04:03	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 16:52 NELAC-NY10854	04/04/2015 04:03	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 04:03	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 16:52 CTDOH,NJDEP	04/04/2015 04:03	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*109 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*93.2 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*91.5 %*	*81-117*

Sample Information

Client Sample ID: MW-49B **York Sample ID:** 15C0938-24

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:14 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-49B** **York Sample ID:** **15C0938-24**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:14 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
120-82-1	**1,2,4-Trichlorobenzene**	**0.20**	J, B	ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
541-73-1	**1,3-Dichlorobenzene**	**0.30**	J	ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:58	04/04/2015 12:00	SS

Sample Information

Client Sample ID: MW-49B **York Sample ID:** 15C0938-24

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:14 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:58 NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS

Sample Information

Client Sample ID: MW-49B **York Sample ID:** 15C0938-24

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:14 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 NELAC-NY10854	04/04/2015 12:00	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:58 NELAC-NY10854	04/04/2015 12:00	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NELAC-NY10854,NJDEP	04/04/2015 12:00	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:58 CTDOH,NJDEP	04/04/2015 12:00	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*102 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.5 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*95.7 %*	*81-117*

Sample Information

Client Sample ID: MW-49C **York Sample ID:** 15C0938-25

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 10:32 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-49C **York Sample ID:** 15C0938-25

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 10:32 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS

Sample Information

Client Sample ID: MW-49C

York Sample ID: 15C0938-25

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 10:32 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	**Acetone**	**2.4**	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 08:53	04/06/2015 14:17	SS

Sample Information

Client Sample ID: MW-49C **York Sample ID:** 15C0938-25

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 10:32 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 14:17	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 14:17	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:17	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NJDEP	04/06/2015 14:17	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*106 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.4 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*103 %*	*81-117*

Sample Information

Client Sample ID: MW-50A **York Sample ID:** 15C0938-26

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:42 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-50A** **York Sample ID:** **15C0938-26**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:42 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS

Sample Information

Client Sample ID: MW-50A

York Sample ID: 15C0938-26

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:42 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
67-66-3	**Chloroform**	**1.0**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS

Sample Information

Client Sample ID: MW-50A **York Sample ID:** 15C0938-26

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:42 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 14:46	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 14:46	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 14:46	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NJDEP	04/06/2015 14:46	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*104 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*96.3 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*96.2 %*	*81-117*

Sample Information

Client Sample ID: MW-50B **York Sample ID:** 15C0938-27

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 11:09 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-50B** **York Sample ID:** **15C0938-27**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 11:09 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS

Sample Information

Client Sample ID: MW-50B **York Sample ID:** 15C0938-27

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 11:09 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS

Sample Information

Client Sample ID: MW-50B **York Sample ID:** 15C0938-27

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 11:09 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 15:15	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 15:15	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:15	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NJDEP	04/06/2015 15:15	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*112 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*93.9 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*92.6 %*	*81-117*

Sample Information

Client Sample ID: MW-50C **York Sample ID:** 15C0938-28

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:45 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-50C

York Sample ID: 15C0938-28

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:45 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS

Sample Information

Client Sample ID: MW-50C

York Sample ID: 15C0938-28

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:45 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS

Sample Information

Client Sample ID: MW-50C **York Sample ID:** 15C0938-28

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:45 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 15:44	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 15:44	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:44	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NJDEP	04/06/2015 15:44	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*113 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.2 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*101 %*	*81-117*

Sample Information

Client Sample ID: MW-52A **York Sample ID:** 15C0938-29

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:24 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-52A** **York Sample ID:** **15C0938-29**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:24 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS

Sample Information

Client Sample ID: MW-52A **York Sample ID:** 15C0938-29

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:24 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS

Sample Information

Client Sample ID: MW-52A **York Sample ID:** 15C0938-29

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:24 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 16:14	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 16:14	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:14	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NJDEP	04/06/2015 16:14	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*112 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*93.8 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*97.8 %*	*81-117*

Sample Information

Client Sample ID: MW-53 **York Sample ID:** 15C0938-30

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 12:21 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-53 **York Sample ID:** 15C0938-30

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 12:21 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS

Sample Information

Client Sample ID: MW-53 **York Sample ID:** 15C0938-30

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 12:21 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS

Sample Information

Client Sample ID: MW-53 **York Sample ID:** 15C0938-30

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 12:21 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 16:43	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 16:43	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 16:43	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NJDEP	04/06/2015 16:43	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*117 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*92.9 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*97.0 %*	*81-117*

Sample Information

Client Sample ID: MW-54 **York Sample ID:** 15C0938-31

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:35 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-54 **York Sample ID:** 15C0938-31

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:35 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS

Sample Information

Client Sample ID: MW-54 **York Sample ID:** 15C0938-31

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:35 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
67-66-3	**Chloroform**	**0.57**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS

Sample Information

Client Sample ID: MW-54 **York Sample ID:** 15C0938-31

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:35 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 17:12	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 08:53 NELAC-NY10854	04/06/2015 17:12	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 17:12	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 08:53 CTDOH,NJDEP	04/06/2015 17:12	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*109 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*97.2 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*102 %*	*81-117*

Sample Information

Client Sample ID: MW-A **York Sample ID:** 15C0938-32

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:45 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-A **York Sample ID:** 15C0938-32

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:45 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 21:36	SS

Sample Information

Client Sample ID: MW-A

York Sample ID: 15C0938-32

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:45 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS

Sample Information

Client Sample ID: MW-A **York Sample ID:** 15C0938-32

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 1:45 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/06/2015 21:36	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/06/2015 21:36	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 21:36	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NJDEP	04/06/2015 21:36	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*120 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*98.3 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*98.7 %*	*81-117*

Sample Information

Client Sample ID: MW-B **York Sample ID:** 15C0938-33

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:35 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **MW-B** **York Sample ID:** **15C0938-33**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:35 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS

Sample Information

Client Sample ID: MW-B

York Sample ID: 15C0938-33

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:35 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
67-66-3	**Chloroform**	**0.61**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS

Sample Information

Client Sample ID: MW-B **York Sample ID:** 15C0938-33

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 11:35 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/06/2015 22:05	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/06/2015 22:05	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:05	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NJDEP	04/06/2015 22:05	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*104 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*96.8 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*94.4 %*	*81-117*

Sample Information

Client Sample ID: MW-B1 **York Sample ID:** 15C0938-34

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 11:10 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: MW-B1 **York Sample ID:** 15C0938-34

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 11:10 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 22:34	SS

Sample Information

Client Sample ID: MW-B1 **York Sample ID:** 15C0938-34

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 11:10 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS

Sample Information

Client Sample ID: MW-B1 **York Sample ID:** 15C0938-34

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 25, 2015 11:10 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/06/2015 22:34	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/06/2015 22:34	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 22:34	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NJDEP	04/06/2015 22:34	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*111 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*94.3 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*98.8 %*	*81-117*

Sample Information

Client Sample ID: FB-TS **York Sample ID:** 15C0938-35

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **FB-TS** **York Sample ID:** **15C0938-35**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:40 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
591-78-6	**2-Hexanone**	**0.77**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:03	SS

Sample Information

Client Sample ID: FB-TS

York Sample ID: 15C0938-35

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	**Acetone**	**61**	SCAL-E	ug/L	10	20	10	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 11:46	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS

Sample Information

Client Sample ID: FB-TS **York Sample ID:** 15C0938-35

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 26, 2015 4:40 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/06/2015 23:03	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/06/2015 23:03	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:03	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NJDEP	04/06/2015 23:03	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*108 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.0 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*98.4 %*	*81-117*

Sample Information

Client Sample ID: FB-AM **York Sample ID:** 15C0938-36

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:59 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **FB-AM** **York Sample ID:** **15C0938-36**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:59 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
591-78-6	**2-Hexanone**	**0.83**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/06/2015 23:32	SS

Sample Information

Client Sample ID: FB-AM

York Sample ID: 15C0938-36

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:59 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	**Acetone**	**66**	SCAL-E	ug/L	10	20	10	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 12:15	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS

Sample Information

Client Sample ID: **FB-AM** **York Sample ID:** **15C0938-36**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 10:59 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/06/2015 23:32	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/06/2015 23:32	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/06/2015 23:32	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NJDEP	04/06/2015 23:32	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*108 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*91.9 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*100 %*	*81-117*

Sample Information

Client Sample ID: **FB-JS** **York Sample ID:** **15C0938-37**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 11:15 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **FB-JS** **York Sample ID:** **15C0938-37**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 11:15 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
591-78-6	**2-Hexanone**	**0.69**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:02	SS

Sample Information

Client Sample ID: FB-JS

York Sample ID: 15C0938-37

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 11:15 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	**Acetone**	**60**	SCAL-E	ug/L	10	20	10	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 12:45	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS

Sample Information

Client Sample ID: FB-JS **York Sample ID:** 15C0938-37

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 11:15 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/07/2015 00:02	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/07/2015 00:02	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:02	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NJDEP	04/07/2015 00:02	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*103 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.2 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*100 %*	*81-117*

Sample Information

Client Sample ID: TB-TS **York Sample ID:** 15C0938-38

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: TB-TS

York Sample ID: 15C0938-38

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS

Sample Information

Client Sample ID: TB-TS

York Sample ID: 15C0938-38

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	**Acetone**	**1.2**	SCAL-E, J	ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 00:31	SS

Sample Information

Client Sample ID: TB-TS **York Sample ID:** 15C0938-38

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/07/2015 00:31	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/07/2015 00:31	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 00:31	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NJDEP	04/07/2015 00:31	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*119 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.9 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*99.1 %*	*81-117*

Sample Information

Client Sample ID: TB-AM **York Sample ID:** 15C0938-39

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: **TB-AM** **York Sample ID:** **15C0938-39**

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:00	SS

Sample Information

Client Sample ID: TB-AM

York Sample ID: 15C0938-39

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS

Sample Information

Client Sample ID: TB-AM **York Sample ID:** 15C0938-39

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/07/2015 01:00	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/07/2015 01:00	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:00	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NJDEP	04/07/2015 01:00	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*109 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*96.3 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*101 %*	*81-117*

Sample Information

Client Sample ID: TB-JS **York Sample ID:** 15C0938-40

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: TB-JS

York Sample ID: 15C0938-40

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.80	2.0	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/06/2015 15:08	04/07/2015 01:29	SS

Sample Information

Client Sample ID: TB-JS

York Sample ID: 15C0938-40

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND	SCAL-E	ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS

Sample Information

Client Sample ID: TB-JS **York Sample ID:** 15C0938-40

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0938	Rowe Industries	Water	March 27, 2015 3:00 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/07/2015 01:29	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/06/2015 15:08 NELAC-NY10854	04/07/2015 01:29	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NELAC-NY10854,NJDEP	04/07/2015 01:29	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/06/2015 15:08 CTDOH,NJDEP	04/07/2015 01:29	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*110 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.6 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*100 %*	*81-117*

Analytical Batch Summary

Batch ID: BD50164 **Preparation Method:** EPA 5030B **Prepared By:** BGS

YORK Sample ID	Client Sample ID	Preparation Date
15C0938-01	MW-98-01A	04/03/15
15C0938-02	MW-98-04	04/03/15
15C0938-03	MW-98-05A	04/03/15
15C0938-04	MW-98-05B	04/03/15
15C0938-05	N-1B	04/03/15
15C0938-06	N-2B	04/03/15
15C0938-07	N-16	04/03/15
BD50164-BLK1	Blank	04/03/15
BD50164-BS1	LCS	04/03/15
BD50164-BSD1	LCS Dup	04/03/15
BD50164-MS1	Matrix Spike	04/03/15
BD50164-MSD1	Matrix Spike Dup	04/03/15

Batch ID: BD50200 **Preparation Method:** EPA 5030B **Prepared By:** BGS

YORK Sample ID	Client Sample ID	Preparation Date
15C0938-24	MW-49B	04/03/15
BD50200-BLK1	Blank	04/03/15
BD50200-BS1	LCS	04/03/15
BD50200-BSD1	LCS Dup	04/03/15

Batch ID: BD50206 **Preparation Method:** EPA 5030B **Prepared By:** BGS

YORK Sample ID	Client Sample ID	Preparation Date
15C0938-08	N-32	04/03/15
15C0938-09	MW-28A	04/03/15
15C0938-10	MW-28B	04/03/15
15C0938-11	MW-43A	04/03/15
15C0938-12	MW-43B	04/03/15
15C0938-13	MW-43C	04/03/15
15C0938-14	MW-44A	04/03/15
15C0938-15	MW-44B	04/03/15
15C0938-16	MW-44C	04/03/15
15C0938-17	MW-46A	04/03/15
15C0938-18	MW-46B	04/03/15
15C0938-19	MW-47A	04/03/15
15C0938-20	MW-47B	04/03/15
15C0938-21	MW-48A	04/03/15
15C0938-22	MW-48B	04/03/15
15C0938-23	MW-49A	04/03/15
BD50206-BLK1	Blank	04/03/15
BD50206-BS1	LCS	04/03/15
BD50206-BSD1	LCS Dup	04/03/15

Batch ID: BD50236 **Preparation Method:** EPA 5030B **Prepared By:** OW

YORK Sample ID	Client Sample ID	Preparation Date
15C0938-25	MW-49C	04/06/15
15C0938-26	MW-50A	04/06/15
15C0938-27	MW-50B	04/06/15
15C0938-28	MW-50C	04/06/15
15C0938-29	MW-52A	04/06/15
15C0938-30	MW-53	04/06/15
15C0938-31	MW-54	04/06/15
BD50236-BLK1	Blank	04/06/15
BD50236-BS1	LCS	04/06/15
BD50236-BSD1	LCS Dup	04/06/15
BD50236-MS1	Matrix Spike	04/06/15
BD50236-MSD1	Matrix Spike Dup	04/06/15

Batch ID: BD50287 **Preparation Method:** EPA 5030B **Prepared By:** OW

YORK Sample ID	Client Sample ID	Preparation Date
15C0938-32	MW-A	04/06/15
15C0938-33	MW-B	04/06/15
15C0938-34	MW-B1	04/06/15
15C0938-35	FB-TS	04/06/15
15C0938-36	FB-AM	04/06/15
15C0938-37	FB-JS	04/06/15
15C0938-38	TB-TS	04/06/15
15C0938-39	TB-AM	04/06/15
15C0938-40	TB-JS	04/06/15
BD50287-BLK1	Blank	04/06/15
BD50287-BS1	LCS	04/06/15
BD50287-BSD1	LCS Dup	04/06/15


Batch ID: BD50318 **Preparation Method:** EPA 5030B **Prepared By:** OW

YORK Sample ID	Client Sample ID	Preparation Date
15C0938-35RE1	FB-TS	04/07/15
15C0938-36RE1	FB-AM	04/07/15
15C0938-37RE1	FB-JS	04/07/15
BD50318-BLK1	Blank	04/07/15
BD50318-BS1	LCS	04/07/15
BD50318-BSD1	LCS Dup	04/07/15

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
Blank (BD50164-BLK1)											Prepared & Analyzed: 04/03/2015
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.81	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	0.71	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	0.44	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	ND	2.0	"								
n-Butylbenzene	ND	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								



Volatile Organic Compounds by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
Blank (BD50164-BLK1)									Prepared & Analyzed: 04/03/2015		
p- & m- Xylenes	ND	1.0	ug/L								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	ND	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*11.0*		*"*	*10.0*		*110*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.92*		*"*	*10.0*		*99.2*	*79-122*				
Surrogate: Toluene-d8	*9.76*		*"*	*10.0*		*97.6*	*81-117*				
LCS (BD50164-BS1)									Prepared & Analyzed: 04/03/2015		
1,1,1,2-Tetrachloroethane	10.2		ug/L	10.0		102	82-126				
1,1,1-Trichloroethane	10.1		"	10.0		101	78-136				
1,1,2,2-Tetrachloroethane	9.64		"	10.0		96.4	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.99		"	10.0		99.9	54-165				
1,1,2-Trichloroethane	9.71		"	10.0		97.1	82-123				
1,1-Dichloroethane	9.33		"	10.0		93.3	82-129				
1,1-Dichloroethylene	9.63		"	10.0		96.3	68-138				
1,1-Dichloropropylene	10.3		"	10.0		103	83-133				
1,2,3-Trichlorobenzene	7.67		"	10.0		76.7	76-136				
1,2,3-Trichloropropane	10.4		"	10.0		104	77-128				
1,2,4-Trichlorobenzene	9.00		"	10.0		90.0	76-137				
1,2,4-Trimethylbenzene	10.2		"	10.0		102	82-132				
1,2-Dibromo-3-chloropropane	9.19		"	10.0		91.9	45-147				
1,2-Dibromoethane	10.0		"	10.0		100	83-124				
1,2-Dichlorobenzene	10.7		"	10.0		107	79-123				
1,2-Dichloroethane	9.48		"	10.0		94.8	73-132				
1,2-Dichloropropane	9.59		"	10.0		95.9	78-126				
1,3,5-Trimethylbenzene	10.3		"	10.0		103	80-131				
1,3-Dichlorobenzene	10.4		"	10.0		104	86-122				
1,3-Dichloropropane	9.85		"	10.0		98.5	81-125				
1,4-Dichlorobenzene	10.7		"	10.0		107	85-124				
2,2-Dichloropropane	9.59		"	10.0		95.9	56-150				
2-Chlorotoluene	10.1		"	10.0		101	79-130				
2-Hexanone	9.19		"	10.0		91.9	51-146				
4-Chlorotoluene	10.1		"	10.0		101	79-128				
Acetone	7.25		"	10.0		72.5	14-150				
Benzene	9.61		"	10.0		96.1	85-126				
Bromobenzene	10.0		"	10.0		100	78-129				
Bromochloromethane	9.27		"	10.0		92.7	77-128				
Bromodichloromethane	9.81		"	10.0		98.1	79-128				
Bromoform	10.5		"	10.0		105	78-133				
Bromomethane	8.70		"	10.0		87.0	43-168				
Carbon tetrachloride	10.5		"	10.0		105	77-141				
Chlorobenzene	10.5		"	10.0		105	88-120				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
LCS (BD50164-BS1)								Prepared & Analyzed: 04/03/2015			
Chloroethane	8.46		ug/L	10.0		84.6	65-136				
Chloroform	10.0		"	10.0		100	82-128				
Chloromethane	7.18		"	10.0		71.8	43-155				
cis-1,2-Dichloroethylene	9.95		"	10.0		99.5	83-129				
cis-1,3-Dichloropropylene	9.90		"	10.0		99.0	80-131				
Dibromochloromethane	10.2		"	10.0		102	80-130				
Dibromomethane	9.65		"	10.0		96.5	72-134				
Dichlorodifluoromethane	10.5		"	10.0		105	44-144				
Ethyl Benzene	9.50		"	10.0		95.0	80-131				
Hexachlorobutadiene	10.2		"	10.0		102	67-146				
Isopropylbenzene	11.0		"	10.0		110	76-140				
Methyl tert-butyl ether (MTBE)	7.45		"	10.0		74.5	76-135	Low Bias			
Methylene chloride	9.28		"	10.0		92.8	55-137				
Naphthalene	7.67		"	10.0		76.7	70-147				
n-Butylbenzene	10.2		"	10.0		102	79-132				
n-Propylbenzene	10.5		"	10.0		105	78-133				
o-Xylene	9.49		"	10.0		94.9	78-130				
p- & m- Xylenes	19.0		"	20.0		95.0	77-133				
p-Isopropyltoluene	10.5		"	10.0		105	81-136				
sec-Butylbenzene	10.6		"	10.0		106	79-137				
Styrene	9.59		"	10.0		95.9	67-132				
tert-Butylbenzene	10.3		"	10.0		103	77-138				
Tetrachloroethylene	10.3		"	10.0		103	82-131				
Toluene	9.92		"	10.0		99.2	80-127				
trans-1,2-Dichloroethylene	9.70		"	10.0		97.0	80-132				
trans-1,3-Dichloropropylene	10.0		"	10.0		100	78-131				
Trichloroethylene	9.84		"	10.0		98.4	82-128				
Trichlorofluoromethane	9.01		"	10.0		90.1	67-139				
Vinyl Chloride	7.82		"	10.0		78.2	58-145				
Surrogate: 1,2-Dichloroethane-d4	*9.30*		*"*	*10.0*		*93.0*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.4*		*"*	*10.0*		*104*	*79-122*				
Surrogate: Toluene-d8	*9.61*		*"*	*10.0*		*96.1*	*81-117*				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
LCS Dup (BD50164-BSD1)								Prepared & Analyzed: 04/03/2015			
1,1,1,2-Tetrachloroethane	10.3		ug/L	10.0		103	82-126		1.46	30	
1,1,1-Trichloroethane	11.5		"	10.0		115	78-136		13.4	30	
1,1,2,2-Tetrachloroethane	9.59		"	10.0		95.9	76-129		0.520	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	11.3		"	10.0		113	54-165		12.4	30	
1,1,2-Trichloroethane	10.7		"	10.0		107	82-123		9.70	30	
1,1-Dichloroethane	11.2		"	10.0		112	82-129		18.0	30	
1,1-Dichloroethylene	11.2		"	10.0		112	68-138		15.0	30	
1,1-Dichloropropylene	10.6		"	10.0		106	83-133		3.64	30	
1,2,3-Trichlorobenzene	8.39		"	10.0		83.9	76-136		8.97	30	
1,2,3-Trichloropropane	9.19		"	10.0		91.9	77-128		12.0	30	
1,2,4-Trichlorobenzene	9.29		"	10.0		92.9	76-137		3.17	30	
1,2,4-Trimethylbenzene	11.0		"	10.0		110	82-132		7.08	30	
1,2-Dibromo-3-chloropropane	10.3		"	10.0		103	45-147		11.4	30	
1,2-Dibromoethane	10.8		"	10.0		108	83-124		7.48	30	
1,2-Dichlorobenzene	10.7		"	10.0		107	79-123		0.655	30	
1,2-Dichloroethane	10.4		"	10.0		104	73-132		9.06	30	
1,2-Dichloropropane	10.3		"	10.0		103	78-126		7.14	30	
1,3,5-Trimethylbenzene	9.82		"	10.0		98.2	80-131		5.06	30	
1,3-Dichlorobenzene	10.6		"	10.0		106	86-122		2.28	30	
1,3-Dichloropropane	9.61		"	10.0		96.1	81-125		2.47	30	
1,4-Dichlorobenzene	10.3		"	10.0		103	85-124		3.53	30	
2,2-Dichloropropane	10.9		"	10.0		109	56-150		13.1	30	
2-Chlorotoluene	10.4		"	10.0		104	79-130		2.84	30	
2-Hexanone	9.74		"	10.0		97.4	51-146		5.81	30	
4-Chlorotoluene	9.86		"	10.0		98.6	79-128		2.21	30	
Acetone	8.11		"	10.0		81.1	14-150		11.2	30	
Benzene	10.7		"	10.0		107	85-126		10.5	30	
Bromobenzene	9.85		"	10.0		98.5	78-129		2.01	30	
Bromochloromethane	10.4		"	10.0		104	77-128		11.9	30	
Bromodichloromethane	10.7		"	10.0		107	79-128		8.68	30	
Bromoform	10.4		"	10.0		104	78-133		0.766	30	
Bromomethane	11.0		"	10.0		110	43-168		22.9	30	
Carbon tetrachloride	11.1		"	10.0		111	77-141		5.09	30	
Chlorobenzene	10.5		"	10.0		105	88-120		0.286	30	
Chloroethane	10.2		"	10.0		102	65-136		18.6	30	
Chloroform	11.2		"	10.0		112	82-128		11.0	30	
Chloromethane	8.25		"	10.0		82.5	43-155		13.9	30	
cis-1,2-Dichloroethylene	11.0		"	10.0		110	83-129		10.1	30	
cis-1,3-Dichloropropylene	11.0		"	10.0		110	80-131		10.3	30	
Dibromochloromethane	10.6		"	10.0		106	80-130		4.71	30	
Dibromomethane	10.4		"	10.0		104	72-134		7.77	30	
Dichlorodifluoromethane	11.7		"	10.0		117	44-144		10.9	30	
Ethyl Benzene	9.90		"	10.0		99.0	80-131		4.12	30	
Hexachlorobutadiene	10.4		"	10.0		104	67-146		2.13	30	
Isopropylbenzene	9.89		"	10.0		98.9	76-140		10.2	30	
Methyl tert-butyl ether (MTBE)	8.62		"	10.0		86.2	76-135		14.6	30	
Methylene chloride	10.4		"	10.0		104	55-137		11.7	30	
Naphthalene	7.84		"	10.0		78.4	70-147		2.19	30	
n-Butylbenzene	10.5		"	10.0		105	79-132		3.28	30	
n-Propylbenzene	10.5		"	10.0		105	78-133		0.666	30	
o-Xylene	10.1		"	10.0		101	78-130		6.62	30	

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
LCS Dup (BD50164-BSD1)								Prepared & Analyzed: 04/03/2015			
p- & m- Xylenes	20.7		ug/L	20.0		104	77-133		8.66	30	
p-Isopropyltoluene	10.7		"	10.0		107	81-136		1.51	30	
sec-Butylbenzene	10.7		"	10.0		107	79-137		0.655	30	
Styrene	10.4		"	10.0		104	67-132		7.62	30	
tert-Butylbenzene	10.5		"	10.0		105	77-138		1.25	30	
Tetrachloroethylene	10.7		"	10.0		107	82-131		3.80	30	
Toluene	10.2		"	10.0		102	80-127		3.08	30	
trans-1,2-Dichloroethylene	11.6		"	10.0		116	80-132		17.6	30	
trans-1,3-Dichloropropylene	11.1		"	10.0		111	78-131		10.4	30	
Trichloroethylene	10.2		"	10.0		102	82-128		3.89	30	
Trichlorofluoromethane	10.8		"	10.0		108	67-139		17.7	30	
Vinyl Chloride	9.08		"	10.0		90.8	58-145		14.9	30	
Surrogate: 1,2-Dichloroethane-d4	*10.3*		*"*	*10.0*		*103*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.67*		*"*	*10.0*		*96.7*	*79-122*				
Surrogate: Toluene-d8	*9.97*		*"*	*10.0*		*99.7*	*81-117*				
Matrix Spike (BD50164-MS1)	*Source sample: 15C0938-02 (MW-98-04)							Prepared & Analyzed: 04/03/2015			
1,1,1,2-Tetrachloroethane	10.3		ug/L	10.0	ND	103	45-161				
1,1,1-Trichloroethane	10.2		"	10.0	ND	102	70-146				
1,1,2,2-Tetrachloroethane	9.14		"	10.0	ND	91.4	74-121				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.7		"	10.0	ND	107	21-217				
1,1,2-Trichloroethane	10.2		"	10.0	1.09	91.5	59-146				
1,1-Dichloroethane	10.9		"	10.0	ND	109	54-146				
1,1-Dichloroethylene	10.4		"	10.0	ND	104	44-165				
1,1-Dichloropropylene	10.0		"	10.0	ND	100	82-134				
1,2,3-Trichlorobenzene	7.58		"	10.0	ND	75.8	40-161				
1,2,3-Trichloropropane	9.02		"	10.0	ND	90.2	74-127				
1,2,4-Trichlorobenzene	9.01		"	10.0	ND	90.1	41-161				
1,2,4-Trimethylbenzene	8.86		"	10.0	ND	88.6	72-129				
1,2-Dibromo-3-chloropropane	9.64		"	10.0	ND	96.4	31-151				
1,2-Dibromoethane	10.5		"	10.0	ND	105	75-125				
1,2-Dichlorobenzene	9.94		"	10.0	ND	99.4	63-122				
1,2-Dichloroethane	10.4		"	10.0	ND	104	68-131				
1,2-Dichloropropane	9.66		"	10.0	ND	96.6	77-121				
1,3,5-Trimethylbenzene	9.01		"	10.0	ND	90.1	69-126				
1,3-Dichlorobenzene	9.29		"	10.0	ND	92.9	74-119				
1,3-Dichloropropane	10.3		"	10.0	ND	103	77-119				
1,4-Dichlorobenzene	9.59		"	10.0	ND	95.9	70-124				
2,2-Dichloropropane	8.77		"	10.0	ND	87.7	10-160				
2-Chlorotoluene	9.31		"	10.0	ND	93.1	70-126				
2-Hexanone	9.48		"	10.0	ND	94.8	53-133				
4-Chlorotoluene	9.12		"	10.0	ND	91.2	69-124				
Acetone	8.93		"	10.0	0.960	79.7	13-149				
Benzene	10.4		"	10.0	ND	104	38-155				
Bromobenzene	8.84		"	10.0	ND	88.4	72-122				
Bromochloromethane	9.65		"	10.0	ND	96.5	75-121				
Bromodichloromethane	10.2		"	10.0	ND	102	70-129				
Bromoform	9.94		"	10.0	ND	99.4	66-136				
Bromomethane	7.90		"	10.0	ND	79.0	30-158				
Carbon tetrachloride	10.5		"	10.0	ND	105	71-146				
Chlorobenzene	10.6		"	10.0	ND	106	81-117				
Chloroethane	9.55		"	10.0	ND	95.5	51-145				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
Matrix Spike (BD50164-MS1)	*Source sample: 15C0938-02 (MW-98-04)							Prepared & Analyzed: 04/03/2015			
Chloroform	11.0		ug/L	10.0	ND	110	80-124				
Chloromethane	7.24		"	10.0	ND	72.4	16-163				
cis-1,2-Dichloroethylene	10.6		"	10.0	ND	106	76-125				
cis-1,3-Dichloropropylene	9.75		"	10.0	ND	97.5	58-131				
Dibromochloromethane	10.6		"	10.0	ND	106	71-129				
Dibromomethane	9.70		"	10.0	ND	97.0	76-120				
Dichlorodifluoromethane	9.44		"	10.0	ND	94.4	30-147				
Ethyl Benzene	9.58		"	10.0	ND	95.8	72-128				
Hexachlorobutadiene	10.0		"	10.0	ND	100	34-166				
Isopropylbenzene	8.61		"	10.0	ND	86.1	66-139				
Methyl tert-butyl ether (MTBE)	10.4		"	10.0	ND	104	75-128				
Methylene chloride	9.72		"	10.0	ND	97.2	57-128				
Naphthalene	7.36		"	10.0	ND	73.6	39-158				
n-Butylbenzene	9.45		"	10.0	ND	94.5	61-138				
n-Propylbenzene	9.22		"	10.0	ND	92.2	66-134				
o-Xylene	9.44		"	10.0	ND	94.4	69-126				
p- & m- Xylenes	19.2		"	20.0	ND	96.0	67-130				
p-Isopropyltoluene	9.37		"	10.0	ND	93.7	64-137				
sec-Butylbenzene	9.68		"	10.0	ND	96.8	53-155				
Styrene	9.09		"	10.0	ND	90.9	69-125				
tert-Butylbenzene	9.21		"	10.0	ND	92.1	65-139				
Tetrachloroethylene	29.0		"	10.0	20.9	81.8	64-139				
Toluene	9.44		"	10.0	ND	94.4	76-123				
trans-1,2-Dichloroethylene	9.99		"	10.0	ND	99.9	79-131				
trans-1,3-Dichloropropylene	10.1		"	10.0	ND	101	55-130				
Trichloroethylene	9.92		"	10.0	ND	99.2	53-145				
Trichlorofluoromethane	10.3		"	10.0	ND	103	61-142				
Vinyl Chloride	8.52		"	10.0	ND	85.2	31-165				
Surrogate: 1,2-Dichloroethane-d4	*10.4*		*"*	*10.0*		*104*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.79*		*"*	*10.0*		*97.9*	*79-122*				
Surrogate: Toluene-d8	*9.38*		*"*	*10.0*		*93.8*	*81-117*				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
Matrix Spike Dup (BD50164-MSD1)	*Source sample: 15C0938-02 (MW-98-04)							Prepared & Analyzed: 04/03/2015			
1,1,1,2-Tetrachloroethane	10.1		ug/L	10.0	ND	101	45-161		1.96	30	
1,1,1-Trichloroethane	9.92		"	10.0	ND	99.2	70-146		2.78	30	
1,1,2,2-Tetrachloroethane	9.73		"	10.0	ND	97.3	74-121		6.25	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.3		"	10.0	ND	103	21-217		3.72	30	
1,1,2-Trichloroethane	9.81		"	10.0	1.09	87.2	59-146		4.81	30	
1,1-Dichloroethane	10.1		"	10.0	ND	101	54-146		8.28	30	
1,1-Dichloroethylene	10.0		"	10.0	ND	100	44-165		4.11	30	
1,1-Dichloropropylene	10.2		"	10.0	ND	102	82-134		1.29	30	
1,2,3-Trichlorobenzene	7.73		"	10.0	ND	77.3	40-161		1.96	30	
1,2,3-Trichloropropane	9.45		"	10.0	ND	94.5	74-127		4.66	30	
1,2,4-Trichlorobenzene	9.02		"	10.0	ND	90.2	41-161		0.111	30	
1,2,4-Trimethylbenzene	9.62		"	10.0	ND	96.2	72-129		8.23	30	
1,2-Dibromo-3-chloropropane	10.4		"	10.0	ND	104	31-151		8.06	30	
1,2-Dibromoethane	10.4		"	10.0	ND	104	75-125		0.959	30	
1,2-Dichlorobenzene	9.71		"	10.0	ND	97.1	63-122		2.34	30	
1,2-Dichloroethane	10.0		"	10.0	ND	100	68-131		3.23	30	
1,2-Dichloropropane	9.97		"	10.0	ND	99.7	77-121		3.16	30	
1,3,5-Trimethylbenzene	9.68		"	10.0	ND	96.8	69-126		7.17	30	
1,3-Dichlorobenzene	9.65		"	10.0	ND	96.5	74-119		3.80	30	
1,3-Dichloropropane	9.33		"	10.0	ND	93.3	77-119		9.69	30	
1,4-Dichlorobenzene	9.29		"	10.0	ND	92.9	70-124		3.18	30	
2,2-Dichloropropane	8.63		"	10.0	ND	86.3	10-160		1.61	30	
2-Chlorotoluene	9.38		"	10.0	ND	93.8	70-126		0.749	30	
2-Hexanone	8.96		"	10.0	ND	89.6	53-133		5.64	30	
4-Chlorotoluene	9.60		"	10.0	ND	96.0	69-124		5.13	30	
Acetone	7.67		"	10.0	0.960	67.1	13-149		17.2	30	
Benzene	10.0		"	10.0	ND	100	38-155		3.44	30	
Bromobenzene	9.68		"	10.0	ND	96.8	72-122		9.07	30	
Bromochloromethane	9.55		"	10.0	ND	95.5	75-121		1.04	30	
Bromodichloromethane	10.3		"	10.0	ND	103	70-129		1.36	30	
Bromoform	9.85		"	10.0	ND	98.5	66-136		0.910	30	
Bromomethane	8.23		"	10.0	ND	82.3	30-158		4.09	30	
Carbon tetrachloride	10.6		"	10.0	ND	106	71-146		0.852	30	
Chlorobenzene	9.94		"	10.0	ND	99.4	81-117		6.80	30	
Chloroethane	9.65		"	10.0	ND	96.5	51-145		1.04	30	
Chloroform	10.6		"	10.0	ND	106	80-124		3.97	30	
Chloromethane	7.14		"	10.0	ND	71.4	16-163		1.39	30	
cis-1,2-Dichloroethylene	10.4		"	10.0	ND	104	76-125		1.33	30	
cis-1,3-Dichloropropylene	9.64		"	10.0	ND	96.4	58-131		1.13	30	
Dibromochloromethane	10.5		"	10.0	ND	105	71-129		0.664	30	
Dibromomethane	10.3		"	10.0	ND	103	76-120		6.39	30	
Dichlorodifluoromethane	9.20		"	10.0	ND	92.0	30-147		2.58	30	
Ethyl Benzene	9.61		"	10.0	ND	96.1	72-128		0.313	30	
Hexachlorobutadiene	9.78		"	10.0	ND	97.8	34-166		2.52	30	
Isopropylbenzene	9.86		"	10.0	ND	98.6	66-139		13.5	30	
Methyl tert-butyl ether (MTBE)	9.84		"	10.0	ND	98.4	75-128		5.44	30	
Methylene chloride	9.33		"	10.0	ND	93.3	57-128		4.09	30	
Naphthalene	7.50		"	10.0	ND	75.0	39-158		1.88	30	
n-Butylbenzene	9.67		"	10.0	ND	96.7	61-138		2.30	30	
n-Propylbenzene	9.75		"	10.0	ND	97.5	66-134		5.59	30	
o-Xylene	9.56		"	10.0	ND	95.6	69-126		1.26	30	

Volatile Organic Compounds by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50164 - EPA 5030B											
Matrix Spike Dup (BD50164-MSD1)	*Source sample: 15C0938-02 (MW-98-04)							Prepared & Analyzed: 04/03/2015			
p- & m- Xylenes	19.4		ug/L	20.0	ND	96.8	67-130		0.778	30	
p-Isopropyltoluene	9.53		"	10.0	ND	95.3	64-137		1.69	30	
sec-Butylbenzene	9.94		"	10.0	ND	99.4	53-155		2.65	30	
Styrene	9.39		"	10.0	ND	93.9	69-125		3.25	30	
tert-Butylbenzene	9.68		"	10.0	ND	96.8	65-139		4.98	30	
Tetrachloroethylene	30.6		"	10.0	20.9	96.8	64-139		16.8	30	
Toluene	10.4		"	10.0	ND	104	76-123		9.87	30	
trans-1,2-Dichloroethylene	9.71		"	10.0	ND	97.1	79-131		2.84	30	
trans-1,3-Dichloropropylene	10.0		"	10.0	ND	100	55-130		0.498	30	
Trichloroethylene	11.0		"	10.0	ND	110	53-145		10.3	30	
Trichlorofluoromethane	9.91		"	10.0	ND	99.1	61-142		4.25	30	
Vinyl Chloride	8.96		"	10.0	ND	89.6	31-165		5.03	30	
Surrogate: 1,2-Dichloroethane-d4	*10.0*		*"*	*10.0*		*100*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.2*		*"*	*10.0*		*102*	*79-122*				
Surrogate: Toluene-d8	*10.4*		*"*	*10.0*		*104*	*81-117*				
Batch BD50200 - EPA 5030B											
Blank (BD50200-BLK1)								Prepared: 04/03/2015 Analyzed: 04/04/2015			
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.97	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	0.70	0.50	"								
1,2,4-Trimethylbenzene	0.21	0.50	"								
1,2-Dibromo-3-chloropropane	0.42	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	0.23	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.


Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50200 - EPA 5030B											
Blank (BD50200-BLK1)											Prepared: 04/03/2015 Analyzed: 04/04/2015
Chlorobenzene	ND	0.50	ug/L								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	0.67	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	1.1	2.0	"								
n-Butylbenzene	0.37	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								
p- & m- Xylenes	ND	1.0	"								
p-Isopropyltoluene	0.24	0.50	"								
sec-Butylbenzene	0.22	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*10.3*		*"*	*10.0*		*103*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.90*		*"*	*10.0*		*99.0*	*79-122*				
Surrogate: Toluene-d8	*9.60*		*"*	*10.0*		*96.0*	*81-117*				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50200 - EPA 5030B											
LCS (BD50200-BS1)									Prepared: 04/03/2015 Analyzed: 04/04/2015		
1,1,1,2-Tetrachloroethane	10.5		ug/L	10.0		105	82-126				
1,1,1-Trichloroethane	11.6		"	10.0		116	78-136				
1,1,2,2-Tetrachloroethane	9.67		"	10.0		96.7	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	12.2		"	10.0		122	54-165				
1,1,2-Trichloroethane	10.1		"	10.0		101	82-123				
1,1-Dichloroethane	11.3		"	10.0		113	82-129				
1,1-Dichloroethylene	11.3		"	10.0		113	68-138				
1,1-Dichloropropylene	11.7		"	10.0		117	83-133				
1,2,3-Trichlorobenzene	10.8		"	10.0		108	76-136				
1,2,3-Trichloropropane	9.48		"	10.0		94.8	77-128				
1,2,4-Trichlorobenzene	10.7		"	10.0		107	76-137				
1,2,4-Trimethylbenzene	10.9		"	10.0		109	82-132				
1,2-Dibromo-3-chloropropane	9.23		"	10.0		92.3	45-147				
1,2-Dibromoethane	9.81		"	10.0		98.1	83-124				
1,2-Dichlorobenzene	10.4		"	10.0		104	79-123				
1,2-Dichloroethane	11.3		"	10.0		113	73-132				
1,2-Dichloropropane	10.1		"	10.0		101	78-126				
1,3,5-Trimethylbenzene	12.3		"	10.0		123	80-131				
1,3-Dichlorobenzene	10.5		"	10.0		105	86-122				
1,3-Dichloropropane	9.95		"	10.0		99.5	81-125				
1,4-Dichlorobenzene	10.4		"	10.0		104	85-124				
2,2-Dichloropropane	14.6		"	10.0		146	56-150				
2-Chlorotoluene	10.6		"	10.0		106	79-130				
2-Hexanone	9.45		"	10.0		94.5	51-146				
4-Chlorotoluene	10.5		"	10.0		105	79-128				
Acetone	6.67		"	10.0		66.7	14-150				
Benzene	11.5		"	10.0		115	85-126				
Bromobenzene	9.72		"	10.0		97.2	78-129				
Bromochloromethane	10.5		"	10.0		105	77-128				
Bromodichloromethane	10.2		"	10.0		102	79-128				
Bromoform	10.1		"	10.0		101	78-133				
Bromomethane	11.1		"	10.0		111	43-168				
Carbon tetrachloride	12.1		"	10.0		121	77-141				
Chlorobenzene	10.6		"	10.0		106	88-120				
Chloroethane	8.35		"	10.0		83.5	65-136				
Chloroform	11.3		"	10.0		113	82-128				
Chloromethane	10.8		"	10.0		108	43-155				
cis-1,2-Dichloroethylene	11.6		"	10.0		116	83-129				
cis-1,3-Dichloropropylene	10.8		"	10.0		108	80-131				
Dibromochloromethane	10.3		"	10.0		103	80-130				
Dibromomethane	10.3		"	10.0		103	72-134				
Dichlorodifluoromethane	10.5		"	10.0		105	44-144				
Ethyl Benzene	11.0		"	10.0		110	80-131				
Hexachlorobutadiene	11.8		"	10.0		118	67-146				
Isopropylbenzene	11.0		"	10.0		110	76-140				
Methyl tert-butyl ether (MTBE)	10.6		"	10.0		106	76-135				
Methylene chloride	9.38		"	10.0		93.8	55-137				
Naphthalene	10.3		"	10.0		103	70-147				
n-Butylbenzene	11.6		"	10.0		116	79-132				
n-Propylbenzene	11.2		"	10.0		112	78-133				
o-Xylene	10.7		"	10.0		107	78-130				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50200 - EPA 5030B											
LCS (BD50200-BS1)								Prepared: 04/03/2015 Analyzed: 04/04/2015			
p- & m- Xylenes	22.6		ug/L	20.0		113	77-133				
p-Isopropyltoluene	11.5		"	10.0		115	81-136				
sec-Butylbenzene	11.5		"	10.0		115	79-137				
Styrene	10.7		"	10.0		107	67-132				
tert-Butylbenzene	11.0		"	10.0		110	77-138				
Tetrachloroethylene	10.8		"	10.0		108	82-131				
Toluene	10.9		"	10.0		109	80-127				
trans-1,2-Dichloroethylene	11.1		"	10.0		111	80-132				
trans-1,3-Dichloropropylene	10.4		"	10.0		104	78-131				
Trichloroethylene	10.5		"	10.0		105	82-128				
Trichlorofluoromethane	11.5		"	10.0		115	67-139				
Vinyl Chloride	11.1		"	10.0		111	58-145				
Surrogate: 1,2-Dichloroethane-d4	*9.97*		*"*	*10.0*		*99.7*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.66*		*"*	*10.0*		*96.6*	*79-122*				
Surrogate: Toluene-d8	*9.74*		*"*	*10.0*		*97.4*	*81-117*				
LCS Dup (BD50200-BSD1)								Prepared: 04/03/2015 Analyzed: 04/04/2015			
1,1,1,2-Tetrachloroethane	10.4		ug/L	10.0		104	82-126		1.34	30	
1,1,1-Trichloroethane	12.2		"	10.0		122	78-136		4.28	30	
1,1,2,2-Tetrachloroethane	9.78		"	10.0		97.8	76-129		1.13	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	12.7		"	10.0		127	54-165		3.95	30	
1,1,2-Trichloroethane	10.1		"	10.0		101	82-123		0.496	30	
1,1-Dichloroethane	11.5		"	10.0		115	82-129		2.28	30	
1,1-Dichloroethylene	11.7		"	10.0		117	68-138		3.83	30	
1,1-Dichloropropylene	12.1		"	10.0		121	83-133		3.52	30	
1,2,3-Trichlorobenzene	11.2		"	10.0		112	76-136		3.63	30	
1,2,3-Trichloropropane	9.53		"	10.0		95.3	77-128		0.526	30	
1,2,4-Trichlorobenzene	11.0		"	10.0		110	76-137		3.22	30	
1,2,4-Trimethylbenzene	11.0		"	10.0		110	82-132		0.822	30	
1,2-Dibromo-3-chloropropane	9.24		"	10.0		92.4	45-147		0.108	30	
1,2-Dibromoethane	9.89		"	10.0		98.9	83-124		0.812	30	
1,2-Dichlorobenzene	10.6		"	10.0		106	79-123		2.19	30	
1,2-Dichloroethane	11.5		"	10.0		115	73-132		2.10	30	
1,2-Dichloropropane	10.2		"	10.0		102	78-126		0.790	30	
1,3,5-Trimethylbenzene	12.5		"	10.0		125	80-131		2.10	30	
1,3-Dichlorobenzene	10.6		"	10.0		106	86-122		1.51	30	
1,3-Dichloropropane	9.97		"	10.0		99.7	81-125		0.201	30	
1,4-Dichlorobenzene	10.6		"	10.0		106	85-124		2.29	30	
2,2-Dichloropropane	14.9		"	10.0		149	56-150		1.69	30	
2-Chlorotoluene	10.7		"	10.0		107	79-130		1.50	30	
2-Hexanone	9.08		"	10.0		90.8	51-146		3.99	30	
4-Chlorotoluene	10.6		"	10.0		106	79-128		1.23	30	
Acetone	6.95		"	10.0		69.5	14-150		4.11	30	
Benzene	11.8		"	10.0		118	85-126		2.57	30	
Bromobenzene	10.0		"	10.0		100	78-129		2.84	30	
Bromochloromethane	10.9		"	10.0		109	77-128		3.45	30	
Bromodichloromethane	10.2		"	10.0		102	79-128		0.295	30	
Bromoform	10.2		"	10.0		102	78-133		0.295	30	
Bromomethane	11.6		"	10.0		116	43-168		4.48	30	
Carbon tetrachloride	12.6		"	10.0		126	77-141		4.53	30	
Chlorobenzene	10.7		"	10.0		107	88-120		1.60	30	
Chloroethane	9.02		"	10.0		90.2	65-136		7.71	30	

Volatile Organic Compounds by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50200 - EPA 5030B											
LCS Dup (BD50200-BSD1)									Prepared: 04/03/2015 Analyzed: 04/04/2015		
Chloroform	11.6		ug/L	10.0		116	82-128		3.05	30	
Chloromethane	10.9		"	10.0		109	43-155		1.02	30	
cis-1,2-Dichloroethylene	12.0		"	10.0		120	83-129		3.13	30	
cis-1,3-Dichloropropylene	10.7		"	10.0		107	80-131		1.30	30	
Dibromochloromethane	10.1		"	10.0		101	80-130		2.15	30	
Dibromomethane	10.2		"	10.0		102	72-134		0.585	30	
Dichlorodifluoromethane	10.9		"	10.0		109	44-144		3.92	30	
Ethyl Benzene	11.0		"	10.0		110	80-131		0.364	30	
Hexachlorobutadiene	12.3		"	10.0		123	67-146		3.82	30	
Isopropylbenzene	11.2		"	10.0		112	76-140		1.71	30	
Methyl tert-butyl ether (MTBE)	10.9		"	10.0		109	76-135		3.35	30	
Methylene chloride	9.65		"	10.0		96.5	55-137		2.84	30	
Naphthalene	10.5		"	10.0		105	70-147		2.03	30	
n-Butylbenzene	11.8		"	10.0		118	79-132		1.54	30	
n-Propylbenzene	11.4		"	10.0		114	78-133		1.69	30	
o-Xylene	10.7		"	10.0		107	78-130		0.187	30	
p- & m- Xylenes	22.6		"	20.0		113	77-133		0.0885	30	
p-Isopropyltoluene	11.8		"	10.0		118	81-136		1.89	30	
sec-Butylbenzene	11.7		"	10.0		117	79-137		1.98	30	
Styrene	10.8		"	10.0		108	67-132		0.745	30	
tert-Butylbenzene	11.2		"	10.0		112	77-138		1.70	30	
Tetrachloroethylene	11.2		"	10.0		112	82-131		3.45	30	
Toluene	10.8		"	10.0		108	80-127		0.277	30	
trans-1,2-Dichloroethylene	11.8		"	10.0		118	80-132		5.78	30	
trans-1,3-Dichloropropylene	10.1		"	10.0		101	78-131		2.24	30	
Trichloroethylene	10.7		"	10.0		107	82-128		2.45	30	
Trichlorofluoromethane	12.5		"	10.0		125	67-139		8.59	30	
Vinyl Chloride	11.7		"	10.0		117	58-145		5.26	30	
Surrogate: 1,2-Dichloroethane-d4	*10.1*		*"*	*10.0*		*101*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.56*		*"*	*10.0*		*95.6*	*79-122*				
Surrogate: Toluene-d8	*9.47*		*"*	*10.0*		*94.7*	*81-117*				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50206 - EPA 5030B											
Blank (BD50206-BLK1)											
Prepared & Analyzed: 04/03/2015											
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.87	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	0.62	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	ND	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	ND	2.0	"								
n-Butylbenzene	ND	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								



Volatile Organic Compounds by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50206 - EPA 5030B											
Blank (BD50206-BLK1)								Prepared & Analyzed: 04/03/2015			
p- & m- Xylenes	ND	1.0	ug/L								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	ND	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*10.8*		*"*	*10.0*		*108*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.4*		*"*	*10.0*		*104*	*79-122*				
Surrogate: Toluene-d8	*10.0*		*"*	*10.0*		*100*	*81-117*				
LCS (BD50206-BS1)								Prepared & Analyzed: 04/03/2015			
1,1,1,2-Tetrachloroethane	10.1		ug/L	10.0		101	82-126				
1,1,1-Trichloroethane	10.1		"	10.0		101	78-136				
1,1,2,2-Tetrachloroethane	9.60		"	10.0		96.0	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.69		"	10.0		96.9	54-165				
1,1,2-Trichloroethane	10.2		"	10.0		102	82-123				
1,1-Dichloroethane	9.74		"	10.0		97.4	82-129				
1,1-Dichloroethylene	9.58		"	10.0		95.8	68-138				
1,1-Dichloropropylene	9.91		"	10.0		99.1	83-133				
1,2,3-Trichlorobenzene	8.02		"	10.0		80.2	76-136				
1,2,3-Trichloropropane	9.24		"	10.0		92.4	77-128				
1,2,4-Trichlorobenzene	9.42		"	10.0		94.2	76-137				
1,2,4-Trimethylbenzene	9.93		"	10.0		99.3	82-132				
1,2-Dibromo-3-chloropropane	10.2		"	10.0		102	45-147				
1,2-Dibromoethane	10.3		"	10.0		103	83-124				
1,2-Dichlorobenzene	10.4		"	10.0		104	79-123				
1,2-Dichloroethane	9.75		"	10.0		97.5	73-132				
1,2-Dichloropropane	9.72		"	10.0		97.2	78-126				
1,3,5-Trimethylbenzene	10.0		"	10.0		100	80-131				
1,3-Dichlorobenzene	9.83		"	10.0		98.3	86-122				
1,3-Dichloropropane	9.90		"	10.0		99.0	81-125				
1,4-Dichlorobenzene	10.2		"	10.0		102	85-124				
2,2-Dichloropropane	9.25		"	10.0		92.5	56-150				
2-Chlorotoluene	9.88		"	10.0		98.8	79-130				
2-Hexanone	9.78		"	10.0		97.8	51-146				
4-Chlorotoluene	10.0		"	10.0		100	79-128				
Acetone	8.37		"	10.0		83.7	14-150				
Benzene	9.67		"	10.0		96.7	85-126				
Bromobenzene	9.63		"	10.0		96.3	78-129				
Bromochloromethane	9.28		"	10.0		92.8	77-128				
Bromodichloromethane	10.2		"	10.0		102	79-128				
Bromoform	10.1		"	10.0		101	78-133				
Bromomethane	8.66		"	10.0		86.6	43-168				
Carbon tetrachloride	10.0		"	10.0		100	77-141				
Chlorobenzene	10.4		"	10.0		104	88-120				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50206 - EPA 5030B											
LCS (BD50206-BS1)								Prepared & Analyzed: 04/03/2015			
Chloroethane	9.01		ug/L	10.0		90.1	65-136				
Chloroform	9.77		"	10.0		97.7	82-128				
Chloromethane	7.47		"	10.0		74.7	43-155				
cis-1,2-Dichloroethylene	10.2		"	10.0		102	83-129				
cis-1,3-Dichloropropylene	10.2		"	10.0		102	80-131				
Dibromochloromethane	10.4		"	10.0		104	80-130				
Dibromomethane	10.1		"	10.0		101	72-134				
Dichlorodifluoromethane	10.2		"	10.0		102	44-144				
Ethyl Benzene	10.0		"	10.0		100	80-131				
Hexachlorobutadiene	9.96		"	10.0		99.6	67-146				
Isopropylbenzene	10.2		"	10.0		102	76-140				
Methyl tert-butyl ether (MTBE)	9.34		"	10.0		93.4	76-135				
Methylene chloride	9.27		"	10.0		92.7	55-137				
Naphthalene	7.97		"	10.0		79.7	70-147				
n-Butylbenzene	10.1		"	10.0		101	79-132				
n-Propylbenzene	10.3		"	10.0		103	78-133				
o-Xylene	9.89		"	10.0		98.9	78-130				
p- & m- Xylenes	20.1		"	20.0		101	77-133				
p-Isopropyltoluene	10.2		"	10.0		102	81-136				
sec-Butylbenzene	10.4		"	10.0		104	79-137				
Styrene	9.99		"	10.0		99.9	67-132				
tert-Butylbenzene	10.2		"	10.0		102	77-138				
Tetrachloroethylene	10.6		"	10.0		106	82-131				
Toluene	10.2		"	10.0		102	80-127				
trans-1,2-Dichloroethylene	9.53		"	10.0		95.3	80-132				
trans-1,3-Dichloropropylene	9.95		"	10.0		99.5	78-131				
Trichloroethylene	10.0		"	10.0		100	82-128				
Trichlorofluoromethane	9.25		"	10.0		92.5	67-139				
Vinyl Chloride	8.43		"	10.0		84.3	58-145				
Surrogate: 1,2-Dichloroethane-d4	*9.20*		*"*	*10.0*		*92.0*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.5*		*"*	*10.0*		*105*	*79-122*				
Surrogate: Toluene-d8	*9.98*		*"*	*10.0*		*99.8*	*81-117*				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50206 - EPA 5030B											
LCS Dup (BD50206-BSD1)								Prepared & Analyzed: 04/03/2015			
1,1,1,2-Tetrachloroethane	10.4		ug/L	10.0		104	82-126		3.41	30	
1,1,1-Trichloroethane	10.9		"	10.0		109	78-136		7.82	30	
1,1,2,2-Tetrachloroethane	10.1		"	10.0		101	76-129		4.78	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.6		"	10.0		106	54-165		9.35	30	
1,1,2-Trichloroethane	9.70		"	10.0		97.0	82-123		4.53	30	
1,1-Dichloroethane	10.6		"	10.0		106	82-129		8.93	30	
1,1-Dichloroethylene	10.3		"	10.0		103	68-138		7.53	30	
1,1-Dichloropropylene	11.2		"	10.0		112	83-133		12.5	30	
1,2,3-Trichlorobenzene	8.78		"	10.0		87.8	76-136		9.05	30	
1,2,3-Trichloropropane	9.07		"	10.0		90.7	77-128		1.86	30	
1,2,4-Trichlorobenzene	9.96		"	10.0		99.6	76-137		5.57	30	
1,2,4-Trimethylbenzene	10.2		"	10.0		102	82-132		3.07	30	
1,2-Dibromo-3-chloropropane	10.4		"	10.0		104	45-147		2.62	30	
1,2-Dibromoethane	10.0		"	10.0		100	83-124		2.66	30	
1,2-Dichlorobenzene	10.8		"	10.0		108	79-123		3.57	30	
1,2-Dichloroethane	10.7		"	10.0		107	73-132		9.10	30	
1,2-Dichloropropane	9.35		"	10.0		93.5	78-126		3.88	30	
1,3,5-Trimethylbenzene	10.1		"	10.0		101	80-131		0.598	30	
1,3-Dichlorobenzene	10.5		"	10.0		105	86-122		6.69	30	
1,3-Dichloropropane	9.83		"	10.0		98.3	81-125		0.710	30	
1,4-Dichlorobenzene	10.4		"	10.0		104	85-124		1.55	30	
2,2-Dichloropropane	10.3		"	10.0		103	56-150		10.4	30	
2-Chlorotoluene	10.0		"	10.0		100	79-130		1.51	30	
2-Hexanone	9.26		"	10.0		92.6	51-146		5.46	30	
4-Chlorotoluene	10.2		"	10.0		102	79-128		1.59	30	
Acetone	8.25		"	10.0		82.5	14-150		1.44	30	
Benzene	10.3		"	10.0		103	85-126		6.12	30	
Bromobenzene	9.93		"	10.0		99.3	78-129		3.07	30	
Bromochloromethane	9.90		"	10.0		99.0	77-128		6.47	30	
Bromodichloromethane	9.71		"	10.0		97.1	79-128		5.31	30	
Bromoform	10.6		"	10.0		106	78-133		5.70	30	
Bromomethane	9.59		"	10.0		95.9	43-168		10.2	30	
Carbon tetrachloride	11.6		"	10.0		116	77-141		14.5	30	
Chlorobenzene	10.9		"	10.0		109	88-120		4.13	30	
Chloroethane	10.2		"	10.0		102	65-136		12.4	30	
Chloroform	10.6		"	10.0		106	82-128		8.15	30	
Chloromethane	8.29		"	10.0		82.9	43-155		10.4	30	
cis-1,2-Dichloroethylene	11.6		"	10.0		116	83-129		12.8	30	
cis-1,3-Dichloropropylene	9.57		"	10.0		95.7	80-131		6.18	30	
Dibromochloromethane	9.78		"	10.0		97.8	80-130		6.24	30	
Dibromomethane	9.65		"	10.0		96.5	72-134		4.56	30	
Dichlorodifluoromethane	11.2		"	10.0		112	44-144		9.51	30	
Ethyl Benzene	10.2		"	10.0		102	80-131		1.58	30	
Hexachlorobutadiene	10.5		"	10.0		105	67-146		5.28	30	
Isopropylbenzene	10.7		"	10.0		107	76-140		4.87	30	
Methyl tert-butyl ether (MTBE)	10.1		"	10.0		101	76-135		8.12	30	
Methylene chloride	9.89		"	10.0		98.9	55-137		6.47	30	
Naphthalene	8.47		"	10.0		84.7	70-147		6.08	30	
n-Butylbenzene	10.2		"	10.0		102	79-132		0.592	30	
n-Propylbenzene	10.3		"	10.0		103	78-133		0.486	30	
o-Xylene	9.81		"	10.0		98.1	78-130		0.812	30	

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50206 - EPA 5030B											
LCS Dup (BD50206-BSD1)								Prepared & Analyzed: 04/03/2015			
p- & m- Xylenes	19.6		ug/L	20.0		98.0	77-133		2.62	30	
p-Isopropyltoluene	10.3		"	10.0		103	81-136		1.37	30	
sec-Butylbenzene	10.8		"	10.0		108	79-137		3.60	30	
Styrene	9.99		"	10.0		99.9	67-132		0.00	30	
tert-Butylbenzene	10.8		"	10.0		108	77-138		6.09	30	
Tetrachloroethylene	10.4		"	10.0		104	82-131		2.09	30	
Toluene	10.3		"	10.0		103	80-127		0.880	30	
trans-1,2-Dichloroethylene	10.6		"	10.0		106	80-132		10.5	30	
trans-1,3-Dichloropropylene	9.49		"	10.0		94.9	78-131		4.73	30	
Trichloroethylene	9.74		"	10.0		97.4	82-128		2.83	30	
Trichlorofluoromethane	10.5		"	10.0		105	67-139		12.9	30	
Vinyl Chloride	9.42		"	10.0		94.2	58-145		11.1	30	
Surrogate: 1,2-Dichloroethane-d4	*10.1*		*"*	*10.0*		*101*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.2*		*"*	*10.0*		*102*	*79-122*				
Surrogate: Toluene-d8	*9.05*		*"*	*10.0*		*90.5*	*81-117*				
Batch BD50236 - EPA 5030B											
Blank (BD50236-BLK1)								Prepared & Analyzed: 04/06/2015			
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.82	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	0.59	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	ND	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50236 - EPA 5030B											
Blank (BD50236-BLK1)											Prepared & Analyzed: 04/06/2015
Chlorobenzene	ND	0.50	ug/L								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	ND	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	ND	2.0	"								
n-Butylbenzene	ND	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								
p- & m- Xylenes	ND	1.0	"								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	ND	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*10.8*		"	*10.0*		*108*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.3*		"	*10.0*		*103*	*79-122*				
Surrogate: Toluene-d8	*9.98*		"	*10.0*		*99.8*	*81-117*				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50236 - EPA 5030B											
LCS (BD50236-BS1)								Prepared & Analyzed: 04/06/2015			
1,1,1,2-Tetrachloroethane	10.0		ug/L	10.0		100	82-126				
1,1,1-Trichloroethane	10.5		"	10.0		105	78-136				
1,1,2,2-Tetrachloroethane	9.42		"	10.0		94.2	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.4		"	10.0		104	54-165				
1,1,2-Trichloroethane	9.99		"	10.0		99.9	82-123				
1,1-Dichloroethane	9.84		"	10.0		98.4	82-129				
1,1-Dichloroethylene	9.96		"	10.0		99.6	68-138				
1,1-Dichloropropylene	10.5		"	10.0		105	83-133				
1,2,3-Trichlorobenzene	8.27		"	10.0		82.7	76-136				
1,2,3-Trichloropropane	9.92		"	10.0		99.2	77-128				
1,2,4-Trichlorobenzene	9.18		"	10.0		91.8	76-137				
1,2,4-Trimethylbenzene	10.3		"	10.0		103	82-132				
1,2-Dibromo-3-chloropropane	10.2		"	10.0		102	45-147				
1,2-Dibromoethane	9.77		"	10.0		97.7	83-124				
1,2-Dichlorobenzene	10.3		"	10.0		103	79-123				
1,2-Dichloroethane	9.72		"	10.0		97.2	73-132				
1,2-Dichloropropane	9.60		"	10.0		96.0	78-126				
1,3,5-Trimethylbenzene	10.0		"	10.0		100	80-131				
1,3-Dichlorobenzene	10.0		"	10.0		100	86-122				
1,3-Dichloropropane	9.70		"	10.0		97.0	81-125				
1,4-Dichlorobenzene	10.4		"	10.0		104	85-124				
2,2-Dichloropropane	10.4		"	10.0		104	56-150				
2-Chlorotoluene	10.3		"	10.0		103	79-130				
2-Hexanone	9.19		"	10.0		91.9	51-146				
4-Chlorotoluene	10.1		"	10.0		101	79-128				
Acetone	8.21		"	10.0		82.1	14-150				
Benzene	10.2		"	10.0		102	85-126				
Bromobenzene	10.0		"	10.0		100	78-129				
Bromochloromethane	9.66		"	10.0		96.6	77-128				
Bromodichloromethane	10.0		"	10.0		100	79-128				
Bromoform	10.5		"	10.0		105	78-133				
Bromomethane	8.10		"	10.0		81.0	43-168				
Carbon tetrachloride	10.4		"	10.0		104	77-141				
Chlorobenzene	10.2		"	10.0		102	88-120				
Chloroethane	9.24		"	10.0		92.4	65-136				
Chloroform	9.96		"	10.0		99.6	82-128				
Chloromethane	7.39		"	10.0		73.9	43-155				
cis-1,2-Dichloroethylene	10.1		"	10.0		101	83-129				
cis-1,3-Dichloropropylene	9.92		"	10.0		99.2	80-131				
Dibromochloromethane	10.1		"	10.0		101	80-130				
Dibromomethane	9.63		"	10.0		96.3	72-134				
Dichlorodifluoromethane	10.5		"	10.0		105	44-144				
Ethyl Benzene	9.96		"	10.0		99.6	80-131				
Hexachlorobutadiene	10.6		"	10.0		106	67-146				
Isopropylbenzene	10.4		"	10.0		104	76-140				
Methyl tert-butyl ether (MTBE)	9.20		"	10.0		92.0	76-135				
Methylene chloride	9.03		"	10.0		90.3	55-137				
Naphthalene	8.00		"	10.0		80.0	70-147				
n-Butylbenzene	10.2		"	10.0		102	79-132				
n-Propylbenzene	10.5		"	10.0		105	78-133				
o-Xylene	9.64		"	10.0		96.4	78-130				

Volatile Organic Compounds by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50236 - EPA 5030B											
LCS (BD50236-BS1)								Prepared & Analyzed: 04/06/2015			
p- & m- Xylenes	19.6		ug/L	20.0		98.0	77-133				
p-Isopropyltoluene	10.3		"	10.0		103	81-136				
sec-Butylbenzene	10.7		"	10.0		107	79-137				
Styrene	9.84		"	10.0		98.4	67-132				
tert-Butylbenzene	10.4		"	10.0		104	77-138				
Tetrachloroethylene	10.5		"	10.0		105	82-131				
Toluene	9.92		"	10.0		99.2	80-127				
trans-1,2-Dichloroethylene	9.79		"	10.0		97.9	80-132				
trans-1,3-Dichloropropylene	10.1		"	10.0		101	78-131				
Trichloroethylene	10.2		"	10.0		102	82-128				
Trichlorofluoromethane	9.84		"	10.0		98.4	67-139				
Vinyl Chloride	8.92		"	10.0		89.2	58-145				
Surrogate: 1,2-Dichloroethane-d4	*9.93*		*"*	*10.0*		*99.3*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.4*		*"*	*10.0*		*104*	*79-122*				
Surrogate: Toluene-d8	*9.57*		*"*	*10.0*		*95.7*	*81-117*				
LCS Dup (BD50236-BSD1)								Prepared & Analyzed: 04/06/2015			
1,1,1,2-Tetrachloroethane	10.3		ug/L	10.0		103	82-126		2.46	30	
1,1,1-Trichloroethane	10.5		"	10.0		105	78-136		0.571	30	
1,1,2,2-Tetrachloroethane	10.1		"	10.0		101	76-129		7.16	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.4		"	10.0		104	54-165		0.578	30	
1,1,2-Trichloroethane	10.5		"	10.0		105	82-123		4.88	30	
1,1-Dichloroethane	10.0		"	10.0		100	82-129		1.61	30	
1,1-Dichloroethylene	9.87		"	10.0		98.7	68-138		0.908	30	
1,1-Dichloropropylene	10.3		"	10.0		103	83-133		1.83	30	
1,2,3-Trichlorobenzene	8.87		"	10.0		88.7	76-136		7.00	30	
1,2,3-Trichloropropane	10.1		"	10.0		101	77-128		2.09	30	
1,2,4-Trichlorobenzene	9.80		"	10.0		98.0	76-137		6.53	30	
1,2,4-Trimethylbenzene	11.0		"	10.0		110	82-132		6.87	30	
1,2-Dibromo-3-chloropropane	10.7		"	10.0		107	45-147		4.87	30	
1,2-Dibromoethane	10.5		"	10.0		105	83-124		6.82	30	
1,2-Dichlorobenzene	10.9		"	10.0		109	79-123		5.29	30	
1,2-Dichloroethane	9.49		"	10.0		94.9	73-132		2.39	30	
1,2-Dichloropropane	9.54		"	10.0		95.4	78-126		0.627	30	
1,3,5-Trimethylbenzene	10.8		"	10.0		108	80-131		7.22	30	
1,3-Dichlorobenzene	10.7		"	10.0		107	86-122		6.65	30	
1,3-Dichloropropane	10.0		"	10.0		100	81-125		3.15	30	
1,4-Dichlorobenzene	10.2		"	10.0		102	85-124		2.14	30	
2,2-Dichloropropane	10.1		"	10.0		101	56-150		3.13	30	
2-Chlorotoluene	10.6		"	10.0		106	79-130		3.16	30	
2-Hexanone	9.61		"	10.0		96.1	51-146		4.47	30	
4-Chlorotoluene	10.0		"	10.0		100	79-128		0.796	30	
Acetone	7.86		"	10.0		78.6	14-150		4.36	30	
Benzene	9.56		"	10.0		95.6	85-126		6.18	30	
Bromobenzene	10.5		"	10.0		105	78-129		4.57	30	
Bromochloromethane	9.19		"	10.0		91.9	77-128		4.99	30	
Bromodichloromethane	10.2		"	10.0		102	79-128		1.98	30	
Bromoform	10.7		"	10.0		107	78-133		2.36	30	
Bromomethane	8.69		"	10.0		86.9	43-168		7.03	30	
Carbon tetrachloride	10.9		"	10.0		109	77-141		4.97	30	
Chlorobenzene	10.3		"	10.0		103	88-120		1.17	30	
Chloroethane	9.49		"	10.0		94.9	65-136		2.67	30	

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50236 - EPA 5030B											
LCS Dup (BD50236-BSD1)								Prepared & Analyzed: 04/06/2015			
Chloroform	9.87		ug/L	10.0		98.7	82-128		0.908	30	
Chloromethane	7.49		"	10.0		74.9	43-155		1.34	30	
cis-1,2-Dichloroethylene	10.2		"	10.0		102	83-129		1.09	30	
cis-1,3-Dichloropropylene	9.98		"	10.0		99.8	80-131		0.603	30	
Dibromochloromethane	10.4		"	10.0		104	80-130		2.63	30	
Dibromomethane	10.1		"	10.0		101	72-134		4.67	30	
Dichlorodifluoromethane	10.4		"	10.0		104	44-144		1.15	30	
Ethyl Benzene	10.2		"	10.0		102	80-131		2.58	30	
Hexachlorobutadiene	11.2		"	10.0		112	67-146		5.32	30	
Isopropylbenzene	11.0		"	10.0		110	76-140		6.17	30	
Methyl tert-butyl ether (MTBE)	9.14		"	10.0		91.4	76-135		0.654	30	
Methylene chloride	9.04		"	10.0		90.4	55-137		0.111	30	
Naphthalene	8.26		"	10.0		82.6	70-147		3.20	30	
n-Butylbenzene	10.6		"	10.0		106	79-132		4.02	30	
n-Propylbenzene	11.2		"	10.0		112	78-133		6.26	30	
o-Xylene	10.1		"	10.0		101	78-130		4.56	30	
p- & m- Xylenes	19.8		"	20.0		98.8	77-133		0.915	30	
p-Isopropyltoluene	10.9		"	10.0		109	81-136		5.38	30	
sec-Butylbenzene	11.1		"	10.0		111	79-137		4.22	30	
Styrene	10.2		"	10.0		102	67-132		3.98	30	
tert-Butylbenzene	10.8		"	10.0		108	77-138		3.11	30	
Tetrachloroethylene	11.2		"	10.0		112	82-131		6.90	30	
Toluene	10.7		"	10.0		107	80-127		7.57	30	
trans-1,2-Dichloroethylene	9.75		"	10.0		97.5	80-132		0.409	30	
trans-1,3-Dichloropropylene	10.2		"	10.0		102	78-131		0.787	30	
Trichloroethylene	10.7		"	10.0		107	82-128		5.28	30	
Trichlorofluoromethane	10.1		"	10.0		101	67-139		2.51	30	
Vinyl Chloride	9.21		"	10.0		92.1	58-145		3.20	30	
Surrogate: 1,2-Dichloroethane-d4	*9.28*		*"*	*10.0*		*92.8*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.8*		*"*	*10.0*		*108*	*79-122*				
Surrogate: Toluene-d8	*9.83*		*"*	*10.0*		*98.3*	*81-117*				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50236 - EPA 5030B											
Matrix Spike (BD50236-MS1)	*Source sample: 15C0938-30 (MW-53)							Prepared & Analyzed: 04/06/2015			
1,1,1,2-Tetrachloroethane	9.87		ug/L	10.0	ND	98.7	45-161				
1,1,1-Trichloroethane	10.5		"	10.0	ND	105	70-146				
1,1,2,2-Tetrachloroethane	9.09		"	10.0	ND	90.9	74-121				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.97		"	10.0	ND	99.7	21-217				
1,1,2-Trichloroethane	9.69		"	10.0	ND	96.9	59-146				
1,1-Dichloroethane	9.96		"	10.0	ND	99.6	54-146				
1,1-Dichloroethylene	10.1		"	10.0	ND	101	44-165				
1,1-Dichloropropylene	9.51		"	10.0	ND	95.1	82-134				
1,2,3-Trichlorobenzene	6.39		"	10.0	ND	63.9	40-161				
1,2,3-Trichloropropane	9.03		"	10.0	ND	90.3	74-127				
1,2,4-Trichlorobenzene	7.24		"	10.0	ND	72.4	41-161				
1,2,4-Trimethylbenzene	9.18		"	10.0	ND	91.8	72-129				
1,2-Dibromo-3-chloropropane	8.92		"	10.0	ND	89.2	31-151				
1,2-Dibromoethane	9.64		"	10.0	ND	96.4	75-125				
1,2-Dichlorobenzene	9.44		"	10.0	ND	94.4	63-122				
1,2-Dichloroethane	9.76		"	10.0	ND	97.6	68-131				
1,2-Dichloropropane	9.27		"	10.0	ND	92.7	77-121				
1,3,5-Trimethylbenzene	9.14		"	10.0	ND	91.4	69-126				
1,3-Dichlorobenzene	8.67		"	10.0	ND	86.7	74-119				
1,3-Dichloropropane	9.12		"	10.0	ND	91.2	77-119				
1,4-Dichlorobenzene	8.71		"	10.0	ND	87.1	70-124				
2,2-Dichloropropane	2.44		"	10.0	ND	24.4	10-160				
2-Chlorotoluene	9.05		"	10.0	ND	90.5	70-126				
2-Hexanone	9.00		"	10.0	ND	90.0	53-133				
4-Chlorotoluene	8.94		"	10.0	ND	89.4	69-124				
Acetone	8.75		"	10.0	ND	87.5	13-149				
Benzene	9.89		"	10.0	ND	98.9	38-155				
Bromobenzene	8.94		"	10.0	ND	89.4	72-122				
Bromochloromethane	8.99		"	10.0	ND	89.9	75-121				
Bromodichloromethane	9.65		"	10.0	ND	96.5	70-129				
Bromoform	9.51		"	10.0	ND	95.1	66-136				
Bromomethane	5.95		"	10.0	ND	59.5	30-158				
Carbon tetrachloride	9.88		"	10.0	ND	98.8	71-146				
Chlorobenzene	9.33		"	10.0	ND	93.3	81-117				
Chloroethane	10.4		"	10.0	ND	104	51-145				
Chloroform	10.3		"	10.0	ND	103	80-124				
Chloromethane	6.23		"	10.0	ND	62.3	16-163				
cis-1,2-Dichloroethylene	10.2		"	10.0	ND	102	76-125				
cis-1,3-Dichloropropylene	7.43		"	10.0	ND	74.3	58-131				
Dibromochloromethane	9.93		"	10.0	ND	99.3	71-129				
Dibromomethane	9.58		"	10.0	ND	95.8	76-120				
Dichlorodifluoromethane	7.95		"	10.0	ND	79.5	30-147				
Ethyl Benzene	9.03		"	10.0	ND	90.3	72-128				
Hexachlorobutadiene	7.85		"	10.0	ND	78.5	34-166				
Isopropylbenzene	9.84		"	10.0	ND	98.4	66-139				
Methyl tert-butyl ether (MTBE)	10.2		"	10.0	ND	102	75-128				
Methylene chloride	8.68		"	10.0	ND	86.8	57-128				
Naphthalene	6.16		"	10.0	ND	61.6	39-158				
n-Butylbenzene	8.27		"	10.0	ND	82.7	61-138				
n-Propylbenzene	9.23		"	10.0	ND	92.3	66-134				
o-Xylene	8.83		"	10.0	ND	88.3	69-126				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50236 - EPA 5030B											
Matrix Spike (BD50236-MS1)	*Source sample: 15C0938-30 (MW-53)							Prepared & Analyzed: 04/06/2015			
p- & m- Xylenes	18.3		ug/L	20.0	ND	91.5	67-130				
p-Isopropyltoluene	8.59		"	10.0	ND	85.9	64-137				
sec-Butylbenzene	9.86		"	10.0	ND	98.6	53-155				
Styrene	8.56		"	10.0	ND	85.6	69-125				
tert-Butylbenzene	9.59		"	10.0	ND	95.9	65-139				
Tetrachloroethylene	9.43		"	10.0	ND	94.3	64-139				
Toluene	9.82		"	10.0	ND	98.2	76-123				
trans-1,2-Dichloroethylene	9.51		"	10.0	ND	95.1	79-131				
trans-1,3-Dichloropropylene	7.08		"	10.0	ND	70.8	55-130				
Trichloroethylene	9.87		"	10.0	ND	98.7	53-145				
Trichlorofluoromethane	9.58		"	10.0	ND	95.8	61-142				
Vinyl Chloride	8.70		"	10.0	ND	87.0	31-165				
Surrogate: 1,2-Dichloroethane-d4	*10.4*		*"*	*10.0*		*104*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.5*		*"*	*10.0*		*105*	*79-122*				
Surrogate: Toluene-d8	*10.1*		*"*	*10.0*		*101*	*81-117*				
Matrix Spike Dup (BD50236-MSD1)	*Source sample: 15C0938-30 (MW-53)							Prepared & Analyzed: 04/06/2015			
1,1,1,2-Tetrachloroethane	9.46		ug/L	10.0	ND	94.6	45-161		4.24	30	
1,1,1-Trichloroethane	10.2		"	10.0	ND	102	70-146		3.48	30	
1,1,2,2-Tetrachloroethane	9.45		"	10.0	ND	94.5	74-121		3.88	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	9.43		"	10.0	ND	94.3	21-217		5.57	30	
1,1,2-Trichloroethane	9.59		"	10.0	ND	95.9	59-146		1.04	30	
1,1-Dichloroethane	9.83		"	10.0	ND	98.3	54-146		1.31	30	
1,1-Dichloroethylene	9.46		"	10.0	ND	94.6	44-165		6.94	30	
1,1-Dichloropropylene	9.60		"	10.0	ND	96.0	82-134		0.942	30	
1,2,3-Trichlorobenzene	7.30		"	10.0	ND	73.0	40-161		13.3	30	
1,2,3-Trichloropropane	9.49		"	10.0	ND	94.9	74-127		4.97	30	
1,2,4-Trichlorobenzene	7.87		"	10.0	ND	78.7	41-161		8.34	30	
1,2,4-Trimethylbenzene	9.30		"	10.0	ND	93.0	72-129		1.30	30	
1,2-Dibromo-3-chloropropane	10.0		"	10.0	ND	100	31-151		11.5	30	
1,2-Dibromoethane	9.57		"	10.0	ND	95.7	75-125		0.729	30	
1,2-Dichlorobenzene	9.30		"	10.0	ND	93.0	63-122		1.49	30	
1,2-Dichloroethane	9.68		"	10.0	ND	96.8	68-131		0.823	30	
1,2-Dichloropropane	9.41		"	10.0	ND	94.1	77-121		1.50	30	
1,3,5-Trimethylbenzene	9.67		"	10.0	ND	96.7	69-126		5.64	30	
1,3-Dichlorobenzene	9.56		"	10.0	ND	95.6	74-119		9.76	30	
1,3-Dichloropropane	9.42		"	10.0	ND	94.2	77-119		3.24	30	
1,4-Dichlorobenzene	9.20		"	10.0	ND	92.0	70-124		5.47	30	
2,2-Dichloropropane	2.48		"	10.0	ND	24.8	10-160		1.63	30	
2-Chlorotoluene	9.65		"	10.0	ND	96.5	70-126		6.42	30	
2-Hexanone	8.65		"	10.0	ND	86.5	53-133		3.97	30	
4-Chlorotoluene	9.31		"	10.0	ND	93.1	69-124		4.05	30	
Acetone	8.71		"	10.0	ND	87.1	13-149		0.458	30	
Benzene	9.64		"	10.0	ND	96.4	38-155		2.56	30	
Bromobenzene	9.27		"	10.0	ND	92.7	72-122		3.62	30	
Bromochloromethane	9.07		"	10.0	ND	90.7	75-121		0.886	30	
Bromodichloromethane	9.53		"	10.0	ND	95.3	70-129		1.25	30	
Bromoform	10.2		"	10.0	ND	102	66-136		7.49	30	
Bromomethane	6.34		"	10.0	ND	63.4	30-158		6.35	30	
Carbon tetrachloride	9.65		"	10.0	ND	96.5	71-146		2.36	30	
Chlorobenzene	9.47		"	10.0	ND	94.7	81-117		1.49	30	
Chloroethane	9.59		"	10.0	ND	95.9	51-145		8.10	30	

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50236 - EPA 5030B											
Matrix Spike Dup (BD50236-MSD1)	*Source sample: 15C0938-30 (MW-53)							Prepared & Analyzed: 04/06/2015			
Chloroform	9.86		ug/L	10.0	ND	98.6	80-124		4.56	30	
Chloromethane	6.19		"	10.0	ND	61.9	16-163		0.644	30	
cis-1,2-Dichloroethylene	10.2		"	10.0	ND	102	76-125		0.491	30	
cis-1,3-Dichloropropylene	7.02		"	10.0	ND	70.2	58-131		5.67	30	
Dibromochloromethane	9.87		"	10.0	ND	98.7	71-129		0.606	30	
Dibromomethane	9.69		"	10.0	ND	96.9	76-120		1.14	30	
Dichlorodifluoromethane	7.44		"	10.0	ND	74.4	30-147		6.63	30	
Ethyl Benzene	9.07		"	10.0	ND	90.7	72-128		0.442	30	
Hexachlorobutadiene	8.40		"	10.0	ND	84.0	34-166		6.77	30	
Isopropylbenzene	10.1		"	10.0	ND	101	66-139		2.41	30	
Methyl tert-butyl ether (MTBE)	10.2		"	10.0	ND	102	75-128		0.0981	30	
Methylene chloride	8.79		"	10.0	ND	87.9	57-128		1.26	30	
Naphthalene	7.67		"	10.0	ND	76.7	39-158		21.8	30	
n-Butylbenzene	8.48		"	10.0	ND	84.8	61-138		2.51	30	
n-Propylbenzene	9.77		"	10.0	ND	97.7	66-134		5.68	30	
o-Xylene	8.99		"	10.0	ND	89.9	69-126		1.80	30	
p- & m- Xylenes	18.1		"	20.0	ND	90.6	67-130		0.988	30	
p-Isopropyltoluene	9.37		"	10.0	ND	93.7	64-137		8.69	30	
sec-Butylbenzene	9.67		"	10.0	ND	96.7	53-155		1.95	30	
Styrene	8.78		"	10.0	ND	87.8	69-125		2.54	30	
tert-Butylbenzene	9.71		"	10.0	ND	97.1	65-139		1.24	30	
Tetrachloroethylene	9.57		"	10.0	ND	95.7	64-139		1.47	30	
Toluene	9.04		"	10.0	ND	90.4	76-123		8.27	30	
trans-1,2-Dichloroethylene	9.32		"	10.0	ND	93.2	79-131		2.02	30	
trans-1,3-Dichloropropylene	7.14		"	10.0	ND	71.4	55-130		0.844	30	
Trichloroethylene	9.21		"	10.0	ND	92.1	53-145		6.92	30	
Trichlorofluoromethane	8.88		"	10.0	ND	88.8	61-142		7.58	30	
Vinyl Chloride	8.56		"	10.0	ND	85.6	31-165		1.62	30	
Surrogate: 1,2-Dichloroethane-d4	*10.2*		*"*	*10.0*		*102*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.4*		*"*	*10.0*		*104*	*79-122*				
Surrogate: Toluene-d8	*9.57*		*"*	*10.0*		*95.7*	*81-117*				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50287 - EPA 5030B											
Blank (BD50287-BLK1)											
Prepared & Analyzed: 04/06/2015											
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.63	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	ND	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	1.6	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	ND	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	ND	2.0	"								
n-Butylbenzene	ND	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								

Volatile Organic Compounds by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50287 - EPA 5030B											
Blank (BD50287-BLK1)								Prepared & Analyzed: 04/06/2015			
p- & m- Xylenes	ND	1.0	ug/L								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	ND	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*11.3*		*"*	*10.0*		*113*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.3*		*"*	*10.0*		*103*	*79-122*				
Surrogate: Toluene-d8	*9.44*		*"*	*10.0*		*94.4*	*81-117*				
LCS (BD50287-BS1)								Prepared & Analyzed: 04/06/2015			
1,1,1,2-Tetrachloroethane	10.2	0.50	ug/L	10.0		102	82-126				
1,1,1-Trichloroethane	11.0	0.50	"	10.0		110	78-136				
1,1,2,2-Tetrachloroethane	10.3	0.50	"	10.0		103	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.8	0.50	"	10.0		108	54-165				
1,1,2-Trichloroethane	10.3	0.50	"	10.0		103	82-123				
1,1-Dichloroethane	11.1	0.50	"	10.0		111	82-129				
1,1-Dichloroethylene	10.6	0.50	"	10.0		106	68-138				
1,1-Dichloropropylene	10.7	0.50	"	10.0		107	83-133				
1,2,3-Trichlorobenzene	8.25	0.50	"	10.0		82.5	76-136				
1,2,3-Trichloropropane	10.2	0.50	"	10.0		102	77-128				
1,2,4-Trichlorobenzene	9.56	0.50	"	10.0		95.6	76-137				
1,2,4-Trimethylbenzene	10.3	0.50	"	10.0		103	82-132				
1,2-Dibromo-3-chloropropane	11.2	0.50	"	10.0		112	45-147				
1,2-Dibromoethane	10.6	0.50	"	10.0		106	83-124				
1,2-Dichlorobenzene	10.8	0.50	"	10.0		108	79-123				
1,2-Dichloroethane	10.6	0.50	"	10.0		106	73-132				
1,2-Dichloropropane	9.28	0.50	"	10.0		92.8	78-126				
1,3,5-Trimethylbenzene	10.4	0.50	"	10.0		104	80-131				
1,3-Dichlorobenzene	10.2	0.50	"	10.0		102	86-122				
1,3-Dichloropropane	10.5	0.50	"	10.0		105	81-125				
1,4-Dichlorobenzene	10.7	0.50	"	10.0		107	85-124				
2,2-Dichloropropane	10.5	0.50	"	10.0		105	56-150				
2-Chlorotoluene	10.7	0.50	"	10.0		107	79-130				
2-Hexanone	9.53	0.50	"	10.0		95.3	51-146				
4-Chlorotoluene	10.4	0.50	"	10.0		104	79-128				
Acetone	12.0	2.0	"	10.0		120	14-150				
Benzene	10.9	0.50	"	10.0		109	85-126				
Bromobenzene	9.96	0.50	"	10.0		99.6	78-129				
Bromochloromethane	10.4	0.50	"	10.0		104	77-128				
Bromodichloromethane	10.4	0.50	"	10.0		104	79-128				
Bromoform	10.7	0.50	"	10.0		107	78-133				
Bromomethane	7.22	0.50	"	10.0		72.2	43-168				
Carbon tetrachloride	11.1	0.50	"	10.0		111	77-141				
Chlorobenzene	10.2	0.50	"	10.0		102	88-120				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50287 - EPA 5030B											
LCS (BD50287-BS1)								Prepared & Analyzed: 04/06/2015			
Chloroethane	11.4	0.50	ug/L	10.0		114	65-136				
Chloroform	10.7	0.50	"	10.0		107	82-128				
Chloromethane	8.12	0.50	"	10.0		81.2	43-155				
cis-1,2-Dichloroethylene	11.2	0.50	"	10.0		112	83-129				
cis-1,3-Dichloropropylene	9.98	0.50	"	10.0		99.8	80-131				
Dibromochloromethane	10.6	0.50	"	10.0		106	80-130				
Dibromomethane	10.3	0.50	"	10.0		103	72-134				
Dichlorodifluoromethane	11.2	0.50	"	10.0		112	44-144				
Ethyl Benzene	9.79	0.50	"	10.0		97.9	80-131				
Hexachlorobutadiene	10.8	0.50	"	10.0		108	67-146				
Isopropylbenzene	10.8	0.50	"	10.0		108	76-140				
Methyl tert-butyl ether (MTBE)	12.5	0.50	"	10.0		125	76-135				
Methylene chloride	11.0	2.0	"	10.0		110	55-137				
Naphthalene	8.05	2.0	"	10.0		80.5	70-147				
n-Butylbenzene	10.2	0.50	"	10.0		102	79-132				
n-Propylbenzene	10.8	0.50	"	10.0		108	78-133				
o-Xylene	9.80	0.50	"	10.0		98.0	78-130				
p- & m- Xylenes	20.2	1.0	"	20.0		101	77-133				
p-Isopropyltoluene	10.5	0.50	"	10.0		105	81-136				
sec-Butylbenzene	10.7	0.50	"	10.0		107	79-137				
Styrene	9.96	0.50	"	10.0		99.6	67-132				
tert-Butylbenzene	10.8	0.50	"	10.0		108	77-138				
Tetrachloroethylene	10.8	0.50	"	10.0		108	82-131				
Toluene	10.0	0.50	"	10.0		100	80-127				
trans-1,2-Dichloroethylene	10.9	0.50	"	10.0		109	80-132				
trans-1,3-Dichloropropylene	10.3	0.50	"	10.0		103	78-131				
Trichloroethylene	9.83	0.50	"	10.0		98.3	82-128				
Trichlorofluoromethane	11.2	0.50	"	10.0		112	67-139				
Vinyl Chloride	10.4	0.50	"	10.0		104	58-145				
Surrogate: 1,2-Dichloroethane-d4	*10.4*		*"*	*10.0*		*104*	*69-130*				
Surrogate: p-Bromofluorobenzene	*11.0*		*"*	*10.0*		*110*	*79-122*				
Surrogate: Toluene-d8	*9.79*		*"*	*10.0*		*97.9*	*81-117*				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50287 - EPA 5030B											
LCS Dup (BD50287-BSD1)								Prepared & Analyzed: 04/06/2015			
1,1,1,2-Tetrachloroethane	5.47	0.50	ug/L	5.00		109	82-126		6.71	30	
1,1,1-Trichloroethane	6.02	0.50	"	5.00		120	78-136		8.67	30	
1,1,2,2-Tetrachloroethane	5.04	0.50	"	5.00		101	76-129		1.77	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	6.14	0.50	"	5.00		123	54-165		12.8	30	
1,1,2-Trichloroethane	5.25	0.50	"	5.00		105	82-123		2.02	30	
1,1-Dichloroethane	5.61	0.50	"	5.00		112	82-129		1.44	30	
1,1-Dichloroethylene	5.88	0.50	"	5.00		118	68-138		10.5	30	
1,1-Dichloropropylene	5.98	0.50	"	5.00		120	83-133		10.9	30	
1,2,3-Trichlorobenzene	4.57	0.50	"	5.00		91.4	76-136		10.2	30	
1,2,3-Trichloropropane	5.05	0.50	"	5.00		101	77-128		0.592	30	
1,2,4-Trichlorobenzene	4.99	0.50	"	5.00		99.8	76-137		4.30	30	
1,2,4-Trimethylbenzene	5.10	0.50	"	5.00		102	82-132		0.587	30	
1,2-Dibromo-3-chloropropane	5.21	0.50	"	5.00		104	45-147		7.22	30	
1,2-Dibromoethane	5.38	0.50	"	5.00		108	83-124		1.59	30	
1,2-Dichlorobenzene	5.49	0.50	"	5.00		110	79-123		2.12	30	
1,2-Dichloroethane	5.64	0.50	"	5.00		113	73-132		6.59	30	
1,2-Dichloropropane	5.40	0.50	"	5.00		108	78-126		15.1	30	
1,3,5-Trimethylbenzene	5.35	0.50	"	5.00		107	80-131		3.23	30	
1,3-Dichlorobenzene	5.69	0.50	"	5.00		114	86-122		10.4	30	
1,3-Dichloropropane	5.33	0.50	"	5.00		107	81-125		1.61	30	
1,4-Dichlorobenzene	5.42	0.50	"	5.00		108	85-124		0.927	30	
2,2-Dichloropropane	6.03	0.50	"	5.00		121	56-150		13.9	30	
2-Chlorotoluene	5.60	0.50	"	5.00		112	79-130		4.94	30	
2-Hexanone	5.05	0.50	"	5.00		101	51-146		5.81	30	
4-Chlorotoluene	5.22	0.50	"	5.00		104	79-128		0.673	30	
Acetone	7.83	2.0	"	5.00		157	14-150	High Bias	26.7	30	
Benzene	5.54	0.50	"	5.00		111	85-126		1.82	30	
Bromobenzene	5.16	0.50	"	5.00		103	78-129		3.55	30	
Bromochloromethane	5.61	0.50	"	5.00		112	77-128		7.49	30	
Bromodichloromethane	5.52	0.50	"	5.00		110	79-128		5.68	30	
Bromoform	4.95	0.50	"	5.00		99.0	78-133		7.67	30	
Bromomethane	3.89	0.50	"	5.00		77.8	43-168		7.47	30	
Carbon tetrachloride	5.95	0.50	"	5.00		119	77-141		7.23	30	
Chlorobenzene	5.50	0.50	"	5.00		110	88-120		7.06	30	
Chloroethane	5.91	0.50	"	5.00		118	65-136		3.79	30	
Chloroform	5.82	0.50	"	5.00		116	82-128		8.04	30	
Chloromethane	4.83	0.50	"	5.00		96.6	43-155		17.3	30	
cis-1,2-Dichloroethylene	6.08	0.50	"	5.00		122	83-129		8.13	30	
cis-1,3-Dichloropropylene	5.17	0.50	"	5.00		103	80-131		3.54	30	
Dibromochloromethane	5.20	0.50	"	5.00		104	80-130		2.09	30	
Dibromomethane	5.15	0.50	"	5.00		103	72-134		0.292	30	
Dichlorodifluoromethane	5.75	0.50	"	5.00		115	44-144		2.82	30	
Ethyl Benzene	5.42	0.50	"	5.00		108	80-131		10.2	30	
Hexachlorobutadiene	5.59	0.50	"	5.00		112	67-146		3.00	30	
Isopropylbenzene	5.46	0.50	"	5.00		109	76-140		0.643	30	
Methyl tert-butyl ether (MTBE)	6.19	0.50	"	5.00		124	76-135		0.805	30	
Methylene chloride	6.42	2.0	"	5.00		128	55-137		15.6	30	
Naphthalene	4.57	2.0	"	5.00		91.4	70-147		12.7	30	
n-Butylbenzene	5.55	0.50	"	5.00		111	79-132		8.65	30	
n-Propylbenzene	5.71	0.50	"	5.00		114	78-133		5.58	30	
o-Xylene	5.18	0.50	"	5.00		104	78-130		5.56	30	

Volatile Organic Compounds by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50287 - EPA 5030B											
LCS Dup (BD50287-BSD1)								Prepared & Analyzed: 04/06/2015			
p- & m- Xylenes	11.1	1.0	ug/L	10.0		111	77-133		9.67	30	
p-Isopropyltoluene	5.65	0.50	"	5.00		113	81-136		7.53	30	
sec-Butylbenzene	5.73	0.50	"	5.00		115	79-137		6.95	30	
Styrene	5.19	0.50	"	5.00		104	67-132		4.13	30	
tert-Butylbenzene	5.16	0.50	"	5.00		103	77-138		4.73	30	
Tetrachloroethylene	5.83	0.50	"	5.00		117	82-131		7.38	30	
Toluene	5.70	0.50	"	5.00		114	80-127		12.6	30	
trans-1,2-Dichloroethylene	5.86	0.50	"	5.00		117	80-132		7.62	30	
trans-1,3-Dichloropropylene	5.26	0.50	"	5.00		105	78-131		2.21	30	
Trichloroethylene	5.61	0.50	"	5.00		112	82-128		13.2	30	
Trichlorofluoromethane	6.57	0.50	"	5.00		131	67-139		16.0	30	
Vinyl Chloride	5.07	0.50	"	5.00		101	58-145		2.34	30	
Surrogate: 1,2-Dichloroethane-d4	*10.2*		*"*	*10.0*		*102*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.4*		*"*	*10.0*		*104*	*79-122*				
Surrogate: Toluene-d8	*9.72*		*"*	*10.0*		*97.2*	*81-117*				
Batch BD50318 - EPA 5030B											
Blank (BD50318-BLK1)								Prepared & Analyzed: 04/07/2015			
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.75	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	0.56	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	ND	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	1.3	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50318 - EPA 5030B											
Blank (BD50318-BLK1)											Prepared & Analyzed: 04/07/2015
Chlorobenzene	ND	0.50	ug/L								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	ND	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	ND	2.0	"								
n-Butylbenzene	ND	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								
p- & m- Xylenes	ND	1.0	"								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	ND	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*10.4*		*"*	*10.0*		*104*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.61*		*"*	*10.0*		*96.1*	*79-122*				
Surrogate: Toluene-d8	*10.1*		*"*	*10.0*		*101*	*81-117*				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50318 - EPA 5030B											
LCS (BD50318-BS1)								Prepared & Analyzed: 04/07/2015			
1,1,1,2-Tetrachloroethane	9.87		ug/L	10.0		98.7	82-126				
1,1,1-Trichloroethane	10.6		"	10.0		106	78-136				
1,1,2,2-Tetrachloroethane	9.06		"	10.0		90.6	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.4		"	10.0		104	54-165				
1,1,2-Trichloroethane	9.32		"	10.0		93.2	82-123				
1,1-Dichloroethane	10.5		"	10.0		105	82-129				
1,1-Dichloroethylene	9.79		"	10.0		97.9	68-138				
1,1-Dichloropropylene	10.1		"	10.0		101	83-133				
1,2,3-Trichlorobenzene	7.74		"	10.0		77.4	76-136				
1,2,3-Trichloropropane	9.14		"	10.0		91.4	77-128				
1,2,4-Trichlorobenzene	8.79		"	10.0		87.9	76-137				
1,2,4-Trimethylbenzene	9.75		"	10.0		97.5	82-132				
1,2-Dibromo-3-chloropropane	9.34		"	10.0		93.4	45-147				
1,2-Dibromoethane	9.70		"	10.0		97.0	83-124				
1,2-Dichlorobenzene	10.0		"	10.0		100	79-123				
1,2-Dichloroethane	9.91		"	10.0		99.1	73-132				
1,2-Dichloropropane	9.06		"	10.0		90.6	78-126				
1,3,5-Trimethylbenzene	10.2		"	10.0		102	80-131				
1,3-Dichlorobenzene	9.90		"	10.0		99.0	86-122				
1,3-Dichloropropane	9.57		"	10.0		95.7	81-125				
1,4-Dichlorobenzene	9.73		"	10.0		97.3	85-124				
2,2-Dichloropropane	10.3		"	10.0		103	56-150				
2-Chlorotoluene	9.95		"	10.0		99.5	79-130				
2-Hexanone	8.48		"	10.0		84.8	51-146				
4-Chlorotoluene	9.93		"	10.0		99.3	79-128				
Acetone	9.00		"	10.0		90.0	14-150				
Benzene	9.82		"	10.0		98.2	85-126				
Bromobenzene	9.08		"	10.0		90.8	78-129				
Bromochloromethane	9.70		"	10.0		97.0	77-128				
Bromodichloromethane	9.46		"	10.0		94.6	79-128				
Bromoform	9.98		"	10.0		99.8	78-133				
Bromomethane	8.37		"	10.0		83.7	43-168				
Carbon tetrachloride	10.5		"	10.0		105	77-141				
Chlorobenzene	10.0		"	10.0		100	88-120				
Chloroethane	9.04		"	10.0		90.4	65-136				
Chloroform	10.2		"	10.0		102	82-128				
Chloromethane	7.61		"	10.0		76.1	43-155				
cis-1,2-Dichloroethylene	10.3		"	10.0		103	83-129				
cis-1,3-Dichloropropylene	9.48		"	10.0		94.8	80-131				
Dibromochloromethane	9.44		"	10.0		94.4	80-130				
Dibromomethane	9.24		"	10.0		92.4	72-134				
Dichlorodifluoromethane	9.94		"	10.0		99.4	44-144				
Ethyl Benzene	9.82		"	10.0		98.2	80-131				
Hexachlorobutadiene	9.76		"	10.0		97.6	67-146				
Isopropylbenzene	10.1		"	10.0		101	76-140				
Methyl tert-butyl ether (MTBE)	7.57		"	10.0		75.7	76-135	Low Bias			
Methylene chloride	9.73		"	10.0		97.3	55-137				
Naphthalene	7.16		"	10.0		71.6	70-147				
n-Butylbenzene	9.87		"	10.0		98.7	79-132				
n-Propylbenzene	9.98		"	10.0		99.8	78-133				
o-Xylene	9.27		"	10.0		92.7	78-130				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50318 - EPA 5030B											
LCS (BD50318-BS1)							Prepared & Analyzed: 04/07/2015				
p- & m- Xylenes	19.1		ug/L	20.0		95.7	77-133				
p-Isopropyltoluene	9.81		"	10.0		98.1	81-136				
sec-Butylbenzene	10.2		"	10.0		102	79-137				
Styrene	9.31		"	10.0		93.1	67-132				
tert-Butylbenzene	10.2		"	10.0		102	77-138				
Tetrachloroethylene	9.89		"	10.0		98.9	82-131				
Toluene	9.92		"	10.0		99.2	80-127				
trans-1,2-Dichloroethylene	10.1		"	10.0		101	80-132				
trans-1,3-Dichloropropylene	9.86		"	10.0		98.6	78-131				
Trichloroethylene	9.13		"	10.0		91.3	82-128				
Trichlorofluoromethane	10.6		"	10.0		106	67-139				
Vinyl Chloride	8.82		"	10.0		88.2	58-145				
Surrogate: 1,2-Dichloroethane-d4	*9.98*		*"*	*10.0*		*99.8*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.2*		*"*	*10.0*		*102*	*79-122*				
Surrogate: Toluene-d8	*9.73*		*"*	*10.0*		*97.3*	*81-117*				
LCS Dup (BD50318-BSD1)							Prepared & Analyzed: 04/07/2015				
1,1,1,2-Tetrachloroethane	10.0		ug/L	10.0		100	82-126		1.61	30	
1,1,1-Trichloroethane	10.4		"	10.0		104	78-136		1.81	30	
1,1,2,2-Tetrachloroethane	10.3		"	10.0		103	76-129		12.7	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	10.7		"	10.0		107	54-165		3.23	30	
1,1,2-Trichloroethane	10.6		"	10.0		106	82-123		12.4	30	
1,1-Dichloroethane	10.0		"	10.0		100	82-129		4.00	30	
1,1-Dichloroethylene	10.3		"	10.0		103	68-138		5.46	30	
1,1-Dichloropropylene	10.2		"	10.0		102	83-133		0.884	30	
1,2,3-Trichlorobenzene	8.59		"	10.0		85.9	76-136		10.4	30	
1,2,3-Trichloropropane	9.71		"	10.0		97.1	77-128		6.05	30	
1,2,4-Trichlorobenzene	9.86		"	10.0		98.6	76-137		11.5	30	
1,2,4-Trimethylbenzene	9.85		"	10.0		98.5	82-132		1.02	30	
1,2-Dibromo-3-chloropropane	9.92		"	10.0		99.2	45-147		6.02	30	
1,2-Dibromoethane	10.4		"	10.0		104	83-124		6.48	30	
1,2-Dichlorobenzene	10.2		"	10.0		102	79-123		1.97	30	
1,2-Dichloroethane	9.96		"	10.0		99.6	73-132		0.503	30	
1,2-Dichloropropane	10.5		"	10.0		105	78-126		14.9	30	
1,3,5-Trimethylbenzene	10.7		"	10.0		107	80-131		5.16	30	
1,3-Dichlorobenzene	10.0		"	10.0		100	86-122		1.01	30	
1,3-Dichloropropane	10.1		"	10.0		101	81-125		5.29	30	
1,4-Dichlorobenzene	10.1		"	10.0		101	85-124		3.53	30	
2,2-Dichloropropane	10.4		"	10.0		104	56-150		0.483	30	
2-Chlorotoluene	10.6		"	10.0		106	79-130		5.85	30	
2-Hexanone	9.94		"	10.0		99.4	51-146		15.9	30	
4-Chlorotoluene	10.6		"	10.0		106	79-128		7.00	30	
Acetone	9.94		"	10.0		99.4	14-150		9.93	30	
Benzene	9.86		"	10.0		98.6	85-126		0.407	30	
Bromobenzene	10.4		"	10.0		104	78-129		13.1	30	
Bromochloromethane	9.59		"	10.0		95.9	77-128		1.14	30	
Bromodichloromethane	10.4		"	10.0		104	79-128		9.08	30	
Bromoform	10.6		"	10.0		106	78-133		5.84	30	
Bromomethane	8.14		"	10.0		81.4	43-168		2.79	30	
Carbon tetrachloride	10.9		"	10.0		109	77-141		3.55	30	
Chlorobenzene	10.0		"	10.0		100	88-120		0.0996	30	
Chloroethane	9.77		"	10.0		97.7	65-136		7.76	30	

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50318 - EPA 5030B											
LCS Dup (BD50318-BSD1)								Prepared & Analyzed: 04/07/2015			
Chloroform	10.4		ug/L	10.0		104	82-128		1.94	30	
Chloromethane	7.84		"	10.0		78.4	43-155		2.98	30	
cis-1,2-Dichloroethylene	10.4		"	10.0		104	83-129		1.74	30	
cis-1,3-Dichloropropylene	9.73		"	10.0		97.3	80-131		2.60	30	
Dibromochloromethane	10.6		"	10.0		106	80-130		11.8	30	
Dibromomethane	10.0		"	10.0		100	72-134		8.10	30	
Dichlorodifluoromethane	9.93		"	10.0		99.3	44-144		0.101	30	
Ethyl Benzene	8.98		"	10.0		89.8	80-131		8.94	30	
Hexachlorobutadiene	10.7		"	10.0		107	67-146		8.81	30	
Isopropylbenzene	10.5		"	10.0		105	76-140		3.97	30	
Methyl tert-butyl ether (MTBE)	8.07		"	10.0		80.7	76-135		6.39	30	
Methylene chloride	10.2		"	10.0		102	55-137		4.72	30	
Naphthalene	8.28		"	10.0		82.8	70-147		14.5	30	
n-Butylbenzene	10.1		"	10.0		101	79-132		1.91	30	
n-Propylbenzene	10.2		"	10.0		102	78-133		2.18	30	
o-Xylene	9.71		"	10.0		97.1	78-130		4.64	30	
p- & m- Xylenes	18.7		"	20.0		93.4	77-133		2.43	30	
p-Isopropyltoluene	10.2		"	10.0		102	81-136		3.70	30	
sec-Butylbenzene	10.5		"	10.0		105	79-137		2.42	30	
Styrene	9.94		"	10.0		99.4	67-132		6.55	30	
tert-Butylbenzene	10.2		"	10.0		102	77-138		0.589	30	
Tetrachloroethylene	10.6		"	10.0		106	82-131		6.55	30	
Toluene	10.2		"	10.0		102	80-127		3.08	30	
trans-1,2-Dichloroethylene	9.91		"	10.0		99.1	80-132		2.00	30	
trans-1,3-Dichloropropylene	11.0		"	10.0		110	78-131		11.3	30	
Trichloroethylene	9.93		"	10.0		99.3	82-128		8.39	30	
Trichlorofluoromethane	10.6		"	10.0		106	67-139		0.189	30	
Vinyl Chloride	9.08		"	10.0		90.8	58-145		2.91	30	
Surrogate: 1,2-Dichloroethane-d4	*9.71*		*"*	*10.0*		*97.1*	*69-130*				
Surrogate: p-Bromofluorobenzene	*11.1*		*"*	*10.0*		*111*	*79-122*				
Surrogate: Toluene-d8	*9.89*		*"*	*10.0*		*98.9*	*81-117*				

Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
15C0938-01	MW-98-01A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-02	MW-98-04	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-03	MW-98-05A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-04	MW-98-05B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-05	N-1B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-06	N-2B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-07	N-16	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-08	N-32	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-09	MW-28A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-10	MW-28B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-11	MW-43A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-12	MW-43B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-13	MW-43C	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-14	MW-44A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-15	MW-44B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-16	MW-44C	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-17	MW-46A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-18	MW-46B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-19	MW-47A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-20	MW-47B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-21	MW-48A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-22	MW-48B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-23	MW-49A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-24	MW-49B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-25	MW-49C	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-26	MW-50A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-27	MW-50B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-28	MW-50C	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-29	MW-52A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-30	MW-53	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-31	MW-54	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-32	MW-A	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-33	MW-B	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-34	MW-B1	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-35	FB-TS	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-36	FB-AM	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-37	FB-JS	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-38	TB-TS	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-39	TB-AM	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0938-40	TB-JS	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C

Notes and Definitions

SCAL-E	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%).
QL-02	This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL/LOD) or in the case of a TIC, the result is an estimated concentration.
ICV-E	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 30% of expected value).
CCV-E	The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).
B	Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants. Data users should consider anything <10x the blank value as artifact.

---

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two.
For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

YORK ANALYTICAL LABORATORIES
120 RESEARCH DR.
STRATFORD, CT 06615
(203) 325-1371
FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 15C0938

YOUR Information

Company: LBG
Address: 4 Research Dr, Suite 204 Shelton CT 06484
Phone No. 203.929.8555
Contact Person: Tonde Sandor
E-Mail Address: TSandor@LBGCT.com

Report To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

Invoice To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

YOUR Project ID

Rowe Industries

Purchase Order No.

NABSAG

Samples from: CT ___ NY X NJ ___

Turn-Around Time

- RUSH - Same Day ☐
- RUSH - Next Day ☐
- RUSH - Two Day ☐
- RUSH - Three Day ☐
- RUSH - Four Day ☐
- Standard(5-7 Days) ☒

Report Type

Summary Report X pdf
Summary w/ QA Summary X pdf
CT RCP Package ___
CTRCP DQA/DUE Pkg ___
NY ASP A Package ___
NY ASP B Package X pdf
NJDEP Red. Deliv. ___

Electronic Data Deliverables (EDD)

Simple Excel X
NYSDEC EQuIS ___
EQuIS (std) ___
EZ-EDD (EQuIS) ___
NJDEP SRP HazSite EDD ___
GIS/KEY (std) ___
Other ___
York Regulatory Comparison
Excel Spreadsheet ___
Compare to the following Regs. (please fill in):

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)

Tonde Komuves-Sandor.
Name (printed)

Matrix Codes
S - soil
Other - specify(oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec.	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part 360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part 360-Baseline	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part 360-Expanded No Dioxin/Furans	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part 360-Expanded Full List	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv. Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Sewer	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Sample Identification	Date/Time Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
MW-98-01A	3-25-15 1730	GW	VOC 8260 full list.	3V
MW-98-04	3-26-15 1250			
MW-98-04 MS	↓ 1250			
MW-98-04 MSD	↓ 1250			
MW-98-05A	3-25-15 1608			
MW-98-05B	3-25-15 1642			
MW-1B	3-26-15 1305			
MW-2B	3-26-15 1358			
MW-16	3-25-15 1413			
MW-32	3-26-15 1410			

Comments

Preservation Check those Applicable
4°C ___ Frozen ___ HCl ✓ MeOH ___ HNO_3 ___ H_2SO_4 ___ NaOH ___
ZnAc Ascorbic Acid Other

Special Instructions
Field Filtered ☐
Lab to Filter ☐

Samples Relinquished By 3/27/15 16:45 Date/Time
Samples Relinquished By Date/Time
Samples Received By Date/Time
Samples Received in LAB by Pjaee 3-27-15 1645 Date/Time

Temperature on Receipt 3.8 °C

YORK ANALYTICAL LABORATORIES
120 RESEARCH DR.
STRATFORD, CT 06615
(203) 325-1371
FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document.
This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 15C0938

YOUR Information

Company: LBG
Address: 4 Research Dr Suite 204 Shelton CT 06484
Phone No. 203-929-8555
Contact Person: Tunde Sandor
E-Mail Address: TSandor@LBGCT.com

Report To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

Invoice To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

YOUR Project ID

Rowe Industries

Purchase Order No.

HABSAG

Samples from: CT ___ NY ✓ NJ ___

Turn-Around Time

- RUSH - Same Day ☐
- RUSH - Next Day ☐
- RUSH - Two Day ☐
- RUSH - Three Day ☐
- RUSH - Four Day ☐
- Standard(5-7 Days) ☒

Report Type

- Summary Report x, pdf
- Summary w/ QA Summary x, pdf
- CT RCP Package ___
- CTRCP DQA/DUE Pkg ___
- NY ASP A Package ___
- NY ASP B Package x, pdf
- NJDEP Red. Deliv. ___

Electronic Data Deliverables (EDD)

- Simple Excel x
- NYSDEC EQuIS ___
- EQuIS (std) ___
- EZ-EDD (EQuIS) ___
- NJDEP SRP HazSite EDD ___
- GIS/KEY (std) ___
- Other ___
- **York Regulatory Comparison Excel Spreadsheet** ___

Compare to the following Regs. (please fill in):

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)

Tunde Komures Sandor
Name (printed)

Matrix Codes
S - soil
Other - specify(oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec.	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part 360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part 360-Baseline	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part 360-Expanded No Dioxins/Furans	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part 360-Expanded Full List	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv. Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Sewer	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Sample Identification	Date/Time Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
MW-28A	3-26-15 0955	GW	VOC 8260 full list	3V
MW-28B	3-26-15 1035			
MW-43A	3-25-15 1234			
MW-43B	3-25-15 1201			
MW-43C	3-25-15 1105			
MW-44A	3-26-15 1530			
MW-44B	3-27-15 945			
MW-44C	3-26-15 1625			
MW-46A	3-25-15 1355			
MW-46B	3-25-15 1440			

Comments

Preservation Check those Applicable
Special Instructions
Field Filtered ☐
Lab to Filter ☐

4°C ___ Frozen ___ HCl ✓ MeOH ___ HNO_3 ___ H_2SO_4 ___ NaOH ___
ZnAc ___ Ascorbic Acid ___ Other ___

Samples Relinquished By — Date/Time: 3/27/15 16:45
Samples Relinquished By — Date/Time:

Samples Received By — Date/Time:
Samples Received in LAB by — Date/Time: 3-27-15 1645

Temperature on Receipt 3.8 °C

YORK ANALYTICAL LABORATORIES
120 RESEARCH DR.
STRATFORD, CT 06615
(203) 325-1371
FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document.
This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 15C0938

YOUR Information

Company: LBG
Address: 4 Research Drive Suite 204, Shelton CT 06484
Phone No. 203.929.8555
Contact Person: Tunde Sandor
E-Mail Address: TSandor@LBGCT.com

Report To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

Invoice To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

YOUR Project ID

Rowe Industries

Purchase Order No.

NABSAG

Samples from: CT ___ NY X NJ ___

Turn-Around Time

- RUSH - Same Day ☐
- RUSH - Next Day ☐
- RUSH - Two Day ☐
- RUSH - Three Day ☐
- RUSH - Four Day ☒
- Standard(5-7 Days) ☐

Report Type

- Summary Report X, pdf
- Summary w/ QA Summary X, pdf
- CT RCP Package ___
- CTRCP DQA/DUE Pkg ___
- NY ASP A Package ___
- NY ASP B Package X, pdf
- NJDEP Red. Deliv. ___

Electronic Data Deliverables (EDD)

- Simple Excel X
- NYSDEC EQuIS ___
- EQuIS (std) ___
- EZ-EDD (EQuIS) ___
- NJDEP SRP HazSite EDD ___
- GIS/KEY (std) ___
- Other ___
- **York Regulatory Comparison**
- **Excel Spreadsheet** ___

Compare to the following Regs. (please fill in):

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)

Tunde Komuves-Sandor.
Name (printed)

Matrix Codes
S - soil
Other - specify(oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec.	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part 360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part 360-Baseline	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part 360-Expanded No Dioxins/Furans	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part 360-Expanded Full List	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv. Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Sewer	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Sample Identification	Date/Time Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
MW-47A	3-25-15 1305	GW	VOC 8260 full list	3V
MW-47B	3-25-15 1240			
MW-48A	3-26-15 1640			
MW-48B	3-26-15 1558			
MW-49A	1210			
MW-49B	1114			
MW-49C	1032			
MW-50A	3-27-15 1042			
MW-50B	1109			
MW-50C	1045			

Comments

Preservation Check those Applicable: 4°C ___ Frozen ___ HCl V MeOH ___ HNO_3 ___ H_2SO_4 ___ NaOH ___ ZnAc ___ Ascorbic Acid ___ Other ___

Special Instructions
Field Filtered ☐
Lab to Filter ☐

Samples Relinquished By: [signature] Date/Time: 3/27/15 16:45

Samples Relinquished By ___ Date/Time ___

Samples Received By [signature] Date/Time: 3-27-15 1645

Samples Received in LAB by ___ Date/Time ___

Temperature on Receipt 3.8 °C

YORK ANALYTICAL LABORATORIES
120 RESEARCH DR.
STRATFORD, CT 06615
(203) 325-1371
FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 15C0938

YOUR Information

Company: LBG
Address: 4 Research Dr Suit 204 Shelton, CT 06484
Phone No. 203.929.8555
Contact Person: Tunde Sandor
E-Mail Address: TSandor@LBGCT.com

Report To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

Invoice To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

YOUR Project ID

Rowe Industries

Purchase Order No.

HABSAG

Samples from: CT ___ NY ✓ NJ ___

Turn-Around Time

- RUSH - Same Day ☐
- RUSH - Next Day ☐
- RUSH - Two Day ☐
- RUSH - Three Day ☐
- RUSH - Four Day ☐
- Standard(5-7 Days) ☒

Report Type

- Summary Report ☒ pdf
- Summary w/ QA Summary ☒ pdf
- CT RCP Package ___
- CTRCP DQA/DUE Pkg ___
- NY ASP A Package ___
- NY ASP B Package ☒ pdf
- NJDEP Red. Deliv. ___

Electronic Data Deliverables (EDD)

- Simple Excel ☒
- NYSDEC EQuIS ___
- EQuIS (std) ___
- EZ-EDD (EQuIS) ___
- NJDEP SRP HazSite EDD ___
- GIS/KEY (std) ___
- Other ___
- **York Regulatory Comparison Excel Spreadsheet**

Compare to the following Regs. (please fill in):

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)

Tunde Komuves-Sandor
Name (printed)

Matrix Codes
S - soil
Other - specify(oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec.	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part 360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part 360-Baseline	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part 360-Expanded No Dioxins/Furans	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part 360-Expanded Full List	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv. Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Sewer	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Sample Identification	Date/Time Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
MW-52A	3-26-15 1124	GW	VOC 8260 full list	3 V
MW-53	1221			3 V
MW-53 MS/MSD	1221			6 V
MW-54	3-26-15 1135			3 V
MW-A	3-25-15 1345			
MW-B	3-26-15 1135			
MW-B1	3-25-15 1110			
FB-TS	3-26-15 1640			
FB-AM	3-27-15 1054			
FB-JS	3-27-15 1115			

Comments

Preservation Check those Applicable

4°C ___ Frozen ___ HCl ✓ MeOH ___ HNO_3 ___ H_2SO_4 ___ NaOH ___
ZnAc ___ Ascorbic Acid ___ Other ___

Special Instructions

Field Filtered ☐
Lab to Filter ☐

Samples Relinquished By 3/27/14 16:45 Date/Time

Samples Relinquished By Date/Time

Samples Received By Date/Time

Samples Received in LAB by 3-27-15 1645 Date/Time

Temperature on Receipt 3.8 °C

YORK ANALYTICAL LABORATORIES
120 RESEARCH DR.
STRATFORD, CT 06615
(203) 325-1371
FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document.
This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 1510938

YOUR Information

Company: LBG
Address: 4 Research Dr, Suite 204
Shelton CT 06484
Phone No. 203.929.8555
Contact Person: Tunde Sandor
E-Mail Address: TSandor@LBGCT.com

Report To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

Invoice To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

YOUR Project ID

Rowe Industries.

Purchase Order No.

NABSAG

Samples from: CT ___ NY X NJ ___

Turn-Around Time

- RUSH - Same Day ☐
- RUSH - Next Day ☐
- RUSH - Two Day ☐
- RUSH - Three Day ☐
- RUSH - Four Day ☐
- Standard(5-7 Days) ☒

Report Type

Summary Report X, pdf
Summary w/ QA Summary X, pdf
CT RCP Package ___
CTRCP DQA/DUE Pkg ___
NY ASP A Package ___
NY ASP B Package X pdf
NJDEP Red. Deliv. ___

Electronic Data Deliverables (EDD)

Simple Excel X
NYSDEC EQuIS ___
EQuIS (std) ___
EZ-EDD (EQuIS) ___
NJDEP SRP HazSite EDD ___
GIS/KEY (std) ___
Other ___
York Regulatory Comparison
Excel Spreadsheet ___
Compare to the following Regs. (please fill in):

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)

Tunde Komoves-Sandor
Name (printed)

Matrix Codes
S - soil
Other - specify(oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec.	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part 360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part 360-Baseline	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part 360-Expanded No Dioxins Furans	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part 360-Expanded Full List	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv. Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Sewer	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Sample Identification	Date/Time Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
TB-TS	NA	GW	VOC 8260 full list	2V
TB-AM	↓	↓	↓	↓
TB-JS	↓	↓	↓	↓

Comments

Preservation Check those Applicable
Special Instructions
Field Filtered ☐
Lab to Filter ☐

4°C ___ Frozen ___ HCl ✓ MeOH ___ HNO_3 ___ H_2SO_4 ___ NaOH ___
ZnAc ___ Ascorbic Acid ___ Other ___

Samples Relinquished By 3/27/15 16:45 Date/Time
Samples Relinquished By Date/Time

Samples Received By Date/Time
Samples Received in LAB by Grace 3-27-15 1645 Date/Time

Temperature on Receipt 3.8 °C

Technical Report

prepared for:

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Report Date: 04/03/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0941

Report Date: 04/03/2015
Client Project ID: Rowe Industries
York Project (SDG) No.: 15C0941

Leggette Brashears & Graham Shelton Office
4 Research Drive, Suite 204
Shelton CT, 06484
Attention: Tunde Komuves-Sandor

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on March 27, 2015 and listed below. The project was identified as your project: **Rowe Industries**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

York Sample ID	Client Sample ID	Matrix	Date Collected	Date Received
15C0941-01	N-37	Water	03/25/2015	03/27/2015
15C0941-02	N-38	Water	03/25/2015	03/27/2015
15C0941-03	N-39	Water	03/27/2015	03/27/2015

General Notes for York Project (SDG) No.: 15C0941

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By: 

Date: 04/03/2015

Benjamin Gulizia
Laboratory Director

Sample Information

Client Sample ID: N-37 **York Sample ID:** 15C0941-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0941	Rowe Industries	Water	March 25, 2015 5:03 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
541-73-1	**1,3-Dichlorobenzene**	**0.52**		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NJDEP	04/03/2015 08:29	04/03/2015 13:21	SS

Sample Information

Client Sample ID: N-37 **York Sample ID:** 15C0941-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0941	Rowe Industries	Water	March 25, 2015 5:03 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
67-66-3	**Chloroform**	**0.20**	J	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS

Sample Information

Client Sample ID: N-37 **York Sample ID:** 15C0941-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0941	Rowe Industries	Water	March 25, 2015 5:03 pm	03/27/2015

Volatile Organics, 8260 List - Low Level **Log-in Notes:** **Sample Notes:**

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 13:21	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 13:21	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:21	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NJDEP	04/03/2015 13:21	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*106 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*99.7 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*95.5 %*	*81-117*

Sample Information

Client Sample ID: N-38 **York Sample ID:** 15C0941-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0941	Rowe Industries	Water	March 25, 2015 5:49 pm	03/27/2015

Sample Information

Client Sample ID: N-38 **York Sample ID:** 15C0941-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0941	Rowe Industries	Water	March 25, 2015 5:49 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
541-73-1	**1,3-Dichlorobenzene**	**0.55**		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS

Sample Information

Client Sample ID: N-38 **York Sample ID:** 15C0941-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0941	Rowe Industries	Water	March 25, 2015 5:49 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
67-64-1	**Acetone**	**3.8**		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 13:50	SS

Sample Information

Client Sample ID: N-38 **York Sample ID:** 15C0941-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0941	Rowe Industries	Water	March 25, 2015 5:49 pm	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 13:50	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 13:50	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
79-01-6	Trichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 13:50	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NJDEP	04/03/2015 13:50	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*99.7 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*102 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*97.0 %*	*81-117*

Sample Information

Client Sample ID: N-39 **York Sample ID:** 15C0941-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0941	Rowe Industries	Water	March 27, 2015 8:40 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Information

Client Sample ID: N-39 **York Sample ID:** 15C0941-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0941	Rowe Industries	Water	March 27, 2015 8:40 am	03/27/2015

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
75-34-3	1,1-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
563-58-6	1,1-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
142-28-9	1,3-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
594-20-7	2,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
95-49-8	2-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
106-43-4	4-Chlorotoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS

Sample Information

Client Sample ID: N-39 **York Sample ID:** 15C0941-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0941	Rowe Industries	Water	March 27, 2015 8:40 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
108-86-1	Bromobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
74-83-9	Bromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
91-20-3	Naphthalene	ND		ug/L	1.0	2.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS

Sample Information

Client Sample ID: N-39 **York Sample ID:** 15C0941-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
15C0941	Rowe Industries	Water	March 27, 2015 8:40 am	03/27/2015

Volatile Organics, 8260 List - Low Level

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 14:20	SS
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260C Certifications:	04/03/2015 08:29 NELAC-NY10854	04/03/2015 14:20	SS
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
127-18-4	Tetrachloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
79-01-6	**Trichloroethylene**	**0.47**	J	ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NELAC-NY10854,NJDEP	04/03/2015 14:20	SS
1330-20-7	* Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260C Certifications:	04/03/2015 08:29 CTDOH,NJDEP	04/03/2015 14:20	SS

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: 1,2-Dichloroethane-d4*	*99.0 %*	*69-130*
460-00-4	*Surrogate: p-Bromofluorobenzene*	*104 %*	*79-122*
2037-26-5	*Surrogate: Toluene-d8*	*95.2 %*	*81-117*

Analytical Batch Summary

Batch ID: BD50168 **Preparation Method:** EPA 5030B **Prepared By:** BGS

YORK Sample ID	Client Sample ID	Preparation Date
15C0941-01	N-37	04/03/15
15C0941-02	N-38	04/03/15
15C0941-03	N-39	04/03/15
BD50168-BLK1	Blank	04/03/15
BD50168-BS1	LCS	04/03/15
BD50168-BSD1	LCS Dup	04/03/15

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50168 - EPA 5030B											
Blank (BD50168-BLK1)											Prepared & Analyzed: 04/03/2015
1,1,1,2-Tetrachloroethane	ND	0.50	ug/L								
1,1,1-Trichloroethane	ND	0.50	"								
1,1,2,2-Tetrachloroethane	ND	0.50	"								
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	0.50	"								
1,1,2-Trichloroethane	ND	0.50	"								
1,1-Dichloroethane	ND	0.50	"								
1,1-Dichloroethylene	ND	0.50	"								
1,1-Dichloropropylene	ND	0.50	"								
1,2,3-Trichlorobenzene	0.90	0.50	"								
1,2,3-Trichloropropane	ND	0.50	"								
1,2,4-Trichlorobenzene	0.67	0.50	"								
1,2,4-Trimethylbenzene	ND	0.50	"								
1,2-Dibromo-3-chloropropane	0.23	0.50	"								
1,2-Dibromoethane	ND	0.50	"								
1,2-Dichlorobenzene	ND	0.50	"								
1,2-Dichloroethane	ND	0.50	"								
1,2-Dichloropropane	ND	0.50	"								
1,3,5-Trimethylbenzene	ND	0.50	"								
1,3-Dichlorobenzene	ND	0.50	"								
1,3-Dichloropropane	ND	0.50	"								
1,4-Dichlorobenzene	ND	0.50	"								
2,2-Dichloropropane	ND	0.50	"								
2-Chlorotoluene	ND	0.50	"								
2-Hexanone	ND	0.50	"								
4-Chlorotoluene	ND	0.50	"								
Acetone	1.6	2.0	"								
Benzene	ND	0.50	"								
Bromobenzene	ND	0.50	"								
Bromochloromethane	ND	0.50	"								
Bromodichloromethane	ND	0.50	"								
Bromoform	ND	0.50	"								
Bromomethane	ND	0.50	"								
Carbon tetrachloride	ND	0.50	"								
Chlorobenzene	ND	0.50	"								
Chloroethane	ND	0.50	"								
Chloroform	ND	0.50	"								
Chloromethane	ND	0.50	"								
cis-1,2-Dichloroethylene	ND	0.50	"								
cis-1,3-Dichloropropylene	ND	0.50	"								
Dibromochloromethane	ND	0.50	"								
Dibromomethane	ND	0.50	"								
Dichlorodifluoromethane	ND	0.50	"								
Ethyl Benzene	ND	0.50	"								
Hexachlorobutadiene	0.59	0.50	"								
Isopropylbenzene	ND	0.50	"								
Methyl tert-butyl ether (MTBE)	ND	0.50	"								
Methylene chloride	ND	2.0	"								
Naphthalene	1.1	2.0	"								
n-Butylbenzene	0.29	0.50	"								
n-Propylbenzene	ND	0.50	"								
o-Xylene	ND	0.50	"								

Volatile Organic Compounds by GC/MS - Quality Control Data


York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50168 - EPA 5030B											
Blank (BD50168-BLK1)								Prepared & Analyzed: 04/03/2015			
p- & m- Xylenes	ND	1.0	ug/L								
p-Isopropyltoluene	ND	0.50	"								
sec-Butylbenzene	0.20	0.50	"								
Styrene	ND	0.50	"								
tert-Butylbenzene	ND	0.50	"								
Tetrachloroethylene	ND	0.50	"								
Toluene	ND	0.50	"								
trans-1,2-Dichloroethylene	ND	0.50	"								
trans-1,3-Dichloropropylene	ND	0.50	"								
Trichloroethylene	ND	0.50	"								
Trichlorofluoromethane	ND	0.50	"								
Vinyl Chloride	ND	0.50	"								
Xylenes, Total	ND	1.5	"								
Surrogate: 1,2-Dichloroethane-d4	*9.82*		*"*	*10.0*		*98.2*	*69-130*				
Surrogate: p-Bromofluorobenzene	*10.4*		*"*	*10.0*		*104*	*79-122*				
Surrogate: Toluene-d8	*9.73*		*"*	*10.0*		*97.3*	*81-117*				
LCS (BD50168-BS1)								Prepared & Analyzed: 04/03/2015			
1,1,1,2-Tetrachloroethane	10.9		ug/L	10.0		109	82-126				
1,1,1-Trichloroethane	12.5		"	10.0		125	78-136				
1,1,2,2-Tetrachloroethane	10.5		"	10.0		105	76-129				
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	13.6		"	10.0		136	54-165				
1,1,2-Trichloroethane	10.8		"	10.0		108	82-123				
1,1-Dichloroethane	12.0		"	10.0		120	82-129				
1,1-Dichloroethylene	12.4		"	10.0		124	68-138				
1,1-Dichloropropylene	12.8		"	10.0		128	83-133				
1,2,3-Trichlorobenzene	10.8		"	10.0		108	76-136				
1,2,3-Trichloropropane	10.0		"	10.0		100	77-128				
1,2,4-Trichlorobenzene	10.9		"	10.0		109	76-137				
1,2,4-Trimethylbenzene	11.4		"	10.0		114	82-132				
1,2-Dibromo-3-chloropropane	9.47		"	10.0		94.7	45-147				
1,2-Dibromoethane	10.5		"	10.0		105	83-124				
1,2-Dichlorobenzene	10.8		"	10.0		108	79-123				
1,2-Dichloroethane	11.0		"	10.0		110	73-132				
1,2-Dichloropropane	10.6		"	10.0		106	78-126				
1,3,5-Trimethylbenzene	13.0		"	10.0		130	80-131				
1,3-Dichlorobenzene	11.1		"	10.0		111	86-122				
1,3-Dichloropropane	10.4		"	10.0		104	81-125				
1,4-Dichlorobenzene	10.8		"	10.0		108	85-124				
2,2-Dichloropropane	14.8		"	10.0		148	56-150				
2-Chlorotoluene	11.2		"	10.0		112	79-130				
2-Hexanone	9.50		"	10.0		95.0	51-146				
4-Chlorotoluene	11.1		"	10.0		111	79-128				
Acetone	7.82		"	10.0		78.2	14-150				
Benzene	12.1		"	10.0		121	85-126				
Bromobenzene	10.4		"	10.0		104	78-129				
Bromochloromethane	11.2		"	10.0		112	77-128				
Bromodichloromethane	10.7		"	10.0		107	79-128				
Bromoform	10.7		"	10.0		107	78-133				
Bromomethane	10.3		"	10.0		103	43-168				
Carbon tetrachloride	12.8		"	10.0		128	77-141				
Chlorobenzene	11.2		"	10.0		112	88-120				

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50168 - EPA 5030B											
LCS (BD50168-BS1)								Prepared & Analyzed: 04/03/2015			
Chloroethane	9.47		ug/L	10.0		94.7	65-136				
Chloroform	11.8		"	10.0		118	82-128				
Chloromethane	11.3		"	10.0		113	43-155				
cis-1,2-Dichloroethylene	12.1		"	10.0		121	83-129				
cis-1,3-Dichloropropylene	11.2		"	10.0		112	80-131				
Dibromochloromethane	10.8		"	10.0		108	80-130				
Dibromomethane	10.6		"	10.0		106	72-134				
Dichlorodifluoromethane	13.5		"	10.0		135	44-144				
Ethyl Benzene	11.6		"	10.0		116	80-131				
Hexachlorobutadiene	12.0		"	10.0		120	67-146				
Isopropylbenzene	11.7		"	10.0		117	76-140				
Methyl tert-butyl ether (MTBE)	11.2		"	10.0		112	76-135				
Methylene chloride	9.93		"	10.0		99.3	55-137				
Naphthalene	10.4		"	10.0		104	70-147				
n-Butylbenzene	11.8		"	10.0		118	79-132				
n-Propylbenzene	11.8		"	10.0		118	78-133				
o-Xylene	11.2		"	10.0		112	78-130				
p- & m- Xylenes	23.7		"	20.0		119	77-133				
p-Isopropyltoluene	11.8		"	10.0		118	81-136				
sec-Butylbenzene	12.0		"	10.0		120	79-137				
Styrene	11.3		"	10.0		113	67-132				
tert-Butylbenzene	11.7		"	10.0		117	77-138				
Tetrachloroethylene	11.8		"	10.0		118	82-131				
Toluene	11.5		"	10.0		115	80-127				
trans-1,2-Dichloroethylene	11.9		"	10.0		119	80-132				
trans-1,3-Dichloropropylene	10.8		"	10.0		108	78-131				
Trichloroethylene	11.2		"	10.0		112	82-128				
Trichlorofluoromethane	13.4		"	10.0		134	67-139				
Vinyl Chloride	12.6		"	10.0		126	58-145				
Surrogate: 1,2-Dichloroethane-d4	*9.99*		*"*	*10.0*		*99.9*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.96*		*"*	*10.0*		*99.6*	*79-122*				
Surrogate: Toluene-d8	*9.84*		*"*	*10.0*		*98.4*	*81-117*				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50168 - EPA 5030B											
LCS Dup (BD50168-BSD1)								Prepared & Analyzed: 04/03/2015			
1,1,1,2-Tetrachloroethane	10.6		ug/L	10.0		106	82-126		2.79	30	
1,1,1-Trichloroethane	12.0		"	10.0		120	78-136		3.83	30	
1,1,2,2-Tetrachloroethane	10.1		"	10.0		101	76-129		3.90	30	
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	12.9		"	10.0		129	54-165		5.20	30	
1,1,2-Trichloroethane	10.6		"	10.0		106	82-123		1.97	30	
1,1-Dichloroethane	11.6		"	10.0		116	82-129		3.38	30	
1,1-Dichloroethylene	11.9		"	10.0		119	68-138		3.62	30	
1,1-Dichloropropylene	12.2		"	10.0		122	83-133		5.27	30	
1,2,3-Trichlorobenzene	10.9		"	10.0		109	76-136		1.10	30	
1,2,3-Trichloropropane	9.92		"	10.0		99.2	77-128		0.903	30	
1,2,4-Trichlorobenzene	10.9		"	10.0		109	76-137		0.0920	30	
1,2,4-Trimethylbenzene	11.2		"	10.0		112	82-132		1.86	30	
1,2-Dibromo-3-chloropropane	9.63		"	10.0		96.3	45-147		1.68	30	
1,2-Dibromoethane	10.2		"	10.0		102	83-124		3.48	30	
1,2-Dichlorobenzene	10.9		"	10.0		109	79-123		0.923	30	
1,2-Dichloroethane	11.6		"	10.0		116	73-132		5.15	30	
1,2-Dichloropropane	10.4		"	10.0		104	78-126		2.29	30	
1,3,5-Trimethylbenzene	12.7		"	10.0		127	80-131		1.95	30	
1,3-Dichlorobenzene	10.9		"	10.0		109	86-122		2.01	30	
1,3-Dichloropropane	10.3		"	10.0		103	81-125		1.64	30	
1,4-Dichlorobenzene	10.7		"	10.0		107	85-124		0.928	30	
2,2-Dichloropropane	14.6		"	10.0		146	56-150		1.57	30	
2-Chlorotoluene	11.0		"	10.0		110	79-130		2.25	30	
2-Hexanone	9.49		"	10.0		94.9	51-146		0.105	30	
4-Chlorotoluene	10.8		"	10.0		108	79-128		1.92	30	
Acetone	7.06		"	10.0		70.6	14-150		10.2	30	
Benzene	11.8		"	10.0		118	85-126		2.42	30	
Bromobenzene	10.3		"	10.0		103	78-129		1.07	30	
Bromochloromethane	10.7		"	10.0		107	77-128		4.73	30	
Bromodichloromethane	10.4		"	10.0		104	79-128		3.03	30	
Bromoform	10.4		"	10.0		104	78-133		2.37	30	
Bromomethane	10.4		"	10.0		104	43-168		0.579	30	
Carbon tetrachloride	12.6		"	10.0		126	77-141		2.13	30	
Chlorobenzene	10.8		"	10.0		108	88-120		3.73	30	
Chloroethane	9.07		"	10.0		90.7	65-136		4.32	30	
Chloroform	11.5		"	10.0		115	82-128		2.66	30	
Chloromethane	10.6		"	10.0		106	43-155		5.66	30	
cis-1,2-Dichloroethylene	11.7		"	10.0		117	83-129		3.12	30	
cis-1,3-Dichloropropylene	10.8		"	10.0		108	80-131		4.18	30	
Dibromochloromethane	10.5		"	10.0		105	80-130		3.19	30	
Dibromomethane	10.6		"	10.0		106	72-134		0.376	30	
Dichlorodifluoromethane	12.6		"	10.0		126	44-144		7.13	30	
Ethyl Benzene	11.1		"	10.0		111	80-131		3.87	30	
Hexachlorobutadiene	12.1		"	10.0		121	67-146		0.828	30	
Isopropylbenzene	11.4		"	10.0		114	76-140		2.42	30	
Methyl tert-butyl ether (MTBE)	11.1		"	10.0		111	76-135		1.17	30	
Methylene chloride	9.74		"	10.0		97.4	55-137		1.93	30	
Naphthalene	10.6		"	10.0		106	70-147		1.81	30	
n-Butylbenzene	11.8		"	10.0		118	79-132		0.593	30	
n-Propylbenzene	11.5		"	10.0		115	78-133		2.48	30	
o-Xylene	10.8		"	10.0		108	78-130		3.35	30	

Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
Batch BD50168 - EPA 5030B											
LCS Dup (BD50168-BSD1)								Prepared & Analyzed: 04/03/2015			
p- & m- Xylenes	22.7		ug/L	20.0		113	77-133		4.48	30	
p-Isopropyltoluene	11.8		"	10.0		118	81-136		0.0845	30	
sec-Butylbenzene	11.8		"	10.0		118	79-137		1.76	30	
Styrene	11.0		"	10.0		110	67-132		2.87	30	
tert-Butylbenzene	11.4		"	10.0		114	77-138		2.07	30	
Tetrachloroethylene	11.2		"	10.0		112	82-131		4.69	30	
Toluene	10.8		"	10.0		108	80-127		5.91	30	
trans-1,2-Dichloroethylene	11.3		"	10.0		113	80-132		5.27	30	
trans-1,3-Dichloropropylene	10.4		"	10.0		104	78-131		3.48	30	
Trichloroethylene	10.7		"	10.0		107	82-128		4.73	30	
Trichlorofluoromethane	12.5		"	10.0		125	67-139		7.17	30	
Vinyl Chloride	12.2		"	10.0		122	58-145		3.38	30	
Surrogate: 1,2-Dichloroethane-d4	*9.78*		*"*	*10.0*		*97.8*	*69-130*				
Surrogate: p-Bromofluorobenzene	*9.82*		*"*	*10.0*		*98.2*	*79-122*				
Surrogate: Toluene-d8	*9.62*		*"*	*10.0*		*96.2*	*81-117*				

Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
15C0941-01	N-37	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0941-02	N-38	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
15C0941-03	N-39	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C

Notes and Definitions

J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL/LOD) or in the case of a TIC, the result is an estimated concentration.
B	Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants. Data users should consider anything <10x the blank value as artifact.

---

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two.
For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

YORK ANALYTICAL LABORATORIES
120 RESEARCH DR.
STRATFORD, CT 06615
(203) 325-1371
FAX (203) 357-0166

Field Chain-of-Custody Record

NOTE: York's Std. Terms & Conditions are listed on the back side of this document. This document serves as your written authorization to York to proceed with the analyses requested and your signature binds you to York's Std. Terms & Conditions.

York Project No. 15C0941

YOUR Information

Company: LBG
Address: 4 Research Dr, Suite 201 Shelton, CT 06484
Phone No. 203.929.8555
Contact Person: Tunde Sandor
E-Mail Address: TSandor@LBGCT.com

Report To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

Invoice To:

Company: Same
Address:
Phone No.
Attention:
E-Mail Address:

YOUR Project ID

Rowe Industries

Purchase Order No.

NABSAG

Samples from: CT ___ NY X NJ ___

Turn-Around Time

- RUSH - Same Day ☐
- RUSH - Next Day ☐
- RUSH - Two Day ☐
- RUSH - Three Day ☐
- RUSH - Four Day ☐
- Standard(5-7 Days) X

Report Type

- Summary Report x, pdf
- Summary w/ QA Summary x, pdf
- CT RCP Package
- CTRCP DQA/DUE Pkg
- NY ASP A Package
- NY ASP B Package x, pdf
- NJDEP Red. Deliv.

Electronic Data Deliverables (EDD)

- Simple Excel X
- NYSDEC EQuIS
- EQuIS (std)
- EZ-EDD (EQuIS)
- NJDEP SRP HazSite EDD
- GIS/KEY (std)
- Other
- **York Regulatory Comparison Excel Spreadsheet**

Compare to the following Regs. (please fill in):

Print Clearly and Legibly. All Information must be complete. Samples will NOT be logged in and the turn-around time clock will not begin until any questions by York are resolved.

Samples Collected/Authorized By (Signature)

Name (printed)

Matrix Codes
S - soil
Other - specify(oil, etc.)
WW - wastewater
GW - groundwater
DW - drinking water
Air-A - ambient air
Air-SV - soil vapor

Volatiles		Semi-Vols.	Pest/PCB/Herb	Metals	Misc. Org.	Full Lists	Misc.
8260 full	TICs	8270 or 625	8082PCB	RCRA8	TPH GRO	Pri.Poll.	Corrosivity
624	Site Spec.	STARS list	8081Pest	PP13 list	TPH DRO	TCL Organics	Reactivity
STARS list	Nassau Co.	BN Only	8151Herb	TAL	CT ETPH	TAL Met/CN	Ignitability
BTEX	Suffolk Co.	Acids Only	CT RCP	CT15 list	NY 310-13	Full TCLP	Flash Point
MTBE	Ketones	PAH list	App. IX	TAGM list	TPH 1664	Full App. IX	Sieve Anal.
TCL list	Oxygenates	TAGM list	Site Spec.	NJDEP list	Air TO14A	Part 360-Routine	Heterotrophs
TAGM list	TCLP list	CT RCP list	SPLP or TCLP	Total	Air TO15	Part 360-Baseline	TOX
CT RCP list	524.2	TCL list	TCLP Pest	Dissolved	Air STARS	Part 360-Expanded No Dioxins/Furans	BTU/lb.
Arom. only	502.2	NJDEP list	TCLP Herb	SPLP or TCLP	Air VPH	Part 360-Expanded Full List	Aquatic Tox.
Halog.only	NJDEP list	App. IX	Chlordane	Indiv. Metals	Air TICs	NYCDEP Sewer	TOC
App.IX list	SPLP or TCLP	TCLP BNA	608 Pest	LIST Below	Methane	NYSDEC Sewer	Asbestos
8021B list		SPLP or TCLP	608 PCB		Helium	TAGM	Silica

Sample Identification	Date/Time Sampled	Sample Matrix	Choose Analyses Needed from the Menu Above and Enter Below	Container Description(s)
N-37	3-25-15 / 1703	GW	VOC 8260 full list	3V
N-38	3-25-15 / 1749	↓	↓	↓
N-39	3-27-15 0840	↓	↓	↓

Comments
Please Prepare a separate lab report & invoice for these samples.

Preservation Check those Applicable
Special Instructions
Field Filtered ☐
Lab to Filter ☐

4°C ___ Frozen ___ HCl ✓ MeOH ___ HNO_3 ___ H_2SO_4 ___ NaOH ___
ZnAc Ascorbic Acid Other

Samples Relinquished By — Date/Time: 3/27/15 16:45
Samples Relinquished By — Date/Time:

Samples Received By — Date/Time:
Samples Received in LAB by: Grace — Date/Time: 3-27-15 1645

Temperature on Receipt 3.8 °C