

February 27, 2018

Rob King
Hampton Bays Water District
P.O. Box 1013
Hampton Bays, NY 11946

RE: Project: BACT/POC 2/21
Pace Project No.: 7043570

Dear Rob King:

Enclosed are the analytical results for sample(s) received by the laboratory on February 21, 2018. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Stu Murrell
stu.murrell@pacelabs.com
(631)694-3040
Project Manager

Enclosures

cc: Warren Booth, Hampton Bays Water District
John Collins, H2M Group
Stella Michaels, Hampton Bays Water District
Paul Ponturo, H2M Group



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Long Island Certification IDs

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: BACT/POC 2/21

Pace Project No.: 7043570

Lab ID	Sample ID	Matrix	Date Collected	Date Received
7043570001	S-50970	Drinking Water	02/21/18 08:15	02/21/18 15:40
7043570002	S-74071	Drinking Water	02/21/18 08:30	02/21/18 15:40
7043570003	S-58350	Drinking Water	02/21/18 09:12	02/21/18 15:40
7043570004	S-58351	Drinking Water	02/21/18 09:00	02/21/18 15:40
7043570005	S-108065	Drinking Water	02/21/18 09:35	02/21/18 15:40
7043570006	S-127163	Drinking Water	02/21/18 08:45	02/21/18 15:40

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: BACT/POC 2/21

Pace Project No.: 7043570

Lab ID	Sample ID	Method	Analysts	Analytes Reported
7043570001	S-50970	SM22 9223B Colilert	BNK	2
		EPA 524.2	KGG	62
7043570002	S-74071	SM22 9223B Colilert	BNK	2
		EPA 524.2	KGG	62
7043570003	S-58350	SM22 9223B Colilert	BNK	2
		EPA 524.2	KGG	62
7043570004	S-58351	SM22 9223B Colilert	BNK	2
		EPA 524.2	KGG	62
7043570005	S-108065	SM22 9223B Colilert	BNK	2
		EPA 524.2	KGG	62
7043570006	S-127163	SM22 9223B Colilert	BNK	2
		EPA 524.2	KGG	62

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-50970 **Lab ID: 7043570001** Collected: 02/21/18 08:15 Received: 02/21/18 15:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
MBIO Total Coliform DW									
Analytical Method: SM22 9223B Colilert Preparation Method: SM22 9223B Colilert									
Total Coliforms	Absent				1	02/21/18 23:55	02/22/18 17:55		
E.coli	Absent				1	02/21/18 23:55	02/22/18 17:55		
524.2 MSV									
Analytical Method: EPA 524.2									
Benzene	<0.50	ug/L	0.50		1		02/26/18 14:17	71-43-2	
Bromobenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	108-86-1	
Bromochloromethane	<0.50	ug/L	0.50		1		02/26/18 14:17	74-97-5	
Bromodichloromethane	<0.50	ug/L	0.50		1		02/26/18 14:17	75-27-4	
Bromoform	<0.50	ug/L	0.50		1		02/26/18 14:17	75-25-2	
Bromomethane	<0.50	ug/L	0.50		1		02/26/18 14:17	74-83-9	
n-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	104-51-8	
sec-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	135-98-8	
tert-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	98-06-6	
Carbon tetrachloride	<0.50	ug/L	0.50		1		02/26/18 14:17	56-23-5	
Chlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	108-90-7	
Chlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 14:17	75-45-6	N3
Chloroethane	<0.50	ug/L	0.50		1		02/26/18 14:17	75-00-3	
Chloroform	8.9	ug/L	0.50		1		02/26/18 14:17	67-66-3	
Chloromethane	<0.50	ug/L	0.50		1		02/26/18 14:17	74-87-3	L1
2-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 14:17	95-49-8	
4-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 14:17	106-43-4	
Dibromochloromethane	<0.50	ug/L	0.50		1		02/26/18 14:17	124-48-1	
Dibromomethane	<0.50	ug/L	0.50		1		02/26/18 14:17	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 14:17	75-71-8	
1,1-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 14:17	75-34-3	
1,2-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 14:17	107-06-2	
1,1-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 14:17	75-35-4	
cis-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 14:17	156-59-2	
trans-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 14:17	156-60-5	
1,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 14:17	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 14:17	142-28-9	
2,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 14:17	594-20-7	
1,1-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 14:17	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 14:17	10061-01-5	
trans-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 14:17	10061-02-6	
Ethylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	100-41-4	
Hexachloro-1,3-butadiene	<0.50	ug/L	0.50		1		02/26/18 14:17	87-68-3	
Isopropylbenzene (Cumene)	<0.50	ug/L	0.50		1		02/26/18 14:17	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	0.50		1		02/26/18 14:17	99-87-6	
Methylene Chloride	<0.50	ug/L	0.50		1		02/26/18 14:17	75-09-2	
Methyl-tert-butyl ether	<0.50	ug/L	0.50		1		02/26/18 14:17	1634-04-4	
n-Propylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	103-65-1	
Styrene	<0.50	ug/L	0.50		1		02/26/18 14:17	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-50970 Lab ID: 7043570001 Collected: 02/21/18 08:15 Received: 02/21/18 15:40 Matrix: Drinking Water									
Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV Analytical Method: EPA 524.2									
1,1,1,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 14:17	630-20-6	
1,1,2,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 14:17	79-34-5	
Tetrachloroethene	<0.50	ug/L	0.50		1		02/26/18 14:17	127-18-4	
Toluene	<0.50	ug/L	0.50		1		02/26/18 14:17	108-88-3	
Total Trihalomethanes (Calc.)	8.9	ug/L	0.50		1		02/26/18 14:17		
1,2,3-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	87-61-6	
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 14:17	71-55-6	
1,1,2-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 14:17	79-00-5	
Trichloroethene	<0.50	ug/L	0.50		1		02/26/18 14:17	79-01-6	
Trichlorofluoromethane	<0.50	ug/L	0.50		1		02/26/18 14:17	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	0.50		1		02/26/18 14:17	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.50	ug/L	0.50		1		02/26/18 14:17	76-13-1	N3
1,2,4-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:17	108-67-8	
Vinyl chloride	<0.50	ug/L	0.50		1		02/26/18 14:17	75-01-4	
m&p-Xylene	<0.50	ug/L	0.50		1		02/26/18 14:17	179601-23-1	
o-Xylene	<0.50	ug/L	0.50		1		02/26/18 14:17	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	97	%	70-130		1		02/26/18 14:17	2199-69-1	
4-Bromofluorobenzene (S)	98	%	70-130		1		02/26/18 14:17	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-74071 **Lab ID: 7043570002** Collected: 02/21/18 08:30 Received: 02/21/18 15:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
MBIO Total Coliform DW									
Analytical Method: SM22 9223B Colilert Preparation Method: SM22 9223B Colilert									
Total Coliforms	Absent				1	02/21/18 23:55	02/22/18 17:55		
E.coli	Absent				1	02/21/18 23:55	02/22/18 17:55		
524.2 MSV									
Analytical Method: EPA 524.2									
Benzene	<0.50	ug/L	0.50		1		02/26/18 14:43	71-43-2	
Bromobenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	108-86-1	
Bromochloromethane	<0.50	ug/L	0.50		1		02/26/18 14:43	74-97-5	
Bromodichloromethane	<0.50	ug/L	0.50		1		02/26/18 14:43	75-27-4	
Bromoform	<0.50	ug/L	0.50		1		02/26/18 14:43	75-25-2	
Bromomethane	<0.50	ug/L	0.50		1		02/26/18 14:43	74-83-9	
n-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	104-51-8	
sec-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	135-98-8	
tert-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	98-06-6	
Carbon tetrachloride	<0.50	ug/L	0.50		1		02/26/18 14:43	56-23-5	
Chlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	108-90-7	
Chlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 14:43	75-45-6	N3
Chloroethane	<0.50	ug/L	0.50		1		02/26/18 14:43	75-00-3	
Chloroform	1.4	ug/L	0.50		1		02/26/18 14:43	67-66-3	
Chloromethane	<0.50	ug/L	0.50		1		02/26/18 14:43	74-87-3	L1
2-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 14:43	95-49-8	
4-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 14:43	106-43-4	
Dibromochloromethane	<0.50	ug/L	0.50		1		02/26/18 14:43	124-48-1	
Dibromomethane	<0.50	ug/L	0.50		1		02/26/18 14:43	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 14:43	75-71-8	
1,1-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 14:43	75-34-3	
1,2-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 14:43	107-06-2	
1,1-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 14:43	75-35-4	
cis-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 14:43	156-59-2	
trans-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 14:43	156-60-5	
1,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 14:43	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 14:43	142-28-9	
2,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 14:43	594-20-7	
1,1-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 14:43	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 14:43	10061-01-5	
trans-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 14:43	10061-02-6	
Ethylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	100-41-4	
Hexachloro-1,3-butadiene	<0.50	ug/L	0.50		1		02/26/18 14:43	87-68-3	
Isopropylbenzene (Cumene)	<0.50	ug/L	0.50		1		02/26/18 14:43	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	0.50		1		02/26/18 14:43	99-87-6	
Methylene Chloride	<0.50	ug/L	0.50		1		02/26/18 14:43	75-09-2	
Methyl-tert-butyl ether	<0.50	ug/L	0.50		1		02/26/18 14:43	1634-04-4	
n-Propylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	103-65-1	
Styrene	<0.50	ug/L	0.50		1		02/26/18 14:43	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-74071 **Lab ID: 7043570002** Collected: 02/21/18 08:30 Received: 02/21/18 15:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV Analytical Method: EPA 524.2									
1,1,1,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 14:43	630-20-6	
1,1,2,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 14:43	79-34-5	
Tetrachloroethene	<0.50	ug/L	0.50		1		02/26/18 14:43	127-18-4	
Toluene	<0.50	ug/L	0.50		1		02/26/18 14:43	108-88-3	
Total Trihalomethanes (Calc.)	1.4	ug/L	0.50		1		02/26/18 14:43		
1,2,3-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	87-61-6	
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 14:43	71-55-6	
1,1,2-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 14:43	79-00-5	
Trichloroethene	<0.50	ug/L	0.50		1		02/26/18 14:43	79-01-6	
Trichlorofluoromethane	<0.50	ug/L	0.50		1		02/26/18 14:43	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	0.50		1		02/26/18 14:43	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.50	ug/L	0.50		1		02/26/18 14:43	76-13-1	N3
1,2,4-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 14:43	108-67-8	
Vinyl chloride	<0.50	ug/L	0.50		1		02/26/18 14:43	75-01-4	
m&p-Xylene	<0.50	ug/L	0.50		1		02/26/18 14:43	179601-23-1	
o-Xylene	<0.50	ug/L	0.50		1		02/26/18 14:43	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	94	%	70-130		1		02/26/18 14:43	2199-69-1	
4-Bromofluorobenzene (S)	98	%	70-130		1		02/26/18 14:43	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-58350 **Lab ID: 7043570003** Collected: 02/21/18 09:12 Received: 02/21/18 15:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
MBIO Total Coliform DW									
Analytical Method: SM22 9223B Colilert Preparation Method: SM22 9223B Colilert									
Total Coliforms	Absent				1	02/21/18 23:55	02/22/18 17:55		
E.coli	Absent				1	02/21/18 23:55	02/22/18 17:55		
524.2 MSV									
Analytical Method: EPA 524.2									
Benzene	<0.50	ug/L	0.50		1		02/26/18 15:10	71-43-2	
Bromobenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	108-86-1	
Bromochloromethane	<0.50	ug/L	0.50		1		02/26/18 15:10	74-97-5	
Bromodichloromethane	<0.50	ug/L	0.50		1		02/26/18 15:10	75-27-4	
Bromoform	<0.50	ug/L	0.50		1		02/26/18 15:10	75-25-2	
Bromomethane	<0.50	ug/L	0.50		1		02/26/18 15:10	74-83-9	
n-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	104-51-8	
sec-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	135-98-8	
tert-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	98-06-6	
Carbon tetrachloride	<0.50	ug/L	0.50		1		02/26/18 15:10	56-23-5	
Chlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	108-90-7	
Chlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 15:10	75-45-6	N3
Chloroethane	<0.50	ug/L	0.50		1		02/26/18 15:10	75-00-3	
Chloroform	2.2	ug/L	0.50		1		02/26/18 15:10	67-66-3	
Chloromethane	<0.50	ug/L	0.50		1		02/26/18 15:10	74-87-3	L1
2-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 15:10	95-49-8	
4-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 15:10	106-43-4	
Dibromochloromethane	<0.50	ug/L	0.50		1		02/26/18 15:10	124-48-1	
Dibromomethane	<0.50	ug/L	0.50		1		02/26/18 15:10	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 15:10	75-71-8	
1,1-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 15:10	75-34-3	
1,2-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 15:10	107-06-2	
1,1-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 15:10	75-35-4	
cis-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 15:10	156-59-2	
trans-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 15:10	156-60-5	
1,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 15:10	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 15:10	142-28-9	
2,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 15:10	594-20-7	
1,1-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 15:10	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 15:10	10061-01-5	
trans-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 15:10	10061-02-6	
Ethylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	100-41-4	
Hexachloro-1,3-butadiene	<0.50	ug/L	0.50		1		02/26/18 15:10	87-68-3	
Isopropylbenzene (Cumene)	<0.50	ug/L	0.50		1		02/26/18 15:10	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	0.50		1		02/26/18 15:10	99-87-6	
Methylene Chloride	<0.50	ug/L	0.50		1		02/26/18 15:10	75-09-2	
Methyl-tert-butyl ether	<0.50	ug/L	0.50		1		02/26/18 15:10	1634-04-4	
n-Propylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	103-65-1	
Styrene	<0.50	ug/L	0.50		1		02/26/18 15:10	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-58350 **Lab ID: 7043570003** Collected: 02/21/18 09:12 Received: 02/21/18 15:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV Analytical Method: EPA 524.2									
1,1,1,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 15:10	630-20-6	
1,1,2,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 15:10	79-34-5	
Tetrachloroethene	<0.50	ug/L	0.50		1		02/26/18 15:10	127-18-4	
Toluene	<0.50	ug/L	0.50		1		02/26/18 15:10	108-88-3	
Total Trihalomethanes (Calc.)	2.2	ug/L	0.50		1		02/26/18 15:10		
1,2,3-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	87-61-6	
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 15:10	71-55-6	
1,1,2-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 15:10	79-00-5	
Trichloroethene	<0.50	ug/L	0.50		1		02/26/18 15:10	79-01-6	
Trichlorofluoromethane	<0.50	ug/L	0.50		1		02/26/18 15:10	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	0.50		1		02/26/18 15:10	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.50	ug/L	0.50		1		02/26/18 15:10	76-13-1	N3
1,2,4-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:10	108-67-8	
Vinyl chloride	<0.50	ug/L	0.50		1		02/26/18 15:10	75-01-4	
m&p-Xylene	<0.50	ug/L	0.50		1		02/26/18 15:10	179601-23-1	
o-Xylene	<0.50	ug/L	0.50		1		02/26/18 15:10	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	98	%	70-130		1		02/26/18 15:10	2199-69-1	
4-Bromofluorobenzene (S)	99	%	70-130		1		02/26/18 15:10	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-58351 **Lab ID: 7043570004** Collected: 02/21/18 09:00 Received: 02/21/18 15:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
MBIO Total Coliform DW									
Analytical Method: SM22 9223B Colilert Preparation Method: SM22 9223B Colilert									
Total Coliforms	Absent				1	02/21/18 23:55	02/22/18 17:55		
E.coli	Absent				1	02/21/18 23:55	02/22/18 17:55		
524.2 MSV									
Analytical Method: EPA 524.2									
Benzene	<0.50	ug/L	0.50		1		02/26/18 15:36	71-43-2	
Bromobenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	108-86-1	
Bromochloromethane	<0.50	ug/L	0.50		1		02/26/18 15:36	74-97-5	
Bromodichloromethane	<0.50	ug/L	0.50		1		02/26/18 15:36	75-27-4	
Bromoform	<0.50	ug/L	0.50		1		02/26/18 15:36	75-25-2	
Bromomethane	<0.50	ug/L	0.50		1		02/26/18 15:36	74-83-9	
n-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	104-51-8	
sec-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	135-98-8	
tert-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	98-06-6	
Carbon tetrachloride	<0.50	ug/L	0.50		1		02/26/18 15:36	56-23-5	
Chlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	108-90-7	
Chlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 15:36	75-45-6	N3
Chloroethane	<0.50	ug/L	0.50		1		02/26/18 15:36	75-00-3	
Chloroform	1.2	ug/L	0.50		1		02/26/18 15:36	67-66-3	
Chloromethane	<0.50	ug/L	0.50		1		02/26/18 15:36	74-87-3	L1
2-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 15:36	95-49-8	
4-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 15:36	106-43-4	
Dibromochloromethane	<0.50	ug/L	0.50		1		02/26/18 15:36	124-48-1	
Dibromomethane	<0.50	ug/L	0.50		1		02/26/18 15:36	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 15:36	75-71-8	
1,1-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 15:36	75-34-3	
1,2-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 15:36	107-06-2	
1,1-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 15:36	75-35-4	
cis-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 15:36	156-59-2	
trans-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 15:36	156-60-5	
1,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 15:36	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 15:36	142-28-9	
2,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 15:36	594-20-7	
1,1-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 15:36	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 15:36	10061-01-5	
trans-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 15:36	10061-02-6	
Ethylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	100-41-4	
Hexachloro-1,3-butadiene	<0.50	ug/L	0.50		1		02/26/18 15:36	87-68-3	
Isopropylbenzene (Cumene)	<0.50	ug/L	0.50		1		02/26/18 15:36	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	0.50		1		02/26/18 15:36	99-87-6	
Methylene Chloride	<0.50	ug/L	0.50		1		02/26/18 15:36	75-09-2	
Methyl-tert-butyl ether	<0.50	ug/L	0.50		1		02/26/18 15:36	1634-04-4	
n-Propylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	103-65-1	
Styrene	<0.50	ug/L	0.50		1		02/26/18 15:36	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-58351 **Lab ID: 7043570004** Collected: 02/21/18 09:00 Received: 02/21/18 15:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV Analytical Method: EPA 524.2									
1,1,1,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 15:36	630-20-6	
1,1,2,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 15:36	79-34-5	
Tetrachloroethene	<0.50	ug/L	0.50		1		02/26/18 15:36	127-18-4	
Toluene	<0.50	ug/L	0.50		1		02/26/18 15:36	108-88-3	
Total Trihalomethanes (Calc.)	1.2	ug/L	0.50		1		02/26/18 15:36		
1,2,3-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	87-61-6	
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 15:36	71-55-6	
1,1,2-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 15:36	79-00-5	
Trichloroethene	<0.50	ug/L	0.50		1		02/26/18 15:36	79-01-6	
Trichlorofluoromethane	<0.50	ug/L	0.50		1		02/26/18 15:36	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	0.50		1		02/26/18 15:36	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.50	ug/L	0.50		1		02/26/18 15:36	76-13-1	N3
1,2,4-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 15:36	108-67-8	
Vinyl chloride	<0.50	ug/L	0.50		1		02/26/18 15:36	75-01-4	
m&p-Xylene	<0.50	ug/L	0.50		1		02/26/18 15:36	179601-23-1	
o-Xylene	<0.50	ug/L	0.50		1		02/26/18 15:36	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	96	%	70-130		1		02/26/18 15:36	2199-69-1	
4-Bromofluorobenzene (S)	104	%	70-130		1		02/26/18 15:36	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-108065 **Lab ID: 7043570005** Collected: 02/21/18 09:35 Received: 02/21/18 15:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
MBIO Total Coliform DW									
Analytical Method: SM22 9223B Colilert Preparation Method: SM22 9223B Colilert									
Total Coliforms	Absent				1	02/21/18 23:55	02/22/18 17:55		
E.coli	Absent				1	02/21/18 23:55	02/22/18 17:55		
524.2 MSV									
Analytical Method: EPA 524.2									
Benzene	<0.50	ug/L	0.50		1		02/26/18 16:03	71-43-2	
Bromobenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	108-86-1	
Bromochloromethane	<0.50	ug/L	0.50		1		02/26/18 16:03	74-97-5	
Bromodichloromethane	<0.50	ug/L	0.50		1		02/26/18 16:03	75-27-4	
Bromoform	<0.50	ug/L	0.50		1		02/26/18 16:03	75-25-2	
Bromomethane	<0.50	ug/L	0.50		1		02/26/18 16:03	74-83-9	
n-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	104-51-8	
sec-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	135-98-8	
tert-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	98-06-6	
Carbon tetrachloride	<0.50	ug/L	0.50		1		02/26/18 16:03	56-23-5	
Chlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	108-90-7	
Chlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 16:03	75-45-6	N3
Chloroethane	<0.50	ug/L	0.50		1		02/26/18 16:03	75-00-3	
Chloroform	2.2	ug/L	0.50		1		02/26/18 16:03	67-66-3	
Chloromethane	<0.50	ug/L	0.50		1		02/26/18 16:03	74-87-3	L1
2-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 16:03	95-49-8	
4-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 16:03	106-43-4	
Dibromochloromethane	<0.50	ug/L	0.50		1		02/26/18 16:03	124-48-1	
Dibromomethane	<0.50	ug/L	0.50		1		02/26/18 16:03	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 16:03	75-71-8	
1,1-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 16:03	75-34-3	
1,2-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 16:03	107-06-2	
1,1-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 16:03	75-35-4	
cis-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 16:03	156-59-2	
trans-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 16:03	156-60-5	
1,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 16:03	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 16:03	142-28-9	
2,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 16:03	594-20-7	
1,1-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 16:03	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 16:03	10061-01-5	
trans-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 16:03	10061-02-6	
Ethylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	100-41-4	
Hexachloro-1,3-butadiene	<0.50	ug/L	0.50		1		02/26/18 16:03	87-68-3	
Isopropylbenzene (Cumene)	<0.50	ug/L	0.50		1		02/26/18 16:03	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	0.50		1		02/26/18 16:03	99-87-6	
Methylene Chloride	<0.50	ug/L	0.50		1		02/26/18 16:03	75-09-2	
Methyl-tert-butyl ether	<0.50	ug/L	0.50		1		02/26/18 16:03	1634-04-4	
n-Propylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	103-65-1	
Styrene	<0.50	ug/L	0.50		1		02/26/18 16:03	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-108065 **Lab ID: 7043570005** Collected: 02/21/18 09:35 Received: 02/21/18 15:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV Analytical Method: EPA 524.2									
1,1,1,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 16:03	630-20-6	
1,1,2,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 16:03	79-34-5	
Tetrachloroethene	<0.50	ug/L	0.50		1		02/26/18 16:03	127-18-4	
Toluene	<0.50	ug/L	0.50		1		02/26/18 16:03	108-88-3	
Total Trihalomethanes (Calc.)	2.2	ug/L	0.50		1		02/26/18 16:03		
1,2,3-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	87-61-6	
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 16:03	71-55-6	
1,1,2-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 16:03	79-00-5	
Trichloroethene	<0.50	ug/L	0.50		1		02/26/18 16:03	79-01-6	
Trichlorofluoromethane	<0.50	ug/L	0.50		1		02/26/18 16:03	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	0.50		1		02/26/18 16:03	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.50	ug/L	0.50		1		02/26/18 16:03	76-13-1	N3
1,2,4-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:03	108-67-8	
Vinyl chloride	<0.50	ug/L	0.50		1		02/26/18 16:03	75-01-4	
m&p-Xylene	<0.50	ug/L	0.50		1		02/26/18 16:03	179601-23-1	
o-Xylene	<0.50	ug/L	0.50		1		02/26/18 16:03	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	91	%	70-130		1		02/26/18 16:03	2199-69-1	
4-Bromofluorobenzene (S)	98	%	70-130		1		02/26/18 16:03	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-127163 **Lab ID: 7043570006** Collected: 02/21/18 08:45 Received: 02/21/18 15:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
MBIO Total Coliform DW									
Analytical Method: SM22 9223B Colilert Preparation Method: SM22 9223B Colilert									
Total Coliforms	Absent				1	02/21/18 23:55	02/22/18 17:55		
E.coli	Absent				1	02/21/18 23:55	02/22/18 17:55		
524.2 MSV									
Analytical Method: EPA 524.2									
Benzene	<0.50	ug/L	0.50		1		02/26/18 16:29	71-43-2	
Bromobenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	108-86-1	
Bromochloromethane	<0.50	ug/L	0.50		1		02/26/18 16:29	74-97-5	
Bromodichloromethane	<0.50	ug/L	0.50		1		02/26/18 16:29	75-27-4	
Bromoform	<0.50	ug/L	0.50		1		02/26/18 16:29	75-25-2	
Bromomethane	<0.50	ug/L	0.50		1		02/26/18 16:29	74-83-9	
n-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	104-51-8	
sec-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	135-98-8	
tert-Butylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	98-06-6	
Carbon tetrachloride	<0.50	ug/L	0.50		1		02/26/18 16:29	56-23-5	
Chlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	108-90-7	
Chlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 16:29	75-45-6	N3
Chloroethane	<0.50	ug/L	0.50		1		02/26/18 16:29	75-00-3	
Chloroform	1.6	ug/L	0.50		1		02/26/18 16:29	67-66-3	
Chloromethane	<0.50	ug/L	0.50		1		02/26/18 16:29	74-87-3	L1
2-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 16:29	95-49-8	
4-Chlorotoluene	<0.50	ug/L	0.50		1		02/26/18 16:29	106-43-4	
Dibromochloromethane	<0.50	ug/L	0.50		1		02/26/18 16:29	124-48-1	
Dibromomethane	<0.50	ug/L	0.50		1		02/26/18 16:29	74-95-3	
1,2-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	95-50-1	
1,3-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	541-73-1	
1,4-Dichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	0.50		1		02/26/18 16:29	75-71-8	
1,1-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 16:29	75-34-3	
1,2-Dichloroethane	<0.50	ug/L	0.50		1		02/26/18 16:29	107-06-2	
1,1-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 16:29	75-35-4	
cis-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 16:29	156-59-2	
trans-1,2-Dichloroethene	<0.50	ug/L	0.50		1		02/26/18 16:29	156-60-5	
1,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 16:29	78-87-5	
1,3-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 16:29	142-28-9	
2,2-Dichloropropane	<0.50	ug/L	0.50		1		02/26/18 16:29	594-20-7	
1,1-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 16:29	563-58-6	
cis-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 16:29	10061-01-5	
trans-1,3-Dichloropropene	<0.50	ug/L	0.50		1		02/26/18 16:29	10061-02-6	
Ethylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	100-41-4	
Hexachloro-1,3-butadiene	<0.50	ug/L	0.50		1		02/26/18 16:29	87-68-3	
Isopropylbenzene (Cumene)	<0.50	ug/L	0.50		1		02/26/18 16:29	98-82-8	
p-Isopropyltoluene	<0.50	ug/L	0.50		1		02/26/18 16:29	99-87-6	
Methylene Chloride	<0.50	ug/L	0.50		1		02/26/18 16:29	75-09-2	
Methyl-tert-butyl ether	<0.50	ug/L	0.50		1		02/26/18 16:29	1634-04-4	
n-Propylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	103-65-1	
Styrene	<0.50	ug/L	0.50		1		02/26/18 16:29	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: BACT/POC 2/21

Pace Project No.: 7043570

Sample: S-127163 **Lab ID: 7043570006** Collected: 02/21/18 08:45 Received: 02/21/18 15:40 Matrix: Drinking Water

Parameters	Results	Units	Report Limit	Reg. Limit	DF	Prepared	Analyzed	CAS No.	Qual
524.2 MSV									
Analytical Method: EPA 524.2									
1,1,1,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 16:29	630-20-6	
1,1,2,2-Tetrachloroethane	<0.50	ug/L	0.50		1		02/26/18 16:29	79-34-5	
Tetrachloroethene	<0.50	ug/L	0.50		1		02/26/18 16:29	127-18-4	
Toluene	1.3	ug/L	0.50		1		02/26/18 16:29	108-88-3	
Total Trihalomethanes (Calc.)	1.6	ug/L	0.50		1		02/26/18 16:29		
1,2,3-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	87-61-6	
1,2,4-Trichlorobenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	120-82-1	
1,1,1-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 16:29	71-55-6	
1,1,2-Trichloroethane	<0.50	ug/L	0.50		1		02/26/18 16:29	79-00-5	
Trichloroethene	<0.50	ug/L	0.50		1		02/26/18 16:29	79-01-6	
Trichlorofluoromethane	<0.50	ug/L	0.50		1		02/26/18 16:29	75-69-4	
1,2,3-Trichloropropane	<0.50	ug/L	0.50		1		02/26/18 16:29	96-18-4	
1,1,2-Trichlorotrifluoroethane	<0.50	ug/L	0.50		1		02/26/18 16:29	76-13-1	N3
1,2,4-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	95-63-6	
1,3,5-Trimethylbenzene	<0.50	ug/L	0.50		1		02/26/18 16:29	108-67-8	
Vinyl chloride	<0.50	ug/L	0.50		1		02/26/18 16:29	75-01-4	
m&p-Xylene	<0.50	ug/L	0.50		1		02/26/18 16:29	179601-23-1	
o-Xylene	<0.50	ug/L	0.50		1		02/26/18 16:29	95-47-6	
Surrogates									
1,2-Dichlorobenzene-d4 (S)	92	%	70-130		1		02/26/18 16:29	2199-69-1	
4-Bromofluorobenzene (S)	95	%	70-130		1		02/26/18 16:29	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BACT/POC 2/21

Pace Project No.: 7043570

QC Batch: 57304

Analysis Method: SM22 9223B Colilert

QC Batch Method: SM22 9223B Colilert

Analysis Description: TotColDW MBIO Total Coliform

Associated Lab Samples: 7043570001, 7043570002, 7043570003, 7043570004, 7043570005, 7043570006

METHOD BLANK: 263287

Matrix: Drinking Water

Associated Lab Samples: 7043570001, 7043570002, 7043570003, 7043570004, 7043570005, 7043570006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
E.coli		Absent		02/22/18 17:55	
Total Coliforms		Absent		02/22/18 17:55	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BACT/POC 2/21
Pace Project No.: 7043570

QC Batch: 57645 Analysis Method: EPA 524.2
QC Batch Method: EPA 524.2 Analysis Description: 524.2 MSV
Associated Lab Samples: 7043570001, 7043570002, 7043570003, 7043570004, 7043570005, 7043570006

METHOD BLANK: 264738 Matrix: Water
Associated Lab Samples: 7043570001, 7043570002, 7043570003, 7043570004, 7043570005, 7043570006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.50	0.50	02/26/18 08:28	
1,1,1-Trichloroethane	ug/L	<0.50	0.50	02/26/18 08:28	
1,1,2,2-Tetrachloroethane	ug/L	<0.50	0.50	02/26/18 08:28	
1,1,2-Trichloroethane	ug/L	<0.50	0.50	02/26/18 08:28	
1,1,2-Trichlorotrifluoroethane	ug/L	<0.50	0.50	02/26/18 08:28	N3
1,1-Dichloroethane	ug/L	<0.50	0.50	02/26/18 08:28	
1,1-Dichloroethene	ug/L	<0.50	0.50	02/26/18 08:28	
1,1-Dichloropropene	ug/L	<0.50	0.50	02/26/18 08:28	
1,2,3-Trichlorobenzene	ug/L	<0.50	0.50	02/26/18 08:28	
1,2,3-Trichloropropane	ug/L	<0.50	0.50	02/26/18 08:28	
1,2,4-Trichlorobenzene	ug/L	<0.50	0.50	02/26/18 08:28	
1,2,4-Trimethylbenzene	ug/L	<0.50	0.50	02/26/18 08:28	
1,2-Dichlorobenzene	ug/L	<0.50	0.50	02/26/18 08:28	
1,2-Dichloroethane	ug/L	<0.50	0.50	02/26/18 08:28	
1,2-Dichloropropane	ug/L	<0.50	0.50	02/26/18 08:28	
1,3,5-Trimethylbenzene	ug/L	<0.50	0.50	02/26/18 08:28	
1,3-Dichlorobenzene	ug/L	<0.50	0.50	02/26/18 08:28	
1,3-Dichloropropane	ug/L	<0.50	0.50	02/26/18 08:28	
1,4-Dichlorobenzene	ug/L	<0.50	0.50	02/26/18 08:28	
2,2-Dichloropropane	ug/L	<0.50	0.50	02/26/18 08:28	
2-Chlorotoluene	ug/L	<0.50	0.50	02/26/18 08:28	
4-Chlorotoluene	ug/L	<0.50	0.50	02/26/18 08:28	
Benzene	ug/L	<0.50	0.50	02/26/18 08:28	
Bromobenzene	ug/L	<0.50	0.50	02/26/18 08:28	
Bromochloromethane	ug/L	<0.50	0.50	02/26/18 08:28	
Bromodichloromethane	ug/L	<0.50	0.50	02/26/18 08:28	
Bromoform	ug/L	<0.50	0.50	02/26/18 08:28	
Bromomethane	ug/L	<0.50	0.50	02/26/18 08:28	
Carbon tetrachloride	ug/L	<0.50	0.50	02/26/18 08:28	
Chlorobenzene	ug/L	<0.50	0.50	02/26/18 08:28	
Chlorodifluoromethane	ug/L	<0.50	0.50	02/26/18 08:28	N3
Chloroethane	ug/L	<0.50	0.50	02/26/18 08:28	
Chloroform	ug/L	<0.50	0.50	02/26/18 08:28	
Chloromethane	ug/L	<0.50	0.50	02/26/18 08:28	
cis-1,2-Dichloroethene	ug/L	<0.50	0.50	02/26/18 08:28	
cis-1,3-Dichloropropene	ug/L	<0.50	0.50	02/26/18 08:28	
Dibromochloromethane	ug/L	<0.50	0.50	02/26/18 08:28	
Dibromomethane	ug/L	<0.50	0.50	02/26/18 08:28	
Dichlorodifluoromethane	ug/L	<0.50	0.50	02/26/18 08:28	
Ethylbenzene	ug/L	<0.50	0.50	02/26/18 08:28	
Hexachloro-1,3-butadiene	ug/L	<0.50	0.50	02/26/18 08:28	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BACT/POC 2/21
Pace Project No.: 7043570

METHOD BLANK: 264738 Matrix: Water
Associated Lab Samples: 7043570001, 7043570002, 7043570003, 7043570004, 7043570005, 7043570006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Isopropylbenzene (Cumene)	ug/L	<0.50	0.50	02/26/18 08:28	
m&p-Xylene	ug/L	<0.50	0.50	02/26/18 08:28	
Methyl-tert-butyl ether	ug/L	<0.50	0.50	02/26/18 08:28	
Methylene Chloride	ug/L	<0.50	0.50	02/26/18 08:28	
n-Butylbenzene	ug/L	<0.50	0.50	02/26/18 08:28	
n-Propylbenzene	ug/L	<0.50	0.50	02/26/18 08:28	
o-Xylene	ug/L	<0.50	0.50	02/26/18 08:28	
p-Isopropyltoluene	ug/L	<0.50	0.50	02/26/18 08:28	
sec-Butylbenzene	ug/L	<0.50	0.50	02/26/18 08:28	
Styrene	ug/L	<0.50	0.50	02/26/18 08:28	
tert-Butylbenzene	ug/L	<0.50	0.50	02/26/18 08:28	
Tetrachloroethene	ug/L	<0.50	0.50	02/26/18 08:28	
Toluene	ug/L	<0.50	0.50	02/26/18 08:28	
Total Trihalomethanes (Calc.)	ug/L	<0.50	0.50	02/26/18 08:28	
trans-1,2-Dichloroethene	ug/L	<0.50	0.50	02/26/18 08:28	
trans-1,3-Dichloropropene	ug/L	<0.50	0.50	02/26/18 08:28	
Trichloroethene	ug/L	<0.50	0.50	02/26/18 08:28	
Trichlorofluoromethane	ug/L	<0.50	0.50	02/26/18 08:28	
Vinyl chloride	ug/L	<0.50	0.50	02/26/18 08:28	
1,2-Dichlorobenzene-d4 (S)	%	95	70-130	02/26/18 08:28	
4-Bromofluorobenzene (S)	%	99	70-130	02/26/18 08:28	

LABORATORY CONTROL SAMPLE: 264739

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	10	9.2	92	70-130	
1,1,1-Trichloroethane	ug/L	10	9.2	92	70-130	
1,1,2,2-Tetrachloroethane	ug/L	10	10.7	107	70-130	
1,1,2-Trichloroethane	ug/L	10	10.8	108	70-130	
1,1,2-Trichlorotrifluoroethane	ug/L	10	8.0	80	70-130	N3
1,1-Dichloroethane	ug/L	10	10.8	108	70-130	
1,1-Dichloroethene	ug/L	10	9.0	90	70-130	
1,1-Dichloropropene	ug/L	10	10.4	104	70-130	
1,2,3-Trichlorobenzene	ug/L	10	9.4	94	70-130	
1,2,3-Trichloropropane	ug/L	10	9.1	91	70-130	
1,2,4-Trichlorobenzene	ug/L	10	9.4	94	70-130	
1,2,4-Trimethylbenzene	ug/L	10	9.8	98	70-130	
1,2-Dichlorobenzene	ug/L	10	9.4	94	70-130	
1,2-Dichloroethane	ug/L	10	9.9	99	70-130	
1,2-Dichloropropane	ug/L	10	11.5	115	70-130	
1,3,5-Trimethylbenzene	ug/L	10	9.6	96	70-130	
1,3-Dichlorobenzene	ug/L	10	9.4	94	70-130	
1,3-Dichloropropane	ug/L	10	10.3	103	70-130	
1,4-Dichlorobenzene	ug/L	10	9.2	92	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BACT/POC 2/21

Pace Project No.: 7043570

LABORATORY CONTROL SAMPLE: 264739

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,2-Dichloropropane	ug/L	10	9.8	98	70-130	
2-Chlorotoluene	ug/L	10	10.1	101	70-130	
4-Chlorotoluene	ug/L	10	10.0	100	70-130	
Benzene	ug/L	10	10.5	105	70-130	
Bromobenzene	ug/L	10	9.6	96	70-130	
Bromochloromethane	ug/L	10	8.7	87	70-130	
Bromodichloromethane	ug/L	10	10.2	102	70-130	
Bromoform	ug/L	10	9.2	92	70-130	
Bromomethane	ug/L	10	9.0	90	70-130	
Carbon tetrachloride	ug/L	10	8.9	89	70-130	
Chlorobenzene	ug/L	10	9.6	96	70-130	
Chlorodifluoromethane	ug/L	10	8.4	84	70-130	N3
Chloroethane	ug/L	10	12.9	129	70-130	CH
Chloroform	ug/L	10	9.6	96	70-130	
Chloromethane	ug/L	10	13.5	135	70-130	L1
cis-1,2-Dichloroethene	ug/L	10	9.6	96	70-130	
cis-1,3-Dichloropropene	ug/L	10	11.5	115	70-130	
Dibromochloromethane	ug/L	10	9.2	92	70-130	
Dibromomethane	ug/L	10	9.9	99	70-130	
Dichlorodifluoromethane	ug/L	10	10.4	104	70-130	
Ethylbenzene	ug/L	10	9.8	98	70-130	
Hexachloro-1,3-butadiene	ug/L	10	9.0	90	70-130	
Isopropylbenzene (Cumene)	ug/L	10	9.6	96	70-130	
m&p-Xylene	ug/L	20	19.3	96	70-130	
Methyl-tert-butyl ether	ug/L	10	12.5	125	70-130	
Methylene Chloride	ug/L	10	9.8	98	70-130	
n-Butylbenzene	ug/L	10	9.5	95	70-130	
n-Propylbenzene	ug/L	10	10.2	102	70-130	
o-Xylene	ug/L	10	9.7	97	70-130	
p-Isopropyltoluene	ug/L	10	9.1	91	70-130	
sec-Butylbenzene	ug/L	10	9.6	96	70-130	
Styrene	ug/L	10	9.9	99	70-130	
tert-Butylbenzene	ug/L	10	9.2	92	70-130	
Tetrachloroethene	ug/L	10	9.0	90	70-130	
Toluene	ug/L	10	9.7	97	70-130	
Total Trihalomethanes (Calc.)	ug/L		38.2			
trans-1,2-Dichloroethene	ug/L	10	9.2	92	70-130	
trans-1,3-Dichloropropene	ug/L	10	9.6	96	70-130	
Trichloroethene	ug/L	10	9.7	97	70-130	
Trichlorofluoromethane	ug/L	10	9.9	99	70-130	
Vinyl chloride	ug/L	10	12.1	121	70-130	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			106	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BACT/POC 2/21

Pace Project No.: 7043570

SAMPLE DUPLICATE: 265309

Parameter	Units	7043570006 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.50	<0.50		20	
1,1,1-Trichloroethane	ug/L	<0.50	<0.50		20	
1,1,2,2-Tetrachloroethane	ug/L	<0.50	<0.50		20	
1,1,2-Trichloroethane	ug/L	<0.50	<0.50		20	
1,1,2-Trichlorotrifluoroethane	ug/L	<0.50	<0.50		20	N3
1,1-Dichloroethane	ug/L	<0.50	<0.50		20	
1,1-Dichloroethene	ug/L	<0.50	<0.50		20	
1,1-Dichloropropene	ug/L	<0.50	<0.50		20	
1,2,3-Trichlorobenzene	ug/L	<0.50	<0.50		20	
1,2,3-Trichloropropane	ug/L	<0.50	<0.50		20	
1,2,4-Trichlorobenzene	ug/L	<0.50	<0.50		20	
1,2,4-Trimethylbenzene	ug/L	<0.50	<0.50		20	
1,2-Dichlorobenzene	ug/L	<0.50	<0.50		20	
1,2-Dichloroethane	ug/L	<0.50	<0.50		20	
1,2-Dichloropropane	ug/L	<0.50	<0.50		20	
1,3,5-Trimethylbenzene	ug/L	<0.50	<0.50		20	
1,3-Dichlorobenzene	ug/L	<0.50	<0.50		20	
1,3-Dichloropropane	ug/L	<0.50	<0.50		20	
1,4-Dichlorobenzene	ug/L	<0.50	<0.50		20	
2,2-Dichloropropane	ug/L	<0.50	<0.50		20	
2-Chlorotoluene	ug/L	<0.50	<0.50		20	
4-Chlorotoluene	ug/L	<0.50	<0.50		20	
Benzene	ug/L	<0.50	<0.50		20	
Bromobenzene	ug/L	<0.50	<0.50		20	
Bromochloromethane	ug/L	<0.50	<0.50		20	
Bromodichloromethane	ug/L	<0.50	<0.50		20	
Bromoform	ug/L	<0.50	<0.50		20	
Bromomethane	ug/L	<0.50	<0.50		20	
Carbon tetrachloride	ug/L	<0.50	<0.50		20	
Chlorobenzene	ug/L	<0.50	<0.50		20	
Chlorodifluoromethane	ug/L	<0.50	<0.50		20	N3
Chloroethane	ug/L	<0.50	<0.50		20	
Chloroform	ug/L	1.6	1.6	3	20	
Chloromethane	ug/L	<0.50	<0.50		20	
cis-1,2-Dichloroethene	ug/L	<0.50	<0.50		20	
cis-1,3-Dichloropropene	ug/L	<0.50	<0.50		20	
Dibromochloromethane	ug/L	<0.50	<0.50		20	
Dibromomethane	ug/L	<0.50	<0.50		20	
Dichlorodifluoromethane	ug/L	<0.50	<0.50		20	
Ethylbenzene	ug/L	<0.50	<0.50		20	
Hexachloro-1,3-butadiene	ug/L	<0.50	<0.50		20	
Isopropylbenzene (Cumene)	ug/L	<0.50	<0.50		20	
m&p-Xylene	ug/L	<0.50	<0.50		20	
Methyl-tert-butyl ether	ug/L	<0.50	<0.50		20	
Methylene Chloride	ug/L	<0.50	<0.50		20	
n-Butylbenzene	ug/L	<0.50	<0.50		20	
n-Propylbenzene	ug/L	<0.50	<0.50		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: BACT/POC 2/21

Pace Project No.: 7043570

SAMPLE DUPLICATE: 265309

Parameter	Units	7043570006 Result	Dup Result	RPD	Max RPD	Qualifiers
o-Xylene	ug/L	<0.50	<0.50		20	
p-Isopropyltoluene	ug/L	<0.50	<0.50		20	
sec-Butylbenzene	ug/L	<0.50	<0.50		20	
Styrene	ug/L	<0.50	<0.50		20	
tert-Butylbenzene	ug/L	<0.50	<0.50		20	
Tetrachloroethene	ug/L	<0.50	<0.50		20	
Toluene	ug/L	1.3	1.3	0	20	
Total Trihalomethanes (Calc.)	ug/L	1.6	1.6	3	20	
trans-1,2-Dichloroethene	ug/L	<0.50	<0.50		20	
trans-1,3-Dichloropropene	ug/L	<0.50	<0.50		20	
Trichloroethene	ug/L	<0.50	<0.50		20	
Trichlorofluoromethane	ug/L	<0.50	<0.50		20	
Vinyl chloride	ug/L	<0.50	<0.50		20	
1,2-Dichlorobenzene-d4 (S)	%	92	94	2	20	
4-Bromofluorobenzene (S)	%	95	95	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: BACT/POC 2/21

Pace Project No.: 7043570

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

SAMPLE QUALIFIERS

Sample: 7043570004

[1] RUN TO WASTE

Sample: 7043570005

[1] RUN TO WASTE

ANALYTE QUALIFIERS

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.

N3 Accreditation is not offered by the relevant laboratory accrediting body for this parameter.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: BACT/POC 2/21

Pace Project No.: 7043570

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7043570001	S-50970	SM22 9223B Colilert	57304	SM22 9223B Colilert	57497
7043570002	S-74071	SM22 9223B Colilert	57304	SM22 9223B Colilert	57497
7043570003	S-58350	SM22 9223B Colilert	57304	SM22 9223B Colilert	57497
7043570004	S-58351	SM22 9223B Colilert	57304	SM22 9223B Colilert	57497
7043570005	S-108065	SM22 9223B Colilert	57304	SM22 9223B Colilert	57497
7043570006	S-127163	SM22 9223B Colilert	57304	SM22 9223B Colilert	57497
7043570001	S-50970	EPA 524.2	57645		
7043570002	S-74071	EPA 524.2	57645		
7043570003	S-58350	EPA 524.2	57645		
7043570004	S-58351	EPA 524.2	57645		
7043570005	S-108065	EPA 524.2	57645		
7043570006	S-127163	EPA 524.2	57645		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample Condition Upon Receipt

Client Name: Hayston Bay Water Project: WO#: 7043570

PM: SWM Due Date: 03/23/18
CLIENT: HBW

Courier: Fed Ex UPS USPS Client Commercial Pace Other

Tracking #: _____

Custody Seal on Cooler/Box Present: Yes No

Seals intact: Yes No

Packing Material: Bubble Wrap Bubble Bags Ziploc None Other

Type of Ice: Wet Blue None

Thermometer Used: T1092 Correction Factor: +0.0

Samples on ice, cooling process has begun

Cooler Temperature (°C): 3.8

Cooler Temperature Corrected (°C): 3.9

Date/Time 5035A kits placed in freezer _____

Temp should be above freezing to 6.0°C

USDA Regulated Soil N/A, water sample

Date and Initials of person examining contents: CD 2-21-18

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? YES NO

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

				COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		5.
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No		7.
Sufficient Volume: (Triple volume provided for MS/MSD)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		
Containers Intact:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No		12.
-Includes date/time/ID/Analysis Matrix SL WT OIL				
All containers needing preservation have been checked	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot #				Sample #
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, NaOH>12 Cyanide)	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	Initial when completed:
Exceptions: VOA Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water) Per Method, VOA pH is checked after analysis				Lot # of added preservative:
				Date/Time preservative added
Samples checked for dechlorination:	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #				
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable):				

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____

Date/Time: _____

Comments/ Resolution: _____

